

Workorder: 3366362

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	MAR 23, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	3366362
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
---------	---------	---	-------------------	--

Workorder: 3366362

Circuit Nomenclature	OB
----------------------	----

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 3436130

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Quarterly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	APR 19, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	3436130
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

C = Test completed, no exceptions found, and condition left in compliance.

A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.

R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.

B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.

G = Governed by Special Instruction

NT = The equipment was not tested in this inspection.

N = Test Not Applicable.

CO = Compliant

NC = Not compliant

P = Pass

F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Cut-out Circuits	234.269	N		

Insulated Joints / Bonds / Track Connections	234.271	C	Stanfill, Michael	
---	---------	---	-------------------	--

Workorder: 3715890

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	APR 19, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	3715890
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
---------	---------	---	-------------------	--

Workorder: 3715890

Circuit Nomenclature	XB
----------------------	----

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 4135798

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	MAY 17, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	4135798
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
---------	---------	---	-------------------	--

Workorder: 4135798

Circuit Nomenclature	OB
----------------------	----

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 4549499

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	JUN 14, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	4549499
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
---------	---------	---	-------------------	--

Workorder: 4549499

Circuit Nomenclature	OB
----------------------	----

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 4146913

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Quarterly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	JUL 12, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	4146913
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

C = Test completed, no exceptions found, and condition left in compliance.
A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
G = Governed by Special Instruction
NT = The equipment was not tested in this inspection.
N = Test Not Applicable.
CO = Compliant
NC = Not compliant
P = Pass
F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Cut-out Circuits	234.269	N		

Insulated Joints / Bonds / Track Connections	234.271	C	Stanfill, Michael	
---	---------	---	-------------------	--

Workorder: 4866402

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	JUL 12, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	4866402
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
---------	---------	---	-------------------	--

Workorder: 4866402

Circuit Nomenclature	OB
----------------------	----

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 5238048

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	AUG 09, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	5238048
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
---------	---------	---	-------------------	--

Workorder: 5238048

Circuit Nomenclature	XB
----------------------	----

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 5591841

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	SEP 06, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	5591841
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Workorder: 5591841

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 5245973

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Quarterly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	OCT 04, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	5245973
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Cut-out Circuits	234.269	N		

Insulated Joints / Bonds / Track Connections	234.271	C	Stanfill, Michael	
---	---------	---	-------------------	--

Workorder: 5954043

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	OCT 04, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	5954043
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Workorder: 5954043

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 6458607

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	NOV 01, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	6458607
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Workorder: 6458607

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 6803670

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	NOV 22, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	6803670
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Workorder: 6803670

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 3424076

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing - Annual Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	DEC 20, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	3424076
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flash Rate	234.253 (a)	C	Stanfill, Michael	
Flasher Nomenclature				EOR
Flashes per minute-Measured				65
Hold Clear Device	234.255 (c)	C	Stanfill, Michael	
Lamp Voltages	234.253 (b)	C	Stanfill, Michael	
Light Alignment	234.253 (a)	C	Stanfill, Michael	
Timing Relay and Devices	234.265	N		

Workorder: 3424076

Warning Times	234.259	C	Stanfill, Michael	
Active/Stand by				Active
Control Type				Motion Detector
Direction				South
Prescribed Time				29
Track				#1 Main
Timing Method				Calculated
Warning Time				31

Warning Times	234.259	C	Stanfill, Michael	
Active/Stand by				Active
Control Type				Predictor
Direction				North
Prescribed Time				29
Track				#1 Main
Timing Method				Calculated
Warning Time				40

Workorder: 6455760

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Quarterly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	DEC 20, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	6455760
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Cut-out Circuits	234.269	N		

Insulated Joints / Bonds / Track Connections	234.271	C	Stanfill, Michael	
---	---------	---	-------------------	--

Workorder: 7085689

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	DEC 20, 2016
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	7085689
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Workorder: 7085689

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--

Workorder: 7444807

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	JAN 16, 2017
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	7444807
Employee Name:	Rose, Allen	Force Number:	7M10
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N = Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Rose, Allen	

Gate Arm and Mechanism	234.255 (a & b)	C	Rose, Allen	
------------------------	-----------------	---	-------------	--

Grounds	234.249	C	Rose, Allen	
Circuit Nomenclature				OB

Grounds	234.249	C	Rose, Allen	
Circuit Nomenclature				BG

Grounds	234.249	C	Rose, Allen	
Circuit Nomenclature				XB

Workorder: 7444807

Highway Traffic Signal Pre-emption	234.261	N		
------------------------------------	---------	---	--	--

Standby Power	234.251	C	Rose, Allen	
---------------	---------	---	-------------	--

Warning System Operation	234.257 (a & b)	C	Rose, Allen	
--------------------------	-----------------	---	-------------	--

Workorder: 7807361

Highway Grade Crossing Tests & Inspections



Job Plan:	Highway Grade Crossing Monthly Tests and Inspections	Asset ID:	340185W
Division:	ATLANTA DIVISION	Test Date:	FEB 16, 2017
Sub Division:	SUBDIVISION- NO&M	State:	MS
Milepost (with Prefix):	000 726.61	County:	Harrison
Location/Highway Name:	MAIN ST	Work Order:	7807361
Employee Name:	Stanfill, Michael	Force Number:	7M16
Equipment Present:	Flashers/Bell/Gates		

Conditions Master Keys

- C = Test completed, no exceptions found, and condition left in compliance.
- A = Adjustments made (identified in associated comments), test completed, and condition left in compliance.
- R = Repairs and/or Replacements made (identified in associated comments), test completed, and condition left in compliance.
- B = Baseline data matches that recorded during the most recent Baseline test, so full test not required.
- G = Governed by Special Instruction
- NT = The equipment was not tested in this inspection.
- N/A= Test Not Applicable.
- CO = Compliant
- NC = Not compliant
- P = Pass
- F = Fail

NOTE: For Stand By Power (FRA 234.251), an indication of 'C' denotes that all battery buses, as listed under Grounds (FRA 234.249), were tested. If any battery bus fails the Stand By Power test, that bus will be named in the notes associated with the Stand By Power test.

Description	FRA #	Result	Owner	Comment
Flashing Light Units	234.253 (c)	C	Stanfill, Michael	

Gate Arm and Mechanism	234.255 (a & b)	C	Stanfill, Michael	
------------------------	-----------------	---	-------------------	--

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				OB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				XB

Grounds	234.249	C	Stanfill, Michael	
Circuit Nomenclature				BG

Workorder: 7807361

Highway Traffic Signal Pre-emption	234.261	N/A		
------------------------------------	---------	-----	--	--

Standby Power	234.251	C	Stanfill, Michael	
---------------	---------	---	-------------------	--

Warning System Operation	234.257 (a & b)	C	Stanfill, Michael	
--------------------------	-----------------	---	-------------------	--