



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.01.001 - TURBINE, HP  
**Performed Function:** 612.001.010 - TURBINE, HP UNIT

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
13.02.2014	E140134			Modified ABS Survey					0.00			
612.001.010 - TURBINE, HP UNIT			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
28.04.2014	E120358	T-421		BILGE FLOAT/BILGE VALVE, TEST	C-103 - GUIDE HORN, CHECK			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined			
23.05.2014	E140077	T-421		BILGE FLOAT/BILGE VALVE, TEST	C-103 - GUIDE HORN, CHECK			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
18.06.2014	E120318	T-102		OVERSPEED, TEST	T-102 - OVERSPEED, TEST			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFCHIEF	Condition Survey		<input type="checkbox"/>	3 Month(s)	24	Undefined			
01.07.2014	E140278	T-421		BILGE FLOAT/BILGE VALVE, TEST	C-103 - GUIDE HORN, CHECK			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			
12.09.2014	E140309	T-421		BILGE FLOAT/BILGE VALVE, TEST	C-103 - GUIDE HORN, CHECK			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			
18.09.2014	E140205	T-102		OVERSPEED, TEST	T-102 - OVERSPEED, TEST			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFCHIEF	Condition Survey		<input type="checkbox"/>	3 Month(s)	0	Undefined			
31.10.2014	E140561	T-421		BILGE FLOAT/BILGE VALVE, TEST	C-103 - GUIDE HORN, CHECK			0.00				
612.001.010 - TURBINE, HP UNIT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.01.001 - TURBINE, HP  
**Performed Function:** 612.001.010 - TURBINE, HP UNIT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.11.2014	E140766	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				0.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.121.03.001 - PUMP, LPSG FEED WATER  
**Performed Function:** 759.001.010 - PUMP, LPSG FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.06.2014	E120120		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	26	Undefined	
01.08.2014	E140307		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.09.2014	E140429		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.10.2014	E140664		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.001 - COOLER, LUBE OIL  
**Performed Function:** 713.008.001 - COOLER, MAIN LO NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
13.06.2014	E120127	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
13.06.2014	E120093	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
24.07.2014	E140220	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
25.07.2014	E140232	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
25.07.2014	E140384				Unplanned Maintenance					0.00	
713.008.001 - COOLER, MAIN LO NO. 1			EEFFENG			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
29.08.2014	E140404	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140414	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
23.09.2014	E140517	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
30.09.2014	E140508	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.001 - COOLER, LUBE OIL  
**Performed Function:** 713.008.001 - COOLER, MAIN LO NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.10.2014	E140630		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
31.10.2014	E140660		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
23.12.2014	E140776		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
23.12.2014	E140774		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.002 - COOLER, LUBE OIL  
**Performed Function:** 713.008.002 - COOLER, MAIN LO NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
21.03.2014	E150211	W-E3045		SW STRAINER CLEAN						1.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
06.05.2014	E120412	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	23	Undefined		
13.06.2014	E120098	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
11.07.2014	E140029	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.07.2014	E140221	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
17.08.2014	E140353	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.50	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.08.2014	E140383	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.09.2014	E140441	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.002 - COOLER, LUBE OIL  
**Performed Function:** 713.008.002 - COOLER, MAIN LO NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.09.2014	E140507	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN		W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00		
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
31.10.2014	E140626	W-E3045	SW STRAINER CLEAN		W-E3045 - SW STRAINER CLEAN				0.00		
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
31.10.2014	E140659	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN		W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00		
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
23.12.2014	E140775	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN		W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00		
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
23.12.2014	E140773	W-E3045	SW STRAINER CLEAN		W-E3045 - SW STRAINER CLEAN				0.00		
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									1.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** DEH.215.01.001 - DEHYDRATOR, MAIN GEAR CASE  
**Performed Function:** 637.060.000 - MAIN GEAR CASE DEHYDRATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.06.2014	E120123		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
11.09.2014	E140285		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
16.11.2014	E140558		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.001 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.001 - COOLER, LO SSTG NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2014	E120090	W-E3045	SW STRAINER CLEAN							0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
06.05.2014	E120090	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
01.09.2014	E140219	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
01.09.2014	E140219	W-E3045	SW STRAINER CLEAN							0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
27.10.2014	E140523	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
27.10.2014	E140523	W-E3045	SW STRAINER CLEAN							0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.002 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.002 - COOLER, LO SSTG NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.06.2014	E120145	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E120145	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
29.07.2014	E140339	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.07.2014	E140339	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.09.2014	E140432	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.09.2014	E140432	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.11.2014	E140656	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.11.2014	E140656	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - DRYER, CONTROL AIR  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.06.2014	E120384		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	26	Undefined	
02.09.2014	E140299		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	2	Undefined	
08.10.2014	E140546		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.11.2014	E140689		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
31.12.2014	E140865		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MTG.035.02.001 - METER, EVAP SALINITY  
**Performed Function:** 761.020.001 - EVAP SALINITY METER

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.10.2014	E140698			Replace power supply and mother board					2.00	
761.020.001 - EVAP SALINITY METER		Damage Repair	EEFFENG	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.043.01.001 - GEAR, MAIN REDUCTION  
**Performed Function:** 637.001.000 - MAIN REDUCTION GEARS, COMPLETE

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
13.02.2014	E140136			Modified ABS Survey				0.00		
637.001.000 - MAIN REDUCTION GEARS, COMPLETE			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LAD.001.01.001 - LADDER, STBD MAIN DECK ACCOM.  
**Performed Function:** 564.001.001 - STBD MAIN DECK ACCOM. LADDER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2014	E100257		S-D9015		ACCOMODATION LADDER	S-D9015 - ACCOMODATION LADDER WIRE END FOR END				0.00	
564.001.001 - STBD MAIN DECK ACCOM. LADDER		1	WIRE END FOR END Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	31	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FDT.283.01.001 - SMOKE DETECTION SYSTEM  
**Performed Function:** 811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.05.2014	E110809		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	32	Undefined	
01.06.2014	E110808		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	33	Undefined	
28.06.2014	D140262		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.06.2014	D140263		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.07.2014	D140311		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.07.2014	D140312		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.08.2014	D140409		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.09.2014	D140408		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FDT.283.01.001 - SMOKE DETECTION SYSTEM  
**Performed Function:** 811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.09.2014	D140499	CO-D3005		SMOKE DETECTOR BLOWER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER					0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.10.2014	E140761			Replace Broken Air Flaps				0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM			EEFFENG		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		
01.11.2014	D140569	T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST			0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
01.11.2014	D140679	CO-D3005		SMOKE DETECTOR BLOWER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER			0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
29.11.2014	D140762	T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST			0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.11.2014	D140763	CO-D3005		SMOKE DETECTOR BLOWER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER			0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
31.12.2014	D140836	T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST			0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
31.12.2014	D140837	CO-D3005		SMOKE DETECTOR BLOWER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER			0.00			
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM	1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.551.00.100 - MISC, GALLEY SUPPLY/DRAIN  
**Performed Function:** 551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.05.2014	E120428	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined	
06.07.2014	E140083	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.07.2014	E120428	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
13.08.2014	E140346	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.09.2014	E140452	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.09.2014	E140452	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.09.2014	E140452	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.10.2014	E140559	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00		
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.551.00.100 - MISC, GALLEY SUPPLY/DRAIN  
**Performed Function:** 551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.12.2014	E140728		W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.554.00.100 - MISC, REFRIGERATION  
**Performed Function:** 554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.07.2014	E120379		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	27	Undefined	
23.08.2014	E140331		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.09.2014	E140459		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.10.2014	E140612		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.12.2014	E140736		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.571.00.100 - MISC, A/C & VENTILLATION  
**Performed Function:** 571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.06.2014	E120167		W-E4010		RETURN AIR DUCT CLEAN					0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											
		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined	
25.09.2014	E140256		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											
		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
29.12.2014	E140632		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											
		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
									<b>TOTAL:</b>	0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.612.00.100 - MISC, HP TURBINE

**Performed Function:** 612.000.100 - HP TURBINE STRNS / FLTRS / OTHER MISC.

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.03.2014	E140013			Repair all RTD's				4.00		
612.000.100 - HP TURBINE STRNS / FLTRS / OTHER MISC.			EEFCHIEF	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.713.00.100 - MISC, LO PROPULSION/REDUCTION GEAR  
**Performed Function:** 713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
10.05.2014	E120417	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined		
10.06.2014	E140039	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN				0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.07.2014	E140199	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.08.2014	E140352	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			1.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
16.09.2014	E140442	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.10.2014	E140584	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
25.11.2014	E140750	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.713.00.100 - MISC, LO PROPULSION/REDUCTION GEAR  
**Performed Function:** 713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.12.2014	E140915		W-E3010		MN LO SUCT/DISCH STRAINER W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN					0.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.		1	CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.755.00.100 - MISC, MAIN CONDENSATE  
**Performed Function:** 755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.06.2014	E120116	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER						0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	26	Undefined		
12.09.2014	E140338	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.12.2014	E140565	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	1	Undefined		
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.05.2014	E120441	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	107	Undefined		
03.07.2014	E140084	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	8	Undefined		
10.07.2014	E140344	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
17.07.2014	E140350	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
24.07.2014	E140362	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
04.08.2014	E140381	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
07.08.2014	E140426	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
21.08.2014	E140435	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
28.08.2014	E140454	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
04.09.2014	E140511	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
11.09.2014	E140553	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
18.09.2014	E140563	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
25.09.2014	E140592	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
02.10.2014	E140629	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
09.10.2014	E140674	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
16.10.2014	E140697	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.10.2014	E140712	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.10.2014	E140741	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
13.11.2014	E140779	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
20.11.2014	E140788	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
27.11.2014	E140894	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
04.12.2014	E140897	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
11.12.2014	E140900	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
18.12.2014	E140903	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.12.2014	E140906		T-E1025		FIRE HEADER VALVES CYCLED	T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.15.001 - LIFE BOAT FALLS, PORT  
**Performed Function:** 501.024.001 - LIFEBOAT WIRE FALLS, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2014	E110737	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined	
18.05.2014	E140142	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
03.07.2014	D110359	S-D9005	LIFEBOAT, PORT FALLS END			S-D9005 - LIFEBOAT, PORT FALLS END FOR END				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1	FOR END Class Survey (Others)	DEFFOFF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	12	Undefined	
06.08.2014	E140159	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
12.10.2014	D140321	S-D9005	LIFEBOAT, PORT FALLS END			S-D9005 - LIFEBOAT, PORT FALLS END FOR END				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1	FOR END Class Survey (Others)	DEFFOFF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	0	Undefined	
19.11.2014	D140470	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.16.001 - LIFEBOAT FALLS, STBD.  
**Performed Function:** 501.024.002 - LIFEBOAT WIRE FALLS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2014	E140139	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.05.2014	E110738	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined	
03.07.2014	D110360	S-D9010	LIFEBOAT, STBD FALLS END FOR END			S-D9010 - LIFEBOAT, STBD FALLS END FOR END				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1	FOR END Class Survey (Others)	DEFFOFF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	12	Undefined	
06.08.2014	E140162	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
11.10.2014	D140320	S-D9010	LIFEBOAT, STBD FALLS END FOR END			S-D9010 - LIFEBOAT, STBD FALLS END FOR END				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1	FOR END Class Survey (Others)	DEFFOFF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	0	Undefined	
19.11.2014	D140469	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
04.06.2014	E120369	T-512		PUMP, TEST		T-512 - PUMP, TEST				0.00	
			1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined
12.07.2014	E140067	T-512		PUMP, TEST		T-512 - PUMP, TEST				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
14.09.2014	E140355	T-512		PUMP, TEST		T-512 - PUMP, TEST				0.00	
			1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined
24.10.2014	E140573	T-512		PUMP, TEST		T-512 - PUMP, TEST				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
<b>TOTAL:</b>										0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2014	E120368	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	25	Undefined	
26.06.2014	E140059	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.07.2014	E140310	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.10.2014	D140637	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
05.12.2014	E140683	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.262.01.001 - PUMP, BOILER TEST  
**Performed Function:** 756.003.020 - PUMP, BOILER TEST

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined	
10.05.2014	E120105	T-E3015	INACTIVE PUMP FUNCTION			T-E3015 - INACTIVE PUMP FUNCTION TEST				0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Condition Survey	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined	
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.07.2014	E140302	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.09.2014	E140405	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.10.2014	E140525	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.262.01.001 - PUMP, BOILER TEST  
**Performed Function:** 756.003.020 - PUMP, BOILER TEST

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.11.2014	E140045		T-E3015		INACTIVE PUMP FUNCTION					0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
23.11.2014	E140046		T-E3015		INACTIVE PUMP FUNCTION	T-E3015 - INACTIVE PUMP FUNCTION TEST				0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Condition Survey	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.01.002 - PUMP, POTABLE WATER  
**Performed Function:** 581.002.002 - POTABLE WATER PUMP NO. 2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.03.2014	E140011			Pot Pp# 2 Controller				8.00		
581.002.002 - POTABLE WATER PUMP NO. 2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								8.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, POTABLE WATER  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
11.05.2014	E120122	C-104		MACHINERY, CHANGE OVER						0.00	
			1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined
31.07.2014	E140231	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
30.09.2014	E140416	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
01.11.2014	E140663	C-104		MACHINERY, CHANGE OVER						0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined
<b>TOTAL:</b>										0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
24.05.2014	E120370	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	25	Undefined	
26.06.2014	E140068	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.07.2014	E140308	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.10.2014	D140638	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
05.12.2014	E140682	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.115.03.001 - CRANE, SHIP STORES  
**Performed Function:** 563.000.001 - SHIPS STORES CRANE

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.05.2014	E140064	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION			0.00		
563.000.001 - SHIPS STORES CRANE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.05.2014	E140173	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION			0.00		
563.000.001 - SHIPS STORES CRANE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.05.2014	E140163	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION			0.00		
563.000.001 - SHIPS STORES CRANE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
31.05.2014	E110736	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION			0.00		
563.000.001 - SHIPS STORES CRANE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined	
11.08.2014	E140163	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION			0.00		
563.000.001 - SHIPS STORES CRANE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.10.2014	E140717					Service Hydraulic Unit			0.00		
563.000.001 - SHIPS STORES CRANE				EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
20.11.2014	D140474	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION			0.00		
563.000.001 - SHIPS STORES CRANE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WTD.002.01.001 - DOOR, WATER TIGHT CARGO  
**Performed Function:** 308.003.001 - WATERTIGHT DOOR NO. 1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.10.2014	E140709			Replace Hydraulic Power Pack				0.00		
308.003.001 - WATERTIGHT DOOR NO. 1			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WTD.002.01.002 - DOOR, WATER TIGHT CARGO  
**Performed Function:** 308.003.002 - WATERTIGHT DOOR NO. 2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.10.2014	E140718			Replace Hydraulic Power Pack					0.00	
308.003.002 - WATERTIGHT DOOR NO. 2			EEFCHIEF			<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.021 - WINCH, RAMP HANDLING  
**Performed Function:** 453.005.001 - SUEZ BOAT WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.06.2014	E110734		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	35	Undefined	
18.06.2014	E110658		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	32	Undefined	
24.06.2014	D140259		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
25.08.2014	E120447		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	27	Undefined	
25.08.2014	E120176		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	24	Undefined	
19.09.2014	E140268		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.09.2014	D140258		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
20.09.2014	E140494		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.021 - WINCH, RAMP HANDLING  
**Performed Function:** 453.005.001 - SUEZ BOAT WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.10.2014	E140600		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.12.2014	E140730		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.022 - WINCH, RAMP HANDLING  
**Performed Function:** 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
18.05.2014	E140144			Install New Wire				0.00			
564.001.002 - ACCOM. LADDER WINCH			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
18.05.2014	E110663	L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	31	Undefined		
18.05.2014	E140143	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
18.05.2014	E140161	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
18.05.2014	E110735	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined		
18.05.2014	E140170	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
15.06.2014	E120183	L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined		
15.06.2014	E120175	I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined		
15.06.2014	E120445	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
564.001.002 - ACCOM. LADDER WINCH	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.022 - WINCH, RAMP HANDLING  
**Performed Function:** 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
15.08.2014	E140156		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
15.08.2014	E140161		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
24.08.2014	E140206		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
13.09.2014	E140485		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.10.2014	E140609		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.11.2014	D140473		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
20.11.2014	D140472		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
22.12.2014	E140732		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** DSP.100.01.001 - SEWAGE TREATMENT PLANT  
**Performed Function:** 582.001.001 - SEWAGE TREATMENT PLANT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
08.05.2014	E120275	C-E7010	MSD ANNUAL CHECKS			C-E7010 - MSD ANNUAL CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	15	Undefined		
28.05.2014	E140033	C-E7010	MSD ANNUAL CHECKS			C-E7010 - MSD ANNUAL CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
29.05.2014	E120274	C-E4010	MSD QUARTERLY CHECKS			C-E4010 - MSD QUARTERLY CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	24	Undefined		
02.06.2014	E120429	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		
26.06.2014	E140076	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.07.2014	E140295	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140257	C-E4010	MSD QUARTERLY CHECKS			C-E4010 - MSD QUARTERLY CHECKS			1.50		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined		
01.09.2014	E140385	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			1.50		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** DSP.100.01.001 - SEWAGE TREATMENT PLANT  
**Performed Function:** 582.001.001 - SEWAGE TREATMENT PLANT

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
01.10.2014	E140554	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1				EEFFENG		<input type="checkbox"/>	1 Month(s)	0	Undefined			
09.11.2014	E140681	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1				EEFCHIEF		<input type="checkbox"/>	1 Month(s)	0	Undefined			
30.12.2014	E140782	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1				EEFFENG		<input type="checkbox"/>	1 Month(s)	0	Undefined			
									<b>TOTAL:</b>	3.00		



# MAINTENANCE DONE

El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.709.00.001 - PIPING, DIESEL OIL  
**Performed Function:** 709.000.001 - DIESEL OIL PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.07.2014	E120399	L-E3040	CYCLE AND LUBRICATE DO		L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00		
709.000.001 - DIESEL OIL PIPING		1	CUT OUT VALVES Condition Survey	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined	
01.09.2014	E140340	L-E3040	CYCLE AND LUBRICATE DO		L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00		
709.000.001 - DIESEL OIL PIPING		1	CUT OUT VALVES Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.10.2014	E140518	L-E3040	CYCLE AND LUBRICATE DO		L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00		
709.000.001 - DIESEL OIL PIPING		1	CUT OUT VALVES Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.03.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.03.2014	E120420		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	22	Undefined	
09.05.2014	E120423		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined	
09.05.2014	E120421		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined	
25.05.2014	E120422		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined	
28.05.2014	E120297		W-E7010		OWS OIL DESCALER BACK FLUSH	W-E7010 - OWS OIL DESCALER BACK FLUSH				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	15	Undefined	
30.06.2014	E140034		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.06.2014	E140037		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.06.2014	E140036		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.03.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.07.2014	E140305		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.08.2014	E140418		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.09.2014	E140306		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
08.09.2014	E140304		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
08.09.2014	E140035		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	5	Undefined	
25.09.2014	E140516		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.10.2014	E140636		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.10.2014	E140574		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.03.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
29.10.2014	E140575		R-E3015		OWS REGENERATE FILTER	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.10.2014	E140631		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** MTR..00.1..00. - CALIBRATE TEST EQUIPMENT  
**Performed Function:** 791.005.003 - METER CALIBRATION - ANNUAL

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.02.2014	E120022		A-E4005		TEST EQUIPMENT	A-E4005 - TEST EQUIPMENT CALIBRATION				0.00	
791.005.003 - METER CALIBRATION - ANNUAL		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	14	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
22.06.2014	E120449		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	113	Undefined	
23.06.2014	E120449		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	114	Undefined	
06.07.2014	E140272		C-E1005		STORAGE BATTERY CHECK				0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
13.07.2014	E140394		C-E1005		STORAGE BATTERY CHECK				0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
20.07.2014	E140395		C-E1005		STORAGE BATTERY CHECK				0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
27.07.2014	E140396		C-E1005		STORAGE BATTERY CHECK				0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
11.08.2014	E140397		C-E1005		STORAGE BATTERY CHECK				0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	2	Undefined	
20.08.2014	E140480		C-E1005		STORAGE BATTERY CHECK				0.00		
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.08.2014	E140481		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
12.09.2014	E140544		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined	
21.09.2014	E140566		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
26.10.2014	E140655		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	4	Undefined	
02.11.2014	E140751		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
10.11.2014	E140780		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined	
22.12.2014	E140804		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	5	Undefined	
30.12.2014	E140885		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.002 - PUMP, FO SERVICE  
**Performed Function:** 703.003.002 - PUMP, FO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
16.05.2014	E120141	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
16.05.2014	E140213					Install new pump from EL MORRO				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
03.06.2014	E120068	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.08.2014	E140209	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.08.2014	E140212	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
05.09.2014	E140577	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.09.2014	E140532	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
21.10.2014	E140671	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.11.2014	E140670	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.002 - PUMP, FO SERVICE  
**Performed Function:** 703.003.002 - PUMP, FO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.12.2014	E140742		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.001 - PUMP, FO SERVICE  
**Performed Function:** 703.003.001 - PUMP, FO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
13.05.2014	E120113		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	25	Undefined	
18.06.2014	E120442		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	24	Undefined	
01.08.2014	E140224		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
02.09.2014	E140437		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.09.2014	E140316		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
21.10.2014	E140752				Replace Mech. Seal/Bearing				0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1				EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
28.10.2014	E140541		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.10.2014	E140625		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.001 - PUMP, FO SERVICE  
**Performed Function:** 703.003.001 - PUMP, FO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.12.2014	E140764		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.12.2014	E140754		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.03.001 - PUMP, FO TRANSFER  
**Performed Function:** 701.006.001 - PUMP, FO.TRANSFER, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2014	E120366	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
08.06.2014	E140086	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.07.2014	E120366	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.10.2014	E140360	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.001 - PUMP, LO SERVICE  
**Performed Function:** 713.004.001 - PUMP, LO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2014	E120097	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
03.06.2014	E120114	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	26	Undefined	
15.08.2014	E140255	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.50	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
02.09.2014	E140225	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
21.10.2014	E140443	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.10.2014	E140531	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.12.2014	E140772	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.12.2014	E140723	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.203.01.002 - PUMP, LO SERVICE  
**Performed Function:** 713.004.002 - PUMP, LO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2014	E120131		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFCHIEF			<input type="checkbox"/>	2 Month(s)	25	Undefined	
06.06.2014	E120415		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	24	Undefined	
15.07.2014	E140238		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.08.2014	E140129		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
19.09.2014	E140356		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.09.2014	E140533		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
21.11.2014	E140586		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.12.2014	E140666		CO-E3005		PUMP CHANGE OVER				0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.04.001 - PUMP, DO BOILER COLD START  
**Performed Function:** 709.003.001 - PUMP, DO BOILER COLD START

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.05.2014	E120106	T-E3015		INACTIVE PUMP FUNCTION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined		
10.05.2014	E120451	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined		
25.06.2014	E120147	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
709.003.001 - PUMP, DO BOILER COLD START	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	16	Undefined		
27.06.2014	E140038	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2014	E140302	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140405	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.10.2014	E140525	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.11.2014	E140685	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.04.001 - PUMP, DO BOILER COLD START  
**Performed Function:** 709.003.001 - PUMP, DO BOILER COLD START

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.11.2014	E140045	T-E3015		INACTIVE PUMP FUNCTION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.002 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2014	D140189		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.05.2014	D140188		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.05.2014	D140187		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.05.2014	E140174		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.05.2014	E140145		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.06.2014	E120185		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined	
05.06.2014	E110661		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	32	Undefined	
05.06.2014	E140171		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.002 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.06.2014	E120187	I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined		
05.06.2014	E120443	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		
06.06.2014	E140152	L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.06.2014	E140145	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.06.2014	D120353	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	35	Undefined		
11.07.2014	D120043	R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	17	Undefined		
15.08.2014	D140190	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
12.09.2014	E140152	L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.002 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.09.2014	E140109		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
18.10.2014	E140634		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.11.2014	D140471		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.12.2014	D140644		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
22.12.2014	E140734		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** WIN.113.01.003 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.03.2014	E150228		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2014	E120448		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
04.06.2014	E120448		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2014	E140079		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2014	E140172		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.06.2014	E110660		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	32	Undefined	
04.06.2014	E140154		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.06.2014	E120177		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.003 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.06.2014	E120179	L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	16	Undefined		
06.06.2014	D120354	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	35	Undefined		
06.06.2014	E140177	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.06.2014	E140158	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.06.2014	E140141	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.06.2014	E140182	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
01.08.2014	D120044	R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	18	Undefined		
12.09.2014	E140154	L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION					0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.003 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.09.2014	E140158		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
25.09.2014	E140082		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
18.10.2014	E140635		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.12.2014	D140641		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.12.2014	D140645		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
22.12.2014	E140735		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.001 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.06.2014	E120444		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
05.06.2014	E140179		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.06.2014	E110662		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	32	Undefined	
06.06.2014	E140164		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.06.2014	E140146		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.06.2014	D120352		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	35	Undefined	
06.06.2014	E140146		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFCAPT		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.06.2014	E140153		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.001 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.06.2014	E120184	L-E6010	RAMP WINCH OIL CHANGE			L-E6010 - RAMP WINCH OIL CHANGE				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined		
07.06.2014	E140095	I-E6010	RAMP WINCH BRAKE INSPECTION			I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
07.06.2014	E120188	I-E6010	RAMP WINCH BRAKE INSPECTION			I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined		
25.07.2014	D120042	R-D7005	ANNUAL CARGO RAMP WIRE RENEWAL			R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	17	Undefined		
12.09.2014	E140153	L-D4005	RAMP WINCH LUBRICATION			L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
20.09.2014	E140166	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
21.09.2014	E140110	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined		
18.10.2014	E140633	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.001 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.12.2014	D140643		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.12.2014	D140646		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
22.12.2014	E140733		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.004 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.06.2014	E140181		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.06.2014	E140071		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
04.06.2014	E140070		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
04.06.2014	E120190		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	16	Undefined	
04.06.2014	E140071		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
04.06.2014	E110659		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	32	Undefined	
04.06.2014	E140155		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.06.2014	E120178		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.004 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.06.2014	E120446		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2014	E140080		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2014	E120446		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
06.06.2014	E140160		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.06.2014	E140140		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.06.2014	D120355		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	35	Undefined	
06.06.2014	E140178		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.07.2014	D120045		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	17	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.004 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
24.08.2014	E140081	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			
20.09.2014	E140484	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
20.09.2014	E140160	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
29.09.2014	E140155	L-D4005	RAMP WINCH LUBRICATION			L-D4005 - RAMP WINCH LUBRICATION				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
18.10.2014	E140601	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
05.12.2014	D140647	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
05.12.2014	D140642	L-D4005	RAMP WINCH LUBRICATION			L-D4005 - RAMP WINCH LUBRICATION				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
22.12.2014	E140731	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			
<b>TOTAL:</b>									0.00			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.120.01.001 - PUMP, RAMP COMP TANK  
**Performed Function:** 384.040.041 - PUMP, RAMP COMP TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.07.2014	E120111		C-781		TANK VENT, CHECK					0.00	
384.040.041 - PUMP, RAMP COMP TANK		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	25	Undefined	
15.11.2014	E140335		C-781		TANK VENT, CHECK	C-781 - TANK VENT, CHECK				0.00	
384.040.041 - PUMP, RAMP COMP TANK		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** BLG.125.01.001 - INTRUSION SYSTEM, BILGE  
**Performed Function:** 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.05.2014	D120038		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined	
10.06.2014	E120450		T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	25	Undefined	
10.06.2014	E140014		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.07.2014	E140126		T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.07.2014	E140125		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.08.2014	D140407		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.09.2014	E140376		T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
19.09.2014	D140498		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLG.125.01.001 - INTRUSION SYSTEM, BILGE  
**Performed Function:** 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.10.2014	E140538	T-E1020	ENGINE SPACE BILGE ALARM		T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00		
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.10.2014	D140587	T-D3010	CARGO HOLD BILGE ALARM		T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.11.2014	E140690	T-E1020	ENGINE SPACE BILGE ALARM		T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00		
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
27.11.2014	D140714	T-D3010	CARGO HOLD BILGE ALARM		T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.12.2014	E140806	T-E1020	ENGINE SPACE BILGE ALARM		T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00		
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.12.2014	D140818	T-D3010	CARGO HOLD BILGE ALARM		T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** COM.134.01.001 - RADIO, LIFEBOAT  
**Performed Function:** 422.002.001 - LIFEBOAT RADIO, PORTABLE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
16.06.2014	D120041	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	27	Undefined		
17.07.2014	D140196	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
14.08.2014	D140391	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.09.2014	D140440	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.10.2014	D140570	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
06.11.2014	D140704	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.12.2014	D140792	C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** ALM.138.01.001 - ALARM SYSTEM, GENERAL  
**Performed Function:** 425.300.001 - GENERAL ALARM SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.12.2014	E140022		T-D7025		GENERAL ALARM BELL TEST	T-D7025 - GENERAL ALARM BELL TEST				0.00	
425.300.001 - GENERAL ALARM SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.25.002 - ANCHOR WINDLASS  
**Performed Function:** 433.001.002 - ANCHOR WINDLASS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
27.05.2014	E110747	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined		
27.05.2014	E140148	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
27.05.2014	E140169	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
14.06.2014	E140195		Changed Gear Oil							0.00	
433.001.002 - ANCHOR WINDLASS, STBD			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
14.06.2014	E120405	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	23	Undefined		
14.06.2014	E140194		Change Hydraulic Oil, ATF							0.00	
433.001.002 - ANCHOR WINDLASS, STBD			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined		
13.08.2014	E140148	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
18.09.2014	E140192	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.25.002 - ANCHOR WINDLASS  
**Performed Function:** 433.001.002 - ANCHOR WINDLASS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.11.2014	D140476		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.25.001 - ANCHOR WINDLASS  
**Performed Function:** 433.001.001 - ANCHOR WINDLASS, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.05.2014	E140168		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
27.05.2014	E140150		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
27.05.2014	E110749		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined	
14.06.2014	E120407		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	23	Undefined	
14.06.2014	E140193				Change Hydraulic Oil					0.00	
433.001.001 - ANCHOR WINDLASS, PORT				EEFCHIEF		Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
14.08.2014	E140150		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.09.2014	E140191		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
23.11.2014	D140477		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.003 - WINCH, MOORING CT  
**Performed Function:** 434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.05.2014	E110739		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined	
27.05.2014	E140149		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
23.06.2014	E120406		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	23	Undefined	
14.08.2014	E140176		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
14.08.2014	E140149		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
17.09.2014	E140265		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
23.11.2014	D140478		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.005 - WINCH, MOORING CT  
**Performed Function:** 434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.05.2014	E140180		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
27.05.2014	E110743		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	32	Undefined	
27.05.2014	E140157		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
07.06.2014	E120409		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	23	Undefined	
07.06.2014	E140118					Unplanned Maintenance				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
13.08.2014	E140157		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
14.09.2014	E140117		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
23.11.2014	D140475		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.005 - WINCH, MOORING CT  
**Performed Function:** 434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.12.2014	E140605		W-E4005		FINNED HEAT EXCHANGER	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1	CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
14.12.2014	E140891				CHANGED OUT TORQUE CONVERTER				0.00		
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.004 - WINCH, MOORING CT  
**Performed Function:** 434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.05.2014	E140151		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFCHIEF		Planned Preventative	<input checked="" type="checkbox"/>	3 Month(s)	0	Undefined	
27.05.2014	E110741		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined	
27.05.2014	E140167		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
08.06.2014	E120408		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	23	Undefined	
08.06.2014	E140119				Change Hydraulic Oil					0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
13.08.2014	E140151		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.09.2014	E140116		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
22.11.2014	D140479		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.004 - WINCH, MOORING CT  
**Performed Function:** 434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.12.2014	E140603		W-E4005		FINNED HEAT EXCHANGER	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1	CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.006 - WINCH, MOORING CT  
**Performed Function:** 434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
27.03.2014	E140931	W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			1.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
27.05.2014	E140175	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
27.05.2014	E140147	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
27.05.2014	E110745	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	34	Undefined		
08.06.2014	E120404	W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	23	Undefined		
08.06.2014	E140120				Change Hydraulic Oil, ATF			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE			EEFCHIEF		Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
25.08.2014	E140147	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
13.09.2014	E140115	W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.006 - WINCH, MOORING CT  
**Performed Function:** 434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.11.2014	D140497	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
30.12.2014	E140604	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
27.01.2014	D140324	T-D7015	LIFEBOAT, PORT WEIGHT TEST			T-D7015 - LIFEBOAT, PORT WEIGHT TEST				0.00		
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined			
06.03.2014	D120034	W-D7010	LIFEBOAT, PORT STRIPPED							0.00		
501.001.001 - LIFEBOAT, PORT	1	AND CLEANED Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	13	Undefined			
09.05.2014	D120039	I-D3020	LIFEBOAT PORT INSPECTION			I-D3020 - LIFEBOAT PORT INSPECTION				0.00		
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined			
09.06.2014	E140090	I-D3020	LIFEBOAT PORT INSPECTION			I-D3020 - LIFEBOAT PORT INSPECTION				0.00		
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
11.06.2014	E110476	R-E7010	FUEL OIL RENEWAL			R-E7010 - FUEL OIL RENEWAL				0.00		
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	25	Undefined			
13.06.2014	E110667	L-D3005	LIFEBOAT, PORT DAVIT/REL GEAR GREASING			L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00		
501.001.001 - LIFEBOAT, PORT	1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	34	Undefined			
13.06.2014	D120033	T-D4005	LIFEBOAT, PORT RELEASING GEAR TEST			T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST				0.00		
501.001.001 - LIFEBOAT, PORT	1	GEAR TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	25	Undefined			
04.07.2014	E120279	C-E4005	LIFEBOAT DAVIT LIMIT SWITCH CHECK			C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00		
501.001.001 - LIFEBOAT, PORT	1	SWITCH CHECK Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	23	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.07.2014	E110529	R-E7005	GEAR CASE OIL RENEWAL							0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	26	Undefined	
09.07.2014	D140291	L-D3005	LIFEBOAT, PORT DAVIT/REL GEAR GREASING			L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.07.2014	D140293	I-D3020	LIFEBOAT PORT INSPECTION			I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.08.2014	D140390	L-D3005	LIFEBOAT, PORT DAVIT/REL GEAR GREASING			L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.08.2014	D140411	I-D3020	LIFEBOAT PORT INSPECTION			I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.08.2014	E140185	T-D4005	LIFEBOAT, PORT RELEASING GEAR TEST			T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
02.09.2014	D140197	I-D7015	LIFEBOAT PORT INSPECTION, YEARLY			I-D7015 - LIFEBOAT PORT INSPECTION, YEARLY				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
20.09.2014	D140430	L-D3005	LIFEBOAT, PORT DAVIT/REL GEAR GREASING			L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
27.09.2014	D140467	I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION					0.00	
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.10.2014	D140648	L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING					0.00	
501.001.001 - LIFEBOAT, PORT	1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.10.2014	D140651	I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION					0.00	
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.11.2014	D140715	I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION					0.00	
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
14.11.2014	D140706	L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING					0.00	
501.001.001 - LIFEBOAT, PORT	1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
14.11.2014	D140501	T-D4005		LIFEBOAT, PORT RELEASING GEAR TEST	T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST					0.00	
501.001.001 - LIFEBOAT, PORT	1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined		
15.12.2014	D140823	I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION					0.00	
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
31.12.2014	D140791	L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING					0.00	
501.001.001 - LIFEBOAT, PORT	1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.01.2014	D140325	T-D7020	LIFEBOAT, STBD WEIGHT TEST			T-D7020 - LIFEBOAT, STBD WEIGHT TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
06.03.2014	D120349	W-D7005	LIFEBOAT, STBD STRIPPED			W-D7005 - LIFEBOAT, STBD STRIPPED AND CLEANED				0.00	
501.001.002 - LIFEBOAT, STBD.		1	AND CLEANED Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	49	Undefined	
20.04.2014	D120040	I-D3015	LIFEBOAT STBD INSPECTION			I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	25	Undefined	
09.05.2014	E140015	I-D3015	LIFEBOAT STBD INSPECTION			I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.06.2014	E140091	I-D3015	LIFEBOAT STBD INSPECTION			I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.06.2014	E110645	T-D4010	LIFEBOAT, STBD RELEASING			T-D4010 - LIFEBOAT, STBD RELEASING GEAR TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	33	Undefined	
13.06.2014	E110666	L-D3010	LIFEBOAT, STBD DAVIT/REL			L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	34	Undefined	
03.07.2014	E110528	R-E7005	GEAR CASE OIL RENEWAL							0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	26	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.07.2014	E120218		C-E4005		LIFEBOAT DAVIT LIMIT	C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00	
501.001.002 - LIFEBOAT, STBD.		1	SWITCH CHECK Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	23	Undefined	
09.07.2014	D140290		L-D3010		LIFEBOAT, STBD DAVIT/REL	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.07.2014	D140294		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.08.2014	D140389		L-D3010		LIFEBOAT, STBD DAVIT/REL	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.08.2014	D140410		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.08.2014	E140186		T-D4010		LIFEBOAT, STBD RELEASING	T-D4010 - LIFEBOAT, STBD RELEASING GEAR TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
02.09.2014	D140198		I-D7010		LIFEBOAT STBD INSPECTION, YEARLY	I-D7010 - LIFEBOAT STBD INSPECTION, YEARLY				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
20.09.2014	D140431		L-D3010		LIFEBOAT, STBD DAVIT/REL	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.09.2014	D140468		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.10.2014	D140649		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.10.2014	D140650		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.11.2014	D140716		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.11.2014	D140705		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.11.2014	D140500		T-D4010		LIFEBOAT, STBD RELEASING GEAR TEST	T-D4010 - LIFEBOAT, STBD RELEASING GEAR TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
15.12.2014	D140822		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
31.12.2014	D140819		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.05.2014	E120440	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	107	Undefined		
09.06.2014	E140085	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	5	Undefined		
03.07.2014	E140203	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined		
10.07.2014	E140336	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
17.07.2014	E140349	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
24.07.2014	E140363	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
31.07.2014	E140380	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
07.08.2014	E140427	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
21.08.2014	E140436	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
28.08.2014	E140455	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.09.2014	E140509	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
11.09.2014	E140552	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
21.09.2014	E140564	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.09.2014	E140598	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
02.10.2014	E140627	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.10.2014	E140676	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
16.10.2014	E140699	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.10.2014	E140710	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.10.2014	E140710	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.10.2014	E140739	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
13.11.2014	E140777	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
20.11.2014	E140787	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
27.11.2014	E140895	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
04.12.2014	E140899	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.12.2014	E140902	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
18.12.2014	E140905	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.12.2014	E140908	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.06.2014	E110622		O-E7005		DIESEL ENGINE SERVICE	O-E7005 - DIESEL ENGINE SERVICE				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	24	Undefined	
12.06.2014	E120437		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	113	Undefined	
26.06.2014	E140253		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	
03.07.2014	E140296		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
10.07.2014	E140317		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
17.07.2014	E140348		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
24.07.2014	E140361		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
04.08.2014	E140382		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

<b>Component:</b>	ENG.149.01.001 - ENGINE, LIFEBOAT
<b>Performed Function:</b>	501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.08.2014	E140425		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
21.08.2014	E140434		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	
31.08.2014	E140453		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
04.09.2014	E140510		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
11.09.2014	E140551		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
21.09.2014	E140562		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
25.09.2014	E140597		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
02.10.2014	E140628		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.10.2014	E140675		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
16.10.2014	E140700		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
23.10.2014	E140711		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
23.10.2014	E140711		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.10.2014	E140740		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
13.11.2014	E140778		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	
20.11.2014	E140786		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
27.11.2014	E140896		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.12.2014	E140898		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
11.12.2014	E140901		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
18.12.2014	E140904		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
25.12.2014	E140907		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.999.01.001 - CONTROLLER, WTD REMOTE  
**Performed Function:** 308.003.051 - CONTROLS/ELECTRICAL,MISC. WTD

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.03.2014	E140009			Replace contact blocks				4.00		
308.003.051 - CONTROLS/ELECTRICAL,MISC. WTD			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								4.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** REF.167.01.001 - REFER PLANT  
**Performed Function:** 554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.05.2014	E120108	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
04.06.2014	E120135	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	24	Undefined		
11.06.2014	E120213	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	16	Undefined		
02.09.2014	E140073	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined		
30.09.2014	E140292	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
07.12.2014	E140853				Unplanned Maintenance					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
07.12.2014	E140545	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
<b>TOTAL:</b>										0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** REF.167.01.002 - REFER PLANT  
**Performed Function:** 554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.04.2014	E120107	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	24	Undefined		
07.05.2014	E120054	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	23	Undefined		
11.06.2014	E110613	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	24	Undefined		
07.09.2014	E140654	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER						0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
02.10.2014	E140028	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	1	Undefined		
25.10.2014	E140069	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** BLR.125.01.001 - BURNER MGNT, NORTECH  
**Performed Function:** 794.005.002 - BURNER MANAGEMENT, NORTECH

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.09.2014	E140556			Unplanned Maintenance - Replace FO HDR Press. Switch					0.00	
794.005.002 - BURNER MANAGEMENT, NORTECH		Damage Repair	EEFFENG	Leak	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
14.09.2014	E140571			Unplanned Maintenance					1.00	
794.005.002 - BURNER MANAGEMENT, NORTECH		Breakdown	EEFFENG	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.01.002 - BURNER, FO ATOMIZATION  
**Performed Function:** 641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.07.2014	E120014	R-E6005		BURNER TIP RENEWAL						0.00	
641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	23	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.01.001 - BURNER, FO ATOMIZATION  
**Performed Function:** 641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.07.2014	E120015	R-E6005	BURNER TIP RENEWAL							0.00	
641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	23	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.001 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.05.2014	E120088	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	24	Undefined		
13.06.2014	E120416	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		
27.06.2014	E140204	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.07.2014	E140301	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.08.2014	E140400	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.08.2014	E140104	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
12.09.2014	E140456	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.10.2014	E140567	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.001 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
21.11.2014	E140520	L-253		COUPLING, BEARINGS, LUBRICATE						0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
21.11.2014	E140745	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.12.2014	E140817	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.002 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.05.2014	E140040	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.05.2014	E120418	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined		
23.05.2014	E120110	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	24	Undefined		
13.06.2014	E140087	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.07.2014	E140183	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.08.2014	E140402	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.08.2014	E140030	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
05.09.2014	E140444	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.002 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
10.10.2014	E140550	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.11.2014	E140695	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.11.2014	E140466	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
05.12.2014	E140790	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.05.2014	E120066	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
23.05.2014	E120387	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
28.05.2014	E120278	I-258	BOILER, INSPECTION			I-258 - BOILER, INSPECTION				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	15	Undefined	
13.06.2014	E120066	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2014	E140089	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.07.2014	E120387	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.07.2014	E140447					PRESSURE WASH FURNACE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
14.07.2014	E140368					REPLACE SUPHTR HANDHOLE GASKET				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
08.08.2014	E140357	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.08.2014	E140088	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.09.2014	E140457	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.09.2014	E140583					Fire Side Wash				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)				EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
05.10.2014	E140719					SH Handhole Gasket Leaks				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)				EEFCHIEF	Leak	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
08.10.2014	E140465	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
10.10.2014	E140549	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.11.2014	E140694	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.12.2014	E140789	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.12.2014	E140888					SUPERHEATER HAND HOLE GASKET				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.12.2014	E140886			POWER WASH FURNCAE					0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.05.2014	E120419	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	24	Undefined		
30.05.2014	E120067	L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
27.06.2014	E140270	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.07.2014	E140208	L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.07.2014	E140446				REPLACE SUPHTR HANDHOLE GASKET			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
27.07.2014	E140300	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2014	E140448				PRESSURE WASH FURNCAE			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
22.08.2014	E140398	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.09.2014	E140464	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
14.09.2014	E140582			Fire Side Wash/SH Gaskets Replace					0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined			
04.10.2014	E140720			Inspect for Leaks/Repack Primary STM Stop					0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)			EEFCHIEF		Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined			
08.10.2014	E140401	L-E3025		BOILER SLIDING FEET LUBRICATE					0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined			
24.10.2014	E140568	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET					0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
21.11.2014	E140744	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET					0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
29.12.2014	E140816	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET					2.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
<b>TOTAL:</b>									2.00			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.002 - TURBINE, SSTG  
**Performed Function:** 661.001.002 - TURBINE, SHIP SERVICE NO.2

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
30.04.2014	E140131			ABS Turbine Inspection					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
01.06.2014	E120145	R-E3010		GOVERNOR OIL RENEWAL					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	16	Undefined			
01.06.2014	E120145	L-E3010		THROTTLE VALVE LUBRICATE					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined			
07.07.2014	E140347			Replace flexible hoses to oil pump					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined			
12.07.2014	E140451			TTV BONNET GASKET					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
29.07.2014	E140339	R-E3010		GOVERNOR OIL RENEWAL					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined			
29.07.2014	E140339	L-E3010		THROTTLE VALVE LUBRICATE					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
29.09.2014	E140432	L-E3010		THROTTLE VALVE LUBRICATE					0.00			
661.001.002 - TURBINE, SHIP SERVICE NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.002 - TURBINE, SSTG  
**Performed Function:** 661.001.002 - TURBINE, SHIP SERVICE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
29.09.2014	E140432		R-E3010		GOVERNOR OIL RENEWAL					0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
22.11.2014	E140656		L-E3010		THROTTLE VALVE LUBRICATE					0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.001 - TURBINE, SSTG  
**Performed Function:** 661.001.001 - TURBINE, SHIP SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.02.2014	E140130			ABS Turbine Inspection					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
06.05.2014	E120090	L-E3010		THROTTLE VALVE LUBRICATE					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
06.05.2014	E120090	R-E3010		GOVERNOR OIL RENEWAL					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	15	Undefined		
01.09.2014	E140219	L-E3010		THROTTLE VALVE LUBRICATE					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined		
01.09.2014	E140219	R-E3010		GOVERNOR OIL RENEWAL					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Undefined		
27.10.2014	E140523	L-E3010		THROTTLE VALVE LUBRICATE					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1	1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
24.02.2014	E110592	I-E7025	SSTG LO PUMP COUPLING INSPECTION	EEFCHIEF	I-E7025 - SSTG LO PUMP COUPLING INSPECTION				0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1				Planned Preventative	<input type="checkbox"/>	12 Month(s)	20	Undefined	
24.02.2014	E140132		ABS Reduction Gear Inspection						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
24.02.2014	E120180	I-E6005	SSTG LOW SPEED COUPLING INSPECTION	EEFCHIEF	I-E6005 - SSTG LOW SPEED COUPLING INSPECTION				0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1				Planned Preventative	<input type="checkbox"/>	6 Month(s)	18	Undefined	
06.05.2014	E120090	W-E3035	PURIFY LUBE OIL						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
06.05.2014	E120090	W-E3040	LO STRAINER CLEAN						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
06.05.2014	E120090	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION	EEFCHIEF					0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1				Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
06.05.2014	E120090	L-E3005	LOW SPEED COUPLING LUBRICATE	EEFCHIEF					0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1				Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
01.09.2014	E140273	I-E6005	SSTG LOW SPEED COUPLING INSPECTION	EEFFENG	I-E6005 - SSTG LOW SPEED COUPLING INSPECTION				0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1				Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.09.2014	E140219		W-E3040			LO STRAINER CLEAN				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
01.09.2014	E140219		W-E3035			PURIFY LUBE OIL				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
01.09.2014	E140219		I-E3005			SSTG HIGH SPEED COUPLING INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
01.09.2014	E140219		L-E3005			LOW SPEED COUPLING LUBRICATE				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
27.10.2014	E140523		W-E3040			LO STRAINER CLEAN				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
27.10.2014	E140523		W-E3035			PURIFY LUBE OIL				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
27.10.2014	E140523		I-E3005			SSTG HIGH SPEED COUPLING INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
27.10.2014	E140523		L-E3005			LOW SPEED COUPLING LUBRICATE				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
30.04.2014	E140133			ABS Reduction Gear Inspection					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
30.04.2014	E110551	I-E7025		SSTG LO PUMP COUPLING INSPECTION					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	I-E7025 - SSTG LO PUMP COUPLING INSPECTION			<input type="checkbox"/>	12 Month(s)	22	Undefined		
01.06.2014	E120145	L-E3005		LOW SPEED COUPLING LUBRICATE					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	Planned Preventative			<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E120145	I-E3005		SSTG HIGH SPEED COUPLING INSPECTION					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	Planned Preventative			<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E120145	W-E3040		LO STRAINER CLEAN					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	Planned Preventative			<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E120145	W-E3035		PURIFY LUBE OIL					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	Planned Preventative			<input type="checkbox"/>	2 Month(s)	26	Undefined		
08.06.2014	E120143	I-E6005		SSTG LOW SPEED COUPLING INSPECTION					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	I-E6005 - SSTG LOW SPEED COUPLING INSPECTION			<input type="checkbox"/>	6 Month(s)	22	Undefined		
08.06.2014	E120144	I-E3005		SSTG HIGH SPEED COUPLING INSPECTION					0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF	I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION			<input type="checkbox"/>	2 Month(s)	26	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
29.07.2014	E140339	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.07.2014	E140339	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.07.2014	E140339	W-E3040	LO STRAINER CLEAN							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.07.2014	E140339	W-E3035	PURIFY LUBE OIL							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.08.2014	E140107	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION				0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.09.2014	E140581	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION				0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.09.2014	E140432	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.09.2014	E140432	W-E3035	PURIFY LUBE OIL							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
29.09.2014	E140432	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.09.2014	E140432	W-E3040	LO STRAINER CLEAN						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.11.2014	E140656	L-E3005	LOW SPEED COUPLING LUBRICATE						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.11.2014	E140656	W-E3040	LO STRAINER CLEAN						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.11.2014	E140656	W-E3035	PURIFY LUBE OIL						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.11.2014	E140673	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION			0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
08.12.2014	E140108	I-E6005	SSTG LOW SPEED COUPLING INSPECTION						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.240.01.001 - FILTER, SSTG  
**Performed Function:** 661.011.001 - FILTER, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2014	E120090		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
01.09.2014	E140219		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
27.10.2014	E140523		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.240.01.002 - FILTER, SSTG  
**Performed Function:** 661.011.002 - FILTER, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.06.2014	E120145		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
29.07.2014	E140339		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.09.2014	E140432		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.11.2014	E140656		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.196.02.001 - HEATER, FO SERVICE  
**Performed Function:** 703.007.001 - HEATER, FO SERVICE NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.06.2014	E120062		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
01.08.2014	E140235		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.10.2014	E140536		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
16.12.2014	E140672		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.196.02.002 - HEATER, FO SERVICE  
**Performed Function:** 703.007.002 - HEATER, FO SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2014	E120140		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
01.07.2014	E140210		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
17.09.2014	E140578		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
17.11.2014	E140610		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.03.001 - STRAINER, FO SERVICE SUCTION  
**Performed Function:** 703.000.102 - STRAINER, FO.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2014	E120365	W-E3015	FO STRAINER CLEAN							0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
04.06.2014	E140075	W-E3015	FO STRAINER CLEAN							0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.07.2014	E140093	W-E3015	FO STRAINER CLEAN							0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.08.2014	E140366	W-E3015	FO STRAINER CLEAN							0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.09.2014	E140487	W-E3015	FO STRAINER CLEAN							0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.10.2014	E140653	W-E3015	FO STRAINER CLEAN							0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.04.001 - STRAINER, FO TRANSFER  
**Performed Function:** 701.000.101 - STRAINER, FO.TRANSFER PUMP

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2014	E120365		W-E3015		FO STRAINER CLEAN					0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
04.06.2014	E140075		W-E3015		FO STRAINER CLEAN				0.00		
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.07.2014	E140093		W-E3015		FO STRAINER CLEAN				0.00		
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.08.2014	E140366		W-E3015		FO STRAINER CLEAN				0.00		
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.09.2014	E140487		W-E3015		FO STRAINER CLEAN				0.00		
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.10.2014	E140653		W-E3015		FO STRAINER CLEAN				0.00		
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.026.01.002 - PURIFIER, LUBE OIL  
**Performed Function:** 712.011.002 - PURIFIER, LO.NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.06.2014	E140334			Replaced Coupling				0.00		
712.011.002 - PURIFIER, LO.NO.2			EEFFENG			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
25.08.2014	E140491			REPLACE SIGHT GLASS O-RING.				1.00		
712.011.002 - PURIFIER, LO.NO.2		Damage Repair	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.05.2014	E120073	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
11.05.2014	E120119	CO-E3005		PUMP CHANGE OVER				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	25	Undefined		
25.06.2014	E120094	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
25.06.2014	E120096	I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION			0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
25.06.2014	E140286			Change out Pump				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1			EEFCHIEF			<input type="checkbox"/>	0 Month(s)	0	Undefined		
18.07.2014	E140229	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.07.2014	E140236	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.09.2014	E140288	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
02.09.2014	E140287	I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.09.2014	E140370	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
08.10.2014	E140393	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
23.10.2014	E140539	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
23.10.2014	E140540	I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
31.10.2014	E140560	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
26.12.2014	E140737	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
26.12.2014	E140691	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.12.2014	E140738		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
27.12.2014	E140770		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.059.03.001 - PUMP, FW/SW SERVICE  
**Performed Function:** 721.003.003 - PUMP, INBD SW SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.06.2014	E120069		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFCHIEF			<input type="checkbox"/>	2 Month(s)	26	Undefined	
01.08.2014	E140211		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.09.2014	E140534		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.12.2014	E140668		CO-E3005		PUMP CHANGE OVER				0.00		
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	1	Undefined	
31.12.2014	E140941				Unplanned Maintenance - Pump overhaul				8.00		
721.003.003 - PUMP, INBD SW SERVICE NO. 2			Condition Survey	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									8.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.05.001 - PUMP, EMER. CIRCULATING  
**Performed Function:** 721.007.001 - PUMP, EMERGENCY CIRCULATING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined	
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined	
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.07.2014	E140302	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.09.2014	E140405	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.10.2014	E140525	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.11.2014	E140045	T-E3015	INACTIVE PUMP FUNCTION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.001 - COMPRESSOR  
**Performed Function:** 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
08.05.2014	E110619	O-E7010	AIR COMPRESSOR SERVICE			O-E7010 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	24	Undefined		
11.05.2014	E120118	CO-E3010	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
29.05.2014	E120174	O-E4005	AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	23	Undefined		
15.06.2014	E120148	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
10.07.2014	E140351			Overhaul unloader of No. 1 SS Air Compressor				0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD			EEFFENG			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
30.07.2014	E140337	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
15.09.2014	E140228	CO-E3010	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined		
29.09.2014	E140053	O-E4005	AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.001 - COMPRESSOR  
**Performed Function:** 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.10.2014	E140412		O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.12.2014	E140579		CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER				0.00		
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.002 - COMPRESSOR  
**Performed Function:** 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.05.2014	E120149	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
28.05.2014	E120150	CO-E3015	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
29.05.2014	E120277	O-E7010	AIR COMPRESSOR SERVICE			O-E7010 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	15	Undefined		
29.05.2014	E120146	O-E4005	AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	23	Undefined		
30.07.2014	E140215	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.07.2014	E140216	CO-E3015	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.09.2014	E140052	O-E4005	AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		
30.09.2014	E140413	CO-E3015	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.002 - COMPRESSOR  
**Performed Function:** 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
01.10.2014	E140661	CO-E3015		AIR COMPRESSOR LEAD				0.00				
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	CHANGE OVER	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined			
12.10.2014	E140420	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			0.00				
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.11.2014	E120162	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00				
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	Condition Survey		Planned Preventative	<input type="checkbox"/>	6 Month(s)	27	Undefined		
01.12.2014	E140851	CO-E3015		AIR COMPRESSOR LEAD				0.00				
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	CHANGE OVER		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>								0.00				



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.091.02.001 - COMPRESSOR  
**Performed Function:** 734.001.001 - COMPRESSOR, CONTROL AIR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
22.06.2014	E120430	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined
734.001.001 - COMPRESSOR, CONTROL AIR											
22.06.2014	E120169	C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined
734.001.001 - COMPRESSOR, CONTROL AIR											
24.08.2014	E140482			Unplanned Maintenance - BELT TENSIONING DEVICE						2.50	
734.001.001 - COMPRESSOR, CONTROL AIR											
15.09.2014	E140298	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined
734.001.001 - COMPRESSOR, CONTROL AIR											
21.09.2014	E140297	C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined
734.001.001 - COMPRESSOR, CONTROL AIR											
20.10.2014	E140572	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
734.001.001 - COMPRESSOR, CONTROL AIR											
30.11.2014	E120173	L-E6005		6 MONTH LO SAMPLE COLLECTION		L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR											
										<b>TOTAL:</b>	2.50



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.001 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.001 - PUMP, MAIN CONDENSATE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.05.2014	E120181	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
03.05.2014	E120182	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
11.05.2014	E120115	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	25	Undefined		
01.08.2014	E140226	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.09.2014	E140428	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.10.2014	E140282	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
28.10.2014	E140281	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
31.10.2014	E140665	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.002 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.002 - PUMP, MAIN CONDENSATE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
27.05.2014	E120217	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
27.05.2014	E120216	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
06.06.2014	E120413	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	24	Undefined		
01.08.2014	E140121	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.09.2014	E140535	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
21.11.2014	E140025	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
01.12.2014	E140669	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.12.2014	E140274	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.249.04.001 - PUMP, EMERGENCY CONDENSATE  
**Performed Function:** 755.019.001 - PUMP, EMERGENCY CONDENSATE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.05.2014	E120106	T-E3015		INACTIVE PUMP FUNCTION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined		
10.05.2014	E120451	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined		
27.06.2014	E140038	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2014	E140302	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140405	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.10.2014	E140525	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.11.2014	E140685	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.11.2014	E140045	T-E3015		INACTIVE PUMP FUNCTION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
<b>TOTAL:</b>										0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.06.2014	E140266	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E140266	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E140266	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
01.06.2014	E140266	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
03.06.2014	E120133	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
09.06.2014	E120414	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	24	Undefined		
28.07.2014	E140341	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.07.2014	E140233	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.07.2014	E140341	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.07.2014	E140341	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.07.2014	E140341	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.08.2014	E140122	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140399	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140399	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140399	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140415	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.09.2014	E140399	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.09.2014	E140419	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
19.11.2014	E140621	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
19.11.2014	E140621	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
19.11.2014	E140621	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
19.11.2014	E140621	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
20.11.2014	E140619	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.12.2014	E140667	CO-E3005		PUMP CHANGE OVER				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined		
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined		
17.05.2014	E120215	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
17.05.2014	E120163	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
17.05.2014	E120163	W-E3045	SW STRAINER CLEAN							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
17.05.2014	E120163	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
17.05.2014	E120163	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.07.2014	E140302	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140405	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.10.2014	E140525	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.11.2014	E140026	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
23.11.2014	E140045	T-E3015	INACTIVE PUMP FUNCTION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.05.2014	E120117	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	25	Undefined		
17.05.2014	E120091	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
17.05.2014	E120091	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
17.05.2014	E120078	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
17.05.2014	E120091	W-E3045	SW STRAINER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
17.05.2014	E120091	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
24.07.2014	E140223	W-E3045	SW STRAINER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.07.2014	E140223	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.07.2014	E140223	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.07.2014	E140214	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.07.2014	E140223	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.07.2014	E140227	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140373	W-E3045		SW STRAINER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140392	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140373	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140373	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.09.2014	E140373	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
24.09.2014	E140379	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
19.11.2014	E140617	W-E3045		SW STRAINER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
19.11.2014	E140617	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
19.11.2014	E140617	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
19.11.2014	E140617	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.11.2014	E140618	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.11.2014	E140623	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CND.203.01.001 - CONDENSER, MAIN  
**Performed Function:** 614.001.001 - CONDENSER, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.05.2014	E120186		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
614.001.001 - CONDENSER, MAIN		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CND.203.02.001 - CONDENSER, EMERGENCY  
**Performed Function:** 755.003.001 - CONDENSER, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2014	E120134		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	24	Undefined	
04.09.2014	E140105		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
04.12.2014	E140548		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.05.001 - PUMP, DRAIN COLLECTION TANK  
**Performed Function:** 755.007.001 - PUMP, DRAIN COLLECTION TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.05.2014	E120121		CO-E3020		DRAIN COLLECTION TANK					0.00	
755.007.001 - PUMP, DRAIN COLLECTION TANK		1	CHANGE OVER	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	25	Undefined	
12.09.2014	E140230		CO-E3020		DRAIN COLLECTION TANK	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER				0.00	
755.007.001 - PUMP, DRAIN COLLECTION TANK		1	CHANGE OVER	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	2	Undefined	
01.12.2014	E140576		CO-E3020		DRAIN COLLECTION TANK	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER				0.00	
755.007.001 - PUMP, DRAIN COLLECTION TANK		1	CHANGE OVER	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.06.2014	E140114			Rebuild Oil Relay				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1		Damage Repair	EEFCHIEF		Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
07.06.2014	E120057	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
07.06.2014	E120057	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
07.06.2014	E120057	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined		
07.08.2014	E140237	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.08.2014	E140237	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.08.2014	E140237	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.09.2014	E150538			OVERHAUL INBD PUMP				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.09.2014	E140458		R-E5005		OIL FILTER RENEWAL					0.00	
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
21.09.2014	E140458		L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE					0.00	
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
21.09.2014	E140458		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.06.2014	E120129		R-E5005			OIL FILTER RENEWAL			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
08.06.2014	E120129		L-E3015			BLR FEED PUMP SUCT VLV LUBRICATE			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
08.06.2014	E120129		W-E3020			SHELL /TUBE HEAT EXCHANGER CLEAN			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
10.08.2014	E140315		W-E3020			SHELL /TUBE HEAT EXCHANGER CLEAN			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
10.08.2014	E140315		L-E3015			BLR FEED PUMP SUCT VLV LUBRICATE			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
10.08.2014	E140315		R-E5005			OIL FILTER RENEWAL			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.08.2014	E140512					Overhaul Outbd Feed Pump			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2				EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
26.08.2014	E150537					OVERHAUL OUTBD PUMP			0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.08.2014	E140496			REPLACE MOOR VALVE POSITIONER					2.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2		Damage Repair	EEFFENG	Leak	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
09.09.2014	E140438	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
09.09.2014	E140438	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE					0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
09.09.2014	E140438	R-E5005		OIL FILTER RENEWAL					0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.10.2014	E140703	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.10.2014	E140703	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE					0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.10.2014	E140703	R-E5005		OIL FILTER RENEWAL					0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.06.001 - PUMP, FW TRANSFER  
**Performed Function:** 756.003.010 - PUMP, FEED WATER TRANSFER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined	
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined	
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.07.2014	E140302	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.09.2014	E140405	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.10.2014	E140525	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.11.2014	E140045	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.02.001 - TURBINE, LP  
**Performed Function:** 613.001.010 - TURBINE, LP UNIT

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
13.02.2014	E140135			Modified ABS Survey				0.00		
613.001.010 - TURBINE, LP UNIT			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
13.02.2014	E140127			LP. HS. Coupling Service				0.00		
613.001.010 - TURBINE, LP UNIT			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.10.001 - CONSOLE, MAIN  
**Performed Function:** 791.007.001 - CONSOLE, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.05.2014	E120002		I-E7030		THROTTLE CONTROL SELF	I-E7030 - THROTTLE CONTROL SELF INSPECTION				0.00	
791.007.001 - CONSOLE, MAIN		1	INSPECTION Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	15	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.05.2014	E120367		W-E3005		SUCTION STRAINER CLEAN					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
29.05.2014	E120139		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	24	Undefined	
01.06.2014	E120381		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	15	Undefined	
01.06.2014	E120132		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
05.06.2014	E120393		T-E3020		PUMP RUN TEST					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF	Class Survey (Others)	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined	
13.06.2014	E140239		W-E3005		SUCTION STRAINER CLEAN					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.06.2014	E140106		T-E3020		PUMP RUN TEST					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Class Survey (Others)	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.07.2014	E140240		W-E3005		SUCTION STRAINER CLEAN					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.07.2014	E140207	L-E3030	COUPLING LUBRICATION							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.07.2014	E140303	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.08.2014	E140450		REBUILD ROTATING ELEMENT							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
25.08.2014	E140365	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.09.2014	E140054	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
11.09.2014	E140424	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
22.09.2014	E140406	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.09.2014	E140486	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.10.2014	E140557	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.11.2014	E140652	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
20.11.2014	E140620	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
21.11.2014	E140696	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.12.2014	E140519	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
23.12.2014	E140781	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.12.2014	E140803	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined		
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined		
11.05.2014	E120367	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		
29.05.2014	E120165	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	24	Undefined		
01.06.2014	E120164	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined		
01.06.2014	E120382	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined		
13.06.2014	E140239	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.07.2014	E140240		W-E3005			SUCTION STRAINER CLEAN				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.07.2014	E140302		T-E3005			INACTIVE PUMP ROTATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.08.2014	E140365		W-E3005			SUCTION STRAINER CLEAN				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.09.2014	E140055		L-E3035			PUMP BEARING LUBRICATION		L-E3035 - PUMP BEARING LUBRICATION		0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
01.09.2014	E140101		L-E3030			COUPLING LUBRICATION		L-E3030 - COUPLING LUBRICATION		0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
01.09.2014	E140405		T-E3005			INACTIVE PUMP ROTATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
30.09.2014	E140486		W-E3005			SUCTION STRAINER CLEAN				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.10.2014	E140525		T-E3005			INACTIVE PUMP ROTATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.11.2014	E140652		W-E3005			SUCTION STRAINER CLEAN				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
15.11.2014	E140685		T-E3005			INACTIVE PUMP ROTATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.11.2014	E140045		T-E3015			INACTIVE PUMP FUNCTION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
01.12.2014	E140522		L-E3035			PUMP BEARING LUBRICATION		L-E3035 - PUMP BEARING LUBRICATION		0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
01.12.2014	E140063		I-E3010			PUMP COUPLING INSPECTION		I-E3010 - PUMP COUPLING INSPECTION		0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
01.12.2014	E140527		L-E3030			COUPLING LUBRICATION		L-E3030 - COUPLING LUBRICATION		0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
23.12.2014	E140781		W-E3005			SUCTION STRAINER CLEAN				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined			
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined			
11.05.2014	E120367	W-E3005	SUCTION STRAINER CLEAN							0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined			
01.06.2014	E120166	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined			
01.06.2014	E120383	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	21	Undefined			
01.06.2014	E120076	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined			
13.06.2014	E140239	W-E3005	SUCTION STRAINER CLEAN							0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION							0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
18.07.2014	E140240	W-E3005		SUCTION STRAINER CLEAN					0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2014	E140302	T-E3005		INACTIVE PUMP ROTATION					0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
31.07.2014	E140250	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.08.2014	E140365	W-E3005		SUCTION STRAINER CLEAN					0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140405	T-E3005		INACTIVE PUMP ROTATION					0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
01.09.2014	E140103	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
22.09.2014	E140417	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.09.2014	E140486	W-E3005		SUCTION STRAINER CLEAN					0.00		
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.10.2014	E140525	T-E3005	INACTIVE PUMP ROTATION							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.11.2014	E140652	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.11.2014	E140624	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
23.11.2014	E140045	T-E3015	INACTIVE PUMP FUNCTION							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
01.12.2014	E140521	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
01.12.2014	E140062	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
23.12.2014	E140781	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined	
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined	
11.05.2014	E120367	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
01.06.2014	E120142	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined	
01.06.2014	E120130	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	22	Undefined	
05.06.2014	E120393	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined	
13.06.2014	E140239	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.06.2014	E120138	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFCHIEF	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
26.06.2014	E140106	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.06.2014	E140038	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
18.07.2014	E140240	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2014	E140302	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
31.07.2014	E140303	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
25.08.2014	E140365	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.09.2014	E140405	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
01.09.2014	E140102	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.09.2014	E140424	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
22.09.2014	E140264	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
30.09.2014	E140486	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.10.2014	E140525	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.10.2014	E140557	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.11.2014	E140652	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
21.11.2014	E140696	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.11.2014	E140045	T-E3015	INACTIVE PUMP FUNCTION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
06.12.2014	E140515	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.12.2014	E140283	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
23.12.2014	E140781	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.12.2014	E140803	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.12.2014	E140622	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.05.2014	E120106	T-E3015	INACTIVE PUMP FUNCTION							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	21	Undefined		
10.05.2014	E120451	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	24	Undefined		
11.05.2014	E120367	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		
05.06.2014	E120393	T-E3020	PUMP RUN TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	26	Undefined		
13.06.2014	E140239	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.06.2014	E120362	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	26	Undefined		
19.06.2014	E120364	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	26	Undefined		
19.06.2014	E120171	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	25	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
26.06.2014	E110640	L-D3015		GREASE & CYCLE SUCTION VALVE			L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	34	Undefined			
26.06.2014	E140106	T-E3020		PUMP RUN TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
27.06.2014	E140038	T-E3005		INACTIVE PUMP ROTATION TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
18.07.2014	E140240	W-E3005		SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
24.07.2014	E140260	L-E3035		PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
24.07.2014	E140261	L-E3030		COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
28.07.2014	D140289	L-D3015		GREASE & CYCLE SUCTION VALVE			L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
28.07.2014	E140302	T-E3005		INACTIVE PUMP ROTATION TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.07.2014	E140303		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.08.2014	E140378		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.08.2014	E140377		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.08.2014	E140365		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.09.2014	E140403		L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
01.09.2014	E140405		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
11.09.2014	E140424		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
21.09.2014	E140488		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.09.2014	E140284		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
21.09.2014	E140489		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.09.2014	E140486		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.10.2014	E140526		L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.10.2014	E140525		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.10.2014	E140557		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Class Survey (Others)	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.10.2014	E140686		L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.10.2014	E140614		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
22.10.2014	E140613	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
11.11.2014	E140652	W-E3005	SUCTION STRAINER CLEAN							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			
15.11.2014	E140713	L-D3015	GREASE & CYCLE SUCTION VALVE			L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
15.11.2014	E140685	T-E3005	INACTIVE PUMP ROTATION TEST							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
21.11.2014	E140696	T-E3020	PUMP RUN TEST							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
23.11.2014	E140045	T-E3015	INACTIVE PUMP FUNCTION TEST							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined			
23.12.2014	E140781	W-E3005	SUCTION STRAINER CLEAN							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
26.12.2014	E140803	T-E3020	PUMP RUN TEST							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.12.2014	E140785		L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.002 - GENERATOR, MAIN  
**Performed Function:** 861.001.002 - GENERATOR, MAIN NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.06.2014	E120145		R-E3005			FILTER MATERIAL RENEWAL				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	26	Undefined	
17.06.2014	E120081		CO-E3030			SSTG CHANGE OVER		CO-E3030 - SSTG CHANGE OVER		0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	26	Undefined	
29.07.2014	E140339		R-E3005			FILTER MATERIAL RENEWAL				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.08.2014	E140222		CO-E3030			SSTG CHANGE OVER				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.09.2014	E140432		R-E3005			FILTER MATERIAL RENEWAL				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.10.2014	E140433		CO-E3030			SSTG CHANGE OVER		CO-E3030 - SSTG CHANGE OVER		0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.11.2014	E140656		R-E3005			FILTER MATERIAL RENEWAL				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.12.2014	E140680		CO-E3030			SSTG CHANGE OVER		CO-E3030 - SSTG CHANGE OVER		0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.001 - GENERATOR, MAIN  
**Performed Function:** 861.001.001 - GENERATOR, MAIN NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2014	E120090		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined	
11.05.2014	E120136		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFCHIEF	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	25	Undefined	
01.07.2014	E140234		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.09.2014	E140219		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
02.09.2014	E140543		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.09.2014	E140234		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.09.2014	E140234		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	2	Undefined	
02.09.2014	E140234		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.001 - GENERATOR, MAIN  
**Performed Function:** 861.001.001 - GENERATOR, MAIN NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.10.2014	E140523		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	2 Month(s)	0	Undefined	
31.10.2014	E140580		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.283.01.001 - GENERATOR, EMERGENCY  
**Performed Function:** 861.001.003 - GENERATOR, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.05.2014	E120363		T-E3010		EMER. GEN. LOAD TEST					0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	25	Undefined	
24.06.2014	E140016		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.08.2014	E140271		T-E3010		EMER. GEN. LOAD TEST					0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
02.09.2014	E140423		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.10.2014	E140542		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.11.2014	E140707		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.12.2014	E140848		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.03.2014	E140012	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					2.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	98	Undefined		
20.05.2014	E140058			2 Hour Load Test Emerg. Generator				0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR			EEFCHIEF			<input type="checkbox"/>	0 Month(s)	0	Undefined		
20.05.2014	E120438	T-E1015		EMER. DIESEL ENG. TEST				0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	11	Undefined		
07.06.2014	E140017	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
12.06.2014	E120432	O-E7005		DIESEL ENGINE SERVICE	O-E7005 - DIESEL ENGINE SERVICE			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	14	Undefined		
12.06.2014	E140100	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
24.06.2014	E140184	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
01.08.2014	E140269	T-E1015		EMER. DIESEL ENG. TEST				0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	4	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
13.08.2014	E140422	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
20.08.2014	E140483			OIL AND FILTER CHANGE				0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
02.09.2014	E140537	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined		
14.10.2014	E140547	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	5	Undefined		
23.10.2014	E140708	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.10.2014	E140748	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
13.11.2014	E140767	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
20.11.2014	E140783	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/27/2014  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.11.2014	E140800	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
02.12.2014	E140934	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
09.12.2014	E150015	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
16.12.2014	E150016	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
23.12.2014	E150017	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** SWB.285.01.001 - MAIN SWITCHBOARD  
**Performed Function:** 871.001.001 - MAIN SWITCHBOARD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.02.2014	E120024		A-E4010		SWITCHBOARD METER	A-E4010 - SWITCHBOARD METER CALIBRATION				0.00	
871.001.001 - MAIN SWITCHBOARD		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	20	Undefined	
22.09.2014	E140616				Unplanned Maintenance - Replace FWD Ltg Ground indicator				1.00		
871.001.001 - MAIN SWITCHBOARD			Damage Repair	EEFFENG	Burn Out	Inspection/Function Test	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** ELV.178.02.001 - ELEVATOR, CARGO  
**Performed Function:** 321.001.001 - ELEVATOR, CARGO

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.05.2014	E120380	L-733	CARGO ELEVATOR, LUBRICATION			L-733 - CARGO ELEVATOR, LUBRICATION				0.00	
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
25.08.2014	E140074	L-733	CARGO ELEVATOR, LUBRICATION			L-733 - CARGO ELEVATOR, LUBRICATION				0.00	
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
14.09.2014	E140493	L-733	CARGO ELEVATOR, LUBRICATION			L-733 - CARGO ELEVATOR, LUBRICATION				0.00	
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.10.2014	E140602	L-733	CARGO ELEVATOR, LUBRICATION			L-733 - CARGO ELEVATOR, LUBRICATION				0.00	
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.12.2014	E140884					REPLACE AFT STBD TELESCOPIC RAM				0.00	
321.001.001 - ELEVATOR, CARGO				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.001 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.001 - COMPRESSOR, QUARTERS AC NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2014	E120159		W-E3045			SW STRAINER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	115	Undefined	
06.05.2014	E120159		W-E3020			SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	26	Undefined	
11.06.2014	E110190		R-E7015			REFRIG. DRIER FILTER RENEWAL		R-E7015 - REFRIG. DRIER FILTER RENEWAL		0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	27	Undefined	
16.07.2014	E140218		W-E3045			SW STRAINER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
16.07.2014	E140218		W-E3020			SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
20.09.2014	E140359		W-E3045			SW STRAINER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	8	Undefined	
20.09.2014	E140359		W-E3020			SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
24.11.2014	E140590		W-E3045			SW STRAINER CLEAN				0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.001 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.001 - COMPRESSOR, QUARTERS AC NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.11.2014	E140590	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.002 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.002 - COMPRESSOR, QUARTERS AC NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2014	E120158		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	26	Undefined	
06.05.2014	E120158		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	115	Undefined	
18.05.2014	E110191		R-E7015		R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	26	Undefined	
28.05.2014	E140041				Replace AC Compressor					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2				EEFCHIEF			<input type="checkbox"/>	0 Month(s)	0	Undefined	
16.07.2014	E140217		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
16.07.2014	E140217		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
20.09.2014	E140358		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
20.09.2014	E140358		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	8	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.002 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.002 - COMPRESSOR, QUARTERS AC NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
24.11.2014	E140591		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
24.11.2014	E140591		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.05.2014	E120158	C-E3015		VEE BELT CHECK						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
06.05.2014	E120158	R-E3005		FILTER MATERIAL RENEWAL						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
06.05.2014	E120158	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
11.05.2014	E120373	L-531		FAN, INSPECTION/LUBRICATION Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined	
09.06.2014	E120372	R-531		FILTER, CHANGE						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	26	Undefined		
09.06.2014	E140242	L-531		FAN, INSPECTION/LUBRICATION Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.07.2014	E140217	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
16.07.2014	E140244	L-531		FAN, INSPECTION/LUBRICATION Condition Survey	L-531 - FAN, LUBRICATION					0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.07.2014	E140217	R-E3005	FILTER MATERIAL RENEWAL							0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
16.07.2014	E140217	C-E3015	VEE BELT CHECK							0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
16.07.2014	E140245	R-531	FILTER, CHANGE			R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.08.2014	E140371	L-531	FAN, INSPECTION/LUBRICATION			L-531 - FAN, LUBRICATION				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.08.2014	E140375	R-531	FILTER, CHANGE			R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.09.2014	E140358	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING							0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
20.09.2014	E140461	L-531	FAN, INSPECTION/LUBRICATION			L-531 - FAN, LUBRICATION				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.09.2014	E140462	R-531	FILTER, CHANGE			R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.09.2014	E140358		R-E3005		FILTER MATERIAL RENEWAL				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
20.09.2014	E140358		C-E3015		VEE BELT CHECK				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
20.10.2014	E140593		L-531		FAN, INSPECTION/LUBRICATION				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.10.2014	E140596		R-531		FILTER, CHANGE				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.11.2014	E140591		L-E3020		FAN LUBRICATE BEARINGS AND COUPLING				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.11.2014	E140591		R-E3005		FILTER MATERIAL RENEWAL				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.11.2014	E140591		C-E3015		VEE BELT CHECK				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.11.2014	E140726		L-531		FAN, INSPECTION/LUBRICATION				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
25.11.2014	E140724	R-531	FILTER, CHANGE							0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.05.2014	E120159	C-E3015	VEE BELT CHECK					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
06.05.2014	E120159	R-E3005	FILTER MATERIAL RENEWAL					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
06.05.2014	E120159	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	25	Undefined		
11.05.2014	E120374	L-531	FAN, INSPECTION/LUBRICATION					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	25	Undefined		
09.06.2014	E140241	L-531	FAN, INSPECTION/LUBRICATION					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.06.2014	E120375	R-531	FILTER, CHANGE					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	26	Undefined		
16.07.2014	E140218	C-E3015	VEE BELT CHECK					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
16.07.2014	E140218	R-E3005	FILTER MATERIAL RENEWAL					0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.07.2014	E140243	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.07.2014	E140246	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.07.2014	E140218	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
23.08.2014	E140374	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.08.2014	E140372	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.09.2014	E140359	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
20.09.2014	E140359	R-E3005	FILTER MATERIAL RENEWAL						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
20.09.2014	E140463	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.09.2014	E140460	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.09.2014	E140359	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
20.10.2014	E140595	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.10.2014	E140594	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.11.2014	E140727	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.11.2014	E140590	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.11.2014	E140590	R-E3005	FILTER MATERIAL RENEWAL						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.11.2014	E140590	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.11.2014	E140725		R-531		FILTER, CHANGE					0.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/27/2014  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTD.002.01.002  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/31/2014  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.02.001 - PUMP, HOT WATER CIRC. ENG ROOM  
**Performed Function:** 581.023.001 - PUMP, HOT WATER CIRC.ENG.RM.

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.03.2014	E140010			Replaced Pump and Motor, complete					4.00	
581.023.001 - PUMP, HOT WATER CIRC.ENG.RM.			EEFCHIEF	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								4.00		