



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.01.001 - TURBINE, HP  
**Performed Function:** 612.001.010 - TURBINE, HP UNIT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.01.2015	E140585	T-102	OVERSPEED, TEST			T-102 - OVERSPEED, TEST				0.00	
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
25.01.2015	E140867	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				0.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
24.03.2015	E150096	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				1.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
02.05.2015	E150040	T-102	OVERSPEED, TEST			T-102 - OVERSPEED, TEST				0.50	
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
05.05.2015	E150319	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				1.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
12.06.2015	E150466	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				0.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.07.2015	E150640	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				0.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.08.2015	E150450	T-102	OVERSPEED, TEST			T-102 - OVERSPEED, TEST				1.00	
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.01.001 - TURBINE, HP  
**Performed Function:** 612.001.010 - TURBINE, HP UNIT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.08.2015	E150760	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				2.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
22.09.2015	E150884	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK				1.00	
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									6.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.121.03.001 - PUMP, LPSG FEED WATER  
**Performed Function:** 759.001.010 - PUMP, LPSG FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.01.2015	E140768		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.03.2015	E150007		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.05.2015	E150245		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.06.2015	E150456		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.08.2015	E150704		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.001 - COOLER, LUBE OIL  
**Performed Function:** 713.008.001 - COOLER, MAIN LO NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.01.2015	E140913		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.01.2015	E140911		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.02.2015	E150099		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.02.2015	E150118		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.03.2015	E150212		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.03.2015	E150215		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				1.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.04.2015	E150367		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.04.2015	E150365		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				1.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.001 - COOLER, LUBE OIL  
**Performed Function:** 713.008.001 - COOLER, MAIN LO NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
15.05.2015	E150460	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					2.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.05.2015	E150458	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					2.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.06.2015	E150527	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.06.2015	E150525	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.07.2015	E150663	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.07.2015	E150683	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.08.2015	E150797	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					3.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
29.08.2015	E150794	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					3.00	
713.008.001 - COOLER, MAIN LO NO. 1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
<b>TOTAL:</b>									12.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.002 - COOLER, LUBE OIL  
**Performed Function:** 713.008.002 - COOLER, MAIN LO NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.01.2015	E140914	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.01.2015	E140912	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.02.2015	E150098	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.02.2015	E150117	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.03.2015	E150364	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	11	Undefined		
28.03.2015	E150214	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					1.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
17.04.2015	E150366	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
17.04.2015	E150429	W-E3045		SW STRAINER CLEAN						0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.002 - COOLER, LUBE OIL  
**Performed Function:** 713.008.002 - COOLER, MAIN LO NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
15.05.2015	E150462	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					2.00	
713.008.002 - COOLER, MAIN LO NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.05.2015	E150459	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					2.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.06.2015	E150526	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.06.2015	E150524	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.07.2015	E150664	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.07.2015	E150682	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
713.008.002 - COOLER, MAIN LO NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.08.2015	E150795	W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN					3.00	
713.008.002 - COOLER, MAIN LO NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
29.08.2015	E150796	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN					3.00	
713.008.002 - COOLER, MAIN LO NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
<b>TOTAL:</b>									11.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** DEH.215.01.001 - DEHYDRATOR, MAIN GEAR CASE  
**Performed Function:** 637.060.000 - MAIN GEAR CASE DEHYDRATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.01.2015	E140810		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.03.2015	E150044		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK			1.00		
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
19.04.2015	D150047		R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL			0.00		
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	25	Undefined	
13.05.2015	E150320		C-E3015		VEE BELT CHECK				0.00		
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
18.07.2015	E150512		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK			0.00		
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.09.2015	E150764		C-E3015		VEE BELT CHECK				0.00		
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									1.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.001 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.001 - COOLER, LO SSTG NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140753		W-E3045		SW STRAINER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
04.01.2015	E140753		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.03.2015	E150024		W-E3045		SW STRAINER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.03.2015	E150024		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242		W-E3045		SW STRAINER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.08.2015	E150558		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
02.08.2015	E150558		W-E3045		SW STRAINER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.001 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.001 - COOLER, LO SSTG NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.09.2015	E150835		W-E3045		SW STRAINER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
27.09.2015	E150835		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.002 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.002 - COOLER, LO SSTG NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.02.2015	E140815	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.02.2015	E140815	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
09.05.2015	E150139	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
09.05.2015	E150139	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
26.06.2015	E150486	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
26.06.2015	E150486	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.09.2015	E150840	W-E3045		SW STRAINER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed		
07.09.2015	E150840	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
661.007.002 - COOLER, LO SSTG NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . - DRYER, CONTROL AIR  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.01.2015	E150116		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150156		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			1.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	2	Undefined	
04.05.2015	E150339		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			1.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.06.2015	E150455		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.07.2015	E150666		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.08.2015	E150845		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			0.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Completed	
23.09.2015	E150886		C-365		REFRIGFILTER, CHECK	C-365 - REFRIGFILTER, CHECK			1.00		
		1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.043.01.001 - GEAR, MAIN REDUCTION  
**Performed Function:** 637.001.000 - MAIN REDUCTION GEARS, COMPLETE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.03.2015	E120172		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00	
637.001.000 - MAIN REDUCTION GEARS, COMPLETE		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	33	Undefined	
04.05.2015	E150483				HP COUPLING INSPECTION				0.00		
637.001.000 - MAIN REDUCTION GEARS, COMPLETE				EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
01.07.2015	E150412		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION			0.00		
637.001.000 - MAIN REDUCTION GEARS, COMPLETE		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FDT.283.01.001 - SMOKE DETECTION SYSTEM  
**Performed Function:** 811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.01.2015	D140946		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
31.01.2015	D140947		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2015	D150137		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2015	D150136		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.03.2015	D150197		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.03.2015	D150240		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.04.2015	D150354		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.04.2015	D150355		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FDT.283.01.001 - SMOKE DETECTION SYSTEM  
**Performed Function:** 811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2015	D150445		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.05.2015	D150446		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.06.2015	D150543		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.07.2015	D150544		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.551.00.100 - MISC, GALLEY SUPPLY/DRAIN  
**Performed Function:** 551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
25.01.2015	E140933	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			0.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.02.2015	E150109	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			0.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.03.2015	E150226	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			1.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
02.04.2015	E150262	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			1.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.05.2015	E150390	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			1.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.06.2015	E150494	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			0.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
16.07.2015	E150620	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			0.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
29.08.2015	E150766	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN			0.00			
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.551.00.100 - MISC, GALLEY SUPPLY/DRAIN  
**Performed Function:** 551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.09.2015	E150895		W-E3060		GALLEY DRAIN GREASE TRAP CLEAN	W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.554.00.100 - MISC, REFRIGERATION  
**Performed Function:** 554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.01.2015	E140920	T-E1035	REFRIG. BOX HELP ALARM TEST		T-E1035 - REFRIG. BOX HELP ALARM TEST				0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.02.2015	E150115	T-E1035	REFRIG. BOX HELP ALARM TEST		T-E1035 - REFRIG. BOX HELP ALARM TEST				0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.05.2015	E150199	T-E1035	REFRIG. BOX HELP ALARM TEST		T-E1035 - REFRIG. BOX HELP ALARM TEST				0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
01.07.2015	E150541	T-E1035	REFRIG. BOX HELP ALARM TEST		T-E1035 - REFRIG. BOX HELP ALARM TEST				0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
03.08.2015	E150725	T-E1035	REFRIG. BOX HELP ALARM TEST		T-E1035 - REFRIG. BOX HELP ALARM TEST				0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.571.00.100 - MISC, A/C & VENTILLATION  
**Performed Function:** 571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
24.05.2015	E150043		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	2	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.701.00.001 - PIPING, FO TRANSFER/DRAIN SYSTEM  
**Performed Function:** 701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.03.2015	E120314		T-E7005		ANNUAL PRESSURE TEST OF BUNKER PIPING	T-E7005 - ANNUAL PRESSURE TEST OF BUNKER PIPING				0.00	
701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING		1	Condition Survey	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	25	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.713.00.100 - MISC, LO PROPULSION/REDUCTION GEAR  
**Performed Function:** 713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.01.2015	E140916	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.02.2015	E150094	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.03.2015	E150213	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
02.04.2015	E150263	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			1.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.05.2015	E150379	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			1.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.06.2015	E150490	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2015	E150616	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN	W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN			0.00			
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.713.00.100 - MISC, LO PROPULSION/REDUCTION GEAR  
**Performed Function:** 713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.09.2015	E150818		W-E3010		MN LO SUCT/DISCH STRAINER W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN					2.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.		1	CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Completed	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.721.00.001 - PIPING, SALT WATER COOLING SYSTEM  
**Performed Function:** 721.000.001 - SW COOLING SYSTEM PIPING

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.07.2015	E150694			Replace S.W. pressure switch at consule					1.00	
721.000.001 - SW COOLING SYSTEM PIPING		Condition Survey	EEFFENG	Improper Operation	Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.755.00.100 - MISC, MAIN CONDENSATE  
**Performed Function:** 755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.03.2015	E140850	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER				0.00			
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	1	Undefined		
09.05.2015	E150400	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER				0.00			
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.08.2015	E150496	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER			2.00			
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	1	Undefined		
<b>TOTAL:</b>									2.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2015	E140935	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
10.01.2015	E150011	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
15.01.2015	E150058	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
22.01.2015	E150083	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.01.2015	E150101	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.02.2015	E150128	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.02.2015	E150158	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
19.02.2015	E150178	T-E1025	FIRE HEADER VALVES CYCLED T-E1025 - FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
26.02.2015	E150192	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
02.03.2015	E150223	T-E1025	FIRE HEADER VALVES CYCLED							1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.03.2015	E150260	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.04.2015	E150289	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined		
19.04.2015	E150396	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
25.04.2015	E150430	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.05.2015	E150493	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined		
21.05.2015	E150530	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
28.05.2015	E150550	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
04.06.2015	E150555	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
11.06.2015	E150606	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
20.06.2015	E150621	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
25.06.2015	E150659	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
02.07.2015	E150697	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
09.07.2015	E150729	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			
16.07.2015	E150768	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00		
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.07.2015	E150773	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.07.2015	E150800	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
13.08.2015	E150830	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Completed	
29.08.2015	E150830	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Completed	
27.09.2015	E150877	T-E1025	FIRE HEADER VALVES CYCLED							0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	3	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.15.001 - LIFE BOAT FALLS, PORT  
**Performed Function:** 501.024.001 - LIFEBOAT WIRE FALLS, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.02.2015	D140824	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
30.05.2015	D150235	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.16.001 - LIFEBOAT FALLS, STBD.  
**Performed Function:** 501.024.002 - LIFEBOAT WIRE FALLS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.02.2015	D140825	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
30.05.2015	D150236	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2015	D150046	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
17.02.2015	E150124	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.03.2015	E150187	T-512	PUMP, TEST						1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.04.2015	E150282	T-512	PUMP, TEST						1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.05.2015	E150403	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.07.2015	E150509	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
25.08.2015	E150757	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
13.09.2015	E150891	T-512	PUMP, TEST						1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.218.01.001 - PUMP, STERN TUBE CIRCULAMATIC  
**Performed Function:** 713.021.002 - PUMP, STERN TUBE CIRCULAMATIC

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.06.2015	E150667			Replace circulamatic pump				2.00		
713.021.002 - PUMP, STERN TUBE CIRCULAMATIC		Condition Survey	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								2.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2015	E140839	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.02.2015	E150125	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.03.2015	E150188	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150283	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.05.2015	E150405	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.07.2015	E150507	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
25.08.2015	E150759	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
12.09.2015	E150892	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.262.01.001 - PUMP, BOILER TEST  
**Performed Function:** 756.003.020 - PUMP, BOILER TEST

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E150030	T-E3005		INACTIVE PUMP ROTATION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005		INACTIVE PUMP ROTATION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150268	T-E3005		INACTIVE PUMP ROTATION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.05.2015	E150402	T-E3005		INACTIVE PUMP ROTATION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.05.2015	E140808	T-E3015		INACTIVE PUMP FUNCTION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
12.05.2015	E140809	T-E3015		INACTIVE PUMP FUNCTION	T-E3015 - INACTIVE PUMP FUNCTION TEST					1.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.06.2015	E150469	T-E3005		INACTIVE PUMP ROTATION						0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.262.01.001 - PUMP, BOILER TEST  
**Performed Function:** 756.003.020 - PUMP, BOILER TEST

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.08.2015	E150665		T-E3005		INACTIVE PUMP ROTATION					0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
05.09.2015	E150860		T-E3005		INACTIVE PUMP ROTATION					0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, POTABLE WATER  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
03.01.2015	E140847	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
28.02.2015	E150014	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
06.05.2015	E150243	C-104		MACHINERY, CHANGE OVER						0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined
30.06.2015	E150468	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
01.09.2015	E150706	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				1.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed
<b>TOTAL:</b>										1.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2015	E140838	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.03.2015	E150126	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
04.04.2015	E150274	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.05.2015	E150404	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.07.2015	E150508	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
25.08.2015	E150758	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
13.09.2015	E150890	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.115.03.001 - CRANE, SHIP STORES  
**Performed Function:** 563.000.001 - SHIPS STORES CRANE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.02.2015	D140826	L-D4010	WIRE ROPE LUBRICATION		L-D4010 - WIRE ROPE LUBRICATION				0.00		
563.000.001 - SHIPS STORES CRANE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
27.05.2015	D150238	L-D4010	WIRE ROPE LUBRICATION		L-D4010 - WIRE ROPE LUBRICATION				0.00		
563.000.001 - SHIPS STORES CRANE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
09.07.2015	E150771				Replace Control Valve Ass.				0.00		
563.000.001 - SHIPS STORES CRANE				EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.129.03.002 - CONTROL SYSTEM, ELEC STEERING GEAR  
**Performed Function:** 403.050.012 - CONTROL SYSTEM, ELECTRICAL STBD

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.03.2015	E150313			Replace Pot Stbd Feedback Control					0.00	
403.050.012 - CONTROL SYSTEM, ELECTRICAL STBD			EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.021 - WINCH, RAMP HANDLING  
**Performed Function:** 453.005.001 - SUEZ BOAT WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.06.2015	E140883		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.022 - WINCH, RAMP HANDLING  
**Performed Function:** 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.01.2015	E140201		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
11.01.2015	E140200		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
06.02.2015	D140832		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.02.2015	E140881		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
25.02.2015	D140833		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
27.03.2015	E150230		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.04.2015	E150363		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.05.2015	D150239		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.022 - WINCH, RAMP HANDLING  
**Performed Function:** 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2015	D150237		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.05.2015	E150395		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.06.2015	E150518		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.06.2015	E150061		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
04.07.2015	E150671		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** DSP.100.01.001 - SEWAGE TREATMENT PLANT  
**Performed Function:** 582.001.001 - SEWAGE TREATMENT PLANT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140555	C-E4010	MSD QUARTERLY CHECKS			C-E4010 - MSD QUARTERLY CHECKS				0.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined		
30.01.2015	E150037	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS				0.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.02.2015	E150152		Unplanned Maintenance - Rebuild Sludge Pump							4.00	
582.001.001 - SEWAGE TREATMENT PLANT			Condition Survey	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
26.02.2015	E150167	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS				0.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
14.03.2015	E150227	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS				2.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150288	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS				1.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150036	C-E4010	MSD QUARTERLY CHECKS			C-E4010 - MSD QUARTERLY CHECKS				0.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.05.2015	E150406	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS				0.00	
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** DSP.100.01.001 - SEWAGE TREATMENT PLANT  
**Performed Function:** 582.001.001 - SEWAGE TREATMENT PLANT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.05.2015	E140051	C-E7010		MSD ANNUAL CHECKS	C-E7010 - MSD ANNUAL CHECKS					0.00	
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
10.06.2015	E150632			Replaced backflush pressure gage						0.00	
582.001.001 - SEWAGE TREATMENT PLANT		Condition Survey	EEFFENG	Leak	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
13.06.2015	E150470	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					0.00	
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.07.2015	E150399	C-E4010		MSD QUARTERLY CHECKS	C-E4010 - MSD QUARTERLY CHECKS					0.00	
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
27.07.2015	E150762	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					2.00	
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.08.2015	E150813	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					1.00	
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
27.09.2015	E150906	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS					1.00	
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
<b>TOTAL:</b>									11.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STG.130.01.002 - STEERING GEAR  
**Performed Function:** 403.001.002 - STEERING GEAR STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.01.2015	E120125		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00	
403.001.002 - STEERING GEAR STBD		1	COLLECTION Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	4 Month(s)	31	Undefined	
01.05.2015	E150413		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00	
403.001.002 - STEERING GEAR STBD		1	COLLECTION Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	4 Month(s)	0	Undefined	
05.09.2015	E150624		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				1.00	
403.001.002 - STEERING GEAR STBD		1	COLLECTION Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	4 Month(s)	0	Completed	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BRG.213.02.001 - SHAFTING BEARING AND SEALS  
**Performed Function:** 631.013.001 - STERN TUBE BEARING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.04.2015	E120170		L-E6005		6 MONTH LO SAMPLE COLLECTION	L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
631.013.001 - STERN TUBE BEARING		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	32	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BRG.213.02.002 - SHAFTING BEARING AND SEALS  
**Performed Function:** 631.013.002 - STRUT BEARING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.04.2015	E120411		L-E6005		6 MONTH LO SAMPLE COLLECTION	L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
631.013.002 - STRUT BEARING		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	30	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BRG.213.02.003 - SHAFTING BEARING AND SEALS  
**Performed Function:** 631.021.001 - STERN TUBE SEAL FWD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.04.2015	E120214		L-E6005		6 MONTH LO SAMPLE COLLECTION	L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
631.021.001 - STERN TUBE SEAL FWD		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	32	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.709.00.001 - PIPING, DIESEL OIL  
**Performed Function:** 709.000.001 - DIESEL OIL PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.01.2015	E140687	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
06.02.2015	E150027	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.03.2015	E150164	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.04.2015	E150301	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				1.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.05.2015	E150442	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				1.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.06.2015	E150506	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.07.2015	E150612	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.08.2015	E150801	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey			L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				1.00	
709.000.001 - DIESEL OIL PIPING		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.709.00.001 - PIPING, DIESEL OIL  
**Performed Function:** 709.000.001 - DIESEL OIL PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.09.2015	E150899		L-E3040		CYCLE AND LUBRICATE DO	L-E3040 - CYCLE AND LUBRICATE DO				1.00	
709.000.001 - DIESEL OIL PIPING		1	CUT OUT VALVES Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** SWB.285.04.001 - EMERGENCY SWITCHBOARD  
**Performed Function:** 872.030.001 - EMERGENCY SWITCHBOARD

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.03.2015	E150256			Replace PH Control Relay				0.00		
872.030.001 - EMERGENCY SWITCHBOARD			EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.03.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.01.2015	E140758	R-E3015	OWS REGENERATE FILTER STEPS		R-E3015 - OWS REGENERATE FILTER STEPS				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
18.01.2015	E140759	W-E3050	OWS STRAINER CLEAN		W-E3050 - OWS STRAINER CLEAN				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
18.01.2015	E140760	W-E3055	OWS FLOC TANK CLEAN		W-E3055 - OWS FLOC TANK CLEAN				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
18.01.2015	E140048	R-E7020	OWS REPLACE / REGENERATE FILTER MEDIA		R-E7020 - OWS REPLACE / REGENERATE FILTER MEDIA				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
22.01.2015	E140049	W-E7005	OWS OIL DETECTOR CLEAN		W-E7005 - OWS OIL DETECTOR CLEAN				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
22.01.2015	E140050	W-E7010	OWS OIL DESCALER BACK FLUSH		W-E7010 - OWS OIL DESCALER BACK FLUSH				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
21.03.2015	E150087	R-E3015	OWS REGENERATE FILTER STEPS		R-E3015 - OWS REGENERATE FILTER STEPS				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
21.03.2015	E150089	W-E3050	OWS STRAINER CLEAN		W-E3050 - OWS STRAINER CLEAN				0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.03.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.03.2015	E150088		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
22.04.2015	E150314		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.04.2015	E150316		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.04.2015	E150315		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.08.2015	E150476		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	3	Completed	
09.08.2015	E150477		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	3	Completed	
09.08.2015	E150475		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	3	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** MTR..00.1..00. - CALIBRATE TEST EQUIPMENT  
**Performed Function:** 791.005.003 - METER CALIBRATION - ANNUAL

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.03.2015	E140276		A-E4005		TEST EQUIPMENT	A-E4005 - TEST EQUIPMENT CALIBRATION				0.00	
791.005.003 - METER CALIBRATION - ANNUAL		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140940		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
11.01.2015	E150025		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
18.01.2015	E150079		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
25.01.2015	E150084		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
01.02.2015	E150110		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
08.02.2015	E150142		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
15.02.2015	E150186		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
22.02.2015	E150218		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.03.2015	E150219		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
08.03.2015	E150247		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
11.05.2015	E150317		C-E1005		STORAGE BATTERY CHECK					0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
17.05.2015	E150539		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
18.05.2015	E150581		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
25.05.2015	E150586		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
01.06.2015	E150587		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
14.06.2015	E150601		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
22.06.2015	E150645		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined	
28.06.2015	E150681		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.07.2015	E150698		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
12.07.2015	E150763		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
19.07.2015	E150774		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
26.07.2015	E150778		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
02.08.2015	E150820		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK			0.00		
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ALM.277.01.001 - DETECTOR, OWS OIL CONTENT  
**Performed Function:** 797.024.011 - OWS OIL CONTENT DETECTOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.01.2015	E140277	A-E4005	TEST EQUIPMENT		A-E4005 - TEST EQUIPMENT CALIBRATION					0.00	
797.024.011 - OWS OIL CONTENT DETECTOR		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.02.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.001 - SEPARATOR, OILY WATER

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
22.03.2015	E150318			Replace Filter Media				0.00		
803.025.001 - SEPARATOR, OILY WATER			EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.002 - PUMP, FO SERVICE  
**Performed Function:** 703.003.002 - PUMP, FO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.02.2015	E140892		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
04.04.2015	E150140		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			1.00		
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.04.2015	E150305		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	24	Undefined	
05.06.2015	E150388		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2015	E150426		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.08.2015	E150608		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.08.2015	E150636		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			1.00		
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.001 - PUMP, FO SERVICE  
**Performed Function:** 703.003.001 - PUMP, FO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
27.02.2015	E140930	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.03.2015	E150022	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
03.04.2015	E150248	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
06.05.2015	E150295	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.06.2015	E150423	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
04.07.2015	E150604	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.08.2015	E150502	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed		
01.09.2015	E150865	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				1.00	
703.003.001 - PUMP, FO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Completed		
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.03.001 - PUMP, FO TRANSFER  
**Performed Function:** 701.006.001 - PUMP, FO.TRANSFER, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.01.2015	E140662		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	3	Undefined	
12.04.2015	E150026		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
16.07.2015	E150421		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.001 - PUMP, LO SERVICE  
**Performed Function:** 713.004.001 - PUMP, LO.SERVICE, NO.1

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
27.02.2015	E140939	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
28.02.2015	E150009	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
03.04.2015	E150249	CO-E3005	PUMP CHANGE OVER							0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
28.04.2015	E150307	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
05.05.2015	E150602	CO-E3005	PUMP CHANGE OVER							0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
05.06.2015	E150461	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
01.07.2015	E150712	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
28.07.2015	E150449	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.001 - PUMP, LO SERVICE  
**Performed Function:** 713.004.001 - PUMP, LO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.09.2015	E150713		CO-E3005		PUMP CHANGE OVER					1.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.002 - PUMP, LO SERVICE  
**Performed Function:** 713.004.002 - PUMP, LO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.02.2015	E140844		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.02.2015	E140799		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	1	Undefined	
03.04.2015	E150143		CO-E3005		PUMP CHANGE OVER				1.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.04.2015	E150138		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			1.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.05.2015	E150371		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.06.2015	E150603		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.07.2015	E150474		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	1	Undefined	
31.07.2015	E150711		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.002 - PUMP, LO SERVICE  
**Performed Function:** 713.004.002 - PUMP, LO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.09.2015	E150816		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				2.00	
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.04.001 - PUMP, DO BOILER COLD START  
**Performed Function:** 709.003.001 - PUMP, DO BOILER COLD START

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E150030	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150268	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.05.2015	E150402	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.05.2015	E140808	T-E3015		INACTIVE PUMP FUNCTION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.06.2015	E150469	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
02.07.2015	E140279	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
709.003.001 - PUMP, DO BOILER COLD START	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.04.001 - PUMP, DO BOILER COLD START  
**Performed Function:** 709.003.001 - PUMP, DO BOILER COLD START

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.08.2015	E150665		T-E3005		INACTIVE PUMP ROTATION					0.00	
709.003.001 - PUMP, DO BOILER COLD START		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
05.09.2015	E150860		T-E3005		INACTIVE PUMP ROTATION					0.00	
709.003.001 - PUMP, DO BOILER COLD START		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.002 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
17.01.2015	E140879	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
18.01.2015	E140096	I-E6010	RAMP WINCH BRAKE INSPECTION			I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
18.01.2015	E140098	L-E6010	RAMP WINCH OIL CHANGE			L-E6010 - RAMP WINCH OIL CHANGE				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
15.02.2015	E150090	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.02.2015	D140834	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
13.03.2015	D140874	L-D4005	RAMP WINCH LUBRICATION			L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
15.03.2015	E150560	C-E3010	GEAR OIL LEVEL CHECK			C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
06.05.2015	D150202	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.002 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.06.2015	D150347		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
20.06.2015	E150582		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
21.06.2015	E150071		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
04.07.2015	E150680		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.07.2015	D140354		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.003 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.01.2015	E140094		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
18.02.2015	E140878		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
05.03.2015	E150360		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	11	Undefined	
13.03.2015	D140876		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.03.2015	D140925		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
14.04.2015	E150391		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.05.2015	E150463		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				1.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2015	D150350		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.003 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.06.2015	E150516		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.06.2015	E150033		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
02.07.2015	D150345		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
04.07.2015	E150670		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.001 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.01.2015	E140254		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
17.01.2015	E140097		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
18.02.2015	E140880		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
13.03.2015	D140875		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.03.2015	D140926		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
26.03.2015	E150229		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.04.2015	E150362		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.05.2015	E150394		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.001 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.06.2015	D150346		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
20.06.2015	E150515		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.06.2015	E150073		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
02.07.2015	D150348		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
04.07.2015	E150669		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.07.2015	D140388		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.004 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.01.2015	E140099		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
18.02.2015	E140882		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
13.03.2015	D140927		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.03.2015	D140924		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
26.03.2015	E150231		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.04.2015	E150361		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.05.2015	E150393		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2015	D150344		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.004 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.06.2015	E150034		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
21.06.2015	E150514		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.07.2015	D150349		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
04.07.2015	E150684		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.07.2015	D140364		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.120.01.001 - PUMP, RAMP COMP TANK  
**Performed Function:** 384.040.041 - PUMP, RAMP COMP TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.03.2015	E140805		C-781		TANK VENT, CHECK	C-781 - TANK VENT, CHECK				0.00	
384.040.041 - PUMP, RAMP COMP TANK		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
17.06.2015	E150654				Replace Lovejoy coupling spider				4.00		
384.040.041 - PUMP, RAMP COMP TANK			Condition Survey	EEFFENG	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
05.07.2015	E150261		C-781		TANK VENT, CHECK	C-781 - TANK VENT, CHECK			0.00		
384.040.041 - PUMP, RAMP COMP TANK		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLG.125.01.001 - INTRUSION SYSTEM, BILGE  
**Performed Function:** 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.01.2015	D140944	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.01.2015	E150005	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
17.02.2015	D150067	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2015	E150114	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.03.2015	D150196	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.03.2015	E150200	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.04.2015	E150325	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				1.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.04.2015	D150328	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00		
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLG.125.01.001 - INTRUSION SYSTEM, BILGE  
**Performed Function:** 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.05.2015	D150440	T-D3010	CARGO HOLD BILGE ALARM			T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.06.2015	E150478	T-E1020	ENGINE SPACE BILGE ALARM TEST			T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
30.06.2015	D150573	T-D3010	CARGO HOLD BILGE ALARM			T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.07.2015	E150580	T-E1020	ENGINE SPACE BILGE ALARM TEST			T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.07.2015	D150690	T-D3010	CARGO HOLD BILGE ALARM			T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.08.2015	E150723	T-E1020	ENGINE SPACE BILGE ALARM TEST			T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.09.2015	E150825	T-E1020	ENGINE SPACE BILGE ALARM TEST			T-E1020 - ENGINE SPACE BILGE ALARM TEST				1.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
22.09.2015	E150952	T-E1020	ENGINE SPACE BILGE ALARM TEST			T-E1020 - ENGINE SPACE BILGE ALARM TEST				1.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STG.130.01.001 - STEERING GEAR  
**Performed Function:** 403.001.001 - STEERING GEAR PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.02.2015	E120160		L-E4005			4 MONTH LO SAMPLE				0.00	
403.001.001 - STEERING GEAR PORT		1	COLLECTION Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	32	Undefined	
11.06.2015	E150416		L-E4005			4 MONTH LO SAMPLE				0.00	
403.001.001 - STEERING GEAR PORT		1	COLLECTION Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** COM.134.01.001 - RADIO, LIFEBOAT  
**Performed Function:** 422.002.001 - LIFEBOAT RADIO, PORTABLE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.01.2015	D140873		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.02.2015	D150066		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.03.2015	D150179		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2015	D150265		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.05.2015	D150557		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.06.2015	D150574		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.25.002 - ANCHOR WINDLASS  
**Performed Function:** 433.001.002 - ANCHOR WINDLASS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140608		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
19.02.2015	D140829		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
03.04.2015	E150031		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
30.05.2015	D150207		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.07.2015	E150382		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
16.09.2015	E150742		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.25.001 - ANCHOR WINDLASS  
**Performed Function:** 433.001.001 - ANCHOR WINDLASS, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140607		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
19.02.2015	D140831		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
03.04.2015	E150035		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
30.05.2015	D150208		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.07.2015	E150381		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
16.09.2015	E150743		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.003 - WINCH, MOORING CT  
**Performed Function:** 434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.01.2015	E140606		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
06.02.2015	D140830		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
18.03.2015	E150311				Replace FWD Spring Winch Motor					0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING				EEFCHIEF	Breakdown	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
05.04.2015	E150032		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.05.2015	D150205		L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.07.2015	E150383		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
16.09.2015	E150741		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.005 - WINCH, MOORING CT  
**Performed Function:** 434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2015	D140828	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
25.03.2015	E140877	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
06.05.2015	D150206	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
17.06.2015	E150359	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
16.09.2015	E150677	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.004 - WINCH, MOORING CT  
**Performed Function:** 434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.02.2015	D140827	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
26.03.2015	E140932	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
03.06.2015	D150203	L-D4010	WIRE ROPE LUBRICATION			L-D4010 - WIRE ROPE LUBRICATION				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
17.06.2015	E150369	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
16.09.2015	E150678	W-E4005	FINNED HEAT EXCHANGER CLEAN			W-E4005 - FINNED HEAT EXCHANGER CLEAN				1.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.26.006 - WINCH, MOORING CT  
**Performed Function:** 434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.02.2015	D140835	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION					0.00	
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
11.02.2015	E150173			Replace Torque Converter/Motor				0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE			EEFCHIEF	Breakdown	Material Failure	<input type="checkbox"/>	0 Month(s)	0	Undefined		
07.03.2015	E150368	W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			1.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	9	Undefined		
06.05.2015	D150204	L-D4010		WIRE ROPE LUBRICATION	L-D4010 - WIRE ROPE LUBRICATION			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
17.06.2015	E150392	W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			0.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
16.09.2015	E150679	W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN			1.00			
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed		
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.01.2015	D140871		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.01.2015	D140821		T-D4005		LIFEBOAT, PORT RELEASING GEAR TEST	T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
27.01.2015	D140327		T-D7015		LIFEBOAT, PORT WEIGHT TEST	T-D7015 - LIFEBOAT, PORT WEIGHT TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
31.01.2015	D140943		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.02.2015	D150135		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.02.2015	E140329		C-E4005		LIFEBOAT DAVIT LIMIT SWITCH CHECK	C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00	
501.001.001 - LIFEBOAT, PORT		1	SWITCH CHECK Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
19.02.2015	D150064		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
27.02.2015	D150241		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.04.2015	D150194		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
12.04.2015	E140044		W-D7010		LIFEBOAT, PORT STRIPPED AND CLEANED	W-D7010 - LIFEBOAT, PORT STRIPPED AND CLEANED				0.00	
501.001.001 - LIFEBOAT, PORT		1	AND CLEANED Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
17.04.2015	D150198		T-D4005		LIFEBOAT, PORT RELEASING GEAR TEST	T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
17.04.2015	D150351		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.05.2015	D150352		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2015	D150431		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.06.2015	D150576		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.07.2015	D150432		T-D4005		LIFEBOAT, PORT RELEASING GEAR TEST	T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
24.07.2015	D150745	L-D3005	LIFEBOAT, PORT DAVIT/REL			L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				0.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.07.2015	E140123	R-E7010	FUEL OIL RENEWAL			R-E7010 - FUEL OIL RENEWAL				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
30.07.2015	E140342	R-E7005	GEAR CASE OIL RENEWAL			R-E7005 - GEAR CASE OIL RENEWAL				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.01.2015	D140872		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
27.01.2015	D140326		T-D7020		LIFEBOAT, STBD WEIGHT TEST	T-D7020 - LIFEBOAT, STBD WEIGHT TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
31.01.2015	D140945		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.02.2015	E140330		C-E4005		LIFEBOAT DAVIT LIMIT SWITCH CHECK	C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00	
501.001.002 - LIFEBOAT, STBD.		1	SWITCH CHECK Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
19.02.2015	D150065		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.03.2015	D140820		T-D4010		LIFEBOAT, STBD RELEASING GEAR TEST	T-D4010 - LIFEBOAT, STBD RELEASING GEAR TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	1	Undefined	
20.03.2015	D150134		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.03.2015	D150195		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.04.2015	E140092		W-D7005		LIFEBOAT, STBD STRIPPED	W-D7005 - LIFEBOAT, STBD STRIPPED AND CLEANED				0.00	
501.001.002 - LIFEBOAT, STBD.		1	AND CLEANED Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
30.04.2015	D150353		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.05.2015	D150575		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2015	D150326		T-D4010		LIFEBOAT, STBD RELEASING	T-D4010 - LIFEBOAT, STBD RELEASING GEAR TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
05.06.2015	D150327		L-D3010		LIFEBOAT, STBD DAVIT/REL	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00	
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
28.06.2015	D150577		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
27.07.2015	E140343		R-E7005		GEAR CASE OIL RENEWAL	R-E7005 - GEAR CASE OIL RENEWAL				24.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									24.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.01.2015	E140937	T-E1010		LIFEBOAT FLEMMING GEAR						0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
08.01.2015	E150012	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
15.01.2015	E150056	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
22.01.2015	E150080	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.01.2015	E150100	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.02.2015	E150129	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.02.2015	E150159	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
19.02.2015	E150177	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
26.02.2015	E150190	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.03.2015	E150225	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			1.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.03.2015	E150258	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			1.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.03.2015	E150267	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			1.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
02.04.2015	E150437	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			1.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
02.04.2015	E150290	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			1.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined		
09.04.2015	E150398	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
16.04.2015	E150409	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST			0.00			
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.05.2015	E150464	T-E1010		LIFEBOAT FLEMMING GEAR						1.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	4	Undefined		
14.05.2015	E150492	T-E1010		LIFEBOAT FLEMMING GEAR						0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
21.05.2015	E150532	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.05.2015	E150549	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
04.06.2015	E150556	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
11.06.2015	E150607	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
20.06.2015	E150638	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.06.2015	E150661	T-E1010		LIFEBOAT FLEMMING GEAR	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
02.07.2015	E150696	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.07.2015	E150727	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
16.07.2015	E150769	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.07.2015	E150772	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.07.2015	E150799	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
13.08.2015	E150829	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Completed		
29.08.2015	E150829	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Completed		
27.09.2015	E150881	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	3	Completed		
<b>TOTAL:</b>									6.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.01.2015	E140936		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
08.01.2015	E150013		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
15.01.2015	E150057		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
25.01.2015	E150081		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
29.01.2015	E150102		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.02.2015	E150127		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
14.02.2015	E150157		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
19.02.2015	E150176		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.02.2015	E150191		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
01.03.2015	E150224		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.03.2015	E150259		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
12.03.2015	E150266		T-E1005		LIFEBOAT ENGINE TEST					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
02.04.2015	E150291		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined	
09.04.2015	E150397		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
17.04.2015	E150410		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.04.2015	E150436		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.05.2015	E150465	T-E1005		LIFEBOAT ENGINE TEST						0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.05.2015	E150495	T-E1005		LIFEBOAT ENGINE TEST						1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
21.05.2015	E150531	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.05.2015	E150551	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
04.06.2015	E150554	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
11.06.2015	E150609	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
20.06.2015	E150622	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.06.2015	E150660	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.07.2015	E150695		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
09.07.2015	E150728		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
16.07.2015	E150776		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
23.07.2015	E150777		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.07.2015	E150798		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.07.2015	E140128		O-E7005		DIESEL ENGINE SERVICE	O-E7005 - DIESEL ENGINE SERVICE				12.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
06.08.2015	E150828		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Completed	
13.08.2015	E150828		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
29.08.2015	E150876		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Completed	
27.09.2015	E150893		T-E1005		LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	3	Completed	
<b>TOTAL:</b>									15.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** REF.167.01.001 - REFER PLANT  
**Performed Function:** 554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.01.2015	E140688	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER			0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
19.03.2015	E140852	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK			1.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
10.05.2015	E150252	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER			1.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
10.05.2015	E150370	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK			0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.08.2015	E140247	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL			0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Undefined		
02.08.2015	E150489	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK			0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.08.2015	E150850			Change Compressor Oil				0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined		
02.08.2015	E150536	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER			2.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Completed		
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** REF.167.01.002 - REFER PLANT  
**Performed Function:** 554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.01.2015	E140869	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
05.02.2015	E140747	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined		
10.05.2015	E150155	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					1.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
10.05.2015	E150097	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
02.08.2015	E140248	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Undefined		
02.08.2015	E150851			Change Compressor Oil						0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFCHIEF		Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
02.08.2015	E150487	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
15.09.2015	E150488	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					2.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Completed		
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.125.01.001 - BURNER MGNT, NORTECH  
**Performed Function:** 794.005.002 - BURNER MANAGEMENT, NORTECH

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.01.2015	E150264			Test FD Fan/F/O Remote Shutoff Switch				0.00		
794.005.002 - BURNER MANAGEMENT, NORTECH			EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.01.002 - BURNER, FO ATOMIZATION  
**Performed Function:** 641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.01.2015	E150076			Replace Atomizing Valve o-rings				0.00		
641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2			EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
06.05.2015	E140313	R-E6005		BURNER TIP RENEWAL	R-E6005 - BURNER TIP RENEWAL			3.00		
641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined	
<b>TOTAL:</b>								3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.01.001 - BURNER, FO ATOMIZATION  
**Performed Function:** 641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.01.2015	E150074			Replace O-Rings on Atomizing Valves				0.00		
641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
06.05.2015	E140314	R-E6005		BURNER TIP RENEWAL	R-E6005 - BURNER TIP RENEWAL			3.00		
641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined	
<b>TOTAL:</b>								3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.229.01.002 - WATER LEVEL GAUGE  
**Performed Function:** 797.066.002 - GAUGE, WATER LEVEL, BOILER NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.01.2015	E150075			Replace O-Rings on Atomixing Valves					0.00	
797.066.002 - GAUGE, WATER LEVEL, BOILER NO.2			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.001 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.02.2015	E140923	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
13.03.2015	E150160	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
14.03.2015	E140801	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE				2.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined		
17.04.2015	E150299	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.05.2015	E150424	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				1.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.06.2015	E150504	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.07.2015	E150273	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined		
24.07.2015	E150631	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.001 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.09.2015	E150838	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					1.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Completed		
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.002 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
16.01.2015	E140889	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.02.2015	E150078	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.03.2015	E140784	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			2.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined		
27.03.2015	E150234	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
25.04.2015	E150337	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			1.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.05.2015	E150444	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.06.2015	E150592	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.06.2015	E150329	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.002 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.07.2015	E150718	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
09.01.2015	E140692	L-E3025		BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)	1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined			
16.01.2015	E140887	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
31.01.2015	E150171			Repack Primary Stm Stop							0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)			EEFCHIEF			<input type="checkbox"/>	0 Month(s)	0	Undefined			
31.01.2015	E150170			Fireside Cleaning/Inspection							0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined			
10.02.2015	E120282	W-254		ECONOMIZER, WATER WASH			W-254 - ECONOMIZER, WATER WASH				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	30	Undefined			
27.02.2015	E150077	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
16.03.2015	E150312			Replace Top Bank Air Heater							0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		Breakdown	EEFCHIEF	Material Failure	Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
18.03.2015	E150053	L-E3025		BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)	1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
27.03.2015	E150233	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				1.00	
641.002.300 - MAIN BOILER NO.2 (PORT)	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.04.2015	E150338		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				1.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.05.2015	E150296		L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
22.05.2015	E150443		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.06.2015	E140018		I-258		BOILER, INSPECTION	I-258 - BOILER, INSPECTION				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
26.06.2015	E150591		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.07.2015	E150770					Fireside Cleaning/Inspection				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)				EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
17.07.2015	E150717		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.07.2015	E150584		L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.09.2015	E150786		L-E3025		BOILER SLIDING FEET	L-E3025 - BOILER SLIDING FEET LUBRICATE				1.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.01.2015	E140684		L-E3025		BOILER SLIDING FEET	L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
06.02.2015	E140928		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
17.02.2015	E120283		W-254		ECONOMIZER, WATER WASH	W-254 - ECONOMIZER, WATER WASH				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	30	Undefined	
17.02.2015	E150182				Repair Economizer Tube Leak					0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)				EEFCHIEF		Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
13.03.2015	E150161		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.03.2015	E150054		L-E3025		BOILER SLIDING FEET	L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
17.04.2015	E150300		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2015	E150425		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				2.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2015	E150297	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.06.2015	E150505	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.06.2015	E150583	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.07.2015	E150630	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.07.2015	E150809					Fire Side Cleaning/Cleaning				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)				EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
25.07.2015	E150810					Replace 6" Dry Pipe Flex				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)				EEFCHIEF		Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
01.08.2015	E150731	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.08.2015	E150785	L-E3025	BOILER SLIDING FEET			L-E3025 - BOILER SLIDING FEET LUBRICATE				2.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.09.2015	E140021		I-258		BOILER, INSPECTION	I-258 - BOILER, INSPECTION				8.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	9	Completed	
19.09.2015	E150833		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				2.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									14.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.002 - TURBINE, SSTG  
**Performed Function:** 661.001.002 - TURBINE, SHIP SERVICE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.02.2015	E140815		R-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
04.02.2015	E140815		L-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
09.05.2015	E150139		R-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
09.05.2015	E150139		L-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
26.06.2015	E150486		R-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
26.06.2015	E150486		L-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
07.09.2015	E150840		R-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Completed	
07.09.2015	E150840		L-E3010							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.001 - TURBINE, SSTG  
**Performed Function:** 661.001.001 - TURBINE, SHIP SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140753		R-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
04.01.2015	E140753		L-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.03.2015	E150024		R-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
01.03.2015	E150024		L-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242		R-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
31.05.2015	E150242		L-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.08.2015	E150558		R-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
02.08.2015	E150558		L-E3010							0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.001 - TURBINE, SSTG  
**Performed Function:** 661.001.001 - TURBINE, SHIP SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.09.2015	E150835		R-E3010		GOVERNOR OIL RENEWAL					0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Completed	
27.09.2015	E150835		L-E3010		THROTTLE VALVE LUBRICATE					0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.01.2015	E120280	I-E7015	SSTG LO SUMP INSPECTION			I-E7015 - SSTG LO SUMP INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	23	Undefined		
04.01.2015	E140753	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.01.2015	E140753	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.01.2015	E140753	W-E3040	LO STRAINER CLEAN							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.01.2015	E140753	W-E3035	PURIFY LUBE OIL							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.02.2015	E120160	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	32	Undefined		
28.02.2015	E140524	I-E6005	SSTG LOW SPEED COUPLING INSPECTION			I-E6005 - SSTG LOW SPEED COUPLING INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
01.03.2015	E150024	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.03.2015	E150024	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.03.2015	E150024	W-E3040	LO STRAINER CLEAN						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.03.2015	E150024	W-E3035	PURIFY LUBE OIL						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.03.2015	E140137	I-E7025	SSTG LO PUMP COUPLING INSPECTION			I-E7025 - SSTG LO PUMP COUPLING INSPECTION			0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
31.05.2015	E150242	W-E3035	PURIFY LUBE OIL						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242	W-E3040	LO STRAINER CLEAN						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242	L-E3005	LOW SPEED COUPLING LUBRICATE						0.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.06.2015	E150416	L-E4005		4 MONTH LO SAMPLE						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	COLLECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		
02.08.2015	E150558	L-E3005		LOW SPEED COUPLING						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	LUBRICATE	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.08.2015	E150558	I-E3005		SSTG HIGH SPEED COUPLING						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	INSPECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.08.2015	E150558	W-E3040		LO STRAINER CLEAN						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
02.08.2015	E150558	W-E3035		PURIFY LUBE OIL						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
27.09.2015	E150835	W-E3035		PURIFY LUBE OIL						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
27.09.2015	E150835	L-E3005		LOW SPEED COUPLING						0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	LUBRICATE	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
27.09.2015	E150246	I-E6005		SSTG LOW SPEED COUPLING	I-E6005 - SSTG LOW					1.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	INSPECTION	EEFFENG		SPEED COUPLING INSPECTION	<input type="checkbox"/>	6 Month(s)	1	Completed		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.09.2015	E150835	I-E3005	SSTG HIGH SPEED COUPLING							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1	INSPECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
27.09.2015	E150835	W-E3040	LO STRAINER CLEAN							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.01.2015	E120126	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	31	Undefined	
17.01.2015	E140138	I-E7025	SSTG LO PUMP COUPLING INSPECTION			I-E7025 - SSTG LO PUMP COUPLING INSPECTION			3.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
02.02.2015	E140840	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION			0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.02.2015	E140815	L-E3005	LOW SPEED COUPLING LUBRICATE						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
04.02.2015	E140815	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
04.02.2015	E140815	W-E3040	LO STRAINER CLEAN						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
04.02.2015	E140815	W-E3035	PURIFY LUBE OIL						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.04.2015	E150419	L-E4005	4 MONTH LO SAMPLE COLLECTION						0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.05.2015	E150139	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
09.05.2015	E150139	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
09.05.2015	E150141	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION				5.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
09.05.2015	E150139	W-E3040	LO STRAINER CLEAN							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
09.05.2015	E150139	W-E3035	PURIFY LUBE OIL							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
26.06.2015	E150486	W-E3035	PURIFY LUBE OIL							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.06.2015	E150486	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.06.2015	E150486	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.06.2015	E150485	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION	EEFFENG	I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
26.06.2015	E150486	W-E3040	LO STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
28.06.2015	E150068	I-E6005	SSTG LOW SPEED COUPLING INSPECTION	EEFFENG	I-E6005 - SSTG LOW SPEED COUPLING INSPECTION	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
02.08.2015	E150623	L-E4005	4 MONTH LO SAMPLE COLLECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
16.08.2015	E150839	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION	EEFFENG	I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
07.09.2015	E150840	L-E3005	LOW SPEED COUPLING LUBRICATE	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
07.09.2015	E150840	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											
07.09.2015	E150840	W-E3040	LO STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2											



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.09.2015	E150840		W-E3035		PURIFY LUBE OIL					0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed	
<b>TOTAL:</b>									10.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.240.01.001 - FILTER, SSTG  
**Performed Function:** 661.011.001 - FILTER, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140753		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.03.2015	E150024		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.08.2015	E150558		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
27.09.2015	E150835		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.240.01.002 - FILTER, SSTG  
**Performed Function:** 661.011.002 - FILTER, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.02.2015	E140815		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
09.05.2015	E150139		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
26.06.2015	E150486		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
07.09.2015	E150840		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FFE.999.03.001 - SPRINKLER SYSTEM  
**Performed Function:** 813.005.002 - DECK FIRE SPRINKLER SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.01.2015	E140328		T-D7040		SPRINKLER SYSTEM TEST	T-D7040 - SPRINKLER SYSTEM TEST				0.00	
813.005.002 - DECK FIRE SPRINKLER SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	3	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.196.02.001 - HEATER, FO SERVICE  
**Performed Function:** 703.007.001 - HEATER, FO SERVICE NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.02.2015	E140890		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.04.2015	E150251		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
07.06.2015	E150422		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.07.2015	E150615		W-E3030		FO HEAT EXCHANGER CLEAN					0.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.09.2015	E150843		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				2.00	
703.007.001 - HEATER, FO SERVICE NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.196.02.002 - HEATER, FO SERVICE  
**Performed Function:** 703.007.002 - HEATER, FO SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.01.2015	E140893		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.03.2015	E150085		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.05.2015	E150298		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				3.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.07.2015	E150499		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.08.2015	E150734		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.03.001 - STRAINER, FO SERVICE SUCTION  
**Performed Function:** 703.000.102 - STRAINER, FO.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.01.2015	E140746	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
04.02.2015	E150020	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.03.2015	E150150	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150304	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.05.2015	E150389	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.06.2015	E150498	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.07.2015	E150629	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.08.2015	E150783	W-E3015	FO STRAINER CLEAN						0.00		
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.03.001 - STRAINER, FO SERVICE SUCTION  
**Performed Function:** 703.000.102 - STRAINER, FO.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.09.2015	E150880	W-E3015		FO STRAINER CLEAN						0.00	
703.000.102 - STRAINER, FO.SERVICE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.04.001 - STRAINER, FO TRANSFER  
**Performed Function:** 701.000.101 - STRAINER, FO.TRANSFER PUMP

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2015	E140746	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined		
04.02.2015	E150020	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
18.03.2015	E150150	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150304	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.05.2015	E150389	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.06.2015	E150498	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.07.2015	E150629	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.08.2015	E150783	W-E3015		FO STRAINER CLEAN						0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.04.001 - STRAINER, FO TRANSFER  
**Performed Function:** 701.000.101 - STRAINER, FO.TRANSFER PUMP

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.09.2015	E150880		W-E3015		FO STRAINER CLEAN					0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.026.01.001 - PURIFIER, LUBE OIL  
**Performed Function:** 712.011.001 - PURIFIER, LO.NO.1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.02.2015	E150189			planned Maintenance - leaky sight glass					4.00	
712.011.001 - PURIFIER, LO.NO.1		Condition Survey	EEFFENG	Normal Wear and Tear	Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
18.03.2015	E150008	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				1.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
31.03.2015	E140918	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				1.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
31.03.2015	E140917	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
31.03.2015	E140919	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.04.2015	E150310	CO-E3005	PUMP CHANGE OVER							0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.04.2015	E150484		CHANGED OUT PUMP							0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
16.05.2015	E150358	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				1.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
16.05.2015	E150357	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title					Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
16.05.2015	E150356	L-E3030	COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.06.2015	E150497	CO-E3005	PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.08.2015	E150534	L-E3035	PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
03.08.2015	E150535	I-E3010	PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
03.08.2015	E150533	L-E3030	COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.08.2015	E150600	CO-E3005	PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00			
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>								7.00			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.059.03.001 - PUMP, FW/SW SERVICE  
**Performed Function:** 721.003.003 - PUMP, INBD SW SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.02.2015	E140842		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.03.2015	E150145		CO-E3005		PUMP CHANGE OVER					0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
15.05.2015	E150376		CO-E3005		PUMP CHANGE OVER					1.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.06.2015	E150521		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.09.2015	E150841		CO-E3005		PUMP CHANGE OVER					0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	1	Completed	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.05.001 - PUMP, EMER. CIRCULATING  
**Performed Function:** 721.007.001 - PUMP, EMERGENCY CIRCULATING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E150030	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150268	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.05.2015	E150402	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.05.2015	E140808	T-E3015		INACTIVE PUMP FUNCTION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.06.2015	E150469	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.05.001 - PUMP, EMER. CIRCULATING  
**Performed Function:** 721.007.001 - PUMP, EMERGENCY CIRCULATING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.09.2015	E150860		T-E3005		INACTIVE PUMP ROTATION					0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.001 - COMPRESSOR  
**Performed Function:** 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.01.2015	E120212	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	6 Month(s)	29	Undefined		
04.02.2015	E140854	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER	CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.02.2015	E140657	O-E4005		AIR COMPRESSOR SERVICE	O-E4005 - AIR COMPRESSOR SERVICE			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	5	Undefined	
05.02.2015	E140701	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
03.04.2015	E150147	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER				0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
23.04.2015	E150154	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.05.2015	E150378	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER				0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
13.05.2015	E140202	O-E7010		AIR COMPRESSOR SERVICE	O-E7010 - AIR COMPRESSOR SERVICE			2.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		1	EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.001 - COMPRESSOR  
**Performed Function:** 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.06.2015	E150441	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
15.06.2015	E150153	O-E4005	AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				6.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		
30.06.2015	E150646	CO-E3010	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2015	E150420	L-E6005	6 MONTH LO SAMPLE COLLECTION							0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
15.08.2015	E150703	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				2.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
01.09.2015	E150716	CO-E3010	AIR COMPRESSOR LEAD CHANGE OVER							0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed		
<b>TOTAL:</b>									10.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.002 - COMPRESSOR  
**Performed Function:** 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
06.01.2015	E140862	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
30.01.2015	E140658	O-E4005		AIR COMPRESSOR SERVICE							0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	4	Undefined			
30.01.2015	E140702	O-E3005		AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined			
03.03.2015	E150151	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER							0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
26.03.2015	E150133	O-E3005		AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				2.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
05.05.2015	E150279	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER							0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
01.06.2015	E150471	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
10.06.2015	E150130	O-E4005		AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	1	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.002 - COMPRESSOR  
**Performed Function:** 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
10.06.2015	E150324	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
11.06.2015	E150418	L-E6005	6 MONTH LO SAMPLE COLLECTION							0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
11.06.2015	E140275	O-E7010	AIR COMPRESSOR SERVICE			O-E7010 - AIR COMPRESSOR SERVICE				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
03.08.2015	E150707	CO-E3015	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.09.2015	E150929			Hydraulic unloader repair					1.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD			EEFFENG			<input checked="" type="checkbox"/>	0 Month(s)	0	Completed		
07.09.2015	E150633	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				1.00	
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed		
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.091.02.001 - COMPRESSOR  
**Performed Function:** 734.001.001 - COMPRESSOR, CONTROL AIR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2015	E140743		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
30.01.2015	E140599		C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	C-363 - SCREW AIR COMPRESSOR, CHECK				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
26.02.2015	E150131		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150220		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK				2.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
01.04.2015	E150132		C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	C-363 - SCREW AIR COMPRESSOR, CHECK				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.05.2015	E150340		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK				1.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.06.2015	E150414		L-E6005		6 MONTH LO SAMPLE COLLECTION Condition Survey	L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
19.06.2015	E150519		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK				0.00	
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.091.02.001 - COMPRESSOR  
**Performed Function:** 734.001.001 - COMPRESSOR, CONTROL AIR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.07.2015	E150343		C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	C-363 - SCREW AIR COMPRESSOR, CHECK			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
03.08.2015	E150662		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
13.09.2015	E150858		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			2.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
19.09.2015	E150957				Oil Hose blew				3.00		
734.001.001 - COMPRESSOR, CONTROL AIR				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Completed	
19.09.2015	E150722		C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	C-363 - SCREW AIR COMPRESSOR, CHECK			2.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									10.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.001 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.001 - PUMP, MAIN CONDENSATE NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.01.2015	E140769		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
28.02.2015	E150006		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
17.04.2015	E140755		L-E3030		COUPLING LUBRICATION					1.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
03.05.2015	E150244		CO-E3005		PUMP CHANGE OVER					0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
22.05.2015	E140756		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
30.06.2015	E150467		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.09.2015	E150705		CO-E3005		PUMP CHANGE OVER					0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Completed	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.002 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.002 - PUMP, MAIN CONDENSATE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.02.2015	E140841	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.04.2015	E150144	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			1.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.06.2015	E150374	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
16.06.2015	E150656			Replace Discharge Stop Check Valve				0.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		
16.06.2015	E150655			Change out Condensate Pump				0.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
17.06.2015	E140868	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
17.06.2015	E140802	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			48.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
19.06.2015	E150657			Replace Suction Expansion Joint				0.00			
755.017.002 - PUMP, MAIN CONDENSATE NO.2			EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.002 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.002 - PUMP, MAIN CONDENSATE NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.06.2015	E150685			Replace Suction Expansion Joint				0.00		
755.017.002 - PUMP, MAIN CONDENSATE NO.2			EEFCHIEF	Material Failure	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
04.08.2015	E150611	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>								49.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.04.001 - PUMP, EMERGENCY CONDENSATE  
**Performed Function:** 755.019.001 - PUMP, EMERGENCY CONDENSATE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E150030	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150268	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.05.2015	E150402	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.05.2015	E140808	T-E3015		INACTIVE PUMP FUNCTION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.06.2015	E150469	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.04.001 - PUMP, EMERGENCY CONDENSATE  
**Performed Function:** 755.019.001 - PUMP, EMERGENCY CONDENSATE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.09.2015	E150860	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.01.2015	E140794	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.02.2015	E140843	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E140910	L-E3035		PUMP BEARING LUBRICATION						0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E140910	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E140910	I-E3010		PUMP COUPLING INSPECTION						0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E140910	W-E3045		SW STRAINER CLEAN						0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.03.2015	E150105	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					2.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.03.2015	E150185	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
27.03.2015	E150185	I-E3010		PUMP COUPLING INSPECTION						0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
27.03.2015	E150185	W-E3045		SW STRAINER CLEAN						0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
27.03.2015	E150185	L-E3035		PUMP BEARING LUBRICATION						0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
03.04.2015	E150146	CO-E3005		PUMP CHANGE OVER						1.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
01.05.2015	E150373	CO-E3005		PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER			0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined			
28.05.2015	E150322	L-E3035		PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION			0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
28.05.2015	E150439	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
28.05.2015	E150439	I-E3010		PUMP COUPLING INSPECTION						0.00		
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.05.2015	E150439	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.05.2015	E150439	W-E3045	SW STRAINER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2015	E150605	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150589	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150552	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150552	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150552	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150552	W-E3045	SW STRAINER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.09.2015	E150702	CO-E3005	PUMP CHANGE OVER							1.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Completed		
22.09.2015	E150793	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
<b>TOTAL:</b>									5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.01.2015	E140024	W-E3045	SW STRAINER CLEAN							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined		
08.01.2015	E140024	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined		
08.01.2015	E140024	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined		
08.01.2015	E140024	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined		
08.02.2015	E150030	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150268	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.05.2015	E150402	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.05.2015	E140808	T-E3015	INACTIVE PUMP FUNCTION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
06.05.2015	E140793	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.06.2015	E150469	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.07.2015	E150041	W-E3045	SW STRAINER CLEAN							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.07.2015	E150041	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.07.2015	E150041	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.07.2015	E150041	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
05.09.2015	E150860	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
25.01.2015	E140795	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.01.2015	E140796	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.01.2015	E140909	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.01.2015	E140909	I-E3010		PUMP COUPLING INSPECTION					0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.01.2015	E140909	L-E3035		PUMP BEARING LUBRICATION					0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.01.2015	E140909	W-E3045		SW STRAINER CLEAN					0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E150095	W-E3045		SW STRAINER CLEAN					0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E150095	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00		
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
18.02.2015	E150095	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
18.02.2015	E150095	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.03.2015	E150104	CO-E3005	PUMP CHANGE OVER							1.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.03.2015	E150103	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				2.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.03.2015	E150184	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.03.2015	E150184	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.03.2015	E150184	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.03.2015	E150184	W-E3045	SW STRAINER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.05.2015	E150286	CO-E3005	PUMP CHANGE OVER							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.05.2015	E150438	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.05.2015	E150438	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.05.2015	E150438	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.05.2015	E150438	W-E3045	SW STRAINER CLEAN							0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.05.2015	E150323	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2015	E150457	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.07.2015	E150588	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
22.07.2015	E150553	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150553	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150553	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.07.2015	E150553	W-E3045		SW STRAINER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.09.2015	E150714	CO-E3005		PUMP CHANGE OVER				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Completed		
22.09.2015	E150792	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			1.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
<b>TOTAL:</b>								4.00			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CND.203.01.001 - CONDENSER, MAIN  
**Performed Function:** 614.001.001 - CONDENSER, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.02.2015	E140027		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				3.00	
614.001.001 - CONDENSER, MAIN		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	3	Undefined	
31.07.2015	E150823				Cleaned Main Condenser				0.00		
614.001.001 - CONDENSER, MAIN				EEFCHIEF		Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
31.07.2015	E150193		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN			4.00		
614.001.001 - CONDENSER, MAIN		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Completed	
<b>TOTAL:</b>									7.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CND.203.02.001 - CONDENSER, EMERGENCY  
**Performed Function:** 755.003.001 - CONDENSER, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.02.2015	E140866		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
07.05.2015	E150232		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				4.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
28.08.2015	E150481		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					2.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.05.001 - PUMP, DRAIN COLLECTION TANK  
**Performed Function:** 755.007.001 - PUMP, DRAIN COLLECTION TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.02.2015	E140849		CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER				0.00	
755.007.001 - PUMP, DRAIN COLLECTION TANK		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.04.2015	E150148		CO-E3020		DRAIN COLLECTION TANK CHANGE OVER				0.00		
755.007.001 - PUMP, DRAIN COLLECTION TANK		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.06.2015	E150401		CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.00		
755.007.001 - PUMP, DRAIN COLLECTION TANK		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.08.2015	E150853		CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.00		
755.007.001 - PUMP, DRAIN COLLECTION TANK		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140693	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
04.01.2015	E140693	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
04.01.2015	E140693	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
06.02.2015	E120124	L-E6005	6 MONTH LO SAMPLE COLLECTION						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	30	Undefined	
03.03.2015	E150021	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.03.2015	E150021	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.03.2015	E150021	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
09.03.2015	E150271		Replace 3" Stm Stop						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1				EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.05.2015	E150303	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.05.2015	E150303	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.05.2015	E150303	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2015	E150503	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2015	E150503	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2015	E150503	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
06.08.2015	E150415	L-E6005		6 MONTH LO SAMPLE COLLECTION Condition Survey				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Completed		
16.09.2015	E150782	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.09.2015	E150782	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE							0.00	
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
16.09.2015	E150782	R-E5005	OIL FILTER RENEWAL							0.00	
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.01.2015	E120212	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	6 Month(s)	29	Undefined		
06.01.2015	E140765	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
06.01.2015	E140765	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
06.01.2015	E140765	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
09.03.2015	E150272			Replace Flex Gaskets 3" Stm Stop				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2			EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		
17.03.2015	E150086	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
17.03.2015	E150086	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
17.03.2015	E150086	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
02.05.2015	E150302	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.05.2015	E150302	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.05.2015	E150302	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.05.2015	E150482			CHANGED OUT STEAM CHEST				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
01.07.2015	E150420	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
02.07.2015	E150542	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.07.2015	E150542	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.07.2015	E150542	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.08.2015	E150730		W-E3020							0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
08.08.2015	E150730		L-E3015							0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2		1	BLR FEED PUMP SUCT VLV LUBRICATE	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
08.08.2015	E150730		R-E5005							0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2		1	OIL FILTER RENEWAL	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.06.001 - PUMP, FW TRANSFER  
**Performed Function:** 756.003.010 - PUMP, FEED WATER TRANSFER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.01.2015	E140807	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.02.2015	E150030	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.03.2015	E150168	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150268	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.05.2015	E150402	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.05.2015	E140808	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
22.06.2015	E150469	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.08.2015	E150665	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	



# MAINTENANCE DONE

176 / 223

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.06.001 - PUMP, FW TRANSFER  
**Performed Function:** 756.003.010 - PUMP, FEED WATER TRANSFER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.09.2015	E150860	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.10.001 - CONSOLE, MAIN  
**Performed Function:** 791.007.001 - CONSOLE, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.06.2015	E140280		I-E7030		THROTTLE CONTROL SELF	I-E7030 - THROTTLE CONTROL SELF INSPECTION				0.00	
791.007.001 - CONSOLE, MAIN		1	INSPECTION Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.01.2015	E140922	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.01.2015	E140798	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
08.02.2015	E140921	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
26.02.2015	E150108	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.03.2015	E150169	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.03.2015	E150106	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
07.03.2015	E140857	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
12.03.2015	E150250	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
02.04.2015	E150287	T-E3020	PUMP RUN TEST							0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
04.04.2015	E150308	W-E3005	SUCTION STRAINER CLEAN							0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.04.2015	E150372	W-E3005	SUCTION STRAINER CLEAN							0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.05.2015	E150341	T-E3020	PUMP RUN TEST							0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.05.2015	E150285	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
04.06.2015	E150479	T-E3020	PUMP RUN TEST							0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.06.2015	E150523	W-E3005	SUCTION STRAINER CLEAN							0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
11.06.2015	E140251	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
13.06.2015	E150277	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
09.07.2015	E150610	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.07.2015	E150510	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.07.2015	E150597	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.08.2015	E150761	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
28.08.2015	E150815	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
10.09.2015	E150879	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
22.09.2015	E150639	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.09.2015	E150789		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E140921	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E150030	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.03.2015	E150169	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.03.2015	E140861	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					1.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
07.03.2015	E140860	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2015	E150268	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.04.2015	E150308		W-E3005		SUCTION STRAINER CLEAN					0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.04.2015	E150372		W-E3005		SUCTION STRAINER CLEAN					0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.05.2015	E150402		T-E3005		INACTIVE PUMP ROTATION					0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.05.2015	E140808		T-E3015		INACTIVE PUMP FUNCTION					0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
05.06.2015	E150523		W-E3005		SUCTION STRAINER CLEAN					0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
11.06.2015	E140858		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
11.06.2015	E150275		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
11.06.2015	E150276		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
22.06.2015	E150469	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2015	E150597	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
28.08.2015	E150815	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
05.09.2015	E150860	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
22.09.2015	E150618	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					1.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed		
23.09.2015	E150619	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					1.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed		
<b>TOTAL:</b>										3.00	





# MAINTENANCE DONE

185 / 223

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
25.01.2015	E140797	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
08.02.2015	E140921	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.02.2015	E150030	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.03.2015	E150169	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.03.2015	E150111	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					1.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.03.2015	E140856	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					1.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.04.2015	E150268	T-E3005	INACTIVE PUMP ROTATION							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.04.2015	E150308	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.04.2015	E150372	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.05.2015	E150402	T-E3005	INACTIVE PUMP ROTATION							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.05.2015	E140808	T-E3015	INACTIVE PUMP FUNCTION							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
07.05.2015	E150284	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.06.2015	E150523	W-E3005	SUCTION STRAINER CLEAN							0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
11.06.2015	E140859	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.06.2015	E150278	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
22.06.2015	E150469	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.07.2015	E150511	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.07.2015	E150511	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.07.2015	E150597	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
28.08.2015	E150815	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
05.09.2015	E150860	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
22.09.2015	E150791	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
23.09.2015	E150617	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed	
<b>TOTAL:</b>									5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.01.2015	E140807	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
09.01.2015	E140922	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.02.2015	E140921	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.02.2015	E150030	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.02.2015	E150108	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.03.2015	E150169	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.03.2015	E150168	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.03.2015	E150250	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.03.2015	E150010	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
14.03.2015	E140845	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
01.04.2015	E150268	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.04.2015	E150287	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.04.2015	E150308	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.04.2015	E150372	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.05.2015	E150402	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.05.2015	E140808	T-E3015	INACTIVE PUMP FUNCTION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.05.2015	E150341	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2015	E150479	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2015	E150523	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
13.06.2015	E150309	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.06.2015	E150280	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
15.06.2015	E140846	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
22.06.2015	E150469	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.07.2015	E150610	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.07.2015	E150597	W-E3005		SUCTION STRAINER CLEAN						0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION						0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
13.08.2015	E150761	T-E3020		PUMP RUN TEST						0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
28.08.2015	E150815	W-E3005		SUCTION STRAINER CLEAN						0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
05.09.2015	E150860	T-E3005		INACTIVE PUMP ROTATION						0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
10.09.2015	E150879	T-E3020		PUMP RUN TEST						0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
22.09.2015	E150637	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					1.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed		
23.09.2015	E150635	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					1.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed		
<b>TOTAL:</b>									4.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
05.01.2015	E140807	T-E3005		INACTIVE PUMP ROTATION						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined			
05.01.2015	E140721	L-E3030		COUPLING LUBRICATION						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined			
05.01.2015	E140722	L-E3035		PUMP BEARING LUBRICATION						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined			
07.01.2015	E140615	I-E3010		PUMP COUPLING INSPECTION						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined			
09.01.2015	E140922	T-E3020		PUMP RUN TEST						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
06.02.2015	E150038	L-D3015		GREASE & CYCLE SUCTION VALVE						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			
07.02.2015	E150029	L-E3030		COUPLING LUBRICATION						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
08.02.2015	E140921	W-E3005		SUCTION STRAINER CLEAN						0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
08.02.2015	E150030	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.02.2015	E150028	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
26.02.2015	E150108	T-E3020	PUMP RUN TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.03.2015	E150169	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.03.2015	E150168	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.03.2015	E150166	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.03.2015	E150165	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.03.2015	E150250	T-E3020	PUMP RUN TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.03.2015	E150162	L-D3015	GREASE & CYCLE SUCTION VALVE							1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150039	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
01.04.2015	E150268	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150292	L-D3015	GREASE & CYCLE SUCTION VALVE							0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.04.2015	E150294	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.04.2015	E150287	T-E3020	PUMP RUN TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.04.2015	E150308	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2015	E150293	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.04.2015	E150372		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.05.2015	E150402		T-E3005		INACTIVE PUMP ROTATION					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.05.2015	E140808		T-E3015		INACTIVE PUMP FUNCTION					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
07.05.2015	E150341		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.05.2015	E150385		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.05.2015	E150386		L-D3015		GREASE & CYCLE SUCTION VALVE					1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.05.2015	E150384		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2015	E150479		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.06.2015	E150523		W-E3005			SUCTION STRAINER CLEAN				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
11.06.2015	E150491		L-E3035			PUMP BEARING LUBRICATION		L-E3035 - PUMP BEARING LUBRICATION		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.06.2015	E150529		L-E3030			COUPLING LUBRICATION		L-E3030 - COUPLING LUBRICATION		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.06.2015	E150380		I-E3010			PUMP COUPLING INSPECTION		I-E3010 - PUMP COUPLING INSPECTION		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
12.06.2015	E150528		L-D3015			GREASE & CYCLE SUCTION VALVE		L-D3015 - GREASE & CYCLE SUCTION VALVE		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.06.2015	E150469		T-E3005			INACTIVE PUMP ROTATION TEST				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.07.2015	E150610		T-E3020			PUMP RUN TEST				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.07.2015	E150628		L-E3035			PUMP BEARING LUBRICATION		L-E3035 - PUMP BEARING LUBRICATION		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
22.07.2015	E150634	L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE			0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.07.2015	E150650	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.07.2015	E150597	W-E3005		SUCTION STRAINER CLEAN				0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.08.2015	E150665	T-E3005		INACTIVE PUMP ROTATION TEST				0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
13.08.2015	E150761	T-E3020		PUMP RUN TEST				0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
19.08.2015	E150781	L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE			1.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
21.08.2015	E150790	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			1.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
21.08.2015	E150767	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.08.2015	E150815	W-E3005		SUCTION STRAINER CLEAN						0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
05.09.2015	E150860	T-E3005		INACTIVE PUMP ROTATION						0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
10.09.2015	E150879	T-E3020		PUMP RUN TEST						0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed		
10.09.2015	E150887	L-D3015		GREASE & CYCLE SUCTION VALVE						1.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
10.09.2015	E150898	L-E3030		COUPLING LUBRICATION						1.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
15.09.2015	E150699	I-E3010		PUMP COUPLING INSPECTION						1.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Completed		
22.09.2015	E150896	L-E3035		PUMP BEARING LUBRICATION						0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
<b>TOTAL:</b>									13.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.002 - GENERATOR, MAIN  
**Performed Function:** 861.001.002 - GENERATOR, MAIN NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.02.2015	E140855	CO-E3030	SSTG CHANGE OVER			CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
04.02.2015	E140815	R-E3005	FILTER MATERIAL RENEWAL							0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
03.03.2015	E150149	CO-E3030	SSTG CHANGE OVER							0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
09.05.2015	E150139	R-E3005	FILTER MATERIAL RENEWAL							0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
15.05.2015	E150375	CO-E3030	SSTG CHANGE OVER			CO-E3030 - SSTG CHANGE OVER				1.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
26.06.2015	E150486	R-E3005	FILTER MATERIAL RENEWAL							0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.06.2015	E150520	CO-E3030	SSTG CHANGE OVER			CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.09.2015	E150840	R-E3005	FILTER MATERIAL RENEWAL							0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Completed		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.002 - GENERATOR, MAIN  
**Performed Function:** 861.001.002 - GENERATOR, MAIN NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.09.2015	E150842	CO-E3030	SSTG CHANGE OVER							0.00	
861.001.002 - GENERATOR, MAIN NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Completed		
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.001 - GENERATOR, MAIN  
**Performed Function:** 861.001.001 - GENERATOR, MAIN NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2015	E140753		R-E3005							0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
06.01.2015	E140771		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
04.02.2015	E150055		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.03.2015	E150024		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.04.2015	E150306		CO-E3030		SSTG CHANGE OVER					1.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2015	E150242		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
12.06.2015	E150377		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.08.2015	E150558		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.001 - GENERATOR, MAIN  
**Performed Function:** 861.001.001 - GENERATOR, MAIN NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.08.2015	E150649		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Completed	
27.09.2015	E150835		R-E3005		FILTER MATERIAL RENEWAL				0.00		
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.283.01.001 - GENERATOR, EMERGENCY  
**Performed Function:** 861.001.003 - GENERATOR, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.02.2015	E140938		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
09.03.2015	E150180		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.04.2015	E150269		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.05.2015	E150434		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.06.2015	E150548		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.07.2015	E150708		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.08.2015	E150819		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				4.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Completed	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2015	E150018	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.01.2015	E150019	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
16.01.2015	E150059	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.01.2015	E150082	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.02.2015	E120124	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	30	Undefined		
06.02.2015	E150107	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
17.02.2015	E150163	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
01.03.2015	E150183	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST			0.00			
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.03.2015	E150253	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
10.03.2015	E150270	T-E1015		EMER. DIESEL ENG. TEST						0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.03.2015	E150281	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
05.04.2015	E150321	T-E1015		EMER. DIESEL ENG. TEST						0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
13.04.2015	E150387	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
03.05.2015	E150435	T-E1015		EMER. DIESEL ENG. TEST						0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
07.05.2015	E150451	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.05.2015	E150559	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.05.2015	E150579	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
25.05.2015	E150585	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
01.06.2015	E150594	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
16.06.2015	E150651	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	
23.06.2015	E150658	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.07.2015	E150715	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
12.07.2015	E150753	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.07.2015	E150765	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.08.2015	E150821	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.08.2015	E150415	L-E6005	6 MONTH LO SAMPLE COLLECTION							0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Completed	
08.08.2015	E140252	O-E7005	DIESEL ENGINE SERVICE			O-E7005 - DIESEL ENGINE SERVICE				4.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Completed	
09.08.2015	E150826	T-E1015	EMER. DIESEL ENG. TEST							1.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Completed	
25.08.2015	E150872	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST				4.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Completed	
27.09.2015	E150894	T-E1015	EMER. DIESEL ENG. TEST							0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	3	Completed	
<b>TOTAL:</b>									9.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** ELV.178.02.001 - ELEVATOR, CARGO  
**Performed Function:** 321.001.001 - ELEVATOR, CARGO

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.01.2015	E140729	L-733		CARGO ELEVATOR, LUBRICATION	L-733 - CARGO ELEVATOR, LUBRICATION					0.00	
321.001.001 - ELEVATOR, CARGO	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined		
21.02.2015	E150042	L-733		CARGO ELEVATOR, LUBRICATION	L-733 - CARGO ELEVATOR, LUBRICATION					0.00	
321.001.001 - ELEVATOR, CARGO	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.03.2015	E120137	L-E6005		6 MONTH LO SAMPLE COLLECTION						0.00	
321.001.001 - ELEVATOR, CARGO	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	31	Undefined		
11.05.2015	E150201	L-733		CARGO ELEVATOR, LUBRICATION						0.00	
321.001.001 - ELEVATOR, CARGO	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined		
18.07.2015	E150540	L-733		CARGO ELEVATOR, LUBRICATION	L-733 - CARGO ELEVATOR, LUBRICATION					0.00	
321.001.001 - ELEVATOR, CARGO	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
05.09.2015	E150417	L-E6005		6 MONTH LO SAMPLE COLLECTION						0.00	
321.001.001 - ELEVATOR, CARGO	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Completed		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.001 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.001 - COMPRESSOR, QUARTERS AC NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.01.2015	E140811		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
26.01.2015	E140811		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	8	Undefined	
28.03.2015	E150112		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.03.2015	E150112		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	7	Undefined	
07.06.2015	E150335		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
07.06.2015	E150335		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
05.07.2015	E140249		R-E7015		R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
12.08.2015	E150596		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.001 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.001 - COMPRESSOR, QUARTERS AC NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.08.2015	E150596		W-E3045		SW STRAINER CLEAN					0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Completed	
16.09.2015	E150878		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00		
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150878		W-E3045		SW STRAINER CLEAN				0.00		
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	4	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.002 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.002 - COMPRESSOR, QUARTERS AC NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.01.2015	E140814		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
26.01.2015	E140814		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	8	Undefined	
28.03.2015	E150113		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.03.2015	E150113		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	7	Undefined	
06.06.2015	E150336		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
06.06.2015	E150336		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
02.07.2015	E140019		R-E7015		R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Undefined	
12.08.2015	E150595		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Completed	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.002 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.002 - COMPRESSOR, QUARTERS AC NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.08.2015	E150595		W-E3045		SW STRAINER CLEAN					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Completed	
16.09.2015	E150875		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00		
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150875		W-E3045		SW STRAINER CLEAN				0.00		
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	4	Completed	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.01.2015	E140812	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
01.01.2015	E140864	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
25.01.2015	E150002	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.01.2015	E140814	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING						0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.01.2015	E140814	R-E3005	FILTER MATERIAL RENEWAL						0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.01.2015	E140814	C-E3015	VEE BELT CHECK						0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.01.2015	E150003	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.02.2015	E150121	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
25.02.2015	E150120	L-531		FAN, INSPECTION/ LUBRICATION	L-531 - FAN, LUBRICATION			0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.03.2015	E150113	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.03.2015	E150113	R-E3005		FILTER MATERIAL RENEWAL				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
28.03.2015	E150221	L-531		FAN, INSPECTION/ LUBRICATION	L-531 - FAN, LUBRICATION			1.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.03.2015	E150217	R-531		FILTER, CHANGE	R-531 - FILTER, CHANGE			1.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.03.2015	E150113	C-E3015		VEE BELT CHECK				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
25.04.2015	E150334	L-531		FAN, INSPECTION/ LUBRICATION				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
30.04.2015	E150332	R-531		FILTER, CHANGE				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.05.2015	E150448	L-531		FAN, INSPECTION/ LUBRICATION	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey							
28.05.2015	E150452	R-531		FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
06.06.2015	E150336	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2											
06.06.2015	E150336	R-E3005		FILTER MATERIAL RENEWAL			Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2					EEFFENG						
06.06.2015	E150336	C-E3015		VEE BELT CHECK			Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2					EEFFENG						
28.06.2015	E150599	R-531		FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
05.07.2015	E150590	L-531		FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
27.07.2015	E150710	R-531		FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.08.2015	E150595	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
12.08.2015	E150595	R-E3005		FILTER MATERIAL RENEWAL						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
12.08.2015	E150755	L-531		FAN, INSPECTION/LUBRICATION	L-531 - FAN, LUBRICATION					1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
12.08.2015	E150755	L-531		FAN, INSPECTION/LUBRICATION						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
12.08.2015	E150595	C-E3015		VEE BELT CHECK						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
31.08.2015	E150811	R-531		FILTER, CHANGE						1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
16.09.2015	E150875	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
16.09.2015	E150875	R-E3005		FILTER MATERIAL RENEWAL						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.09.2015	E150873	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				1.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150908	R-531	FILTER, CHANGE						1.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150875	C-E3015	VEE BELT CHECK						0.00		
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.01.2015	E140813	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
01.01.2015	E140863	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
25.01.2015	E150001	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.01.2015	E140811	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.01.2015	E140811	R-E3005	FILTER MATERIAL RENEWAL				<input type="checkbox"/>	2 Month(s)	0	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.01.2015	E140811	C-E3015	VEE BELT CHECK				<input type="checkbox"/>	2 Month(s)	0	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.01.2015	E150004	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.02.2015	E150122	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.02.2015	E150119	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.03.2015	E150112	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.03.2015	E150112	R-E3005	FILTER MATERIAL RENEWAL						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.03.2015	E150222	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.03.2015	E150216	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.03.2015	E150112	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.04.2015	E150333	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.04.2015	E150331	R-531	FILTER, CHANGE						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.05.2015	E150447	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.05.2015	E150453	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.06.2015	E150335	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
07.06.2015	E150335	R-E3005	FILTER MATERIAL RENEWAL			Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
07.06.2015	E150335	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
28.06.2015	E150598	R-531	FILTER, CHANGE						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.07.2015	E150593	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
27.07.2015	E150709	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.08.2015	E150596	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
12.08.2015	E150596	R-E3005		FILTER MATERIAL RENEWAL						0.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
12.08.2015	E150754	L-531		FAN, INSPECTION/LUBRICATION Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
12.08.2015	E150754	L-531		FAN, INSPECTION/LUBRICATION Condition Survey	L-531 - FAN, LUBRICATION					1.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed		
12.08.2015	E150596	C-E3015		VEE BELT CHECK						0.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
31.08.2015	E150812	R-531		FILTER, CHANGE Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150878	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		
16.09.2015	E150878	R-E3005		FILTER MATERIAL RENEWAL						0.00	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ANCHOR WINDLASS  
**Component Type From:**  
**Date Done From:** 1/1/2015  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WIN.115.03.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 9/27/2015  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.09.2015	E150874	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150907	R-531	FILTER, CHANGE						1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Completed	
16.09.2015	E150878	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Completed	
<b>TOTAL:</b>									6.00		