



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.022.04.001 - PUMPS, AIR OPERATED  
**Performed Function:**

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.03.2011	E110273			RECIP, BILGE PUMP ENGINE ROOM					0.00	
			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.01.001 - TURBINE, HP  
**Performed Function:** 612.001.010 - TURBINE, HP UNIT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2011	E101047	T-421	BILGE FLOAT/BILGE VALVE, TEST		C-103 - GUIDE HORN, CHECK				0.00		
612.001.010 - TURBINE, HP UNIT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.02.2011	E110047	T-421	BILGE FLOAT/BILGE VALVE, TEST		C-103 - GUIDE HORN, CHECK				0.00		
612.001.010 - TURBINE, HP UNIT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.02.2011	E100937	T-102	OVERSPEED, TEST		T-102 - OVERSPEED, TEST				0.00		
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
14.03.2011	E110116	T-421	BILGE FLOAT/BILGE VALVE, TEST		C-103 - GUIDE HORN, CHECK				0.00		
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2011	E110258	T-421	BILGE FLOAT/BILGE VALVE, TEST		C-103 - GUIDE HORN, CHECK				0.00		
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.05.2011	E110153	T-102	OVERSPEED, TEST		T-102 - OVERSPEED, TEST				0.50		
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
09.05.2011	E110315	T-421	BILGE FLOAT/BILGE VALVE, TEST		C-103 - GUIDE HORN, CHECK				1.00		
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.06.2011	E110450	T-421	BILGE FLOAT/BILGE VALVE, TEST		C-103 - GUIDE HORN, CHECK				1.00		
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.043.01.001 - TURBINE, HP  
**Performed Function:** 612.001.010 - TURBINE, HP UNIT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.06.2011	E100141		I-E7020		MN ENG HS COUPLING INSPECTION	I-E7020 - MN ENG HS COUPLING INSPECTION				0.00	
612.001.010 - TURBINE, HP UNIT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	4	Undefined	
18.07.2011	E110606		T-421		BILGE FLOAT/BILGE VALVE, TEST	C-103 - GUIDE HORN, CHECK				0.00	
612.001.010 - TURBINE, HP UNIT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.121.03.001 - PUMP, LPSG FEED WATER  
**Performed Function:** 759.001.010 - PUMP, LPSG FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2011	E100925		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.25	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.01.2011	E100925		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.04.2011	E110009		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
31.05.2011	E110296		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.50	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.07.2011	E110533		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.75		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.001 - COOLER, LUBE OIL  
**Performed Function:** 713.008.001 - COOLER, MAIN LO NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.01.2011	E100951		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E101018		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
08.03.2011	E110060		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
19.04.2011	E110106		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				2.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
07.05.2011	E110225		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				1.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
14.06.2011	E110369		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				2.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.07.2011	E110433		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.07.2011	E110664				REPAIR SW STRAINER TO MN LUBE OIL COOLERS					0.00	
713.008.001 - COOLER, MAIN LO NO. 1				EEFCHIEF	Material Failure	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.01.002 - COOLER, LUBE OIL  
**Performed Function:** 713.008.002 - COOLER, MAIN LO NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.01.2011	E100950		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E101017		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
08.03.2011	E110052		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
19.04.2011	E110108		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				2.00	
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
07.05.2011	E110224		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				1.00	
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
14.06.2011	E110370		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				2.00	
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** DEH.215.01.001 - DEHYDRATOR, MAIN GEAR CASE  
**Performed Function:** 637.060.000 - MAIN GEAR CASE DEHYDRATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.01.2011	E100921		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
05.03.2011	E100175		R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
05.03.2011	E110003		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.05.2011	E110200		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.07.2011	E110414		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.001 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.001 - COOLER, LO SSTG NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E101100	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E101100	W-E3045	SW STRAINER CLEAN						0.00		
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
10.04.2011	E110064	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
10.04.2011	E110064	W-E3045	SW STRAINER CLEAN						0.00		
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
13.06.2011	E110339	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2011	E110339	W-E3045	SW STRAINER CLEAN						0.00		
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CLR.204.03.002 - COOLER, LO SSTG, NEW STYLE  
**Performed Function:** 661.007.002 - COOLER, LO SSTG NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.02.2011	E100957	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
23.02.2011	E100957	W-E3045	SW STRAINER CLEAN							0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
27.04.2011	E110063	W-E3045	SW STRAINER CLEAN							0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
27.04.2011	E110063	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.07.2011	E110384	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
13.07.2011	E110384	W-E3045	SW STRAINER CLEAN							0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - DRYER, CONTROL AIR  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
25.01.2011	E110014	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				0.00	
			1		EEFCHIEF			<input type="checkbox"/>	1 Month(s)	0	Undefined
21.03.2011	E110102	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				0.00	
			1		EEFFENG			<input type="checkbox"/>	1 Month(s)	1	Undefined
12.04.2011	E110256	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				0.00	
			1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined
16.05.2011	E110343	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				2.00	
			1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined
28.06.2011	E110468	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				0.00	
			1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined
17.07.2011	E110632	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				0.00	
			1		EEFCHIEF			<input type="checkbox"/>	1 Month(s)	0	Undefined
<b>TOTAL:</b>										2.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** REC.024.02.001 - DRYER, CONTROL AIR  
**Performed Function:**

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.03.2011	E110280			BLOW DOWN VALVE, REBUILT WITH KIT		<input type="checkbox"/>	0 Month(s)	0	Undefined	
			EEFFENG							
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.043.01.001 - GEAR, MAIN REDUCTION  
**Performed Function:** 637.001.000 - MAIN REDUCTION GEARS, COMPLETE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.03.2011	E100949	L-E4005	4 MONTH LO SAMPLE COLLECTION		L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00		
637.001.000 - MAIN REDUCTION GEARS, COMPLETE		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
03.07.2011	E110229	L-E4005	4 MONTH LO SAMPLE COLLECTION		L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00		
637.001.000 - MAIN REDUCTION GEARS, COMPLETE		1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FDT.283.01.001 - SMOKE DETECTION SYSTEM  
**Performed Function:** 811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.01.2011	D101090		T-D3020							0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.01.2011	D101089		CO-D3005							0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.03.2011	E110240		T-D3020		T-D3020 - CARGO HOLD SMOKE DETECTOR TEST					2.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
15.03.2011	E110241		CO-D3005		CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER					2.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
15.04.2011	D110324		CO-D3005		CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER					1.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.04.2011	D110323		T-D3020		T-D3020 - CARGO HOLD SMOKE DETECTOR TEST					0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2011	D110393		T-D3020		T-D3020 - CARGO HOLD SMOKE DETECTOR TEST					1.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2011	D110394		CO-D3005		CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER					1.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FDT.283.01.001 - SMOKE DETECTION SYSTEM  
**Performed Function:** 811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.06.2011	D110483		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
01.07.2011	D110484		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
01.08.2011	E110642		CO-D3005		SMOKE DETECTOR BLOWER CHANGE OVER	CO-D3005 - SMOKE DETECTOR BLOWER CHANGE OVER				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	CHANGE OVER Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.08.2011	E110646		T-D3020		CARGO HOLD SMOKE DETECTOR TEST	T-D3020 - CARGO HOLD SMOKE DETECTOR TEST				0.00	
811.005.002 - CARGO HOLD SMOKE DETECTION SYSTEM		1	DETECTOR TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									7.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.554.00.100 - MISC, REFRIGERATION  
**Performed Function:** 554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.01.2011	E101045		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.02.2011	E110049		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.03.2011	E110127		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.04.2011	E110205		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.05.2011	E110336		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.50		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2011	E110455		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.50		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110543		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.00		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.571.00.100 - MISC, A/C & VENTILLATION  
**Performed Function:** 571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2011	E100919		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											
28.04.2011	E110115		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				2.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											
08.07.2011	E110386		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											
										<b>TOTAL:</b>	2.00





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.701.00.001 - PIPING, FO TRANSFER/DRAIN SYSTEM  
**Performed Function:** 701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.02.2011	E110172		T-E7005		ANNUAL PRESSURE TEST OF BUNKER PIPING	T-E7005 - ANNUAL PRESSURE TEST OF BUNKER PIPING				0.00	
701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING		1	Condition Survey	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
08.03.2011	E110227				TEST HYDRO BUNKER LINE. TO 225 PSI				0.00		
701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MIS.713.00.100 - MISC, LO PROPULSION/REDUCTION GEAR  
**Performed Function:** 713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
10.01.2011	E101067	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				0.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
08.02.2011	E110062	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				0.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
08.03.2011	E110133	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				0.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.			1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
25.04.2011	E110223	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				2.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.			1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
27.05.2011	E110382	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				2.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.			1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
04.07.2011	E110516	W-E3010		MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				0.00	
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
<b>TOTAL:</b>										4.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/1/2011  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** MIS.755.00.100 - MISC, MAIN CONDENSATE  
**Performed Function:** 755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.01.2011	E100922	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.01.2011	E100922	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.04.2011	E110007	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	1	Undefined		
31.05.2011	E110290	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.50	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2011	E110536	CO-E3025		DRAIN COLLECTION TANK CHANGE OVER	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER					0.00	
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>										0.50	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
08.01.2011	E110015	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
15.01.2011	E110039	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
22.01.2011	E110081	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
29.01.2011	E110096	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.02.2011	E110111	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.02.2011	E110122	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
18.02.2011	E110139	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
03.03.2011	E110149	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
10.03.2011	E110196	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
17.03.2011	E110248	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
24.03.2011	E110261	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
31.03.2011	E110271	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
07.04.2011	E110283	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.04.2011	E110331	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
21.04.2011	E110345	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.04.2011	E110381	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
06.05.2011	E110406	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.05.2011	E110427	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
18.05.2011	E110465	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.05.2011	E110472	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.06.2011	E110521	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
16.06.2011	E110554	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.06.2011	E110615	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.06.2011	E110621	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM  
**Performed Function:** 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.07.2011	E110653	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
14.07.2011	E110674	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
21.07.2011	E110752	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.07.2011	E110776	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									9.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.15.001 - LIFE BOAT FALLS, PORT  
**Performed Function:** 501.024.001 - LIFEBOAT WIRE FALLS, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.01.2011	E100258		S-D9005		LIFEBOAT, PORT FALLS END	S-D9005 - LIFEBOAT, PORT FALLS END FOR END				8.00	
501.024.001 - LIFEBOAT WIRE FALLS, PORT		1	FOR END Class Survey (Others)	DEFFOFF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	0	Undefined	
<b>TOTAL:</b>									8.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.16.001 - LIFEBOAT FALLS, STBD.  
**Performed Function:** 501.024.002 - LIFEBOAT WIRE FALLS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.04.2011	E100259		S-D9010		LIFEBOAT, STBD FALLS END	S-D9010 - LIFEBOAT, STBD FALLS END FOR END				8.00	
501.024.002 - LIFEBOAT WIRE FALLS, STBD		1	FOR END Class Survey (Others)	DEFFOFF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	30 Month(s)	0	Undefined	
<b>TOTAL:</b>									8.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.262.01.001 - PUMP, BOILER TEST  
**Performed Function:** 756.003.020 - PUMP, BOILER TEST

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.01.2011	E101033	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
22.02.2011	E100744	T-E3015	INACTIVE PUMP FUNCTION			T-E3015 - INACTIVE PUMP FUNCTION TEST				0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.05.2011	E110304	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
10.06.2011	E110440	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
13.07.2011	E110582	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, POTABLE WATER  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
03.01.2011	E100928	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.50	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
04.01.2011	E100928	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.25	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
04.03.2011	E110008	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
03.05.2011	E110202	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.50	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
03.07.2011	E110412	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
<b>TOTAL:</b>										1.25	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** . . . . - PUMP, BOILER TEST  
**Performed Function:**

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.01.2011	E101118	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.02.2011	E110113	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.03.2011	E110183	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.04.2011	E110221	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.06.2011	E110305	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.50		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
17.07.2011	E110618	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.02.004 - CONTROLLER, MOTOR HOLD  
**Performed Function:** 373.012.004 - CONTROLLER, MTR CH NO. 2 STBD FAN

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.05.2011	E110471			CONTINUES TRIPPING ON HIGH SPEED					6.00	
373.012.004 - CONTROLLER, MTR CH NO. 2 STBD FAN		Breakdown	EEFFENG	Improper Operation	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.03.002 - CONTROLLER, MOTOR HOLD  
**Performed Function:** 373.015.022 - CONTROLLER, MTR CH NO. 2A STBD FAN

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.05.2011	E110482			FAN TRIPPING ON HIGH SPEED				6.00		
373.015.022 - CONTROLLER, MTR CH NO. 2A STBD FAN		Breakdown	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MOT.257.01.001 - MOTOR, VACUUM PUMP  
**Performed Function:** 755.001.111 - MOTOR, CONDENSER VACUUM PUMP NO. 1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2011	E110031			Recondition #1(inbd)	Vac Pump Motor			24.00		
755.001.111 - MOTOR, CONDENSER VACUUM PUMP NO. 1		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								24.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MOT.257.01.002 - MOTOR, VACUUM PUMP  
**Performed Function:** 755.001.112 - MOTOR, CONDENSER VACUUM PUMP NO. 2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.01.2011	E110032			Recondition #2 (otbd) Vac Pump Motor					24.00	
755.001.112 - MOTOR, CONDENSER VACUUM PUMP NO. 2		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									24.00	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.196.01.001 - FAN, GLAND EXHAUST  
**Performed Function:** 755.013.001 - FAN, GLAND EXHAUST

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.01.2011	E110035			RECONDITION GALND EXHAUST FAN					24.00	
755.013.001 - FAN, GLAND EXHAUST		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									24.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.200.01.001 - FAN, TEMPERED AIR SYSTEM  
**Performed Function:** 572.011.001 - FAN, GALLEY TEMPERED AIR

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.07.2011	E110668			RPR / REALIGN TEMPERED AIR FAN				0.00		
572.011.001 - FAN, GALLEY TEMPERED AIR			EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** DRS.152.01.004 - RAM, WTD  
**Performed Function:** 308.009.004 - RAM, HYDRAULIC WTD NO.4

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.05.2011	E110456			LEAKY SEALS ON RAM					5.00	
308.009.004 - RAM, HYDRAULIC WTD NO.4		Breakdown	EEFFENG	Leak	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								5.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.021 - WINCH, RAMP HANDLING  
**Performed Function:** 453.005.001 - SUEZ BOAT WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.06.2011	E110506		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				1.50	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
09.06.2011	E110509		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.50	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.06.2011	E110508		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE				2.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
29.06.2011	E110570		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110507		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.022 - WINCH, RAMP HANDLING  
**Performed Function:** 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.06.2011	E110510		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.50		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
08.06.2011	E110512		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			2.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
09.06.2011	E110513		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.06.2011	E110556		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110511		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									3.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** DSP.100.01.001 - SEWAGE TREATMENT PLANT  
**Performed Function:** 582.001.001 - SEWAGE TREATMENT PLANT

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
21.07.2011	E110764	C-E4010	MSD QUARTERLY CHECKS			C-E4010 - MSD QUARTERLY CHECKS				0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF	Planned Preventative		<input type="checkbox"/>	3 Month(s)	0	Undefined			
21.07.2011	E110763	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS				0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF	Planned Preventative		<input type="checkbox"/>	1 Month(s)	0	Undefined			
<b>TOTAL:</b>									0.00			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STG.130.01.002 - STEERING GEAR  
**Performed Function:** 403.001.002 - STEERING GEAR STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2011	E100785	L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00		
403.001.002 - STEERING GEAR STBD	1	Condition Survey	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	4 Month(s)	0	Undefined		
14.01.2011	E110161			SERVICE PUMP UNIT IN SHIP YARD					0.00		
403.001.002 - STEERING GEAR STBD		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined		
14.01.2011	E110160			REPLACE STBD STEERING PUMP UNIT					0.00		
403.001.002 - STEERING GEAR STBD		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined		
03.05.2011	E110086	L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.50		
403.001.002 - STEERING GEAR STBD	1	Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	4 Month(s)	0	Undefined		
<b>TOTAL:</b>								0.50			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STG.129.01.002 - POWER UNIT  
**Performed Function:** 403.006.002 - LINEAR POWER UNIT, STBD

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.01.2011	E110162			SERVICE SPERRY HPU IN SHIP YARD					0.00	
403.006.002 - LINEAR POWER UNIT, STBD		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BRG.213.02.001 - SHAFTING BEARING AND SEALS  
**Performed Function:** 631.013.001 - STERN TUBE BEARING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.04.2011	E100857	L-E6005	6 MONTH LO SAMPLE		L-E6005 - 6 MONTH LO SAMPLE COLLECTION					0.00	
631.013.001 - STERN TUBE BEARING		1	COLLECTION Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PIP.709.00.001 - PIPING, DIESEL OIL  
**Performed Function:** 709.000.001 - DIESEL OIL PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.03.2011	E110156	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00		
709.000.001 - DIESEL OIL PIPING		1				Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
11.03.2011	E110178	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00		
709.000.001 - DIESEL OIL PIPING		1				Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.04.2011	E110253	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				1.00		
709.000.001 - DIESEL OIL PIPING		1				Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.05.2011	E110424	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				1.00		
709.000.001 - DIESEL OIL PIPING		1				Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.06.2011	E110481	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				1.00		
709.000.001 - DIESEL OIL PIPING		1				Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.07.2011	E110607	L-E3040	CYCLE AND LUBRICATE DO CUT OUT VALVES Condition Survey	EEFCHIEF	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES				0.00		
709.000.001 - DIESEL OIL PIPING		1				Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.121.03.002 - PUMP, LPSG FEED WATER  
**Performed Function:** 759.001.020 - PUMP, LPSG FEED WATER NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.02.2011	E110170			CONT. FEED PUMP CONTROLLER,					0.00	
759.001.020 - PUMP, LPSG FEED WATER NO.2			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.33.001 - CONTROLLER, MAIN CIRCULATOR PUMP  
**Performed Function:**

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.05.2011	E110435			MOTOR CONTROLLER HIGH VOLTAGE SHORT				24.00		
		Breakdown	EEFFENG	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								24.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.30.002 - CONTROLLER, QUINCY AIR COMPRESSOR  
**Performed Function:**

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
08.05.2011	E110439			REPLACE MAIN CONTACT AND OVERLOAD				6.00		
		Breakdown	EEFFENG	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.059.03.001 - OILY WATER SEPERATOR  
**Performed Function:** 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.07.2011	E110755		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.07.2011	E110760		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.07.2011	E110758		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.07.2011	E110756		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MTR..00.1..00. - CALIBRATE TEST EQUIPMENT  
**Performed Function:** 791.005.003 - METER CALIBRATION - ANNUAL

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.02.2011	E100905	A-E4005	TEST EQUIPMENT		A-E4005 - TEST EQUIPMENT CALIBRATION				0.00		
791.005.003 - METER CALIBRATION - ANNUAL		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
02.08.2011	E110634	A-E4005	TEST EQUIPMENT		A-E4005 - TEST EQUIPMENT CALIBRATION				0.00		
791.005.003 - METER CALIBRATION - ANNUAL		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	2	Undefined	
02.12.2011	E110807	A-E4005	TEST EQUIPMENT		A-E4005 - TEST EQUIPMENT CALIBRATION				0.00		
791.005.003 - METER CALIBRATION - ANNUAL		1	CALIBRATION Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/1/2011  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
02.01.2011	E101114		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				3.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
14.01.2011	E110002		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined	
04.02.2011	E110061		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	2	Undefined	
12.02.2011	E110093		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
17.02.2011	E110129		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
24.02.2011	E110150		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
03.03.2011	E110167		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
10.03.2011	E110201		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.03.2011	E110245		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
24.03.2011	E110262		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
31.03.2011	E110275		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
07.04.2011	E110285		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
14.04.2011	E110334		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
22.04.2011	E110346		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				2.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.04.2011	E110378		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				2.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.05.2011	E110403		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				2.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.05.2011	E110431		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				2.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined	
19.05.2011	E110464		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				2.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.05.2011	E110477		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				4.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
09.06.2011	E110518		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				3.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined	
16.06.2011	E110578		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				3.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
23.06.2011	E110617		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				3.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.06.2011	E110623		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
07.07.2011	E110636		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BAT.283.01.001 - BATTERIES, STORAGE  
**Performed Function:** 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.07.2011	E110676		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
21.07.2011	E110723		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.07.2011	E110778		C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK				0.00	
866.001.001 - STORAGE BATTERIES		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									26.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ALM.277.01.001 - DETECTOR, OWS OIL CONTENT  
**Performed Function:** 797.024.011 - OWS OIL CONTENT DETECTOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.05.2011	E100902		A-E4005		TEST EQUIPMENT CALIBRATION	A-E4005 - TEST EQUIPMENT CALIBRATION				0.00	
797.024.011 - OWS OIL CONTENT DETECTOR		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
20.11.2011	E110608		A-E4005		TEST EQUIPMENT CALIBRATION	A-E4005 - TEST EQUIPMENT CALIBRATION				0.00	
797.024.011 - OWS OIL CONTENT DETECTOR		1	CALIBRATION Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.002 - PUMP, FO SERVICE  
**Performed Function:** 703.003.002 - PUMP, FO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.01.2011	E101003	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.01.2011	E101042	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.03.2011	E110120	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.04.2011	E110124	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.50	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
15.05.2011	E110222	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					2.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
15.05.2011	E110459				RENEW PUMP PACKING SET					4.00	
703.003.002 - PUMP, FO.SERVICE, NO.2			EEFCHIEF			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
06.06.2011	E110377	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.50	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
10.07.2011	E110460	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>										7.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.02.001 - PUMP, FO SERVICE  
**Performed Function:** 703.003.001 - PUMP, FO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2011	E100923		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.25		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.01.2011	E100923		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.03.2011	E110011		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
07.03.2011	E101101		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
03.05.2011	E110302		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.50		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
31.05.2011	E110212		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.50		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.07.2011	E110405		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.25		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.03.001 - PUMP, FO TRANSFER  
**Performed Function:** 701.006.001 - PUMP, FO.TRANSFER, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.01.2011	E101110		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.03.2011	E110104		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
29.04.2011	E110257		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.50	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.05.2011	E110397		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.50	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.05.2011	E110397		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.50	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.07.2011	E110524		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									1.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.001 - PUMP, LO SERVICE  
**Performed Function:** 713.004.001 - PUMP, LO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2011	E100926		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.25		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.01.2011	E100926		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
06.03.2011	E101069		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.04.2011	E110010		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
31.05.2011	E110292		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.50		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
14.06.2011	E110209		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.50		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.07.2011	E110532		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.25		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.01.002 - PUMP, LO SERVICE  
**Performed Function:** 713.004.002 - PUMP, LO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.01.2011	E100959		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFCHIEF			<input type="checkbox"/>	2 Month(s)	0	Undefined	
04.02.2011	E101044		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
06.03.2011	E110066		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.04.2011	E110144		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
09.05.2011	E110217		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			1.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
06.07.2011	E110452		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00		
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFCHIEF			<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.203.04.001 - PUMP, DO BOILER COLD START  
**Performed Function:** 709.003.001 - PUMP, DO BOILER COLD START

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.01.2011	E101033	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015		INACTIVE PUMP FUNCTION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.05.2011	E110304	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
10.06.2011	E110440	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
13.07.2011	E110582	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.002 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.06.2011	E110494		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.50	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1	INSPECTION Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
09.06.2011	E110497		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				1.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.06.2011	E110496		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE				2.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
29.06.2011	E110560		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110495		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									3.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.003 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.06.2011	E110498		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				1.50	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
09.06.2011	E110500		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE				2.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
09.06.2011	E110501		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.50	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.06.2011	E110574		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110499		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION				0.00	
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.001 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.06.2011	E110490		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.50		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1	INSPECTION Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
08.06.2011	E110493		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.06.2011	E110492		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			2.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
29.06.2011	E110558		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110491		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									3.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.113.01.004 - WINCH, RAMP HANDLING  
**Performed Function:** 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.06.2011	E110502		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			1.50		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
05.06.2011	E110504		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			2.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
09.06.2011	E110505		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.50		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.06.2011	E110572		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110503		L-D4005		RAMP WINCH LUBRICATION	L-D4005 - RAMP WINCH LUBRICATION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.120.01.001 - PUMP, RAMP COMP TANK  
**Performed Function:** 384.040.041 - PUMP, RAMP COMP TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.04.2011	E101112		C-781		TANK VENT, CHECK	C-781 - TANK VENT, CHECK				2.00	
384.040.041 - PUMP, RAMP COMP TANK		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MOT.124.01.002 - MOTOR, CARGO HOLD FAN  
**Performed Function:** 373.001.012 - MOTOR, CARGO HOLD, NO. 1 STBD FAN

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E110036			RECONDITION #1STBD CH FAN MOTOR					24.00	
373.001.012 - MOTOR, CARGO HOLD, NO. 1 STBD FAN		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									24.00	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLG.125.01.001 - INTRUSION SYSTEM, BILGE  
**Performed Function:** 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	D101103		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.01.2011	E101046		T-E1020		ENGINE SPACE BILGE ALARM	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.02.2011	E110046		T-E1020		ENGINE SPACE BILGE ALARM	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
26.02.2011	E110095		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.03.2011	E110174		T-E1020		ENGINE SPACE BILGE ALARM	T-E1020 - ENGINE SPACE BILGE ALARM TEST				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.03.2011	E110175		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				0.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.04.2011	E110289		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				1.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.04.2011	E110289		T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM				1.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLG.125.01.001 - INTRUSION SYSTEM, BILGE  
**Performed Function:** 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
23.04.2011	E110279	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.50	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.05.2011	E110380	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					1.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.05.2011	D110392	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM					1.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
10.06.2011	E110480	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					1.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.07.2011	E110581	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.07.2011	D110489	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
04.07.2011	E110643			REPAIR #5 HOLD P/S BILGE ALARM						0.00	
797.024.020 - BILGE INTRUSION SYSTEM			EEFCHIEF		Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
<b>TOTAL:</b>										5.50	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STG.130.01.001 - STEERING GEAR  
**Performed Function:** 403.001.001 - STEERING GEAR PORT

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.01.2011	E110164			SERVICE PUMP UNIT IN SHIP YARD					0.00	
403.001.001 - STEERING GEAR PORT		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
28.02.2011	E100948	L-E4005		4 MONTH LO SAMPLE COLLECTION					0.00	
403.001.001 - STEERING GEAR PORT	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
03.06.2011	E110228	L-E4005		4 MONTH LO SAMPLE COLLECTION					0.00	
403.001.001 - STEERING GEAR PORT	1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STG.129.01.001 - POWER UNIT  
**Performed Function:** 403.006.001 - LINEAR POWER UNIT, PORT

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.01.2011	E110163			SERVICE SPERRY UNIT IN SHIP YARD					0.00	
403.006.001 - LINEAR POWER UNIT, PORT		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** COM.134.01.001 - RADIO, LIFEBOAT  
**Performed Function:** 422.002.001 - LIFEBOAT RADIO, PORTABLE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.03.2011	D101091		C-D3005		LIFEBOAT RADIOS CHECK					0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	
21.04.2011	E110239		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK			1.00		
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.05.2011	D110395		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK			1.00		
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
16.06.2011	D110485		C-D3005		LIFEBOAT RADIOS CHECK	C-D3005 - LIFEBOAT RADIOS CHECK			0.00		
422.002.001 - LIFEBOAT RADIO, PORTABLE		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ALM.138.01.001 - ALARM SYSTEM, GENERAL  
**Performed Function:** 425.300.001 - GENERAL ALARM SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.01.2011	E100428		T-D7025		GENERAL ALARM BELL TEST	T-D7025 - GENERAL ALARM BELL TEST				0.00	
425.300.001 - GENERAL ALARM SYSTEM		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WIN.057.25.001 - ANCHOR WINDLASS  
**Performed Function:** 433.001.001 - ANCHOR WINDLASS, PORT

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
20.01.2011	E110166			REPLACE PORT ANCHOR WINDLASS					0.00	
433.001.001 - ANCHOR WINDLASS, PORT		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.01.2011	D110357		W-D7010		LIFEBOAT, PORT STRIPPED	W-D7010 - LIFEBOAT, PORT STRIPPED AND CLEANED				5.00	
501.001.001 - LIFEBOAT, PORT		1	AND CLEANED Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
27.01.2011	E100802		T-D7015		LIFEBOAT, PORT WEIGHT TEST	T-D7015 - LIFEBOAT, PORT WEIGHT TEST				4.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
27.01.2011	D110362		T-D7015		LIFEBOAT, PORT WEIGHT TEST	T-D7015 - LIFEBOAT, PORT WEIGHT TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
29.01.2011	E100637		C-E4005		LIFEBOAT DAVIT LIMIT SWITCH CHECK	C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00	
501.001.001 - LIFEBOAT, PORT		1	SWITCH CHECK Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
29.01.2011	D100915		T-D4005		LIFEBOAT, PORT RELEASING GEAR TEST					0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.02.2011	D101012		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING					0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
13.02.2011	E110234		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING				1.00	
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.02.2011	D101015		I-D3020		LIFEBOAT PORT INSPECTION					0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.03.2011	E110236		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION				2.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.04.2011	D110322		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING			1.00		
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.04.2011	D110320		I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION			2.00		
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.05.2011	E110238		T-D4005		LIFEBOAT, PORT RELEASING GEAR TEST	T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST			2.00		
501.001.001 - LIFEBOAT, PORT		1	GEAR TEST Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	1	Undefined	
17.05.2011	D110390		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING			0.00		
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.05.2011	E100383		R-E7010		FUEL OIL RENEWAL	R-E7010 - FUEL OIL RENEWAL			4.00		
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
30.05.2011	E100416		R-E7005		GEAR CASE OIL RENEWAL	R-E7005 - GEAR CASE OIL RENEWAL			1.00		
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
04.06.2011	D110487		L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING			0.00		
501.001.001 - LIFEBOAT, PORT		1	GEAR GREASING Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.001 - LIFEBOAT  
**Performed Function:** 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.06.2011	D110388	I-D3020		LIFEBOAT PORT INSPECTION	I-D3020 - LIFEBOAT PORT INSPECTION					0.00	
501.001.001 - LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
05.07.2011	E110641	L-D3005		LIFEBOAT, PORT DAVIT/REL GEAR GREASING	L-D3005 - LIFEBOAT, PORT DAVIT/REL GEAR GREASING					0.00	
501.001.001 - LIFEBOAT, PORT	1	GEAR GREASING Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.07.2011	E110109	C-E4005		LIFEBOAT DAVIT LIMIT SWITCH CHECK	C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK					0.00	
501.001.001 - LIFEBOAT, PORT	1	SWITCH CHECK Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
<b>TOTAL:</b>									22.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.01.2011	E110232		T-D7020		LIFEBOAT, STBD WEIGHT TEST	T-D7020 - LIFEBOAT, STBD WEIGHT TEST			0.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
27.01.2011	E100429		I-D7010		LIFEBOAT STBD INSPECTION, YEARLY	I-D7010 - LIFEBOAT STBD INSPECTION, YEARLY			4.00		
501.001.002 - LIFEBOAT, STBD.		1	YEARLY Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
27.01.2011	D090017		T-D7020		LIFEBOAT, STBD WEIGHT TEST	T-D7020 - LIFEBOAT, STBD WEIGHT TEST			0.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	12	Undefined	
29.01.2011	E100636		C-E4005		LIFEBOAT DAVIT LIMIT SWITCH CHECK	C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK			0.00		
501.001.002 - LIFEBOAT, STBD.		1	SWITCH CHECK Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
29.01.2011	D100916		T-D4010		LIFEBOAT, STBD RELEASING GEAR TEST				0.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
13.02.2011	E110233		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING			1.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.02.2011	D101011		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
21.02.2011	D101014		I-D3015		LIFEBOAT STBD INSPECTION				0.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	2	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.03.2011	E110235		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION				2.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.04.2011	D110321		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING			1.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.04.2011	D110319		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION			2.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.05.2011	D110389		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING			1.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.05.2011	E100397		R-E7005		GEAR CASE OIL RENEWAL	R-E7005 - GEAR CASE OIL RENEWAL			1.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
05.06.2011	D110486		L-D3010		LIFEBOAT, STBD DAVIT/REL GEAR GREASING	L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING			0.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.06.2011	E110237		T-D4010		LIFEBOAT, STBD RELEASING GEAR TEST	T-D4010 - LIFEBOAT, STBD RELEASING GEAR TEST			0.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR TEST Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	2	Undefined	
19.06.2011	D110387		I-D3015		LIFEBOAT STBD INSPECTION	I-D3015 - LIFEBOAT STBD INSPECTION			0.00		
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.03.002 - LIFEBOAT  
**Performed Function:** 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.07.2011	E110650	L-D3010	LIFEBOAT, STBD DAVIT/REL		L-D3010 - LIFEBOAT, STBD DAVIT/REL GEAR GREASING				0.00		
501.001.002 - LIFEBOAT, STBD.		1	GEAR GREASING Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.07.2011	E110110	C-E4005	LIFEBOAT DAVIT LIMIT		C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00		
501.001.002 - LIFEBOAT, STBD.		1	SWITCH CHECK Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									12.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.01.2011	E110016	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.01.2011	E110043	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined		
04.02.2011	E110079	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
11.02.2011	E110118	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
18.02.2011	E110131	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
03.03.2011	E110147	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
11.03.2011	E110194	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
17.03.2011	E110249	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.03.2011	E110265	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
31.03.2011	E110277	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
07.04.2011	E110298	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.04.2011	E110337	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
21.04.2011	E110347	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.50	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.04.2011	E110372	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.05.2011	E110400	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					1.00	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
16.05.2011	E110429	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST					0.50	
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.05.2011	E110461	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.05.2011	E110478	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.06.2011	E110517	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
19.06.2011	E110553	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.06.2011	E110616	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.06.2011	E110624	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
07.07.2011	E110654	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.07.2011	E110675	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT  
**Performed Function:** 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
21.07.2011	E110751	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.07.2011	E110777	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
<b>TOTAL:</b>									4.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.01.2011	E110017		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
30.01.2011	E110042		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	2	Undefined	
04.02.2011	E110078		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
11.02.2011	E110117		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
18.02.2011	E110136		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.03.2011	E110148		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	
07.03.2011	E110195		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
17.03.2011	E110226		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
24.03.2011	E110260		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
31.03.2011	E110278		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
07.04.2011	E110297		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
14.04.2011	E110335		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
21.04.2011	E110348		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.04.2011	E110373		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.05.2011	E110401		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
16.05.2011	E110430		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.05.2011	E110466	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.05.2011	E110479	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.06.2011	E110519	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
19.06.2011	E110579	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.06.2011	E100020	O-E7005		DIESEL ENGINE SERVICE	O-E7005 - DIESEL ENGINE SERVICE					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
25.06.2011	E110614	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.06.2011	E110627	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.07.2011	E110665				CHANGE LIFEBOAT OIL FILTER					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined		
07.07.2011	E110651	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ENG.149.01.001 - ENGINE, LIFEBOAT  
**Performed Function:** 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.07.2011	E110673		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
21.07.2011	E110753		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.07.2011	E110775		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									8.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** REF.167.01.001 - REFER PLANT  
**Performed Function:** 554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2011	E090948	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL			4.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Undefined		
03.01.2011	E100844	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER			1.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
28.01.2011	E101059	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK			0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
05.04.2011	E110107	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK			0.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
08.05.2011	E110005	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER			1.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	0	Undefined		
23.06.2011	E110313	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK			1.00			
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									7.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** REF.167.01.002 - REFER PLANT  
**Performed Function:** 554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
29.01.2011	E101058	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.04.2011	E100888	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	2	Undefined		
05.04.2011	E110121	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
17.06.2011	E100238	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL					3.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	3	Undefined		
23.06.2011	E110314	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					1.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>										4.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.125.01.001 - BURNER MGNT, NORTECH  
**Performed Function:** 794.005.002 - BURNER MANAGEMENT, NORTECH

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.03.2011	E110272			BOILER ATOM PRESSURE SWITCH, STBD -3					0.00	
794.005.002 - BURNER MANAGEMENT, NORTECH			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.01.002 - BURNER, FO ATOMIZATION  
**Performed Function:** 641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.01.2011	E100904		R-E6005		BURNER TIP RENEWAL	R-E6005 - BURNER TIP RENEWAL				1.00	
641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
23.02.2011	E100904		R-E6005		BURNER TIP RENEWAL				0.00		
641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.01.001 - BURNER, FO ATOMIZATION  
**Performed Function:** 641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.01.2011	E100903		R-E6005		BURNER TIP RENEWAL	R-E6005 - BURNER TIP RENEWAL				1.00	
641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
23.02.2011	E100903		R-E6005		BURNER TIP RENEWAL				0.00		
641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.001 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
15.01.2011	E101050	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING				0.00		
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
21.01.2011	E110026			SHIP YARD FD FAN CLEANING				64.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFCHIEF	Condition Survey	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined		
22.02.2011	E110045	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100989	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
20.03.2011	E110056	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
15.04.2011	E110269	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
13.05.2011	E110252	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			1.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
16.05.2011	E110354	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			1.00			
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.001 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
10.06.2011	E110463	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					1.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.07.2011	E110584	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>										67.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.002 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
21.01.2011	E101098	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
21.01.2011	E110028			SHIP YARD FD FAN CLEANING				64.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2			EEFCHIEF	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
25.02.2011	E110169			BEARING REPLACEMENT, FDF				0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2			EEFFENG				<input type="checkbox"/>	0 Month(s)	0	Undefined	
25.02.2011	E110094	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
25.02.2011	E101099	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
01.04.2011	E110220	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
03.05.2011	E110299	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING			0.75			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
27.05.2011	E110219	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE			1.00			
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Condition Survey	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.10.002 - FAN, FORCED DRAFT  
**Performed Function:** 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.06.2011	E110408	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						1.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
24.06.2011	E110540	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									66.75		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MOT.234.01.001 - MOTOR FD FAN, MAIN BOILER  
**Performed Function:** 641.014.011 - MOTOR, FORCED DRAFT FAN BOILER NO. 1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.01.2011	E110027			SHIP YARD FDF MOTOR RECONDITION					64.00	
641.014.011 - MOTOR, FORCED DRAFT FAN BOILER NO. 1		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									64.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.01.2011	E101097		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.01.2011	E100067		I-258		BOILER, INSPECTION	I-258 - BOILER, INSPECTION			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
23.01.2011	E100780		W-254		ECONOMIZER, WATER WASH	W-254 - ECONOMIZER, WATER WASH			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
25.01.2011	E110155				Ship Yard Spr Htr & Sidewall Tube Renewal				0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)			Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
14.02.2011	E110092		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
15.02.2011	E100271		I-E7010		BOILER SELF INSPECTION	I-E7010 - BOILER SELF INSPECTION			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
21.02.2011	E101074		L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
11.03.2011	E110125		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00		
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.002 - BOILER, MAIN  
**Performed Function:** 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.04.2011	E110251	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET							2.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.04.2011	E110177	L-E3025	BOILER SLIDING FEET LUBRICATE			L-E3025 - BOILER SLIDING FEET LUBRICATE				1.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.04.2011	E110356	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				3.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.05.2011	E110404	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				2.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2011	E110375	L-E3025	BOILER SLIDING FEET LUBRICATE			L-E3025 - BOILER SLIDING FEET LUBRICATE				1.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	LUBRICATE	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
24.06.2011	E110522	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.08.2011	E110363	W-254	ECONOMIZER, WATER WASH			W-254 - ECONOMIZER, WATER WASH				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
05.08.2011	E110628	W-255	MN BLR BLOWDOWN/ LUBE SLIDING FEET			W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
<b>TOTAL:</b>									9.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.01.2011	E101051	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF			<input type="checkbox"/>	1 Month(s)	0	Undefined		
23.01.2011	E100068	I-258		BOILER, INSPECTION	I-258 - BOILER, INSPECTION			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
25.01.2011	E110154			Ship Yard Retube Super Htr and ABS Surveys				0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		
27.01.2011	E100702	W-254		ECONOMIZER, WATER WASH	W-254 - ECONOMIZER, WATER WASH			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFCHIEF			<input type="checkbox"/>	6 Month(s)	0	Undefined		
15.02.2011	E100272	I-E7010		BOILER SELF INSPECTION	I-E7010 - BOILER SELF INSPECTION			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined		
19.02.2011	E110029			STBD BOILER, FURNACE WASHING				0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined		
21.02.2011	E101075	L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
22.02.2011	E110044	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.03.2011	E110055	W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN			0.00			
641.001.300 - MAIN BOILER NO.1 (STBD)	1		EEFFENG			<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** BLR.226.02.001 - BOILER, MAIN  
**Performed Function:** 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
15.04.2011	E110268		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.04.2011	E110176		L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE				1.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
16.05.2011	E110353		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				2.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.06.2011	E110374		L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE				1.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
10.06.2011	E110462		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				2.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.07.2011	E110585		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.08.2011	E110141		W-254		ECONOMIZER, WATER WASH	W-254 - ECONOMIZER, WATER WASH				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
<b>TOTAL:</b>									6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.002 - TURBINE, SSTG  
**Performed Function:** 661.001.002 - TURBINE, SHIP SERVICE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.02.2011	E100957	L-E3010	THROTTLE VALVE LUBRICATE							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
23.02.2011	E100957	R-E3010	GOVERNOR OIL RENEWAL							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
27.04.2011	E110063	R-E3010	GOVERNOR OIL RENEWAL							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
27.04.2011	E110063	L-E3010	THROTTLE VALVE LUBRICATE							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.07.2011	E110384	R-E3010	GOVERNOR OIL RENEWAL							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
13.07.2011	E110384	L-E3010	THROTTLE VALVE LUBRICATE							0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** STB.239.01.001 - TURBINE, SSTG  
**Performed Function:** 661.001.001 - TURBINE, SHIP SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
22.01.2011	E110168			ABS SPECIAL SURVEY & TURBINE JOINT RPR					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFCHIEF	Normal Wear and Tear	Condition Monitoring	<input type="checkbox"/>	0 Month(s)	0	Undefined		
25.01.2011	E101100	R-E3010		GOVERNOR OIL RENEWAL					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
25.01.2011	E101100	L-E3010		THROTTLE VALVE LUBRICATE					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
10.04.2011	E110064	L-E3010		THROTTLE VALVE LUBRICATE					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
13.06.2011	E110339	L-E3010		THROTTLE VALVE LUBRICATE					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
13.06.2011	E110339	R-E3010		GOVERNOR OIL RENEWAL					0.00		
661.001.001 - TURBINE, SHIP SERVICE NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E101100	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E101100	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E101100	W-E3040	LO STRAINER CLEAN							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E101100	W-E3035	PURIFY LUBE OIL							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
26.01.2011	E100112	I-E7015	SSTG LO SUMP INSPECTION			I-E7015 - SSTG LO SUMP INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
28.02.2011	E100948	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
10.04.2011	E110064	W-E3040	LO STRAINER CLEAN							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
10.04.2011	E110064	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.04.2011	E110064	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
10.04.2011	E110064	W-E3035	PURIFY LUBE OIL							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
03.06.2011	E110228	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
12.06.2011	E110327	I-E6005	SSTG LOW SPEED COUPLING INSPECTION			I-E6005 - SSTG LOW SPEED COUPLING INSPECTION				7.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
13.06.2011	E110339	W-E3040	LO STRAINER CLEAN							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2011	E110339	W-E3035	PURIFY LUBE OIL							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2011	E110339	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2011	E110339	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.001 - GEAR, SSTG  
**Performed Function:** 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
13.06.2011	E100406		I-E7025		SSTG LO PUMP COUPLING	I-E7025 - SSTG LO PUMP COUPLING INSPECTION				1.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		1	INSPECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
<b>TOTAL:</b>									8.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2011	E100784	L-E4005		4 MONTH LO SAMPLE COLLECTION				0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		
27.01.2011	E100113	I-E7015		SSTG LO SUMP INSPECTION	I-E7015 - SSTG LO SUMP INSPECTION			0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
23.02.2011	E100957	L-E3005		LOW SPEED COUPLING LUBRICATE				0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
23.02.2011	E100957	I-E3005		SSTG HIGH SPEED COUPLING INSPECTION				0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
23.02.2011	E100957	W-E3040		LO STRAINER CLEAN				0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
23.02.2011	E100957	W-E3035		PURIFY LUBE OIL				0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
23.02.2011	E100958	I-E3005		SSTG HIGH SPEED COUPLING INSPECTION	I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION			0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
12.03.2011	E100742	I-E6005		SSTG LOW SPEED COUPLING INSPECTION	I-E6005 - SSTG LOW SPEED COUPLING INSPECTION			0.00			
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.04.2011	E110069	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION				1.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
27.04.2011	E110063	W-E3035	PURIFY LUBE OIL							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
27.04.2011	E110063	W-E3040	LO STRAINER CLEAN							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
27.04.2011	E110063	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
27.04.2011	E110063	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
03.05.2011	E110087	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
07.06.2011	E100404	I-E7025	SSTG LO PUMP COUPLING INSPECTION			I-E7025 - SSTG LO PUMP COUPLING INSPECTION				5.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1	Condition Survey	EEFFENG	Material Failure	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
13.07.2011	E110384	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GER.239.01.002 - GEAR, SSTG  
**Performed Function:** 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
13.07.2011	E110383	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION	EEFCHIEF	I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION				0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1				Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.07.2011	E110384	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION	EEFCHIEF					0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1				Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
13.07.2011	E110384	W-E3040	LO STRAINER CLEAN	EEFCHIEF					0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1				Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
13.07.2011	E110384	W-E3035	PURIFY LUBE OIL	EEFCHIEF					0.00		
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2		1				Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.240.01.001 - FILTER, SSTG  
**Performed Function:** 661.011.001 - FILTER, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E101100		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
02.04.2011	E110286				FILTER, SSTG				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
04.04.2011	E110318				SSTG SPINNER FILTER INBD UNIT				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
10.04.2011	E110064		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
13.06.2011	E110339		W-E3025		FILTER MATERIAL CLEAN				0.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.240.01.002 - FILTER, SSTG  
**Performed Function:** 661.011.002 - FILTER, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.02.2011	E100957		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
27.04.2011	E110063		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.05.2011	E110527				FILTER RENEWAL					3.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2			Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
13.07.2011	E110384		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									3.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FFE.999.03.001 - SPRINKLER SYSTEM  
**Performed Function:** 813.005.002 - DECK FIRE SPRINKLER SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
31.01.2011	E100427	T-D7040	SPRINKLER SYSTEM TEST			T-D7040 - SPRINKLER SYSTEM TEST				0.00	
813.005.002 - DECK FIRE SPRINKLER SYSTEM		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.196.02.001 - HEATER, FO SERVICE  
**Performed Function:** 703.007.001 - HEATER, FO SERVICE NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.02.2011	E101048		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
			703.007.001 - HEATER, FO SERVICE NO. 1	1		EEFCHIEF	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
21.04.2011	E110244		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				1.00	
			703.007.001 - HEATER, FO SERVICE NO. 1	1		EEFFENG	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
04.06.2011	E110371		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				36.00	
			703.007.001 - HEATER, FO SERVICE NO. 1	1		EEFFENG	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
<b>TOTAL:</b>									37.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.196.02.002 - HEATER, FO SERVICE  
**Performed Function:** 703.007.002 - HEATER, FO SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.03.2011	E100963		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
			703.007.002 - HEATER, FO SERVICE NO. 2	1		EEFCHIEF	Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined
08.05.2011	E110243		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				326.00	
			703.007.002 - HEATER, FO SERVICE NO. 2	1		EEFFENG	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
09.07.2011	E110443		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
			703.007.002 - HEATER, FO SERVICE NO. 2	1		EEFCHIEF	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
<b>TOTAL:</b>										326.00	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.03.001 - STRAINER, FO SERVICE SUCTION  
**Performed Function:** 703.000.102 - STRAINER, FO.SERVICE

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.01.2011	E101111		W-E3015			FO STRAINER CLEAN				0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.03.2011	E110103		W-E3015			FO STRAINER CLEAN				0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
12.04.2011	E110215		W-E3015			FO STRAINER CLEAN				0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2011	E110341		W-E3015			FO STRAINER CLEAN				0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2011	E110447		W-E3015			FO STRAINER CLEAN				0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110542		W-E3015			FO STRAINER CLEAN				0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FLT.206.04.001 - STRAINER, FO TRANSFER  
**Performed Function:** 701.000.101 - STRAINER, FO.TRANSFER PUMP

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
26.01.2011	E101111		W-E3015							0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.03.2011	E110103		W-E3015							0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
12.04.2011	E110215		W-E3015							0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2011	E110341		W-E3015							0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
04.06.2011	E110447		W-E3015							0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.07.2011	E110542		W-E3015							0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PUR.026.01.002 - PURIFIER, LUBE OIL  
**Performed Function:** 712.011.002 - PURIFIER, LO.NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.03.2011	E110204			INBD PURIFIER, PUMP SUCTION ISSUE					0.00	
712.011.002 - PURIFIER, LO.NO.2			EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.01.2011	E100952	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
15.01.2011	E100978	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
15.01.2011	E100977	I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
04.03.2011	E101040	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.04.2011	E110082	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.04.2011	E110051	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.04.2011	E110080	I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION					0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
06.05.2011	E110188	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.50	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.01.002 - PUMP, OUTBD SW SERVICE  
**Performed Function:** 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.06.2011	E110308		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.50	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
14.06.2011	E110310		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION			2.00		
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
14.06.2011	E110307		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			1.00		
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.07.2011	E110426		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00		
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** MOT.124.17.002 - MOTOR, SW SERV PUMP  
**Performed Function:** 721.003.013 - MOTOR, INBD SW SERVICE PUMP NO. 2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2011	E110030			Recondition IB SW Serv Pump Motor					24.00	
721.003.013 - MOTOR, INBD SW SERVICE PUMP NO. 2		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									24.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.059.03.001 - PUMP, FW/SW SERVICE  
**Performed Function:** 721.003.003 - PUMP, INBD SW SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.01.2011	E100918		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.25	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.01.2011	E100918		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFCHIEF			<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.04.2011	E110013		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	1	Undefined	
27.04.2011	E110385				INSPECT AND REPAIR INBD S.W SERVICE PUMP				6.00		
721.003.003 - PUMP, INBD SW SERVICE NO. 2			Breakdown	EEFFENG	Material Failure	Unplanned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined	
06.06.2011	E110295		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.50	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									6.75		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.02.002 - PUMP, MAIN CIRC  
**Performed Function:** 721.005.002 - PUMP, MAIN CIRCULATING NO.2

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.01.2011	E110021			Pump Inspection and Clearances					2.00	
721.005.002 - PUMP, MAIN CIRCULATING NO.2		Condition Survey	EEFCHIEF	Normal Wear and Tear	Condition Monitoring	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								2.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.02.001 - PUMP, MAIN CIRC  
**Performed Function:** 721.005.001 - PUMP, MAIN CIRCULATING NO.1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.01.2011	E110019			Pump Inspection and Clearances					2.00	
721.005.001 - PUMP, MAIN CIRCULATING NO.1		Condition Survey	EEFCHIEF	Normal Wear and Tear	Condition Monitoring	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									2.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.05.001 - PUMP, EMER. CIRCULATING  
**Performed Function:** 721.007.001 - PUMP, EMERGENCY CIRCULATING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.01.2011	E101033	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015		INACTIVE PUMP FUNCTION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.05.2011	E110304	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
10.06.2011	E110440	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
13.07.2011	E110582	T-E3005		INACTIVE PUMP ROTATION						0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.001 - COMPRESSOR  
**Performed Function:** 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
03.01.2011	E100781	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
04.03.2011	E101039	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER	CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
13.03.2011	E100988	O-E4005		AIR COMPRESSOR SERVICE	O-E4005 - AIR COMPRESSOR SERVICE			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		
13.03.2011	E101061	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
29.03.2011	E110328			INBD AIR COMPRESSOR, BELT				0.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		Breakdown	EEFFENG	Material Failure	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		
03.05.2011	E110189	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER	CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER			0.50			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
17.05.2011	E100390	O-E7010		AIR COMPRESSOR SERVICE	O-E7010 - AIR COMPRESSOR SERVICE			1.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined		
31.05.2011	E110254	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			2.00			
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.001 - COMPRESSOR  
**Performed Function:** 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.07.2011	E110413	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER						0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.07.2011	E110114	L-E6005		6 MONTH LO SAMPLE COLLECTION						0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
17.07.2011	E110263	O-E4005		AIR COMPRESSOR SERVICE						0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined		
17.07.2011	E110530	O-E3005		AIR COMPRESSOR SERVICE						0.00	
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									3.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.002 - COMPRESSOR  
**Performed Function:** 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
15.01.2011	E100741	O-E4005	AIR COMPRESSOR SERVICE			O-E4005 - AIR COMPRESSOR SERVICE				0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined			
18.01.2011	E100982	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
18.01.2011	E100987	CO-E3015	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
23.01.2011	E100065	O-E7010	AIR COMPRESSOR SERVICE			O-E7010 - AIR COMPRESSOR SERVICE				0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined			
21.03.2011	E110084	O-E3005	AIR COMPRESSOR SERVICE			O-E3005 - AIR COMPRESSOR SERVICE				0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
21.03.2011	E110089	CO-E3015	AIR COMPRESSOR LEAD CHANGE OVER			CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER				0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
03.04.2011	E100859	L-E6005	6 MONTH LO SAMPLE COLLECTION							0.00		
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined			
03.05.2011	E110416				Unplanned Maintenance - UNLOADER FAILURE				1.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD		Condition Survey	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.255.01.002 - COMPRESSOR  
**Performed Function:** 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
04.05.2011	E110419			Unplanned Maintenance					3.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD		Damage Repair	EEFCHIEF	Abnormal Vibration	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
08.05.2011	E110437			REPLACE MOTOR					2.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD		Breakdown	EEFFENG	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
16.05.2011	E110041	O-E4005		AIR COMPRESSOR SERVICE O-E4005 - AIR COMPRESSOR SERVICE					2.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined			
25.05.2011	E110267	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER					0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
31.05.2011	E110266	O-E3005		AIR COMPRESSOR SERVICE O-E3005 - AIR COMPRESSOR SERVICE					2.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
17.07.2011	E110531	O-E3005		AIR COMPRESSOR SERVICE O-E3005 - AIR COMPRESSOR SERVICE					0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
18.07.2011	E110537	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER					0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
<b>TOTAL:</b>								10.00				



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.091.02.001 - COMPRESSOR  
**Performed Function:** 734.001.001 - COMPRESSOR, CONTROL AIR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.01.2011	E100947	C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
18.01.2011	E101078	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
21.03.2011	E110085	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
12.04.2011	E110058	C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined
22.04.2011	E110255	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
08.05.2011	E100967	L-E6005		6 MONTH LO SAMPLE COLLECTION Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined
26.05.2011	E110418	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
28.06.2011	E110538	C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.091.02.001 - COMPRESSOR  
**Performed Function:** 734.001.001 - COMPRESSOR, CONTROL AIR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.07.2011	E110631		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
21.07.2011	E110342		C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	C-363 - SCREW AIR COMPRESSOR, CHECK			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									8.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.001 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.001 - PUMP, MAIN CONDENSATE NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.01.2011	E100927	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.25		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.01.2011	E100927	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.04.2011	E110012	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
31.05.2011	E110294	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.50		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
09.06.2011	E110022	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.50		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
09.06.2011	E101062	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
01.07.2011	E110534	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00		
755.017.001 - PUMP, MAIN CONDENSATE NO.1	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									2.25		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.03.002 - PUMP, MAIN CONDENSATE  
**Performed Function:** 755.017.002 - PUMP, MAIN CONDENSATE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.01.2011	E110024	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
11.01.2011	E110023	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
30.01.2011	E101043	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.04.2011	E110143	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
06.07.2011	E110065	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
06.07.2011	E110070	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.04.001 - PUMP, EMERGENCY CONDENSATE  
**Performed Function:** 755.019.001 - PUMP, EMERGENCY CONDENSATE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
30.01.2011	E101033	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015		INACTIVE PUMP FUNCTION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.05.2011	E110304	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
10.06.2011	E110440	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
13.07.2011	E110582	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.01.2011	E100956	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
12.01.2011	E100964	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
12.01.2011	E100964	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
12.01.2011	E100964	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
12.01.2011	E100964	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.01.2011	E101041	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
02.03.2011	E110050	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.03.2011	E110072	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.03.2011	E110072	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.03.2011	E110072	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
07.03.2011	E110072	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.04.2011	E110126	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
04.05.2011	E110203	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.50			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
10.05.2011	E110206	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
10.05.2011	E110206	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
10.05.2011	E110206	W-E3045		SW STRAINER CLEAN				0.00			
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.002 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
10.05.2011	E110206	L-E3035		PUMP BEARING LUBRICATION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
06.07.2011	E110420	L-E3035		PUMP BEARING LUBRICATION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
18.07.2011	E110454	L-E3035		PUMP BEARING LUBRICATION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
18.07.2011	E110454	I-E3010		PUMP COUPLING INSPECTION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
18.07.2011	E110454	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
18.07.2011	E110454	W-E3045		SW STRAINER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined			
<b>TOTAL:</b>										0.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title					Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
20.01.2011	E100677	L-E3035	PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
30.01.2011	E101033	T-E3005	INACTIVE PUMP ROTATION					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005	INACTIVE PUMP ROTATION					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015	INACTIVE PUMP FUNCTION					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005	INACTIVE PUMP ROTATION					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
06.04.2011	E100854	I-E3010	PUMP COUPLING INSPECTION					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
06.04.2011	E100854	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
06.04.2011	E100854	W-E3045	SW STRAINER CLEAN					0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.003 - PUMP, COND. VACUUM  
**Performed Function:** 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
06.04.2011	E100854	L-E3035		PUMP BEARING LUBRICATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined			
08.05.2011	E110304	T-E3005		INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	TEST Class Survey (Others)	<input type="checkbox"/>	1 Month(s)	0	Undefined			
10.06.2011	E110440	T-E3005		INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	TEST Class Survey (Others)	<input type="checkbox"/>	1 Month(s)	0	Undefined			
06.07.2011	E110132	L-E3035		PUMP BEARING LUBRICATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFCHIEF	Normal Wear and Tear	L-E3035 - PUMP BEARING LUBRICATION	<input type="checkbox"/>	6 Month(s)	0	Undefined			
13.07.2011	E110582	T-E3005		INACTIVE PUMP ROTATION							0.00	
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFCHIEF	Normal Wear and Tear	TEST Class Survey (Others)	<input type="checkbox"/>	1 Month(s)	0	Undefined			
<b>TOTAL:</b>										0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
20.01.2011	E101068	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.01.2011	E101053	L-E3035		PUMP BEARING LUBRICATION						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.01.2011	E101053	I-E3010		PUMP COUPLING INSPECTION						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.01.2011	E101053	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
20.01.2011	E101053	W-E3045		SW STRAINER CLEAN						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.01.2011	E100924	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.04.2011	E110037	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined		
05.04.2011	E110134	I-E3010		PUMP COUPLING INSPECTION						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.04.2011	E110145	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
05.04.2011	E110134	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
05.04.2011	E110134	W-E3045		SW STRAINER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
05.04.2011	E110134	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
31.05.2011	E110291	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.50			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
09.06.2011	E110311	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.50			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
13.06.2011	E110312	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
13.06.2011	E110312	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.148.03.001 - PUMP, COND. VACUUM  
**Performed Function:** 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
13.06.2011	E110312	W-E3045		SW STRAINER CLEAN				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
13.06.2011	E110312	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
19.06.2011	E110656			RENEW INBD VAC PUMP FOUNDATION				18.00			
755.001.101 - PUMP, CONDENSER VACUUM NO.1			EEFCHIEF		Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined		
01.07.2011	E110535	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER			0.00			
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									19.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CND.203.01.001 - CONDENSER, MAIN  
**Performed Function:** 614.001.001 - CONDENSER, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
27.01.2011	E100605	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN		W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
614.001.001 - CONDENSER, MAIN			1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined
01.06.2011	E110105	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN		W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
614.001.001 - CONDENSER, MAIN			1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined
<b>TOTAL:</b>										0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CND.203.02.001 - CONDENSER, EMERGENCY  
**Performed Function:** 755.003.001 - CONDENSER, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E101049		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
28.04.2011	E110040		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
08.06.2011	E110399		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/1/2011  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.249.05.001 - PUMP, DRAIN COLLECTION TANK  
**Performed Function:** 755.007.001 - PUMP, DRAIN COLLECTION TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
04.01.2011	E100920	CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.00			
755.007.001 - PUMP, DRAIN COLLECTION TANK	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.01.2011	E100920	CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.00			
755.007.001 - PUMP, DRAIN COLLECTION TANK	1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.03.2011	E110006	CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.00			
755.007.001 - PUMP, DRAIN COLLECTION TANK	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
03.05.2011	E110231	CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.50			
755.007.001 - PUMP, DRAIN COLLECTION TANK	1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
01.07.2011	E110409	CO-E3020		DRAIN COLLECTION TANK CHANGE OVER	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER			0.00			
755.007.001 - PUMP, DRAIN COLLECTION TANK	1		EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	0	Undefined		
<b>TOTAL:</b>									0.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
27.01.2011	E101079	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.01.2011	E101079	R-E5005		OIL FILTER RENEWAL				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
27.01.2011	E101079	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.01.2011	E110158			SHIP YARD OVERHAUL #1 FEED PUMP				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined		
14.02.2011	E110159			REPAIR FEED PUMP CONTROLLER				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1		Breakdown	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		
03.03.2011	E100783	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
30.03.2011	E110146	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
30.03.2011	E110146	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
756.001.001 - PUMP, MAIN FEED WATER NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.001 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.03.2011	E110146		R-E5005		OIL FILTER RENEWAL				0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
30.03.2011	E110282				LO COOLER, INBD FEED PUMP, REPLACE				0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
03.06.2011	E110325		L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE				0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
03.06.2011	E110325		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
03.06.2011	E110325		R-E5005		OIL FILTER RENEWAL				0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
03.01.2011	E100781	L-E6005	6 MONTH LO SAMPLE COLLECTION							0.00	
756.001.002 - PUMP, MAIN FEED WATER NO.2		1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
25.01.2011	E100972	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E100972	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
25.01.2011	E100972	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.01.2011	E110157		SHIP YARD OVERHAUL #2 FEED PUMP						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2			Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
21.02.2011	E110073	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
21.02.2011	E110073	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
21.02.2011	E110073	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.260.01.002 - PUMP, MAIN FEED WATER  
**Performed Function:** 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.05.2011	E110326	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
06.05.2011	E110326	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
06.05.2011	E110326	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
03.07.2011	E110114	L-E6005	6 MONTH LO SAMPLE COLLECTION						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1	Condition Survey	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
06.07.2011	E110428	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
06.07.2011	E110428	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
06.07.2011	E110428	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.002 - PUMP, MAIN FEED WATER NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.249.06.001 - PUMP, FW TRANSFER  
**Performed Function:** 756.003.010 - PUMP, FEED WATER TRANSFER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
30.01.2011	E101033	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.02.2011	E110038	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.02.2011	E100714	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
03.04.2011	E110181	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.05.2011	E110304	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.06.2011	E110440	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.07.2011	E110582	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** HEA.145.01.001 - HEATER, DEAERATAOR FEED WATER HEATER  
**Performed Function:** 755.029.001 - HEATER, DEAERATOR FEED WATER

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
29.01.2011	E110025			SHIP YARD DC HTR INSPECTION					64.00	
755.029.001 - HEATER, DEAERATOR FEED WATER		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>									64.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WTM.117.01.002 - EVAPORATOR  
**Performed Function:**

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.06.2011	E110657			RENEW HOLED SECT EVAP FD WTR PIPING		<input type="checkbox"/>	0 Month(s)	6.00	0	Undefined
			EEFCHIEF		Planned Corrective					
<b>TOTAL:</b>								6.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** WTM.145.01.001 - EVAPORATOR  
**Performed Function:** 761.003.001 - EVAPORATOR NO.1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.05.2011	E110475			REPLACED SOLENOID DUMP VALVE COIL					2.00	
761.003.001 - EVAPORATOR NO.1		Condition Survey	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
<b>TOTAL:</b>								2.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CTL.043.10.001 - CONSOLE, MAIN  
**Performed Function:** 791.007.001 - CONSOLE, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.03.2011	E100931		A-E4015		MAIN CONSOLE GAUGE	A-E4015 - MAIN CONSOLE GAUGE CALIBRATION				0.00	
791.007.001 - CONSOLE, MAIN		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined	
02.08.2011	E110638		A-E4015		MAIN CONSOLE GAUGE	A-E4015 - MAIN CONSOLE GAUGE CALIBRATION				0.00	
791.007.001 - CONSOLE, MAIN		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.01.2011	E100953	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
12.01.2011	E101070	W-E3005	SUCTION STRAINER CLEAN						0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
30.01.2011	E101037	T-E3020	PUMP RUN TEST						0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.02.2011	E110071	W-E3005	SUCTION STRAINER CLEAN						0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.02.2011	E110048	T-E3020	PUMP RUN TEST						0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.03.2011	E110053	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION			0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
06.03.2011	E100980	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION			0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
06.03.2011	E100233	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION			0.00		
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
08.03.2011	E110138	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.03.2011	E110250	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
02.04.2011	E110057	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
06.05.2011	E110281	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
09.05.2011	E110216	L-E3030	COUPLING LUBRICATION	L-E3030 - COUPLING	LUBRICATION					1.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
29.05.2011	E110288	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.06.2011	E110425	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.06.2011	E110210	L-E3035	PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING	LUBRICATION					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE  
**Performed Function:** 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.06.2011	E110526	T-E3020	PUMP RUN TEST							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.07.2011	E110451	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION					0.00
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
07.07.2011	E110550	W-E3005	SUCTION STRAINER CLEAN							0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/1/2011  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
12.01.2011	E101070	W-E3005		SUCTION STRAINER CLEAN				0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
25.01.2011	E100944	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
25.01.2011	E100942	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
30.01.2011	E110033			OVERHAUL #2 (PORT) B&B PUMP				24.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2			EEFCHIEF	Condition Survey	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined			
30.01.2011	E101033	T-E3005		INACTIVE PUMP ROTATION				0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.02.2011	E110071	W-E3005		SUCTION STRAINER CLEAN				0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
22.02.2011	E110038	T-E3005		INACTIVE PUMP ROTATION				0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015		INACTIVE PUMP FUNCTION				0.00				
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	TEST Class Survey (Others)		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
08.03.2011	E110138	W-E3005		SUCTION STRAINER CLEAN				0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
28.03.2011	E110250	W-E3005		SUCTION STRAINER CLEAN				0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005		INACTIVE PUMP ROTATION				0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
28.04.2011	E110128	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
28.04.2011	E110135	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.50			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.05.2011	E110281	W-E3005		SUCTION STRAINER CLEAN				0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.05.2011	E110304	T-E3005		INACTIVE PUMP ROTATION				0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.06.2011	E110425	W-E3005		SUCTION STRAINER CLEAN				0.00			
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.002 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
10.06.2011	E110440	T-E3005		INACTIVE PUMP ROTATION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
06.07.2011	E110396	L-E3035		PUMP BEARING LUBRICATION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
06.07.2011	E110398	L-E3030		COUPLING LUBRICATION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
07.07.2011	E110550	W-E3005		SUCTION STRAINER CLEAN							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
13.07.2011	E110582	T-E3005		INACTIVE PUMP ROTATION							0.00	
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
<b>TOTAL:</b>											24.50	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.01.2011	E100954	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		
12.01.2011	E101070	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
14.01.2011	E100871	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
30.01.2011	E101033	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.02.2011	E110071	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.02.2011	E100714	T-E3015		INACTIVE PUMP FUNCTION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	TEST Class Survey (Others)		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined	
08.03.2011	E110138	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
28.03.2011	E110250	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
03.04.2011	E110181	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined		
04.04.2011	E110054	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
05.04.2011	E110074	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
06.05.2011	E110281	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.05.2011	E110304	T-E3005		INACTIVE PUMP ROTATION						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.06.2011	E110425	W-E3005		SUCTION STRAINER CLEAN						0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.06.2011	E110309	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.50	
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.08.001 - PUMP, BILGE & BALLAST  
**Performed Function:** 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.06.2011	E110440		T-E3005		INACTIVE PUMP ROTATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.07.2011	E110316		L-E3030		COUPLING LUBRICATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
07.07.2011	E110550		W-E3005		SUCTION STRAINER CLEAN					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.07.2011	E110582		T-E3005		INACTIVE PUMP ROTATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									0.50		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.01.2011	E101070	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
30.01.2011	E101037	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
30.01.2011	E101033	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.02.2011	E110071	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110048	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015	INACTIVE PUMP FUNCTION							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
06.03.2011	E100941	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.03.2011	E100943		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	1	Undefined	
06.03.2011	E100692		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
08.03.2011	E110138		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.03.2011	E110250		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.04.2011	E110057		T-E3020		PUMP RUN TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Class Survey (Others)	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
03.04.2011	E110181		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
06.05.2011	E110281		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.05.2011	E110304		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.09.001 - PUMP, SPRINKLER AND FIRE  
**Performed Function:** 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
29.05.2011	E110288	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
08.06.2011	E110425	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.06.2011	E110208	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.50	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
10.06.2011	E110440	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
12.06.2011	E110207	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.50	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		
27.06.2011	E110526	T-E3020	PUMP RUN TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
07.07.2011	E110550	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
13.07.2011	E110582	T-E3005	INACTIVE PUMP ROTATION TEST							0.00	
813.001.001 - PUMP, SPRINKLER & FIRE	1	Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
<b>TOTAL:</b>									1.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
12.01.2011	E101070	W-E3005	SUCTION STRAINER CLEAN						0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
25.01.2011	E100870	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION			0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined			
25.01.2011	E101093	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION			0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
25.01.2011	E101086	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION			0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
30.01.2011	E110034		OVERHAUL EMERGENCY FIRE PUMP						24.00			
813.001.002 - PUMP, EMERGENCY FIRE		Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Corrective	<input type="checkbox"/>	0 Month(s)	0	Undefined			
30.01.2011	E101037	T-E3020	PUMP RUN TEST						0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
30.01.2011	E101033	T-E3005	INACTIVE PUMP ROTATION TEST						0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
10.02.2011	D101102	L-D3015	GREASE & CYCLE SUCTION VALVE						0.00			
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.02.2011	E110071	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110038	T-E3005	INACTIVE PUMP ROTATION							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E110048	T-E3020	PUMP RUN TEST							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
22.02.2011	E100714	T-E3015	INACTIVE PUMP FUNCTION							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	0	Undefined		
07.03.2011	E110090	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
07.03.2011	E110088	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined		
08.03.2011	E110138	W-E3005	SUCTION STRAINER CLEAN							0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
10.03.2011	E110242	L-D3015	GREASE & CYCLE SUCTION VALVE			L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
28.03.2011	E110250		W-E3005			SUCTION STRAINER CLEAN				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
02.04.2011	E110057		T-E3020			PUMP RUN TEST				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
03.04.2011	E110213		L-E3035			PUMP BEARING LUBRICATION		L-E3035 - PUMP BEARING LUBRICATION		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
03.04.2011	E110181		T-E3005			INACTIVE PUMP ROTATION TEST				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	1	Undefined	
04.04.2011	E110214		L-E3030			COUPLING LUBRICATION		L-E3030 - COUPLING LUBRICATION		0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.04.2011	E110247		L-D3015			GREASE & CYCLE SUCTION VALVE		L-D3015 - GREASE & CYCLE SUCTION VALVE		1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.04.2011	E110077		I-E3010			PUMP COUPLING INSPECTION		I-E3010 - PUMP COUPLING INSPECTION		2.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.05.2011	E110332		L-E3030			COUPLING LUBRICATION		L-E3030 - COUPLING LUBRICATION		0.50	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** PMP.195.10.001 - PUMP, EMERGENCY FIRE  
**Performed Function:** 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.05.2011	E110340		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.05.2011	E110281		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
08.05.2011	E110304		T-E3005		INACTIVE PUMP ROTATION					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
15.05.2011	D110391		L-D3015		GREASE & CYCLE SUCTION VALVE	L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.05.2011	E110288		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Class Survey (Others)		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
08.06.2011	E110425		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.06.2011	E110422		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.06.2011	E110421		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

<b>Component:</b>	PMP.195.10.001 - PUMP, EMERGENCY FIRE
<b>Performed Function:</b>	813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Rev.	Job Title	Rep. By	Cause	Class	Unexp.	Frequency	Hours	Spares
Function				Type						Overdue	Job State
10.06.2011	E110440	T-E3005		INACTIVE PUMP ROTATION						0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
27.06.2011	E110526	T-E3020		PUMP RUN TEST						0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
02.07.2011	D110488	L-D3015		GREASE & CYCLE SUCTION VALVE		L-D3015 - GREASE & CYCLE SUCTION VALVE				0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
07.07.2011	E110550	W-E3005		SUCTION STRAINER CLEAN						0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
11.07.2011	E110577	L-E3030		COUPLING LUBRICATION		L-E3030 - COUPLING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
11.07.2011	E110576	L-E3035		PUMP BEARING LUBRICATION		L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
13.07.2011	E110582	T-E3005		INACTIVE PUMP ROTATION						0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1	TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
31.07.2011	E110379	I-E3010		PUMP COUPLING INSPECTION		I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE			1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined
<b>TOTAL:</b>										28.50	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.002 - GENERATOR, MAIN  
**Performed Function:** 861.001.002 - GENERATOR, MAIN NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.02.2011	E100945		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
23.02.2011	E100957		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
01.04.2011	E110152		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.04.2011	E110352				Repair Wiring Rotating Rectifier Assy					8.00	
861.001.002 - GENERATOR, MAIN NO.2			Breakdown	EEFCHIEF	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
27.04.2011	E110063		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
10.06.2011	E110317		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.50	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.07.2011	E110384		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									8.50		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.043.01.001 - GENERATOR, MAIN  
**Performed Function:** 861.001.001 - GENERATOR, MAIN NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E101100		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
29.01.2011	E101038		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
01.04.2011	E110142		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
10.04.2011	E110064		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined	
13.06.2011	E110339		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
09.07.2011	E110293		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	1	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

171 / 186

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** GEN.283.01.001 - GENERATOR, EMERGENCY  
**Performed Function:** 861.001.003 - GENERATOR, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.01.2011	E101104		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.02.2011	E110101		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
22.03.2011	E110182		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
12.04.2011	E110270		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.05.2011	E110351		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				2.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
14.06.2011	E110449		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				2.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
18.07.2011	E110599		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
<b>TOTAL:</b>									4.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.01.2011	E101105	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
02.01.2011	E101105	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.01.2011	E110001	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
16.01.2011	E110059	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.01.2011	E110083	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.01.2011	E110099	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.02.2011	E110112	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
13.02.2011	E110123	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:** . . . . .  
**Date Done From:** 1/1/2011  
**Job Class From:** . . . . .  
**Vendor Code From:** . . . . .  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:** . . . . .  
**To:** . . . . .  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
15.02.2011	E100280		T-E6010		ENGINE SHUT DOWN TEST	T-E6010 - ENGINE SHUT DOWN TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
22.02.2011	E110140		T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined	
23.02.2011	E100001		O-E7005		DIESEL ENGINE SERVICE	O-E7005 - DIESEL ENGINE SERVICE				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
26.02.2011	E110171				CHANGE FILTERS LO, FUEL OIL EDG					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined	
03.03.2011	E110151		T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
03.03.2011	E100783		L-E6005		6 MONTH LO SAMPLE COLLECTION					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
10.03.2011	E110179		T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
17.03.2011	E110246		T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST				0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
24.03.2011	E110264	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
31.03.2011	E110276	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
07.04.2011	E110284	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.04.2011	E110333	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
22.04.2011	E110344	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.04.2011	E110376	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.05.2011	E110407	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
12.05.2011	E110453	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					1.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
18.05.2011	E110467	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					1.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
28.05.2011	E110473	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					1.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.06.2011	E110520	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	1	Undefined		
14.06.2011	E110586	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					2.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.06.2011	E110605	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					1.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
30.06.2011	E110620	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
07.07.2011	E110652	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
14.07.2011	E110672	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** EDE.284.01.001 - ENGINE, EMERGENCY DIESEL  
**Performed Function:** 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.07.2011	E110724	T-E1015	EMER. DIESEL ENG. TEST		T-E1015 - EMER. DIESEL ENG. TEST				0.00		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
28.07.2011	E110779	T-E1015	EMER. DIESEL ENG. TEST		T-E1015 - EMER. DIESEL ENG. TEST				0.00		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
<b>TOTAL:</b>									9.00		





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** SWB.285.01.001 - MAIN SWITCHBOARD  
**Performed Function:** 871.001.001 - MAIN SWITCHBOARD

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
04.03.2011	E100932		A-E4010		SWITCHBOARD METER	A-E4010 - SWITCHBOARD METER CALIBRATION			0.00	
871.001.001 - MAIN SWITCHBOARD		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined
24.06.2011	E110633				SWITCH BOARD, CIRCUIT BREAKER				0.00	
871.001.001 - MAIN SWITCHBOARD				EEFFENG			<input type="checkbox"/>	0 Month(s)	0	Undefined
02.07.2011	E110635		A-E4010		SWITCHBOARD METER	A-E4010 - SWITCHBOARD METER CALIBRATION			0.00	
871.001.001 - MAIN SWITCHBOARD		1	CALIBRATION Class Survey (Others)	EEFCHIEF		Planned Preventative	<input type="checkbox"/>	4 Month(s)	0	Undefined
<b>TOTAL:</b>									0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** ELV.178.02.001 - ELEVATOR, CARGO  
**Performed Function:** 321.001.001 - ELEVATOR, CARGO

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
20.01.2011	E101092	L-733		CARGO ELEVATOR, LUBRICATION	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
321.001.001 - ELEVATOR, CARGO											
20.01.2011	E110165			CARGO ELEVATOR, LUBRICATION	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	0 Month(s)	0	Undefined
321.001.001 - ELEVATOR, CARGO											
09.03.2011	E100792	L-E6005		6 MONTH LO SAMPLE COLLECTION	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined
321.001.001 - ELEVATOR, CARGO											
29.03.2011	E110091	L-733		CARGO ELEVATOR, LUBRICATION	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
321.001.001 - ELEVATOR, CARGO											
30.04.2011	E110274	L-733		CARGO ELEVATOR, LUBRICATION	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
321.001.001 - ELEVATOR, CARGO											
31.05.2011	E110417	L-733		CARGO ELEVATOR, LUBRICATION	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
321.001.001 - ELEVATOR, CARGO											
19.07.2011	E110552	L-733		CARGO ELEVATOR, LUBRICATION	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
321.001.001 - ELEVATOR, CARGO											
<b>TOTAL:</b>										4.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.001 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.001 - COMPRESSOR, QUARTERS AC NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.03.2011	E101008		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	3	Undefined	
05.03.2011	E101008		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	SW STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	13	Undefined	
05.03.2011	E100110		R-E7015		R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	REFRIG. DRIER FILTER RENEWAL	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
28.05.2011	E110187		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.05.2011	E110187		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	SW STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	11	Undefined	
19.06.2011	E110655				REPAIR FREON LEAKS STBD AC PLANT					10.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1				EEFCHIEF		Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
01.08.2011	E110515		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
01.08.2011	E110515		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1	SW STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
<b>TOTAL:</b>									10.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** CMP.183.01.002 - COMPRESSOR, AC PLANT  
**Performed Function:** 571.001.002 - COMPRESSOR, QUARTERS AC NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.03.2011	E100973		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	3	Undefined	
05.03.2011	E100973		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	SW STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	15	Undefined	
05.03.2011	E100111		R-E7015		R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	REFRIG. DRIER FILTER RENEWAL	EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
28.05.2011	E110186		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
28.05.2011	E110186		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	SW STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	11	Undefined	
01.08.2011	E110514		W-E3020							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	SHELL /TUBE HEAT EXCHANGER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	2	Undefined	
01.08.2011	E110514		W-E3045							0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1	SW STRAINER CLEAN	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	9	Undefined	
<b>TOTAL:</b>									0.00		



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
14.01.2011	E101073	L-531		FAN, INSPECTION/ LUBRICATION	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFCHIEF	L-531 - FAN, LUBRICATION							
25.01.2011	E101066	R-531		FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.03.2011	E100973	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	R-531 - FILTER, CHANGE						0.00	
05.03.2011	E110068	R-531		FILTER, CHANGE		Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	FILTER MATERIAL RENEWAL			Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined
05.03.2011	E110076	L-531		FAN, INSPECTION/ LUBRICATION	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	L-531 - FAN, LUBRICATION						0.00	
05.03.2011	E100973	C-E3015		VEE BELT CHECK						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	R-531 - FILTER, CHANGE			Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined
07.04.2011	E110197	R-531		FILTER, CHANGE		Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFFENG	L-531 - FAN, LUBRICATION						0.00	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
12.04.2011	E110192	L-531		FAN, INSPECTION/ LUBRICATION	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey							
08.05.2011	E110330	R-531		FILTER, CHANGE		R-531 - FILTER, CHANGE				1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
08.05.2011	E110349	L-531		FAN, INSPECTION/ LUBRICATION						1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
28.05.2011	E110186	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2					EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
28.05.2011	E110186	R-E3005		FILTER MATERIAL RENEWAL						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2					EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
28.05.2011	E110186	C-E3015		VEE BELT CHECK						0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2					EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined
13.06.2011	E110446	R-531		FILTER, CHANGE		R-531 - FILTER, CHANGE				1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
13.06.2011	E110441	L-531		FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2				Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.002 - FAN  
**Performed Function:** 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.07.2011	E110595	R-531		FILTER, CHANGE	R-531 - FILTER, CHANGE			0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.07.2011	E110596	L-531		FAN, INSPECTION/ LUBRICATION	L-531 - FAN, LUBRICATION			0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.08.2011	E110514	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.08.2011	E110514	R-E3005		FILTER MATERIAL RENEWAL				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.08.2011	E110514	C-E3015		VEE BELT CHECK				0.00			
571.011.002 - FAN, QUARTERS SUPPLY NO. 2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
<b>TOTAL:</b>								4.00			



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
14.01.2011	E101072	L-531	FAN, INSPECTION/ LUBRICATION	EEFCHIEF	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
25.01.2011	E101065	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.03.2011	E101008	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
05.03.2011	E110067	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
05.03.2011	E101008	R-E3005	FILTER MATERIAL RENEWAL	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
05.03.2011	E110075	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
05.03.2011	E101008	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	2	Undefined	
07.04.2011	E110198	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	





# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
12.04.2011	E110193	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2011	E110329	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
08.05.2011	E110350	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
28.05.2011	E110187	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG			<input type="checkbox"/>	2 Month(s)	0	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.05.2011	E110187	R-E3005	FILTER MATERIAL RENEWAL						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
28.05.2011	E110187	C-E3015	VEE BELT CHECK						0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
13.06.2011	E110445	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
13.06.2011	E110442	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



# MAINTENANCE DONE

## El Faro/Engine/Deck

**Component From:** . . . . .  
**Component Name From:** ALARM SYSTEM, GENERAL  
**Component Type From:**  
**Date Done From:** 1/1/2011  
**Job Class From:**  
**Vendor Code From:**  
**Maker Code From:** 01331

**To:** WTM.145.01.001  
**To:** WINCH, RAMP HANDLING  
**To:** YOUNG TOUCHSTONE HF806ER4PCNTB  
**To:** 12/2/2011  
**To:**  
**To:**  
**To:** 19015

**Component:** FAN.123.05.001 - FAN  
**Performed Function:** 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.07.2011	E110594	R-531		FILTER, CHANGE	R-531 - FILTER, CHANGE			0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
11.07.2011	E110597	L-531		FAN, INSPECTION/ LUBRICATION	L-531 - FAN, LUBRICATION			0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.08.2011	E110515	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING				0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.08.2011	E110515	R-E3005		FILTER MATERIAL RENEWAL				0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
01.08.2011	E110515	C-E3015		VEE BELT CHECK				0.00			
571.011.001 - FAN, QUARTERS SUPPLY NO. 1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	1	Undefined		
<b>TOTAL:</b>									4.00		