



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FAN.184.01.001 - A/C UNIT CONSOLE
Performed Function:

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
04.04.2012	E120410			Replaced blower on COS I A/C unit				1.00		
			EEFCHIEF	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:								1.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: STB.043.01.001 - TURBINE, HP
Performed Function: 612.001.010 - TURBINE, HP UNIT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110423	T-102	OVERSPEED, TEST			T-102 - OVERSPEED, TEST			0.00		
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	6	Undefined	
19.02.2012	E120047	T-102	OVERSPEED, TEST			T-102 - OVERSPEED, TEST			0.00		
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.02.2012	E110782	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK			0.00		
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
01.03.2012	E120205	T-102	OVERSPEED, TEST			T-102 - OVERSPEED, TEST			0.50		
612.001.010 - TURBINE, HP UNIT		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
17.03.2012	E120102	T-421	BILGE FLOAT/BILGE VALVE, TEST			C-103 - GUIDE HORN, CHECK			1.00		
612.001.010 - TURBINE, HP UNIT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.121.03.001 - PUMP, LPSG FEED WATER
Performed Function: 759.001.010 - PUMP, LPSG FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110794		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
759.001.010 - PUMP, LPSG FEED WATER NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CLR.204.01.001 - COOLER, LUBE OIL
Performed Function: 713.008.001 - COOLER, MAIN LO NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110696		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110601		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.001 - COOLER, MAIN LO NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CLR.204.01.002 - COOLER, LUBE OIL
Performed Function: 713.008.002 - COOLER, MAIN LO NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.02.2012	E110432		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	2 Month(s)	7	Undefined	
19.02.2012	E110600		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
713.008.002 - COOLER, MAIN LO NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
05.04.2012	E120008		W-E3045		SW STRAINER CLEAN	W-E3045 - SW STRAINER CLEAN				0.00	
713.008.002 - COOLER, MAIN LO NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: DEH.215.01.001 - DEHYDRATOR, MAIN GEAR CASE
Performed Function: 637.060.000 - MAIN GEAR CASE DEHYDRATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110687		C-E3015		VEE BELT CHECK	C-E3015 - VEE BELT CHECK				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
01.03.2012	E110199		R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL				0.00	
637.060.000 - MAIN GEAR CASE DEHYDRATOR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CLR.204.03.001 - COOLER, LO SSTG, NEW STYLE
Performed Function: 661.007.001 - COOLER, LO SSTG NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110593		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110593		W-E3045		SW STRAINER CLEAN					0.00	
661.007.001 - COOLER, LO SSTG NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
18.03.2012	E120377				Unplanned Maintenance					4.00	
661.007.001 - COOLER, LO SSTG NO. 1			Condition Survey	EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:									4.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CLR.204.03.002 - COOLER, LO SSTG, NEW STYLE
Performed Function: 661.007.002 - COOLER, LO SSTG NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110711		W-E3045		SW STRAINER CLEAN					0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110711		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
661.007.002 - COOLER, LO SSTG NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: - DRYER, CONTROL AIR
Performed Function:

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
19.02.2012	E110789	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				0.00	
			1		EEFFENG			<input type="checkbox"/>	1 Month(s)	6	Undefined
20.03.2012	E120100	C-365		REFRIGFILTER, CHECK		C-365 - REFRIGFILTER, CHECK				1.50	
			1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
TOTAL:										1.50	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: - METER, EVAP SALINITY
Performed Function:

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120032			Replace cell valve				2.00		
		Damage Repair	EEFFENG	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:								2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GER.043.01.001 - GEAR, MAIN REDUCTION
Performed Function: 637.001.000 - MAIN REDUCTION GEARS, COMPLETE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110700		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00	
637.001.000 - MAIN REDUCTION GEARS, COMPLETE		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	3	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: MIS.551.00.100 - MISC, GALLEY SUPPLY/DRAIN
Performed Function: 551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
15.02.2012	E120272	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					2.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120254	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120202	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120230	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120092	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120244	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110768	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					0.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
07.03.2012	E120284	W-E3060	GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN					2.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: MIS.551.00.100 - MISC, GALLEY SUPPLY/DRAIN
Performed Function: 551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
06.04.2012	E120328	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				1.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
06.04.2012	E120328	W-E3060		GALLEY DRAIN GREASE TRAP CLEAN		W-E3060 - GALLEY DRAIN GREASE TRAP CLEAN				1.00	
551.000.100 - GALLEY SUPPLY / DRAIN STRNS - FLTRS - OTHER MISC.			1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined
TOTAL:										6.00	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: MIS.554.00.100 - MISC, REFRIGERATION
Performed Function: 554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110693		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST				0.00	
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
18.03.2012	E120055		T-E1035		REFRIG. BOX HELP ALARM TEST	T-E1035 - REFRIG. BOX HELP ALARM TEST			0.15		
554.000.100 - REFRIGERATION STRNS / FLTRS / OTHER MISC.		1		EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.15		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: MIS.571.00.100 - MISC, A/C & VENTILLATION
Performed Function: 571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110720		W-E4010		RETURN AIR DUCT CLEAN	W-E4010 - RETURN AIR DUCT CLEAN				0.00	
571.000.100 - A/C & VENTILATION STRNS / FLTRS / OTHER MISC.											1
				EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PIP.701.00.001 - PIPING, FO TRANSFER/DRAIN SYSTEM
Performed Function: 701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.02.2012	E110173		T-E7005		ANNUAL PRESSURE TEST OF BUNKER PIPING	T-E7005 - ANNUAL PRESSURE TEST OF BUNKER PIPING				8.00	
701.000.001 - FO TRANSFER / DRAIN SYSTEMS PIPING		1	Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
TOTAL:									8.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: MIS.713.00.100 - MISC, LO PROPULSION/REDUCTION GEAR
Performed Function: 713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110708	W-E3010	MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				0.00		
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
14.03.2012	E120063	W-E3010	MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				2.00		
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120343	W-E3010	MN LO SUCT/DISCH STRAINER CLEAN		W-E3010 - MN LO SUCT/DISCH STRAINER CLEAN				0.00		
713.000.100 - LO PROPULSION / REDUCTION GEAR STRNS- FLTRS- OTHER MISC.		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: MIS.755.00.100 - MISC, MAIN CONDENSATE
Performed Function: 755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110795	CO-E3025		DRAIN COLLECTION TANK	CO-E3025 - DRAIN COLLECTION TANK CHANGE OVER				0.00		
755.000.100 - MAIN CONDENSATE STRNS / FLTRS / OTHER MISC.	1		EEFFENG	CHANGE OVER	Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	5	Undefined		
TOTAL:								0.00			



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM
Performed Function: 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110799	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	28	Undefined		
23.02.2012	E120064	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
01.03.2012	E120294	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
01.03.2012	E120294	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
08.03.2012	E120326	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
10.03.2012	E120317	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
15.03.2012	E120336	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.03.2012	E120357	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: VLV.813.05.010 - VALVES, FIRE SPRINKLING SYSTEM
Performed Function: 813.005.010 - FIRE SPRINKLER VALVES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
01.04.2012	E120390	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.04.2012	E120436	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
05.04.2012	E120439	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.04.2012	E120403	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.04.2012	E120431	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				0.50	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.04.2012	E120403	T-E1025	FIRE HEADER VALVES CYCLED			T-E1025 - FIRE HEADER VALVES CYCLED				1.00	
813.005.010 - FIRE SPRINKLER VALVES		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
TOTAL:									9.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: - PUMP, BOILER TEST
Performed Function:

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.03.2012	D120346		T-512		PUMP, TEST	T-512 - PUMP, TEST				1.00	
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: - PUMP, BOILER TEST
Performed Function:

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.03.2012	D120347		T-512		PUMP, TEST	T-512 - PUMP, TEST				1.00	
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.262.01.001 - PUMP, BOILER TEST
Performed Function: 756.003.020 - PUMP, BOILER TEST

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110713	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110185	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
19.02.2012	E110184	T-E3015	INACTIVE PUMP FUNCTION			T-E3015 - INACTIVE PUMP FUNCTION TEST				0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
10.03.2012	E120089	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120333	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.020 - PUMP, BOILER TEST		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: - PUMP, POTABLE WATER
Performed Function:

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
19.02.2012	E110688	C-104		MACHINERY, CHANGE OVER		C-104 - MACHINERY, CHANGE OVER				0.00	
			1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined
TOTAL:										0.00	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: - PUMP, BOILER TEST
Performed Function:

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110783	T-512	PUMP, TEST		T-512 - PUMP, TEST				0.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
17.03.2012	E120099	T-512	PUMP, TEST		T-512 - PUMP, TEST				1.00		
		1	Condition Survey	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.021 - WINCH, RAMP HANDLING
Performed Function: 453.005.001 - SUEZ BOAT WINCH

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110569		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E120219		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120192		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120247		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120266		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110683		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined	
19.02.2012	E120233		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110546		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.021 - WINCH, RAMP HANDLING
Performed Function: 453.005.001 - SUEZ BOAT WINCH

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120049		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.02.2012	E120266		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.02.2012	E120290		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120308		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.50		
453.005.001 - SUEZ BOAT WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
TOTAL:									2.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.022 - WINCH, RAMP HANDLING
Performed Function: 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120265		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110684		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined	
19.02.2012	E120052		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110547		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E120252		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120196		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120234		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120221		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.022 - WINCH, RAMP HANDLING
Performed Function: 564.001.002 - ACCOM. LADDER WINCH

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110555		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE				0.00	
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
20.02.2012	E120265		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.02.2012	E120288		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120309		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.50		
564.001.002 - ACCOM. LADDER WINCH		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
TOTAL:									2.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: DSP.100.01.001 - SEWAGE TREATMENT PLANT
Performed Function: 582.001.001 - SEWAGE TREATMENT PLANT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E120245	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E110773	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E120203	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120231	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120253	C-E3030		MSD MONTHLY CHECKS	C-E3030 - MSD MONTHLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E110774	C-E4010		MSD QUARTERLY CHECKS	C-E4010 - MSD QUARTERLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined		
19.02.2012	E110765	C-E7010		MSD ANNUAL CHECKS	C-E7010 - MSD ANNUAL CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
19.02.2012	E120168	C-E4010		MSD QUARTERLY CHECKS	C-E4010 - MSD QUARTERLY CHECKS			0.00			
582.001.001 - SEWAGE TREATMENT PLANT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: DSP.100.01.001 - SEWAGE TREATMENT PLANT
Performed Function: 582.001.001 - SEWAGE TREATMENT PLANT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E120095	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			0.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG	Planned Preventative			<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.02.2012	E120273	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			2.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF	Planned Preventative			<input type="checkbox"/>	1 Month(s)	0	Undefined	
07.03.2012	E120293	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			2.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFFENG	Planned Preventative			<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120327	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			1.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF	Planned Preventative			<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.04.2012	E120327	C-E3030	MSD MONTHLY CHECKS			C-E3030 - MSD MONTHLY CHECKS			1.00		
582.001.001 - SEWAGE TREATMENT PLANT 1			EEFCHIEF	Planned Preventative			<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:								6.00			



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: STG.130.01.002 - STEERING GEAR
Performed Function: 403.001.002 - STEERING GEAR STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110411		L-E4005		4 MONTH LO SAMPLE COLLECTION	L-E4005 - 4 MONTH LO SAMPLE COLLECTION				0.00	
403.001.002 - STEERING GEAR STBD		1	Condition Survey	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	4 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BRG.213.02.001 - SHAFTING BEARING AND SEALS
Performed Function: 631.013.001 - STERN TUBE BEARING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110402		L-E6005		6 MONTH LO SAMPLE COLLECTION	L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
631.013.001 - STERN TUBE BEARING		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BRG.213.02.002 - SHAFTING BEARING AND SEALS
Performed Function: 631.013.002 - STRUT BEARING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110612	L-E6005	6 MONTH LO SAMPLE COLLECTION		L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00		
631.013.002 - STRUT BEARING		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined	
05.04.2012	E120161	L-E6005	6 MONTH LO SAMPLE COLLECTION		L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00		
631.013.002 - STRUT BEARING		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BRG.213.02.003 - SHAFTING BEARING AND SEALS
Performed Function: 631.021.001 - STERN TUBE SEAL FWD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110611		L-E6005		6 MONTH LO SAMPLE COLLECTION	L-E6005 - 6 MONTH LO SAMPLE COLLECTION				0.00	
631.021.001 - STERN TUBE SEAL FWD		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PIP.709.00.001 - PIPING, DIESEL OIL
Performed Function: 709.000.001 - DIESEL OIL PIPING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110719	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E120109	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120232	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120260	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120246	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120204	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.03.2012	E120281	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					1.00		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFFENG	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
01.04.2012	E120315	L-E3040		CYCLE AND LUBRICATE DO CUT OUT VALVES					0.50		
709.000.001 - DIESEL OIL PIPING	1	Condition Survey	EEFCHIEF	L-E3040 - CYCLE AND LUBRICATE DO CUT OUT VALVES	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
TOTAL:									1.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: HUL.100.01.001 - HULL, UNDERWATER
Performed Function: 279.020.000 - HULL BELOW WATERLINE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.02.2012	E110766		W-E4015		HULL CLEAN	W-E4015 - HULL CLEAN				0.00	
	279.020.000 - HULL BELOW WATERLINE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
10.02.2012	E120019		W-E4015		HULL CLEAN	W-E4015 - HULL CLEAN				0.00	
	279.020.000 - HULL BELOW WATERLINE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PRO.125.02.001 - PROPELLER
Performed Function: 631.001.000 - PROPULSION PROPELLER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.02.2012	E120020		W-E4020		PROPELLAR POLISH	W-E4020 - PROPELLAR POLISH				0.00	
631.001.000 - PROPULSION PROPELLER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
10.02.2012	E110767		W-E4020		PROPELLAR POLISH	W-E4020 - PROPELLAR POLISH				0.00	
631.001.000 - PROPULSION PROPELLER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PUR.059.03.001 - OILY WATER SEPERATOR
Performed Function: 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120228		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110772		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E120258		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120077		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120074		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120079		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120200		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110769		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PUR.059.03.001 - OILY WATER SEPERATOR
Performed Function: 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110771		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E120259		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120199		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120239		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120225		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120227		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120197		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120240		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PUR.059.03.001 - OILY WATER SEPERATOR
Performed Function: 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120257		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110770		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E120075		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120198		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120226		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120242		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120256		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120241		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS				0.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PUR.059.03.001 - OILY WATER SEPERATOR
Performed Function: 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
23.02.2012	E120267		C-E3025		OWS MONTHLY CHECKS	C-E3025 - OWS MONTHLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.02.2012	E120269		R-E3015		OWS REGENERATE FILTER STEPS	R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.02.2012	E110761		R-E7020		OWS REPLACE / REGENERATE FILTER MEDIA	R-E7020 - OWS REPLACE / REGENERATE FILTER MEDIA			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
23.02.2012	E120270		W-E3050		OWS STRAINER CLEAN	W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
23.02.2012	E110762		W-E7010		OWS OIL DESCALER BACK FLUSH	W-E7010 - OWS OIL DESCALER BACK FLUSH			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
23.02.2012	E110759		C-E7005		OWS ANNUAL CHECKS	C-E7005 - OWS YEARLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
23.02.2012	E110757		W-E7005		OWS OIL DETECTOR CLEAN	W-E7005 - OWS OIL DETECTOR CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
23.02.2012	E120268		W-E3055		OWS FLOC TANK CLEAN	W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PUR.059.03.001 - OILY WATER SEPERATOR
Performed Function: 803.025.002 - SEPARATOR, OILY WATER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.03.2012	E120301	R-E3015	OWS REGENERATE FILTER STEPS			R-E3015 - OWS REGENERATE FILTER STEPS				2.00	
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.03.2012	E120299	W-E3050	OWS STRAINER CLEAN			W-E3050 - OWS STRAINER CLEAN			0.50		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.03.2012	E120300	W-E3055	OWS FLOC TANK CLEAN			W-E3055 - OWS FLOC TANK CLEAN			1.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
10.03.2012	E120302	C-E3025	OWS MONTHLY CHECKS			C-E3025 - OWS MONTHLY CHECKS			2.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120332	R-E3015	OWS REGENERATE FILTER STEPS			R-E3015 - OWS REGENERATE FILTER STEPS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120329	W-E3050	OWS STRAINER CLEAN			W-E3050 - OWS STRAINER CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120331	W-E3055	OWS FLOC TANK CLEAN			W-E3055 - OWS FLOC TANK CLEAN			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120330	C-E3025	OWS MONTHLY CHECKS			C-E3025 - OWS MONTHLY CHECKS			0.00		
803.025.002 - SEPARATOR, OILY WATER		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									5.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BAT.283.01.001 - BATTERIES, STORAGE
Performed Function: 866.001.001 - STORAGE BATTERIES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110800	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					0.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	28	Undefined		
26.02.2012	E120056	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined		
04.03.2012	E120307	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined		
11.03.2012	E120323	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined		
18.03.2012	E120335	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined		
25.03.2012	E120378	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined		
01.04.2012	E120378	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	1 Week(s)	0	Undefined		
09.04.2012	E120394	C-E1005		STORAGE BATTERY CHECK	C-E1005 - STORAGE BATTERY CHECK					4.00	
866.001.001 - STORAGE BATTERIES	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	1	Undefined		
TOTAL:									28.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.203.02.002 - PUMP, FO SERVICE
Performed Function: 703.003.002 - PUMP, FO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110718		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110587		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.002 - PUMP, FO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.203.02.001 - PUMP, FO SERVICE
Performed Function: 703.003.001 - PUMP, FO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.02.2012	E110589		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	7	Undefined	
19.02.2012	E110686		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined	
06.04.2012	E120013		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				2.00	
703.003.001 - PUMP, FO.SERVICE, NO.1		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	0	Undefined	
TOTAL:									2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.203.03.001 - PUMP, FO TRANSFER
Performed Function: 701.006.001 - PUMP, FO.TRANSFER, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110678		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
17.03.2012	E120060		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00	
701.006.001 - PUMP, FO.TRANSFER, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.203.01.001 - PUMP, LO SERVICE
Performed Function: 713.004.001 - PUMP, LO.SERVICE, NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110792		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110602		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
713.004.001 - PUMP, LO.SERVICE, NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.203.01.002 - PUMP, LO SERVICE
Performed Function: 713.004.002 - PUMP, LO.SERVICE, NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.02.2012	E110303		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	8	Undefined	
19.02.2012	E110699		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	5	Undefined	
05.04.2012	E120005		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
713.004.002 - PUMP, LO.SERVICE, NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.203.04.001 - PUMP, DO BOILER COLD START
Performed Function: 709.003.001 - PUMP, DO BOILER COLD START

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110185	T-E3015		INACTIVE PUMP FUNCTION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined		
19.02.2012	E110713	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E100767	L-E3030		COUPLING LUBRICATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	5	Undefined		
10.03.2012	E120089	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
09.04.2012	E120333	T-E3005		INACTIVE PUMP ROTATION						0.00	
709.003.001 - PUMP, DO BOILER COLD START	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: VLV.084.20.001 - VALVE, EXHAUST/EXTRACTION
Performed Function: 613.016.010 - VALVES, LESLIE EXHAUST & EXTR.

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.02.2012	E120001			LEAKY UPPER DIAPHRAGM				2.00		
613.016.010 - VALVES, LESLIE EXHAUST & EXTR.		Breakdown	EEFCHIEF	Leak	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:								2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.002 - WINCH, RAMP HANDLING
Performed Function: 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
11.02.2012	E110727	R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
19.02.2012	E120251	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E110681	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined		
19.02.2012	E120051	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120238	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120220	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120194	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120263	C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00			
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.002 - WINCH, RAMP HANDLING
Performed Function: 311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110559		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E110567		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
20.02.2012	E120263		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				1.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.02.2012	E120287		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				1.00	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.04.2012	E120312		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.50	
311.003.502 - WINCH, RAMP HANDLING, NO. 2, FWD LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
TOTAL:									2.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.003 - WINCH, RAMP HANDLING
Performed Function: 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.02.2012	E110728		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
19.02.2012	E110544		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E120262		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120222		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120236		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120250		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120193		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120050		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.003 - WINCH, RAMP HANDLING
Performed Function: 311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110573		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E110680		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined	
20.02.2012	E120262		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.02.2012	E120289		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120310		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.50		
311.003.503 - WINCH, RAMP HANDLING, NO. 3, AFT DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
TOTAL:									2.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.001 - WINCH, RAMP HANDLING
Performed Function: 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.02.2012	E110726		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
19.02.2012	E120048		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120248		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120235		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120223		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120191		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110679		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined	
19.02.2012	E110568		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION				0.00	
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.001 - WINCH, RAMP HANDLING
Performed Function: 311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110557		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
20.02.2012	E120261		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.02.2012	E120261		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.02.2012	E120291		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120311		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.50		
311.003.501 - WINCH, RAMP HANDLING, NO. 1, FWD DRAG		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
TOTAL:									2.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.004 - WINCH, RAMP HANDLING
Performed Function: 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.02.2012	E110729		R-D7005		ANNUAL CARGO RAMP WIRE RENEWAL	R-D7005 - ANNUAL CARGO RAMP WIRE RENEWAL			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		DEFFOFF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
19.02.2012	E110682		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined	
19.02.2012	E110571		L-E6010		RAMP WINCH OIL CHANGE	L-E6010 - RAMP WINCH OIL CHANGE			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E120264		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120195		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120224		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120237		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E120249		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.113.01.004 - WINCH, RAMP HANDLING
Performed Function: 311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120053		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
19.02.2012	E110545		I-E6010		RAMP WINCH BRAKE INSPECTION	I-E6010 - RAMP WINCH BRAKE INSPECTION			0.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
20.02.2012	E120264		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
29.02.2012	E120286		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			1.00		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120313		C-E3010		GEAR OIL LEVEL CHECK	C-E3010 - GEAR OIL LEVEL CHECK			0.50		
311.003.504 - WINCH, RAMP HANDLING, NO. 4, AFT LIFT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	1	Undefined	
TOTAL:									2.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.120.01.001 - PUMP, RAMP COMP TANK
Performed Function: 384.040.041 - PUMP, RAMP COMP TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110434		C-781		TANK VENT, CHECK	C-781 - TANK VENT, CHECK				0.00	
384.040.041 - PUMP, RAMP COMP TANK		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BLG.125.01.001 - INTRUSION SYSTEM, BILGE
Performed Function: 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
10.02.2012	E110644	T-D3010		CARGO HOLD BILGE ALARM	T-D3010 - CARGO HOLD BILGE ALARM					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E120255	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120243	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120201	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E120229	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
19.02.2012	E110701	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E120080	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					0.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.02.2012	E120271	T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST					1.00	
797.024.020 - BILGE INTRUSION SYSTEM	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BLG.125.01.001 - INTRUSION SYSTEM, BILGE
Performed Function: 797.024.020 - BILGE INTRUSION SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
10.03.2012	E120292		T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				1.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120341		T-E1020		ENGINE SPACE BILGE ALARM TEST	T-E1020 - ENGINE SPACE BILGE ALARM TEST				1.00	
797.024.020 - BILGE INTRUSION SYSTEM		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									3.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: STG.130.01.001 - STEERING GEAR
Performed Function: 403.001.001 - STEERING GEAR PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110609		L-E4005		4 MONTH LO SAMPLE					0.00	
403.001.001 - STEERING GEAR PORT		1	COLLECTION Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	4	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: COM.134.01.001 - RADIO, LIFEBOAT
Performed Function: 422.002.001 - LIFEBOAT RADIO, PORTABLE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function			Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State
06.02.2012	E110649	C-D3005		LIFEBOAT RADIOS CHECK		C-D3005 - LIFEBOAT RADIOS CHECK				0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE			1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	7	Undefined
07.02.2012	E120016	C-D3005		LIFEBOAT RADIOS CHECK						0.00	
422.002.001 - LIFEBOAT RADIO, PORTABLE			1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined
TOTAL:										0.00	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: ALM.138.01.001 - ALARM SYSTEM, GENERAL
Performed Function: 425.300.001 - GENERAL ALARM SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
06.02.2012	E110458		T-D7025		GENERAL ALARM BELL TEST	T-D7025 - GENERAL ALARM BELL TEST				0.00	
425.300.001 - GENERAL ALARM SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.057.25.002 - ANCHOR WINDLASS
Performed Function: 433.001.002 - ANCHOR WINDLASS, STBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120153		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.02.2012	E110748		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
04.04.2012	E120211		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.002 - ANCHOR WINDLASS, STBD		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.057.25.001 - ANCHOR WINDLASS
Performed Function: 433.001.001 - ANCHOR WINDLASS, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110750		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
19.02.2012	E120152		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.04.2012	E120209		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
433.001.001 - ANCHOR WINDLASS, PORT		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.057.26.003 - WINCH, MOORING CT
Performed Function: 434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120157		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.02.2012	E110740		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
04.04.2012	E120210		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.003 - WINCH, CONSTANT TENSION, FWD SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.057.26.005 - WINCH, MOORING CT
Performed Function: 434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110744		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
19.02.2012	E120155		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.04.2012	E120208		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.005 - WINCH, CONSTANT TENSION, AFT INSHORE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.057.26.004 - WINCH, MOORING CT
Performed Function: 434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E120156		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
19.02.2012	E110742		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
04.04.2012	E120206		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.004 - WINCH, CONSTANT TENSION, AFT SPRING		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: WIN.057.26.006 - WINCH, MOORING CT
Performed Function: 434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110746		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
19.02.2012	E120154		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
04.04.2012	E120207		W-E4005		FINNED HEAT EXCHANGER CLEAN	W-E4005 - FINNED HEAT EXCHANGER CLEAN				0.00	
434.016.006 - WINCH, CONSTANT TENSION, AFT OFFSHORE		1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	3 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: LSE.999.03.001 - LIFEBOAT
Performed Function: 501.001.001 - LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.01.2012	D140319	T-D7015	LIFEBOAT, PORT WEIGHT TEST			T-D7015 - LIFEBOAT, PORT WEIGHT TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
06.02.2012	D110358	W-D7010	LIFEBOAT, PORT STRIPPED			W-D7010 - LIFEBOAT, PORT STRIPPED AND CLEANED				0.00	
501.001.001 - LIFEBOAT, PORT		1	AND CLEANED Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
06.02.2012	D120030	W-D7010	LIFEBOAT, PORT STRIPPED							0.00	
501.001.001 - LIFEBOAT, PORT		1	AND CLEANED Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
06.02.2012	D120028	W-D7010	LIFEBOAT, PORT STRIPPED							0.00	
501.001.001 - LIFEBOAT, PORT		1	AND CLEANED Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
06.02.2012	E110647	I-D3020	LIFEBOAT PORT INSPECTION							0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	7	Undefined	
07.02.2012	D120029	T-D4005	LIFEBOAT, PORT RELEASING GEAR TEST			T-D4005 - LIFEBOAT, PORT RELEASING GEAR TEST				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	0	Undefined	
08.02.2012	D110474	T-D4005	LIFEBOAT, PORT RELEASING GEAR TEST							0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	3 Month(s)	6	Undefined	
19.02.2012	E110797	C-E4005	LIFEBOAT DAVIT LIMIT SWITCH CHECK			C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00	
501.001.001 - LIFEBOAT, PORT		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: LSE.999.03.002 - LIFEBOAT
Performed Function: 501.001.002 - LIFEBOAT, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
27.01.2012	D140318	T-D7020	LIFEBOAT, STBD WEIGHT TEST			T-D7020 - LIFEBOAT, STBD WEIGHT TEST				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
06.02.2012	E110648	I-D3015	LIFEBOAT STBD INSPECTION							0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	7	Undefined	
06.02.2012	D120031	I-D7010	LIFEBOAT STBD INSPECTION, YEARLY			I-D7010 - LIFEBOAT STBD INSPECTION, YEARLY				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
19.02.2012	E110677	C-E4005	LIFEBOAT DAVIT LIMIT SWITCH CHECK			C-E4005 - LIFEBOAT DAVIT LIMIT SWITCH CHECK				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
19.02.2012	D110361	I-D7010	LIFEBOAT STBD INSPECTION, YEARLY			I-D7010 - LIFEBOAT STBD INSPECTION, YEARLY				0.00	
501.001.002 - LIFEBOAT, STBD.		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT
Performed Function: 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110801	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	28	Undefined		
24.02.2012	E120061	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
01.03.2012	E120303	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
10.03.2012	E120325	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
10.03.2012	E120320	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
17.03.2012	E120338	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.03.2012	E120359	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.25		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
01.04.2012	E120389	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				1.00		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		TEST Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: LSE.999.04.002 - FLEMMING GEAR, LIFEBOAT
Performed Function: 501.001.008 - LIFEBOAT, FLEMMING GEAR, STBD.

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
05.04.2012	E120400	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.04.2012	E120434	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.04.2012	E120427	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.04.2012	E120400	T-E1010		LIFEBOAT FLEMMING GEAR TEST	T-E1010 - LIFEBOAT FLEMMING GEAR TEST				0.50		
501.001.008 - LIFEBOAT, FLEMMING GEAR, 1 STBD.		Class Survey (Others)	EEFCHIEF	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
TOTAL:									5.75		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: ENG.149.01.001 - ENGINE, LIFEBOAT
Performed Function: 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110802	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	28	Undefined		
24.02.2012	E120059	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
03.03.2012	E120304	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
10.03.2012	E120321	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
17.03.2012	E120337	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					1.00	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
23.03.2012	E120360	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
01.04.2012	E120388	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.04.2012	E120402	T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST					0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: ENG.149.01.001 - ENGINE, LIFEBOAT
Performed Function: 501.016.001 - ENGINE, LIFEBOAT, PORT

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
05.04.2012	E120425		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.04.2012	E120402		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
06.04.2012	E120433		T-E1005		LIFEBOAT ENGINE TEST	T-E1005 - LIFEBOAT ENGINE TEST				0.50	
501.016.001 - ENGINE, LIFEBOAT, PORT		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
TOTAL:									5.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: REF.167.01.001 - REFER PLANT
Performed Function: 554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110625	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110004	R-E7015		REFRIG. DRIER FILTER RENEWAL	R-E7015 - REFRIG. DRIER FILTER RENEWAL					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
19.02.2012	E110444	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.001 - COMPRESSOR, REFRIG. NO. 1, STORES			EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	5	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: REF.167.01.002 - REFER PLANT
Performed Function: 554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110287	CO-E3035		REFRIG. COMPRESSOR CHANGE OVER	CO-E3035 - REFRIG. COMPRESSOR CHANGE OVER					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	4 Month(s)	6	Undefined		
19.02.2012	E110626	C-E3020		REFRIGERATION LEAK CHECK	C-E3020 - REFRIGERATION LEAK CHECK					0.00	
554.001.002 - COMPRESSOR, REFRIG. NO. 2, STORES	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CTL.223.01.001 - CONTROL SYSTEM, BOILER
Performed Function: 794.010.001 - CONTROL SYSTEM, BOILER

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
25.02.2012	E120305			REPACK PT. SUPHT CONTROL VALVE				4.00		
794.010.001 - CONTROL SYSTEM, BOILER		Damage Repair	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:								4.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BLR.226.01.002 - BURNER, FO ATOMIZATION
Performed Function: 641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.02.2012	E110367	R-E6005		BURNER TIP RENEWAL						0.00	
641.009.022 - BURNER, FO. ATOMIZING, BOILER NO.2	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	7	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BLR.226.01.001 - BURNER, FO ATOMIZATION
Performed Function: 641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.02.2012	E110366	R-E6005		BURNER TIP RENEWAL						0.00	
641.009.012 - BURNER, FO. ATOMIZING, BOILER NO.1	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	6 Month(s)	7	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FAN.123.10.001 - FAN, FORCED DRAFT
Performed Function: 641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110670	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E110523	L-253		COUPLING, BEARINGS, LUBRICATE						0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	6	Undefined		
12.03.2012	E120072	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.50	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.04.2012	E120345	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING						0.00	
641.014.010 - FAN, FORCE DRAFT, BOILER NO. 1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
TOTAL:									0.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FAN.123.10.002 - FAN, FORCED DRAFT
Performed Function: 641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.02.2012	E110629	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	7	Undefined		
19.02.2012	E110525	L-253		COUPLING, BEARINGS, LUBRICATE	L-253 - COUPLING, BEARINGS, LUBRICATE					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	6	Undefined		
14.03.2012	E120012	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					1.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
05.04.2012	E120342	L-E3020		FAN LUBRICATE BEARINGS AND COUPLING	L-E3020 - FAN LUBRICATE BEARINGS AND COUPLING					0.00	
641.014.020 - FAN, FORCE DRAFT, BOILER NO. 2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
TOTAL:										1.00	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BLR.226.02.002 - BOILER, MAIN
Performed Function: 641.002.300 - MAIN BOILER NO.2 (PORT)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.02.2012	E110364		I-E7010		BOILER SELF INSPECTION	I-E7010 - BOILER SELF INSPECTION				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
19.02.2012	E120010		W-254		ECONOMIZER, WATER WASH	W-254 - ECONOMIZER, WATER WASH				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
19.02.2012	E120011		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	5	Undefined	
19.02.2012	E110098		I-258		BOILER, INSPECTION	I-258 - BOILER, INSPECTION				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
19.02.2012	E110549		L-E3025		BOILER SLIDING FEET LUBRICATE	L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
25.02.2012	E120306				boiler shut down					8.00	
641.002.300 - MAIN BOILER NO.2 (PORT)			Breakdown	EEFFENG	Material Failure	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
23.03.2012	E120128		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				3.00	
641.002.300 - MAIN BOILER NO.2 (PORT)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									11.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: BLR.226.02.001 - BOILER, MAIN
Performed Function: 641.001.300 - MAIN BOILER NO.1 (STBD)

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.02.2012	E110365		I-E7010		BOILER SELF INSPECTION	I-E7010 - BOILER SELF INSPECTION				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	0	Undefined	
19.02.2012	E110548		L-E3025		BOILER SLIDING FEET	L-E3025 - BOILER SLIDING FEET LUBRICATE				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	LUBRICATE Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110669		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E120009		W-254		ECONOMIZER, WATER WASH	W-254 - ECONOMIZER, WATER WASH				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined	
19.02.2012	E110097		I-258		BOILER, INSPECTION	I-258 - BOILER, INSPECTION				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined	
12.03.2012	E120071		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				2.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
05.04.2012	E120344		W-255		MN BLR BLOWDOWN/ LUBE SLIDING FEET	W-255 - MAIN BOILER BLOWDOWN				0.00	
641.001.300 - MAIN BOILER NO.1 (STBD)		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: STB.239.01.002 - TURBINE, SSTG
Performed Function: 661.001.002 - TURBINE, SHIP SERVICE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110711		R-E3010		GOVERNOR OIL RENEWAL					0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	5	Undefined	
19.02.2012	E110711		L-E3010		THROTTLE VALVE LUBRICATE					0.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
25.03.2012	E120397				Repacked secondary steam stop					1.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2			Condition Survey	EEFFENG	Material Failure	Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
25.03.2012	E120396				Unplanned Maintenance					6.00	
661.001.002 - TURBINE, SHIP SERVICE NO.2			Condition Survey	EEFFENG		Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:									7.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: STB.239.01.001 - TURBINE, SSTG
Performed Function: 661.001.001 - TURBINE, SHIP SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110593		R-E3010		GOVERNOR OIL RENEWAL					0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	12 Month(s)	6	Undefined	
19.02.2012	E110593		L-E3010		THROTTLE VALVE LUBRICATE					0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
21.03.2012	E120392				REPACK SECONDARY 4" ROCKWELL VALVE					0.00	
661.001.001 - TURBINE, SHIP SERVICE NO.1			Breakdown	EEFCHIEF	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GER.239.01.001 - GEAR, SSTG
Performed Function: 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110137	I-E7015	SSTG LO SUMP INSPECTION			I-E7015 - SSTG LO SUMP INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
19.02.2012	E110593	W-E3040	LO STRAINER CLEAN							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110593	W-E3035	PURIFY LUBE OIL							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110593	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110593	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110590	I-E6005	SSTG LOW SPEED COUPLING INSPECTION			I-E6005 - SSTG LOW SPEED COUPLING INSPECTION				0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined		
19.02.2012	E110609	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	4	Undefined		
21.03.2012	E120385		Planned Maintenance							8.00	
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		Condition Survey	EEFFENG		Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GER.239.01.001 - GEAR, SSTG
Performed Function: 661.015.001 - GEAR, SHIP SERVICE GEN.NO.1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
21.03.2012	E120386			Demister maintenance				2.00		
661.015.001 - GEAR, SHIP SERVICE GEN.NO.1		Condition Survey	EEFFENG		Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:								10.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GER.239.01.002 - GEAR, SSTG
Performed Function: 661.015.002 - GEAR, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110410	L-E4005	4 MONTH LO SAMPLE COLLECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	5	Undefined		
19.02.2012	E110711	L-E3005	LOW SPEED COUPLING LUBRICATE							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110711	W-E3035	PURIFY LUBE OIL							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110259	I-E6005	SSTG LOW SPEED COUPLING INSPECTION			I-E6005 - SSTG LOW SPEED COUPLING INSPECTION				0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	5	Undefined		
19.02.2012	E110725	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION			I-E3005 - SSTG HIGH SPEED COUPLING INSPECTION				0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110711	I-E3005	SSTG HIGH SPEED COUPLING INSPECTION							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110711	W-E3040	LO STRAINER CLEAN							0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
20.02.2012	E110130	I-E7015	SSTG LO SUMP INSPECTION			I-E7015 - SSTG LO SUMP INSPECTION				0.00	
661.015.002 - GEAR, SHIP SERVICE GEN.NO.2	1	Condition Survey	EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.216.02.001 - PUMP, LO MAIN, SSTG
Performed Function: 661.009.001 - PUMP, LO.SHIP SERVICE GEN.NO.1

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.03.2012	E120371			Unplanned Maintenance					2.00	
661.009.001 - PUMP, LO.SHIP SERVICE GEN.NO.1		Condition Survey	EEFFENG	Material Failure	Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:								2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FLT.240.01.001 - FILTER, SSTG
Performed Function: 661.011.001 - FILTER, SHIP SERVICE GEN.NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110593		W-E3025		FILTER MATERIAL CLEAN					0.00	
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
06.04.2012	E120424				Monthly maintenance				3.00		
661.011.001 - FILTER, SHIP SERVICE GEN.NO.1			Condition Survey	EEFCHIEF		Planned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:									3.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FLT.240.01.002 - FILTER, SSTG
Performed Function: 661.011.002 - FILTER, SHIP SERVICE GEN.NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110711	W-E3025	FILTER MATERIAL CLEAN							0.00	
661.011.002 - FILTER, SHIP SERVICE GEN.NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FFE.999.03.001 - SPRINKLER SYSTEM
Performed Function: 813.005.002 - DECK FIRE SPRINKLER SYSTEM

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.02.2012	E110457		T-D7040		SPRINKLER SYSTEM TEST	T-D7040 - SPRINKLER SYSTEM TEST				0.00	
813.005.002 - DECK FIRE SPRINKLER SYSTEM		1	Class Survey (Others)	DEFFOFF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: HEA.196.02.001 - HEATER, FO SERVICE
Performed Function: 703.007.001 - HEATER, FO SERVICE NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110541		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.001 - HEATER, FO SERVICE NO. 1	1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: HEA.196.02.002 - HEATER, FO SERVICE
Performed Function: 703.007.002 - HEATER, FO SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110697		W-E3030		FO HEAT EXCHANGER CLEAN	W-E3030 - FO HEAT EXCHANGER CLEAN				0.00	
703.007.002 - HEATER, FO SERVICE NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FLT.206.03.001 - STRAINER, FO SERVICE SUCTION
Performed Function: 703.000.102 - STRAINER, FO.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110691		W-E3015		FO STRAINER CLEAN					0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
17.03.2012	E120058		W-E3015		FO STRAINER CLEAN					0.00	
703.000.102 - STRAINER, FO.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FLT.206.04.001 - STRAINER, FO TRANSFER
Performed Function: 701.000.101 - STRAINER, FO.TRANSFER PUMP

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110691		W-E3015		FO STRAINER CLEAN					0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
17.03.2012	E120058		W-E3015		FO STRAINER CLEAN					0.00	
701.000.101 - STRAINER, FO.TRANSFER PUMP		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.249.01.002 - PUMP, OUTBD SW SERVICE
Performed Function: 721.003.002 - PUMP, OUTBD SW SERVICE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110695		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110603		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110604		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110575		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
721.003.002 - PUMP, OUTBD SW SERVICE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.059.03.001 - PUMP, FW/SW SERVICE
Performed Function: 721.003.003 - PUMP, INBD SW SERVICE NO. 2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110580		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
721.003.003 - PUMP, INBD SW SERVICE NO. 2		1		EEFFENG			<input type="checkbox"/>	2 Month(s)	6	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.05.001 - PUMP, EMER. CIRCULATING
Performed Function: 721.007.001 - PUMP, EMERGENCY CIRCULATING

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110713	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110185	T-E3015	INACTIVE PUMP FUNCTION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
10.03.2012	E120089	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120333	T-E3005	INACTIVE PUMP ROTATION							0.00	
721.007.001 - PUMP, EMERGENCY CIRCULATING		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CMP.255.01.001 - COMPRESSOR
Performed Function: 732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD

Component										
Done date	Work Order	Job Code	Job Title						Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
16.02.2012	E120018			REPLACE CUT IN/OUT SWITCH				2.00		
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		Breakdown	EEFCHIEF	Corrosion	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
19.02.2012	E110689	CO-E3010		AIR COMPRESSOR LEAD CHANGE OVER	CO-E3010 - AIR COMPRESSOR LEAD CHANGE OVER			0.00		
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110785	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			0.00		
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110786	O-E4005		AIR COMPRESSOR SERVICE	O-E4005 - AIR COMPRESSOR SERVICE			0.00		
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	3	Undefined	
19.02.2012	E110685	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00		
732.001.001 - COMPRESSOR, SERVICE AIR NO.1 OUTBD		Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
TOTAL:								2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CMP.255.01.002 - COMPRESSOR
Performed Function: 732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110306	L-E6005		6 MONTH LO SAMPLE COLLECTION				0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined		
19.02.2012	E110100	O-E7010		AIR COMPRESSOR SERVICE	O-E7010 - AIR COMPRESSOR SERVICE			0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	1	Undefined		
19.02.2012	E110469	O-E4005		AIR COMPRESSOR SERVICE	O-E4005 - AIR COMPRESSOR SERVICE			0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	4 Month(s)	5	Undefined		
19.02.2012	E110784	O-E3005		AIR COMPRESSOR SERVICE	O-E3005 - AIR COMPRESSOR SERVICE			0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110787	CO-E3015		AIR COMPRESSOR LEAD CHANGE OVER	CO-E3015 - AIR COMPRESSOR LEAD CHANGE OVER			0.00			
732.001.002 - COMPRESSOR, SERVICE AIR NO.2 INBD	1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CMP.091.02.001 - COMPRESSOR
Performed Function: 734.001.001 - COMPRESSOR, CONTROL AIR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110788		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110790		C-363		SCREW AIR COMPRESSOR, 4000 HR SERVICE Condition Survey	C-363 - SCREW AIR COMPRESSOR, CHECK			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined	
19.02.2012	E110448		L-E6005		6 MONTH LO SAMPLE COLLECTION Condition Survey	L-E6005 - 6 MONTH LO SAMPLE COLLECTION			0.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	3	Undefined	
14.03.2012	E120101		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			2.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.04.2012	E120361		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			1.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
06.04.2012	E120361		C-364		SCREW AIR COMPRESSOR, 8000 HR SERVICE Condition Survey	C-364 - SCREW AIR COMPRESSOR, CHECK			1.00		
734.001.001 - COMPRESSOR, CONTROL AIR		1		EEFCHIEF	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									4.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.249.03.001 - PUMP, MAIN CONDENSATE
Performed Function: 755.017.001 - PUMP, MAIN CONDENSATE NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110561		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E110566		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
19.02.2012	E110796		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.001 - PUMP, MAIN CONDENSATE NO.1		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.249.03.002 - PUMP, MAIN CONDENSATE
Performed Function: 755.017.002 - PUMP, MAIN CONDENSATE NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
07.02.2012	E110300		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2		1		EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	8	Undefined	
19.02.2012	E110702		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
19.02.2012	E110703		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined	
05.04.2012	E120007		CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER				0.00	
755.017.002 - PUMP, MAIN CONDENSATE NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.249.04.001 - PUMP, EMERGENCY CONDENSATE
Performed Function: 755.019.001 - PUMP, EMERGENCY CONDENSATE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110713	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110185	T-E3015	INACTIVE PUMP FUNCTION							0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
10.03.2012	E120089	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120333	T-E3005	INACTIVE PUMP ROTATION							0.00	
755.019.001 - PUMP, EMERGENCY CONDENSATE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.148.03.002 - PUMP, COND. VACUUM
Performed Function: 755.001.102 - PUMP, CONDENSER VACUUM NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
07.02.2012	E110301	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFCHIEF		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	8	Undefined		
19.02.2012	E110692	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110781	L-E3035	PUMP BEARING LUBRICATION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110781	I-E3010	PUMP COUPLING INSPECTION							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110781	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
19.02.2012	E110781	W-E3045	SW STRAINER CLEAN							0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined		
05.04.2012	E120006	CO-E3005	PUMP CHANGE OVER			CO-E3005 - PUMP CHANGE OVER				0.00	
755.001.102 - PUMP, CONDENSER VACUUM 1 NO.2			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	0	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.148.03.003 - PUMP, COND. VACUUM
Performed Function: 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110338	W-E3045		SW STRAINER CLEAN				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined		
19.02.2012	E110338	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined		
19.02.2012	E110704	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	0	Undefined		
19.02.2012	E110338	L-E3035		PUMP BEARING LUBRICATION				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined		
19.02.2012	E110713	T-E3005		INACTIVE PUMP ROTATION TEST				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E110185	T-E3015		INACTIVE PUMP FUNCTION TEST				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined		
19.02.2012	E110338	I-E3010		PUMP COUPLING INSPECTION				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	4	Undefined		
10.03.2012	E120089	T-E3005		INACTIVE PUMP ROTATION TEST				0.00			
755.011.003 - PUMP, CONDENSER VACUUM 1 NO.3			EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.148.03.003 - PUMP, COND. VACUUM
Performed Function: 755.011.003 - PUMP, CONDENSER VACUUM NO.3

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
09.04.2012	E120333	T-E3005		INACTIVE PUMP ROTATION						0.00	
755.011.003 - PUMP, CONDENSER VACUUM NO.3	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined		
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.148.03.001 - PUMP, COND. VACUUM
Performed Function: 755.001.101 - PUMP, CONDENSER VACUUM NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110598	W-E3045		SW STRAINER CLEAN						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110598	I-E3010		PUMP COUPLING INSPECTION						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110598	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110565	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION					0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110598	L-E3035		PUMP BEARING LUBRICATION						0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110793	CO-E3005		PUMP CHANGE OVER	CO-E3005 - PUMP CHANGE OVER					0.00	
755.001.101 - PUMP, CONDENSER VACUUM 1 NO.1			EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined		
TOTAL:										0.00	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CND.203.01.001 - CONDENSER, MAIN
Performed Function: 614.001.001 - CONDENSER, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110705		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
614.001.001 - CONDENSER, MAIN		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	2	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CND.203.02.001 - CONDENSER, EMERGENCY
Performed Function: 755.003.001 - CONDENSER, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110791		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN	W-E3020 - SHELL /TUBE HEAT EXCHANGER CLEAN				0.00	
755.003.001 - CONDENSER, EMERGENCY		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.249.05.001 - PUMP, DRAIN COLLECTION TANK
Performed Function: 755.007.001 - PUMP, DRAIN COLLECTION TANK

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110690		CO-E3020		DRAIN COLLECTION TANK	CO-E3020 - DRAIN COLLECTION TANK CHANGE OVER				0.00	
755.007.001 - PUMP, DRAIN COLLECTION TANK		1	CHANGE OVER	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.260.01.001 - PUMP, MAIN FEED WATER
Performed Function: 756.001.001 - PUMP, MAIN FEED WATER NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110539	L-E3015	BLR FEED PUMP SUCT VLV LUBRICATE						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110539	R-E5005	OIL FILTER RENEWAL						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110539	W-E3020	SHELL /TUBE HEAT EXCHANGER CLEAN						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110180	L-E6005	6 MONTH LO SAMPLE COLLECTION						0.00		
756.001.001 - PUMP, MAIN FEED WATER NO.1		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.260.01.002 - PUMP, MAIN FEED WATER
Performed Function: 756.001.002 - PUMP, MAIN FEED WATER NO.2

Component												
Done date	Work Order	Job Code	Job Title						Hours	Spares		
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
19.02.2012	E120046			Bad L.O. Thermometer					1.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2			EEFFENG			<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined			
19.02.2012	E110685	L-E6005		6 MONTH LO SAMPLE COLLECTION					0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG	Condition Survey	Planned Preventative	<input type="checkbox"/>	6 Month(s)	1	Undefined			
19.02.2012	E110712	W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined			
19.02.2012	E110712	R-E5005		OIL FILTER RENEWAL					0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined			
19.02.2012	E110712	L-E3015		BLR FEED PUMP SUCT VLV LUBRICATE					0.00			
756.001.002 - PUMP, MAIN FEED WATER NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined			
TOTAL:									1.00			



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.249.06.001 - PUMP, FW TRANSFER
Performed Function: 756.003.010 - PUMP, FEED WATER TRANSFER

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110713	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110185	T-E3015	INACTIVE PUMP FUNCTION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
10.03.2012	E120089	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120333	T-E3005	INACTIVE PUMP ROTATION							0.00	
756.003.010 - PUMP, FEED WATER TRANSFER		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CTL.043.10.001 - CONSOLE, MAIN
Performed Function: 791.007.001 - CONSOLE, MAIN

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
11.02.2012	E110710		I-E7030		THROTTLE CONTROL SELF	I-E7030 - THROTTLE CONTROL SELF INSPECTION				0.00	
791.007.001 - CONSOLE, MAIN		1	INSPECTION Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	12 Month(s)	1	Undefined	
18.02.2012	E110810		A-E4015		MAIN CONSOLE GAUGE	A-E4015 - MAIN CONSOLE GAUGE CALIBRATION				0.00	
791.007.001 - CONSOLE, MAIN		1	CALIBRATION Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	2	Undefined	
05.03.2012	E120322					Inspect RTD on N0.7 bearing , LP turbine thrust				2.00	
791.007.001 - CONSOLE, MAIN			Damage Repair	EEFFENG	Normal Wear and Tear	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
16.03.2012	E120356					Replace RTD transmitter No.14 bearing sensor				2.00	
791.007.001 - CONSOLE, MAIN			Damage Repair	EEFFENG	Burn Out	Unplanned Corrective	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:									4.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.07.001 - PUMP, BILGE, FIRE & SW SERVICE
Performed Function: 803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110803		T-E3020		PUMP RUN TEST					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	7	Undefined	
19.02.2012	E110671		W-E3005		SUCTION STRAINER CLEAN					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110698		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
19.02.2012	E110563		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
17.03.2012	E120070		W-E3005		SUCTION STRAINER CLEAN					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
20.03.2012	E110218		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				1.50	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	12 Month(s)	0	Undefined	
24.03.2012	E120112		T-E3020		PUMP RUN TEST					0.00	
803.001.001 - PUMP, BILGE, FIRE & SW.SERVICE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.08.002 - PUMP, BILGE & BALLAST
Performed Function: 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
19.02.2012	E110185	T-E3015		INACTIVE PUMP FUNCTION						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined			
19.02.2012	E110713	T-E3005		INACTIVE PUMP ROTATION						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined			
19.02.2012	E110706	L-E3035		PUMP BEARING LUBRICATION						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined			
19.02.2012	E110671	W-E3005		SUCTION STRAINER CLEAN						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined			
19.02.2012	E110707	L-E3030		COUPLING LUBRICATION						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined			
10.03.2012	E120089	T-E3005		INACTIVE PUMP ROTATION						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			
17.03.2012	E120070	W-E3005		SUCTION STRAINER CLEAN						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined			
20.03.2012	D120351	I-E3010		PUMP COUPLING INSPECTION						0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	26	Undefined			



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.08.002 - PUMP, BILGE & BALLAST
Performed Function: 801.007.002 - PUMP, BILGE & BALLAST NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.04.2012	E120333		T-E3005			INACTIVE PUMP ROTATION			0.00		
801.007.002 - PUMP, BILGE & BALLAST NO.2		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.08.001 - PUMP, BILGE & BALLAST
Performed Function: 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
19.02.2012	E110671	W-E3005		SUCTION STRAINER CLEAN				0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined		
19.02.2012	E110562	L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION			0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined		
19.02.2012	E110694	L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION			0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined		
19.02.2012	E110713	T-E3005		INACTIVE PUMP ROTATION				0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110185	T-E3015		INACTIVE PUMP FUNCTION				0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	TEST Class Survey (Others)		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
10.03.2012	E120089	T-E3005		INACTIVE PUMP ROTATION				0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	TEST Class Survey (Others)	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.03.2012	E120070	W-E3005		SUCTION STRAINER CLEAN				0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined		
20.03.2012	D120350	I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION			0.00			
801.007.001 - PUMP, BILGE & BALLAST NO.1	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	26	Undefined		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.08.001 - PUMP, BILGE & BALLAST
Performed Function: 801.007.001 - PUMP, BILGE & BALLAST NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
09.04.2012	E120333		T-E3005		INACTIVE PUMP ROTATION					0.00	
801.007.001 - PUMP, BILGE & BALLAST NO.1		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.09.001 - PUMP, SPRINKLER AND FIRE
Performed Function: 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110211		I-E3010		PUMP COUPLING INSPECTION	I-E3010 - PUMP COUPLING INSPECTION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	6 Month(s)	5	Undefined	
19.02.2012	E110588		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
19.02.2012	E110564		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Misalignment	Planned Preventative	<input type="checkbox"/>	3 Month(s)	5	Undefined	
19.02.2012	E110671		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110713		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110803		T-E3020		PUMP RUN TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Class Survey (Others)	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	7	Undefined	
19.02.2012	E110185		T-E3015		INACTIVE PUMP FUNCTION TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Class Survey (Others)	Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined	
10.03.2012	E120089		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.09.001 - PUMP, SPRINKLER AND FIRE
Performed Function: 813.001.001 - PUMP, SPRINKLER & FIRE

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.03.2012	E120070		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.03.2012	E120112		T-E3020		PUMP RUN TEST					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120333		T-E3005		INACTIVE PUMP ROTATION					0.00	
813.001.001 - PUMP, SPRINKLER & FIRE		1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.10.001 - PUMP, EMERGENCY FIRE
Performed Function: 813.001.002 - PUMP, EMERGENCY FIRE

Component												
Done date	Work Order	Job Code	Job Title							Hours	Spares	
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State			
19.02.2012	E110185	T-E3015	INACTIVE PUMP FUNCTION							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	6 Month(s)	6	Undefined			
19.02.2012	E110803	T-E3020	PUMP RUN TEST							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	7	Undefined			
19.02.2012	E110713	T-E3005	INACTIVE PUMP ROTATION							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined			
19.02.2012	E110671	W-E3005	SUCTION STRAINER CLEAN							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined			
19.02.2012	E110722	L-E3035	PUMP BEARING LUBRICATION			L-E3035 - PUMP BEARING LUBRICATION				0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined			
19.02.2012	E110721	L-E3030	COUPLING LUBRICATION			L-E3030 - COUPLING LUBRICATION				0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined			
19.02.2012	E110806	I-E3010	PUMP COUPLING INSPECTION			I-E3010 - PUMP COUPLING INSPECTION				0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	3 Month(s)	4	Undefined			
10.03.2012	E120089	T-E3005	INACTIVE PUMP ROTATION							0.00		
813.001.002 - PUMP, EMERGENCY FIRE	1	TEST Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined			



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: PMP.195.10.001 - PUMP, EMERGENCY FIRE
Performed Function: 813.001.002 - PUMP, EMERGENCY FIRE

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
17.03.2012	E120070		W-E3005		SUCTION STRAINER CLEAN					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.03.2012	E120086		L-E3035		PUMP BEARING LUBRICATION	L-E3035 - PUMP BEARING LUBRICATION				0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.03.2012	E120084		L-E3030		COUPLING LUBRICATION	L-E3030 - COUPLING LUBRICATION				1.00	
813.001.002 - PUMP, EMERGENCY FIRE		1		EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
24.03.2012	E120112		T-E3020		PUMP RUN TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
09.04.2012	E120333		T-E3005		INACTIVE PUMP ROTATION TEST					0.00	
813.001.002 - PUMP, EMERGENCY FIRE		1	Class Survey (Others)	EEFFENG	Normal Wear and Tear	Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GEN.043.01.002 - GENERATOR, MAIN
Performed Function: 861.001.002 - GENERATOR, MAIN NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110583		CO-E3030		SSTG CHANGE OVER	CO-E3030 - SSTG CHANGE OVER				0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Condition Monitoring	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110711		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.002 - GENERATOR, MAIN NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GEN.043.01.001 - GENERATOR, MAIN
Performed Function: 861.001.001 - GENERATOR, MAIN NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110593		R-E3005		FILTER MATERIAL RENEWAL					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	6	Undefined	
19.02.2012	E110709		CO-E3030		SSTG CHANGE OVER					0.00	
861.001.001 - GENERATOR, MAIN NO.1		1		EEFFENG	CO-E3030 - SSTG CHANGE OVER	Condition Monitoring	<input type="checkbox"/>	2 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: GEN.283.01.001 - GENERATOR, EMERGENCY
Performed Function: 861.001.003 - GENERATOR, EMERGENCY

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110754		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST				0.00	
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	6	Undefined	
16.03.2012	E120103		T-E3010		EMER. GEN. LOAD TEST	T-E3010 - EMER. GEN. LOAD TEST			2.00		
861.001.003 - GENERATOR, EMERGENCY		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: EDE.284.01.001 - ENGINE, EMERGENCY DIESEL
Performed Function: 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110180	L-E6005	6 MONTH LO SAMPLE COLLECTION							0.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	5	Undefined	
19.02.2012	E110798	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.00		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	28	Undefined	
26.02.2012	E120065	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.50		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
04.03.2012	E120319	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.50		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
10.03.2012	E120334	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.50		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
10.03.2012	E120324	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.50		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
17.03.2012	E120339	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.50		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	
23.03.2012	E120376	T-E1015	EMER. DIESEL ENG. TEST			T-E1015 - EMER. DIESEL ENG. TEST			0.50		
665.001.010 - ENGINE, EMERGENCY GENERATOR		1	Class Survey (Others)	EEFFENG		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: EDE.284.01.001 - ENGINE, EMERGENCY DIESEL
Performed Function: 665.001.010 - ENGINE, EMERGENCY GENERATOR

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function	Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State		
01.04.2012	E120391	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
05.04.2012	E120426	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.04.2012	E120435	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.04.2012	E120401	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.04.2012	E120401	T-E1015		EMER. DIESEL ENG. TEST	T-E1015 - EMER. DIESEL ENG. TEST					0.50	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1	Class Survey (Others)	EEFCHIEF		Inspection/Function Test	<input type="checkbox"/>	1 Week(s)	0	Undefined		
06.04.2012	E110119	O-E7005		DIESEL ENGINE SERVICE						8.00	
665.001.010 - ENGINE, EMERGENCY GENERATOR	1		EEFCHIEF		Planned Preventative	<input type="checkbox"/>	12 Month(s)	2	Undefined		
TOTAL:										13.50	



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: SWB.285.01.001 - MAIN SWITCHBOARD
Performed Function: 871.001.001 - MAIN SWITCHBOARD

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
18.02.2012	E110637		A-E4010		SWITCHBOARD METER	A-E4010 - SWITCHBOARD METER CALIBRATION				0.00	
871.001.001 - MAIN SWITCHBOARD		1	CALIBRATION Class Survey (Others)	EEFFENG		Planned Preventative	<input type="checkbox"/>	4 Month(s)	3	Undefined	
28.03.2012	E120398				Breaker change out				2.00		
871.001.001 - MAIN SWITCHBOARD			Condition Survey	EEFCHIEF		Planned Preventative	<input checked="" type="checkbox"/>	0 Month(s)	0	Undefined	
TOTAL:									2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: ELV.178.02.001 - ELEVATOR, CARGO
Performed Function: 321.001.001 - ELEVATOR, CARGO

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110780	L-733	CARGO ELEVATOR, LUBRICATION		L-733 - CARGO ELEVATOR, LUBRICATION				0.00		
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110230	L-E6005	6 MONTH LO SAMPLE COLLECTION						0.00		
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFFENG		Planned Preventative	<input type="checkbox"/>	6 Month(s)	5	Undefined	
19.03.2012	E120104	L-733	CARGO ELEVATOR, LUBRICATION		L-733 - CARGO ELEVATOR, LUBRICATION				2.00		
321.001.001 - ELEVATOR, CARGO		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									2.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CMP.183.01.001 - COMPRESSOR, AC PLANT
Performed Function: 571.001.001 - COMPRESSOR, QUARTERS AC NO.1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110804		W-E3020							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	5	Undefined	
19.02.2012	E110804		W-E3045							0.00	
571.001.001 - COMPRESSOR, QUARTERS AC NO.1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	27	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: CMP.183.01.002 - COMPRESSOR, AC PLANT
Performed Function: 571.001.002 - COMPRESSOR, QUARTERS AC NO.2

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110805		W-E3045		SW STRAINER CLEAN					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Week(s)	27	Undefined	
19.02.2012	E110805		W-E3020		SHELL /TUBE HEAT EXCHANGER CLEAN					0.00	
571.001.002 - COMPRESSOR, QUARTERS AC NO.2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	1 Month(s)	5	Undefined	
TOTAL:									0.00		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FAN.123.05.002 - FAN
Performed Function: 571.011.002 - FAN, QUARTERS SUPPLY NO. 2

Component											
Done date	Work Order	Job Code	Job Title						Hours	Spares	
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110805		R-E3005		FILTER MATERIAL RENEWAL					0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
19.02.2012	E110805		C-E3015		VEE BELT CHECK					0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
19.02.2012	E110805		L-E3020		FAN LUBRICATE BEARINGS AND COUPLING					0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
19.02.2012	E110715		R-531		FILTER, CHANGE					0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110716		L-531		FAN, INSPECTION/LUBRICATION					0.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
17.03.2012	E120085		R-531		FILTER, CHANGE					1.00	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.03.2012	E120083		L-531		FAN, INSPECTION/LUBRICATION					0.50	
571.011.002 - FAN, QUARTERS SUPPLY NO. 2		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.50		



MAINTENANCE DONE

El Faro/Engine/Deck

Component From:
Component Name From: A/C UNIT CONSOLE
Component Type From:
Date Done From: 1/27/2012
Job Class From:
Vendor Code From:
Maker Code From: 01331

To: WIN.113.01.022
To: WINCH, RAMP HANDLING
To: YOUNG TOUCHSTONE HF806ER4PCNTB
To: 4/9/2012
To:
To:
To: 17963

Component: FAN.123.05.001 - FAN
Performed Function: 571.011.001 - FAN, QUARTERS SUPPLY NO. 1

Component											
Done date	Work Order	Job Code	Job Title							Hours	Spares
Function		Rev.	Type	Rep. By	Cause	Class	Unexp.	Frequency	Overdue	Job State	
19.02.2012	E110717	L-531	FAN, INSPECTION/ LUBRICATION	EEFFENG	L-531 - FAN, LUBRICATION				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110714	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				0.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	6	Undefined	
19.02.2012	E110804	L-E3020	FAN LUBRICATE BEARINGS AND COUPLING	EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
19.02.2012	E110804	C-E3015	VEE BELT CHECK			Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
19.02.2012	E110804	R-E3005	FILTER MATERIAL RENEWAL			Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1		EEFFENG		Planned Preventative	<input type="checkbox"/>	2 Month(s)	4	Undefined	
17.03.2012	E120082	L-531	FAN, INSPECTION/ LUBRICATION		L-531 - FAN, LUBRICATION				0.50		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
17.03.2012	E120087	R-531	FILTER, CHANGE		R-531 - FILTER, CHANGE				1.00		
571.011.001 - FAN, QUARTERS SUPPLY NO. 1		1	Condition Survey	EEFFENG	Normal Wear and Tear	Planned Preventative	<input type="checkbox"/>	1 Month(s)	0	Undefined	
TOTAL:									1.50		