

USCG COMMERCIAL FISHING VESSEL SAFETY EXAMINATION						
Vessel Name: ORIN C		I.D. Number:	573869			
Call Sign:	Other Identifier:					
Hull Color: GREEN	Trim Color:	Accordance To	Superstructure Color: WHITE			
Vessel Length: S1. 4	Gross Tonnage: 2		Maximum POB: Q			
Hull Type: ☐ Wood ☐ Ala	_		e: 💆 Fishing Vessel 🗖 Fish Tender			
☐ Steel ☐ Other (specify):	1134		rocessing Vessel			
Year Built: 1976		Year Conv				
Propulsion: Outboard I			er: 300 Number of Shafts:			
Decal Info: Initial Issue	,	Fishing Equipm	nent: Long Line Multi-Rig			
If a renewal, date last decal iss	If a renewal, date last decal issued: ☐ Troll ☐ Gill Net ☐ Tender ☐ Trawl ☐ Purse ☐ Trap ☐ Bottom ☐ Other (specify):					
Fuel: Gas Diesel Por	able Fixed (vented)	Number of Fue				
			© Fuel Capacity (gal): 750			
Route: Inland Waters						
Boundary Line: ☐ Inside ☐ Outside ☐ <3nm ☐ <12nm ☐ <20nm ☐ <50nm ☐ >50nm ☐ >100nm Applicable Waters: ☐ Warm ☐ Cold						
Owner: WILLIAMS LOBS		Contact Perso	n: /			
Owner Address:	7	Contact Addr	SS:			
	70	HHAN	Annual Control of the			
Owner Phone:	- Lordin L. Children	Contact Phone	ANALYSIS OF THE PROPERTY OF TH			
Exam Requested Due To:	☐ 4100 Boarding N☐ Exemption ☐ Oth		Member Observer Coverage			
How did requester hear about	The state of the s	711				
	Control of the Contro	his vessel but a Con	nmercial Fishing Vessel Safety Decal			
cannot be issued due to the deficiencies listed below and on the Continuation Sheet. (Deficiencies are listed by citation						
	Tart I All The second second		of any particularly hazardous condition(s)):			
VESSEL IS DOCUMENTED	BUT OPERATES IN	SIDE BOUNDA	RY LINE.			
00///	7-11					
	17 / 100000000					
V OUT OF STATE OF UT	NOT DESTRICTED	1 1011 17/ TO 10	A COUNTRY OF THE CHANGE			
EXEMPTING VESSEL FRO			ANELIVER WHILE FISHING,			
EXEMPLISO VESSEC FRO	A DISPLAYING DAYS	MARE AND RED	OV HATTE LIFA(S.X			
When these deficiencies are co	orrected, please call		to schedule a re-examination.			
Examiner's Name:		Examiner's Un	it: SECTOR BOSTON			
Date of this Exam: 5/27	12011		OUCESTER, MA			
CONGRATULATIONS! Your vessel has been examined and is in compliance with all applicable safety regulations.						
Commercial Fishing Vessel Safety Decal Number 16258 has been issued. The decal is valid until the date						
indicated on the Decal provided the vessel safety equipment remains serviceable and the operating conditions described above are not exceeded. The Decal is to be removed from the vessel if the vessel is sold.						
This form should be kept of to the Coast Guard if your vessel is boarded.						
Issuing Examiner's Signs			Date Issued:			
		- 190-100 - 100 (1900 - 190 -	5/27/2011			
7						
Official Use Only						
HOURS Exam:	Travel:	Training:	Training Travel:			

Vessel Name:	GENERAL VESSEL REQUIREMENT I.D. Number:	~
	BRIDGE & DOCUMENTS	
33 CFR 173		
46 CFR 67	Registration/Documents/Markings 9/30/2011	Yes O No O N
47 CFR 80.405	FCC Ship Station License	O Yes O No O N
46 CFR 28.165	Injury Placard (All Vessels)	Yes ONO ON
33 CFR 155.450	Oil Pollution Placard (Vessels ≥ 26 Feet)	Yes O No O N
33 CFR 151.59	MARPOL (Garbage) Placard (Vessels ≥ 26 Feet)	Yes O No O N
33 CFR 151.57	Waste Management Plan (Ocean Going Vessels ≥ 40 Feet)	Yes ONO ON
33 CFR 151.55	Garbage Log (Ocean Going Vessels ≥ 400 Gross Tons)	O Yes O No WN
46 USC Chap 51	Load Line Certificate (Fish Tenders or Fish Processors)	
46 USC 8304	Licensing/Manning (Master/Mate/Chief Eng. on Vessels > 200 Gross Tons)	
46 USC 8103	Citizenship (Master & crew requirements met)	O Yes O No ON
46 CFR 28.225		Yes O No O N
33 CFR 88.05	Inland Navigation Rules on Board (Inland Waters Only; Vessels ≥ 39.4 ft)	Yes O No O N
33 USC 1602	Dayshapes (Two black cones, apex to apex; per Rule 3(d), dayshapes &	
33 USC 2020 72 COLREGS	fishing lights not required if fishing gear does not restrict maneuverability)	O Yes O No W N
33 USC 1602 33 USC 2020 72 COLREGS	Side Lights (112.5°), Stern Light (135°) & Mast Head Light (225°) Anchor Light (360°; for vessels ≥ 39.4 Feet) Red over White (360° other than trawling; see Rule 3(d) for exceptions) Green over White (360° trawling; see Rule 3(d) for exceptions)	Yes O No O N/
33 USC 1602 33 USC 2020	Sound Producing Devices: Uvessels < 39.4 ft: Means of Making an Efficient Sound Signal	N. I.
72 COLREGS	Vessels 39.4 ft – 65.6 ft: Audible ½ Mile, Whistle & 7.9" Bell	Yes O No O N/
	Vessels 65.6 feet – 328.1 ft: Audible 1 Mile, Whistle & 11.8" Bell	
33 CFR 164	Navigation Safety Requirements (Vessels > 1600 Gross Tons)	O Yes O No V N/
	LIFESAVING	o res one one
46 CFR 28.145	Visual Distress Signals 3 6 3 3-50 MAY JAN ZO12	Yes O No O N/
46 CFR 28.110 46 CFR 28.135 46 CFR 28.140	Number of Immersions Suits On-Board: Number of PFDs On-Board: Marking with name and retro-reflective tape	Yes ONO ON/
	Properly maintained	
46 CFR 28.115	Ring Life Buoys:	
46 CFR 28.135	Marking with name and retro-reflective tape	Yes O No O N/A
46 CFR 28.140	60 Feet of Line 90 Feet of Line Properly Maintained	¥ 103 0 140 0 14/2
46 CFR 28.120 46 CFR 28.125 46 CFR 28.130 46 CFR 28.140	Survival Craft: RO SUCCIPIZO Number Survival Craft Onboard: Total Survival Craft Capacity: Type: Inflatable Raft Rigid Liferaft IBA BA Life Float Pack Type: SOLAS A SOLAS B COASTAL SERVICE Hydrostatic Release & Date: 12012 Float Free Proper Storage	Yes O No O N/A
46 CFR 28.150 46 CFR 25.26 46 CFR 28.135 47 CFR 80 46 CFR 28.140	Emergency Position Indicating Radio Beacon (EPIRB): ALDEN Bracket Category: One Two Hydrostatic Release exp. date: 3/2012 Battery expiration date: 7/2013 NOAA Registration exp. date: 3/3/2012 Beacon ID: 4 P C P C P C B D - 4 1 0 0 1	Yes O No O N/A

GENERAL VESSEL REQUIREMENTS						
Vessel Name:						
	ENGINE ROOM/MISCELLANEOUS	50 34 00				
46 CFR 28.155 46 CFR 28.160 46 CFR 25.30	Fire Extinguishing Equipment: BI: 3 BII: BIII: Other: Pre-engineered Fixed System CO2 Cylinders For Fixed System Located Outside Engine Room	♦ Yes	O No	O N/A		
46 CFR 28.140	Unobstructed Escape Routes	V Yes	O No	O N/A		
46 CFR 25.35	Flame Arrestor (gas power)			V/A		
46 CFR 25.40	Ventilation (gas power)	-		ON/A		
33 CFR 159.7	Marine Sanitation Device ☐ Type I ☐ Type II ☐ Type III ☒ None			N/A		
33 CFR 155.330	Non-Oceangoing Vessels Are Able To: Retain oily mix on board Discharge to a facility	Yes	O No	O N/A		
VESSELS (GREATER THAN 100 GT, USE SUPPLEMENT	Γ 1 (C(7-558	7R)		
	ADDITIONAL REQUIREMENTS FOR DOCUMENTED VESSELS					
OPERATING BEYOND THE BOUNDARY LINE OR WITH MORE THAN 16 PEOPLE ON BOARD						
	BRIDGE	horas en	Electric St			
46 CFR 28.210	First Aid/CPR ☐ First Aid Kit/Medicine Chest ☐ First Aid Manual ☐ Individual Certified in First Aid ☐ Individual Certified in CPR	O Yes	O No	O N/A		
46 CFR 26.03-4 46 CFR 28.225	Navigation Publications ☐ Charts for Safe Navigation ☐ Extracts of Publications Used ☐ Tidal/Current Tables ☐ CG Light List ☐ US Coast Pilot	O Yes	O No	O N/A		
46 USC 10601	Crew Contracts (Vessels ≥ 20 Gross Tons)	O Yes	O No	O N/A		
46 CFR 28.230	Magnetic Compass/Compass Deviation Table	O Yes	O No	O N/A		
46 CFR 28.235	Anchors & Radar Reflectors	O Yes	O No	O N/A		
46 CFR 28.245 47 CFR 80 33 CFR 26.03 46 CFR 28.375	Communication Equipment VHF SSB HF Cell Phone 3 Hour Emergency Power Supply	O Yes	O No	O N/A		
46 CFR 28.260	Electronic Position Fixing Device (Vessels ≥ 79 feet) ☐ GPS ☐ SATNAV ☐ Other	O Yes	O No	O N/A		
46 CFR 28.240	General Alarm System ☐ Tested ☐ Flashing Red Light in Engine Room	O Yes	O No	O N/A		
46 CFR 28.250	High Water Alarms (Vessels ≥ 36 feet) ☐ Tested in all floodable spaces	O Yes	O No	O N/A		
46 CFR 28.265	Emergency Instructions (Must be posted on vessels with ≥ 4POB)	O Yes	O No	O N/A		
46 CFR 28.270	Instructions, Drills, & Safety Orientation ☐ Drills Conducted ☐ Drills Witnessed ☐ Safety Orientation Provided ☐ Qualified Drill Conductor Name:	O Yes	O No	O N/A		
33 CFR 155.1030	SOPEP (Vessels > 400 Gross Tons traveling over international waters)	O Yes	O No	O N/A		
46 CFR 16	Drug Testing Program (Credentialed Crew on Vessels > 200 Gross Tons) Alcohol Testing			O N/A		
46 CFR 4.06-15	Does vessel carry devices or have arrangements to accomplish testing within 2 hours after a serious marine incident?	O Yes	O No	ONA		

ADDITIONAL REQUIREMENTS FOR DOCUMENTED VESSELS OPERATING BEYOND THE BOUNDARY LINE OR WITH MORE THAN 16 PEOPLE ON BOARD

Vessel Name:	I.D. Number:				
LIFESAVING					
46 CFR 28.205	Fireman's Outfits (if more than 49 POB): SCBA (Two 30 minute SCBAs) SCBA Spare Bottles (Two 30 minute bottles) Lifeline (2 lines) Rigid Helmut (2 helmets) Fire Axe (2 axes) Protective Clothing (2 sets)	O Yes O No O N/A			
46 CFR 28.205	SCBAs (required only if vessel equipped with ammonia refrigerant) SCBA (Two 30 minute SCBAs) SCBA Spare Bottles (Two 30 minute bottles)	O Yes O No O N/A			
	ENGINE ROOM				
46 CFR 28.215	Guards for Exposed Hazards	Yes O No O N/A			
46 CFR 28.255	Bilge Pump, Piping & Dewatering Systems 3 Rule 11/2 JABSCO	Yes O No O N/A			
	MISCELLANEOUS				
47 CFR Subchapter W	GMDSS (Vessels ≥ 300 Gross Tons; see NVIC 3-99 for exemptions) □ Radio Operators License □ DSC equipped VHF, MF, & HF radios □ SART (Search & Rescue Transponder) □ NAVTEX receiver □ 406 MHz EPIRB (in addition to requirement in 46 CFR 28.150)	O Yes O No O N/A			
	DSC (For any vessel with a DSC-capable radio, verify the MMSI is properly programmed); MMSI (9 characters) is:	O Yes O No O N/A			
33 CFR 161.12 33 CFR 164.46	AIS (Fish Tenders & Fish Processors ≥ 65 feet operating within a VTS or on an international voyage)	O Yes O No O N/A			
50 CFR 600.730	Safe Boarding Ladder (Vessels with more than 4 feet of freeboard)	O Yes O No O N/A			
46 CFR 28.300 46 CFR 28.400	Vessel Constructed Or Had A Major Conversion After 15 Sep 91 & Carry More Than 16 POB (If YES, use Supplement 2; CG-5587B)	O Yes O No			
46 CFR 28.500	Vessel ≥ 79' Not Required Load Lines & Constructed Or Had A Major Conversion/Alteration To Fishing/Processing Equipment After 15 Sep 91 (If YES, use Supplement 2, Subpart E; CG-5587B)	O Yes O No			
	Vessel Has Capacity To Carry ≥ 10,500 gallons (250 BBL) Of Oil Or Hazardous Materials (If YES, use Supplement 3; CG-5587B)	O Yes O No			
46 CFR 28.700 46 CFR 28.720	Fish Processor Must have a Certificate of Compliance* If built or converted after 27 Jul 90 must be classed* * From ABS, DNV, or approved 3 rd Party, Not Coast Guard STCW Requirements (Fish Processors more than 200 Gross Tons)	O Yes Q No O N/A			
	STEW Requirements (Fish Flocessors more than 200 Gross Tons)	O Yes O No ON/A			

CFVS EXAMINATION BOOKLET GUIDELINES

This booklet is to be used to record voluntary examinations of commercial fishing industry vessels. It provides a summary list of Coast Guard requirements to examiners and owners/operators of commercial fishing industry vessels. This booklet should be used in conjunction with the regulations or other aids developed by the Coast Guard to assist in understanding of the regulations. Examiners should retain the "Examiner Copy" of the first page, continuation sheet and the checklist

pages for their records. The "Vessel Copy" of the first page and continuation sheet should be left with the vessel.

PRIVACY ACT STATEMENT for VOLUNTARY DOCKSIDE EXAMINATIONS on COMMERCIAL FISHING VESSELS PRIVACY ACT STATEMENT: Required by Public law 93-579

AUTHORITY: 46 USC 4502, 46 USC 4504, 46 USC 4507, 46 USC 6104 and 14 USC 89

PRINCIPAL PURPOSE(S): To document the Voluntary Dockside Examiner's report, enhance fishing vessel safety and promote public awareness and education. Information may be retained on file indefinitely.

ROUTINE USE(S): This information is to be used for uniform Coast Guard reporting and administration of Voluntary Dockside Examination data. It will be used to record the number of vessels and level of compliance with Coast Guard regulations.

MANDATORY OR VOLUNTARY DISCLOSURE: Providing any information during the course of a voluntary dockside examination is voluntary. Failure to provide information necessary to ensure compliance with applicable regulations may prevent issuance of the safety decal. Providing a vessel document/certificate of number by the operator of a vessel is mandatory. Failure to provide vessel documentation/registration may prevent issuance of the safety decal.