

DCA14FR005
Film Crew Struck by Freight Train
CSX Transportation
February 20, 2014

Jacksonville Division Timetable Excerpts

NAHUNTA SUBDIVISION - NH

AUTHORIZED SPEED - REFER TO SPEED TABLES						MILE POST	STATION	TRACK DIAGRAM		AUTH FOR MOVE	NOTES
1 SINGLE			2					SOUTH			
P	I	F	P	I	F			SAVANNAH SD			
79	70	60				A 510.0	SOUTH OGEECHEE			CP	
						511.0 A 512.0	8.0	DD	JE DISP 014 - 5 RD 032	TC	
79	70	60				A 518.0	LODGE			CP	
60	40	40	79	70	60			1	2		
						A 522.0	4.9			TC	
60	40	40	79	70	60	A 522.9	MCINTOSH			CP	
79	70	60								TC	
						A 529.9	10.5	WALTHOURVILLE STG 90 CARS	A 528.8 A 529.7 DD WID	TC	
79	60	60	79	70	60	A 533.4	N LUDOWICI			CP	
								1	2	TC	
						A 537.6	6.7			TC	
79	60	60	79	70	60	A 540.1	BACKSWAMP			CP	
79	70	60								TC	
						A 543.6	DOCTORTOWN			CP	
			79	70	60					TC	
						A 548.0	5.0	TO RAYONIER A 544.8	1 2 NS PICK UP A 548.3	TC	
79	70	60	79	70	60	A 548.6	JESUP			CP	
30	30	30	50	50	50					TC	
30	30	30				A 548.8	1.8	TO JESUP SIDING MAIN JESUP SD		TC	
50	50	50	50	50	50	A 549.0		WYE A 549.2		TC	
79	70	60	79	70	60					TC	

NAHUNTA SUBDIVISION - NH

AUTHORIZED SPEED - REFER TO SPEED TABLES						MILE POST	STATION	TRACK DIAGRAM		AUTH FOR MOVE	NOTES
1 SINGLE			2					↓	↓		
P	I	F	P	I	F						
79	70	60	79	70	60	A 550.4	S JESUP	1	2	CP	
						A 551.1	7.2	DD		TC	
						A 557.6	N BROADHURST			CP	
							2.3		SSDG 10,785 FT SP	TC	
						A 559.9	S BROADHURST			CP	
							5.3			TC	
						A 565.2	N HORTENSE			CP	
							2.1		SSDG 9,896 FT SP	TC	
						A 567.3	S HORTENSE			CP	
						A 572.0	9.3	DD		TC	
						A 576.6	NAHUNTA	BRUNSWICK SD	A 576.4	SP	CP
							0.2			TC	
						A 576.8	N NAHUNTA			CP	
							2.2	SSDG 10,965 FT SP		TC	
						A 579.0	S NAHUNTA			CP	
							8.9			TC	
						A 587.9	N WINOKUR			CP	
							2.0	SSDG 9,568 FT SP		TC	
						A 589.9	S WINOKUR			CP	
						A 592.0	8.5		DD	TC	
						A 598.4	BURCH	JESUP SD	1	2	CP
79	70	60	79	70	60	A 602.0	3.8		A 601.9	N WYE	TC
60	60	60	60	60	60	A 602.2	FOLKSTON				CP
60	60	60	60	60	60	A 602.7	6.3	STG 50 CARS	1	2	TC
						A 608.5	BOULOGNE			A 603.4	CP
						A 610.6	8.7	HILLIARD SPUR A 614.9	DD		TC
						A 617.2	S HILLIARD				CP
79	70	60	79	70	60	A 619.5	6.8		1	DD 2	TC

NAHUNTA SUBDIVISION - NH

AUTHORIZED SPEED - REFER TO SPEED TABLES						MILE POST	STATION	TRACK DIAGRAM		AUTH FOR MOVE	NOTES
1 SINGLE			2					SOUTH			
P	I	F	P	I	F			1	2		
79	70	60	79	70	60	A 624.0	CALLAHAN			CP	
								CALLAHAN SD		TC	
79	70	60	79	70	60	A 624.4	0.6	1	2		
60	55	55	60	55	55					TC	
60	55	55	60	55	55	A 624.6	S CALLAHAN			CP	
79	70	60	79	70	60	A 628.5 630.0 631.0	10.6		DD	TC	
79	70	60	79	70	60	A 635.2	DINSMORE	1	2		
								JACKSONVILLE TERMINAL SD			
125.2 MILES SOUTH OGEECHEE TO DINSMORE											

NAHUNTA SUBDIVISION SPECIAL INSTRUCTIONS

1. INSTRUCTIONS RELATING TO OPERATING RULES

AUTHORIZED SPEEDS -- NAHUNTA

Trk	MP/Location	P	I	F
SG	A 510.0 - 518.0	79	70	60
1	A 518.0 - 522.9	60	40	40
2	A 518.0 - 522.9	79	70	60
SG	A 522.9 - 533.4	79	70	60
1	A 533.4 - 540.1	79	60	60
2	A 533.4 - 540.1	79	70	60
SG	A 540.1 - 543.6	79	70	60
Both	A 543.6 - 548.6	79	70	60
1	A 548.6 - 548.8	30	30	30
2	A 548.6 - 549.0	50	50	50
1	A 548.8 - 549.0	50	50	50
Both	A 549.0 - 550.4	79	70	60
SG	A 550.4 - 598.4	79	70	60
Both	A 598.4 - 602.0	79	70	60
Both	A 602.0 - 602.7	60	60	60
Both	A 602.7 - 624.4	79	70	60
Both	A 624.4 - 624.6	60	55	55
Both	A 624.6 - 635.2	79	70	60

ADDITIONAL SPEEDS (SP) -- NAHUNTA

Location	Track Type	P	I	F
A 557.6 - 559.9	SSDG	30	30	30
A 565.2 - 567.3		25	25	25
A 576.8 - 579.0				
A 587.9 - 589.9		30	30	30

ADDITIONAL SPEED RESTRICTIONS

A 576.6 Nahunta Do not exceed the following speeds over the railroad crossing at grade:

Passenger 60 MPH

Intermodal 40 MPH

Freight 40 MPH

RAILROAD CROSSINGS AT GRADE

MP	Location	RR	Type	Rule
A 576.6	Nahunta	CSX	Remotely Controlled	504.23

SECURING EQUIPMENT

MP	Location	Minimum Hand Brakes Required
A 522.0	McIntosh, GA - Liberty Cement	2
A 550.4	Jesup Yd	
A 602.2	Folkston, GA	5 - Applies to cars left on Main Trk
A 610.6	Hilliard	1 on unattended train when making a pickup or setoff

WHERE SIGNAL RULES ARE IN EFFECT

RULES 1281-1298

Signal Rules are in effect as follows:

MP/Location
Nahunta SD

RADIO STATIONS AND INSTRUCTIONS

MP	Location	Hours	Channels Assigned	Type Station
A 507.0	Richmond Hill	Cont	032, 014-5	Wayside
A 528.8	Walthourville			
A 576.6	Nahunta			
A 614.5	Hilliard			

2. INSTRUCTIONS RELATING TO SAFETY RULES

NONE

3. INSTRUCTIONS RELATING TO COMPANY POLICIES AND PROCEDURES

NONE

4. INSTRUCTIONS RELATING TO EQUIPMENT HANDLING RULES

4151 WHEEL IMPACT DETECTORS

MP	Location
A 529.9	Walthourville

4300 DEFECT DETECTORS AND CLEARANCE DETECTORS

MP	Location	Type	Note
A 512.0	Ogeechee	1	NONE
A 529.9	Walthourville	1	NONE
A 551.1	Jesup	1	NONE
A 572.0	Raybon	1	NONE
A 592.0	Newell	1	NONE
A 610.6	Boulogne	1	NONE
A 619.5	Hilliard	1	NONE
A 628.5	Ratliff	1	NONE

4400 THRU TRUSS BRIDGES

Thru Truss Bridges are at the following locations:

MP	Location
A 543.5	Doctortown
A 570.0	Hortense
A 605.3	Folkston

4500 ENSURING AUTHORIZATION TO MOVE SHIPMENT

Double Stack and Multi-Level Movements

Unless otherwise authorized by a Clearance Bureau Wire or by Network Operations, the following are the maximum double stack and multi-level heights allowed on the main track and sidings. CSX Train Documentation will list this equipment as restricted and will show applicable height dimensions.

MP Locations	Double Stack	Multi-Level
Nahunta SD	20'2"	20'2"

5. INSTRUCTIONS RELATING TO AIR BRAKE AND TRAIN HANDLING RULES

5557 SWITCHING

When switching cars, the following tonnage/car counts must not be exceeded. When this tonnage/car count is exceeded, the minimum cars with air cut-in must be used.

Locomotive	Tonnage	Minimum Cars with Air
Single Locomotive	3,000 or less	0
	3,001 - 5,000	3
	5,001 - 7,000	5
	7,001 and above	8
Two or More Locomotives	4,000 or less	0
	4,001 - 7,000	3
	7,001 and above	5

6. INSTRUCTIONS RELATING TO RESTRICTED EQUIPMENT

MP	Location	Equipment	Restriction
A 542.3	Universal Products	6-Axle Equipment	Must not operate

7. CLOSE CLEARANCE

MP	Location	Remark
A 521.0	Martin Marietta	Shaker
A 521.8	Liberty Concrete	Shaker
A 600.8	AGM	All
A 601.2	International Paper	Chip Loading Chute

8. MISCELLANEOUS

GENERAL MISCELLANEOUS

A 521.9 McIntosh – When switching Martin Marietta or Liberty Concrete at McIntosh, the engineer must operate from the north end of the locomotive consist when making a northward move.

A 522.0 Martin Marietta Rock – Employees must determine safety chains are attached and the shaker is secured prior to moving engine through shaker. Contact Martin Marietta if the shaker is not secured with safety chains. Movement through the shaker is not permitted until secured by a Martin Marietta employee.

A 544.8 Doctortown, GA – Crews must contact Rail Link at 912-202-6227 and be governed by their instructions prior to operating beyond the derail on the Rayonier Mill Lead at

Doctortown.

A 601.9 Folkston – The wye switch is locked and tagged by the Road Way Department. This track can only be used by permission of the Road Way Department.

A 614.9 Hilliard – When picking up cars from Hilliard Storage Track, hold to enough cars on head of train to clear Main Road Crossing at Hilliard.

ADDITIONAL STATIONS

MP	Station	Switch Opening
A 521.5	NE Liberty/ Martin Marietta	North
A 522.4	SE Liberty / Martin Marietta	South
A 537.5	Ludowici Stg	North
A 544.8	Center Stg Trk	South
A 600.5	AGM Packaging	North
A 601.0	International Paper	
A 601.9	North Wye	
A 624.7	NE Callahan Stg	
A 625.6	SE Callahan Stg	South

9. HIGHWAY ROAD CROSSINGS AT GRADE EQUIPPED WITH AUTOMATIC WARNING DEVICES

MP	Location	DOT#	Type
A 510.85	CR 85	637588K	M
A 511.93	CR 88	637337R	M
A 512.65	CR 89	637338X	M
A 515.19	CR 37	637340Y	M
A 516.17	CR 38/ Hunting Club Rd	637341F	M
A 518.07	Rogers Pasture Rd/ SR 39	637342M	P
A 527.76	Dun Levie Rd	637346P	M
A 529.64	Talmadge Rd	637348D	M
A 537.00	Macon St	637352T	M
A 537.22	Mcdonald St	637353A	M
A 537.30	Main St	637354G	M
A 548.05	Pine St	637362Y	M
A 548.25	Cherry St	637363F	M
A 548.44	Orange St	637364M	M
A 548.63	Magnolia St	637365U	M
A 548.95	South Brunswick St	637366B	P
A 550.98	SR 1775	637368P	M
A 551.41	Hensley Rd	901254D	M
A 552.58	Louisiana Rd	637370R	P
A 552.89	Slover Rd	637371X	P
A 557.57	SR 1920	637374T	M
A 565.17	Ed Harrell Rd	637379C	P
A 567.34	SR 32	637382K	M
A 569.87	CR 230	637383S	M
A 572.48	CR 103	637386M	M
A 576.25	Knox St	637241B	P
A 576.43	Burton St	637242H	M
A 576.76	SR 50	637243P	P
A 580.35	CR 45	637576R	M
A 588.21	CR 137	637568Y	P
A 600.96	Bowery Ln	637560U	M
A 602.47	Love St	637557L	M
A 602.54	Main St	637559A	M

A 602.67	Martin St	637558T	M
A 606.59	Tracy Rd	620728J	M
A 607.79	CR 121	620729R	M
A 610.62	Andrew Rd	620730K	M
A 613.47	Sixth St	620732Y	M
A 613.97	SR 108/ 2nd St	620733F	M
A 614.97	Ingham Rd	620735U	M
A 615.60	Henry Smith	620736B	M
A 616.78	Pratt Side Rd	620737H	M
A 619.61	Dyal Rd	620738P	M
A 620.35	Braddock Rd	620739W	M
A 623.56	CR 115/Old Dixie Hwy/ School House Rd	620740R	M
A 624.30	SR 108	620741X	M
A 625.62	Pickett Rd	620743L	M
A 628.73	Ratliff Rd	620745A	M
A 631.76	Old Kings Rd	620746G	M
A 633.82	Thien Rd	620748V	M
A 634.10	Dunn Ave	620749C	M
A 634.47	Civic Club Rd	620751D	M

10. TERMINAL INSTRUCTIONS

NONE