Incident Event Log		Version Name: Centreville Incident Event Log				
Incident Name: Cen	treville Virginia Response					
	Activ	ity Log				
Date/Time	Events/Notes					
09/21/2015 15:00	FD notified Control Center / n/c s/d 3&4 local ROW recon					
09/22/2015 01:00	Group 8 and 4 PIO only respond to Chantilly					
09/22/2015 04:00	Logistics Section: Media Briefing site secured at Fairfax Marriott at Fair Oaks (At Ryan Rogers Request)					
09/22/2015 06:54	PIO Unit Log: Website activated at 5:00am.					
09/22/2015 07:00	Logistics Section: 1 Helicopter secured for flyovers on 9/22 and 9/23 from HeloAir, Inc.					
09/22/2015 07:01	Recovery Site #1: Miller vac truck onsite. Recovering activity.					
09/22/2015 08:00	Logistics Section: Staging Area #1 has been established at Chantilly Station					
09/22/2015 08:19	New Command post at Hyatt Fairfax, VA 12777 Fair Lake Circle Fairfax, VA 22033 703-818-1234					
09/22/2015 09:12	Finance/ Community Assistance: Mobilized Global Risk Solutions for bar coding cost tracking & communit assistance hotline					
09/22/2015 09:15	Recovery Site #2: Fairfax County Police on site. Yellow caution tape around sidewalk					
09/22/2015 10:00	Recovery Site #2: Ross on site to set up flaggers per Fairfax County Police					
09/22/2015 12:00	Recovery Site #1: Multiplex Drive has been closed					
09/22/2015 12:15	Recovery Site #2: Miller 3 man crew deploying boom					
09/22/2015 12:25	Recovery Site #2: E. Johnson on site. Site safety health plan finalized					
09/22/2015 13:00	FOSC arrived at ICP					
09/22/2015 13:20	Recovery Site #2: US DOT Rep on site					
09/22/2015 13:20	State OSC arrived at ICP					
09/22/2015 13:30	Recovery Site #2: Flag force on site setting up sidewalk signs					
09/22/2015 13:30	Recovery Site #2: Miller hand booming both pond inlet/outlets					
09/22/2015 14:45	Product observed in investigative dig site # 1					
09/22/2015 14:49	Recovery Site #1: Air Monitoring CTEH on site; setting up monitoring					
09/22/2015 14:49	Recovery Site #1: DEQ on site					
09/22/2015 15:30	Finance/ Community Assistance: Dispatched Humanitarian Assistance Unit Lead (Tootell) dispatched to Multiplex Shopping Area and is acting as an additional liasion with emergency responders					
09/22/2015 16:24	Finance/ Community Assistance: GRS arrived at IC for briefing with Finance Section and mobilized Gagliano & Levito to stagig sites					
09/22/2015 16:45	product observed in ditch at investegative dig site #1					
09/22/2015 17:07	Finance/ Community Assistance: Humanitarian Asst Unit Lead (Tootell) to provide Local Emergency Management service (OEM COunty of Fairfax David MCKernan) the community assistance hotline					
09/22/2015 18:37	Finance/ Community Assistance: Reverse 911 activated					
09/22/2015 18:57	Finance/ Community Assistance: Flyer for Lakeside Apt Complex approved for distribution by PIO and Legal					
09/22/2015 18:58	Finance/ Community Assistance: Flyer Sent to Lakeside Apt Complex MAnager to distribute at her discretion					
09/22/2015 19:06	Finance/ Community Assistance: Talked with County of Fairfax Fire and Rescue Captian II Bill Betz					
09/22/2015 19:08	PIO Unit Log: Media outlets have begun to pick up coverage of gas leak due to reverse 911 call, Washington Post has picked up the story, see attached.					
09/22/2015 19:29	Finance/ Community Assistance: Tom WEst was sent out to the Fairfax EMS site for Community Assistance input					
09/22/2015 20:13	Legal Hold Order Issued - Email notification from Carole Sims					
09/22/2015 20:23	B. Betz with Fairfax County Fire Dept. stated the Shopper's Grocery rear access is open for deliveries					
09/22/2015 21:02	Bonefish Grill, Sweetwater Tavern, Chipo Dept B. Betz	tle will all remain closed on Wednesday, Sept. 23 as per the Fire				
Incident Event Log		Last Update By Colonial Pipeline At 09/23/2015 15:26 GMT -5:00				
INCIDENT ACTION PLAN	SOFTWARE™ Printed MM/dd/yyyy 15:26 GMT -5:00	Page 1 of 3 © TRG				

Incident Event I	_og	Version Name: Centreville Incident Event I				
Incident Name: Cen	treville Virginia Response					
09/22/2015 21:11	Finance/ Community Assistance: Flyer distributed to town houses n the area - Terry Mock, Shane Brock and Mike Herman					
09/22/2015 21:27	PIO Unit Log: Reverse 911 call went out to 1700 residents in the area near the incident.					
09/23/2015 00:04	Terry Mock reports right turning lane closure, south bound on Centerwood Drive at Summer Tree Rd.					
09/23/2015 03:00	Logistics Section: Created Medical Plan, Food Plan, Lodging Plan, Security Plan, Procuremnt Plan, and Communication Plan and then posted in IAP Software					
09/23/2015 07:35	Finance/ Community Assistance: Mike Smith confirmed no issues resulting from air monitoring at Chesterbrook Academy Preschool; it will remain open today					
09/23/2015 08:00	Began trenching activities in attempt to identify leak source					
09/23/2015 09:14	PIO Unit Log: JIC request has been submitted through 213RR and is awaiting approval. David York will resume his role as JIC Manager.					
09/23/2015 09:56	20150923 LNO Unit Log: Alex Wardle, Environmental Geologist arrived on-scene; VA DEQ 703-583-3822; alexander.wardle@deq.virginia.gov					
09/23/2015 10:00	Deployed hard and absorbent boom at Pond #1 & #2					
09/23/2015 10:26	Finance/ Community Assistance: Assigned Community Assistance Liaison (Callaway) to dispatched to excavation site to speak with residents; per the EPA and FD: Callaway reported the following: spoke with the following EPA representatives:					
		viously on site with Greg) 443-223-9774 community involvement coordinator 215-814-5538 or responding to public inquiries. Gina has the website and 800				
09/23/2015 10:30	Identified a leak site on Line 4 at MP 241, just downstream of Rt 28					
09/23/2015 10:36	Finance/ Community Assistance: GRS continues to provide claim monitoring services					
09/23/2015 11:00	Began excavating leak site at Line 4 MP 241. Will inspect pipeline and determine type of repair needed					
09/23/2015 11:12	Finance/ Community Assistance: Claims Specialist (Mock) working with SOFR and CTEH for air monitoring restaurants					
09/23/2015 11:12	PIO Unit Log: Bill Berry and Ryan Rogers have gone to meet onsite with a local news affiliate, NEWS 4.					
09/23/2015 11:30	FXD Fire and Rescue blocked turn lane on New Braddock to Federation Drive temporarily for euipment load / unload					
09/23/2015 12:09	Finance/ Community Assistance: FSC & Deputy FSC met with Cost Recovery (Paul Woodrum) from Fairfax County					
09/23/2015 12:17	Work crew is out of excavation hole in pr	eparation of pulling product from line				
09/23/2015 12:17 09/23/2015 12:28	Work crew is out of excavation hole in pr Began pull down; monitoring at site					
09/23/2015 12:28 09/23/2015 12:35	Work crew is out of excavation hole in pr Began pull down; monitoring at site 20150923 LNO Unit Log: Dave Pearson	receives request from NTSB for information/documentation				
09/23/2015 12:28	Work crew is out of excavation hole in pr Began pull down; monitoring at site 20150923 LNO Unit Log: Dave Pearson					
09/23/2015 12:28 09/23/2015 12:35 09/23/2015 13:00	Work crew is out of excavation hole in pr Began pull down; monitoring at site 20150923 LNO Unit Log: Dave Pearson Logistics Section: Procured new IC Loca Ballroom as well as 2 Board Rooms.	receives request from NTSB for information/documentation tion at the Sheraton Reston to include 85 Rooms, 3000 Sq. Ft.				
09/23/2015 12:28 09/23/2015 12:35	Work crew is out of excavation hole in pr Began pull down; monitoring at site 20150923 LNO Unit Log: Dave Pearson Logistics Section: Procured new IC Loca Ballroom as well as 2 Board Rooms. Will start IC move on night shift.	receives request from NTSB for information/documentation tion at the Sheraton Reston to include 85 Rooms, 3000 Sq. Ft. dripping has stopped				
09/23/2015 12:28 09/23/2015 12:35 09/23/2015 13:00 09/23/2015 13:03	Work crew is out of excavation hole in prBegan pull down; monitoring at site20150923 LNO Unit Log: Dave PearsonLogistics Section: Procured new IC LocaBallroom as well as 2 Board Rooms.Will start IC move on night shift.On site team confirmed that the product	receives request from NTSB for information/documentation tion at the Sheraton Reston to include 85 Rooms, 3000 Sq. Ft. dripping has stopped by Paul Jolley				
09/23/2015 12:28 09/23/2015 12:35 09/23/2015 13:00 09/23/2015 13:03 09/23/2015 13:17	<ul> <li>Work crew is out of excavation hole in pr</li> <li>Began pull down; monitoring at site</li> <li>20150923 LNO Unit Log: Dave Pearson</li> <li>Logistics Section: Procured new IC Loca</li> <li>Ballroom as well as 2 Board Rooms.</li> <li>Will start IC move on night shift.</li> <li>On site team confirmed that the product</li> <li>Compton Block Valve confirmed closed be</li> <li>Excavation site team resuming repair act</li> <li>20150923 LNO Unit Log: Amara Smith at</li> </ul>	receives request from NTSB for information/documentation tion at the Sheraton Reston to include 85 Rooms, 3000 Sq. Ft. dripping has stopped by Paul Jolley				
09/23/2015 12:28 09/23/2015 12:35 09/23/2015 13:00 09/23/2015 13:03 09/23/2015 13:17 09/23/2015 13:23	<ul> <li>Work crew is out of excavation hole in pr</li> <li>Began pull down; monitoring at site</li> <li>20150923 LNO Unit Log: Dave Pearson</li> <li>Logistics Section: Procured new IC Loca</li> <li>Ballroom as well as 2 Board Rooms.</li> <li>Will start IC move on night shift.</li> <li>On site team confirmed that the product</li> <li>Compton Block Valve confirmed closed to Excavation site team resuming repair act</li> <li>20150923 LNO Unit Log: Amara Smith an Chhatre, NTSB manager, wants to go do</li> </ul>	receives request from NTSB for information/documentation tion at the Sheraton Reston to include 85 Rooms, 3000 Sq. Ft. dripping has stopped by Paul Jolley tivities dvised that NTSB is on site and all action is on hold; Ravi own into the hole; the job is shut down until he gives approval for				
09/23/2015 12:28 09/23/2015 12:35 09/23/2015 13:00 09/23/2015 13:03 09/23/2015 13:17 09/23/2015 13:23 09/23/2015 13:44	<ul> <li>Work crew is out of excavation hole in pr</li> <li>Began pull down; monitoring at site</li> <li>20150923 LNO Unit Log: Dave Pearson</li> <li>Logistics Section: Procured new IC Loca</li> <li>Ballroom as well as 2 Board Rooms.</li> <li>Will start IC move on night shift.</li> <li>On site team confirmed that the product</li> <li>Compton Block Valve confirmed closed to Excavation site team resuming repair act</li> <li>20150923 LNO Unit Log: Amara Smith a Chhatre, NTSB manager, wants to go do the work to go forward</li> <li>Work at Excavation site on hold until NTS</li> </ul>	receives request from NTSB for information/documentation tion at the Sheraton Reston to include 85 Rooms, 3000 Sq. Ft. dripping has stopped by Paul Jolley tivities dvised that NTSB is on site and all action is on hold; Ravi own into the hole; the job is shut down until he gives approval for				

Incident Event Log			Version Name: Centreville Incident Event Log			
Incident Name: Centr	eville Virginia Response					
09/23/2015 13:48	Fairfax Fire and Rescue has is no longer blocked.	removed veh	icles from turn lane at New Brac	dock to Federation Drive.	Road	
09/23/2015 14:41	Opening Sweetwater Tavern. Fire Department requests CPC rope off area where team is working. Kevin McKay on site.					
09/23/2015 14:43	David Turner directed to dispatch operational personnel to rope off work are at Sweetwater Tavern.					
Incident Event Log		Last Update By Colonial Pipeline At 09/23/2015 15:26 GMT -5:00				
Incident Event Log			Last Update By Colonial Pipe	eline At 09/23/2015 15:26 GN	/11 -5:00	