

Conductor Certificate	
Dallas, Garland & Northeastern Railroad, Texas Northeastern Railroad	
<small>(In conformity with CFR 242.207 Conductor Certification and CFR 172.700 through 172.704 Hazardous Materials Transportation)</small>	
Julio Arizuznaga <small>Employee Name</small>	
<small>Employee Number</small> [REDACTED]	
DOB: [REDACTED]	Height: <u>5'9"</u>
Date Issued: <u>12-19-17</u>	Weight: <u>195</u>
Recert Due: <u>12-19-20</u>	Hair: <u>Black</u>
Corrective Lenses: <u>Yes</u>	Eyes: <u>Brown</u>
Hearing Aid: <u>No</u>	Sex: <u>MALE</u>
[REDACTED]	Lic. Type: <input checked="" type="checkbox"/> C
[REDACTED]	C= Conductor
[REDACTED]	PC= Passanger
[REDACTED]	Conductor
<small>DSLE of Designated Manager</small>	



DGNO/TNER

Physical Characterization Answer sheet

1.[a] [b] [c]

6.[a] [b] [c]

2. [b] [c] [d]

7.[a] [b] [c]

3.[a] [b] [d]

8.[a] [b] [d]

4.[a] [b] [d]

9.[a] [c] [d]

5. [b] [c] [d]

10.[a] [b] [c]

Name: Julio Ariguiznaga

Date: 12/4/2017

Trainer:

Score: 100

Conductor Certification
Prior Safety Conduct - cfr49 part 242.113

Dallas Garland & Northeastern RR
475 Gauthney Street
Garland, TX 75040

(Check if Applicable)

I attest that:

HAVE been employed as a Conductor by a railroad other than DGNO RR since my last recertification date or within the last three years, whichever is most recent

HAVE NOT been employed as a Conductor by a railroad other than DGNO RR since my last recertification date or within the last three years, whichever is most recent

If the answer is "have been employed by another railroad", give the name of the other railroad on the line below:

I attest that I have NOT held a license to operate a motor vehicle since my last recertification date or the past 36 months. (If you had a valid license, or a license that expired or was suspended within this time period, do not check this line).

I attest that I have NEVER obtained a license to operate a motor vehicle.

Printed Name Julia Ariguiznaga

Employee Number 011109

Full Signature  Date 12/4/2019



70

92

Name: Julio Brigenaga

Railroad: DGNU

Score:

Date: 8/31/14

Location: South Lake




Name of Exam:

Conductor exam All 3

1	a	b	c	d	e	f
2	a	b	c	d	e	f
3	a	b	c	d	e	f
4	a	b	c	d	e	f
5	a	b	c	d	e	f
6	a	b	c	d	e	f
7	a	b	c	d	e	f
8	a	b	c	d	e	f
9	a	b	c	d	e	f
10	a	b	c	d	e	f
11	a	b	c	d	e	f
12	a	b	c	d	e	f
13	a	b	c	d	e	f
14	a	b	c	d	e	f
15	a	b	c	d	e	f
16	a	b	c	d	e	f
17	a	b	c	d	e	f
18	a	b	c	d	e	f
19	a	b	c	d	e	f
20	a	b	c	d	e	f
21	a	b	c	d	e	f
22	a	b	c	d	e	f
23	a	b	c	d	e	f
24	a	b	c	d	e	f
25	a	b	c	d	e	f
26	a	b	c	d	e	f
27	a	b	c	d	e	f
28	a	b	c	d	e	f
29	a	b	c	d	e	f
30	a	b	c	d	e	f
31	a	b	c	d	e	f
32	a	b	c	d	e	f
33	a	b	c	d	e	f
34	a	b	c	d	e	f
35	a	b	c	d	e	f
36	a	b	c	d	e	f
37	a	b	c	d	e	f
38	a	b	c	d	e	f
39	a	b	c	d	e	f
40	a	b	c	d	e	f
41	a	b	c	d	e	f
42	a	b	c	d	e	f
43	a	b	c	d	e	f
44	a	b	c	d	e	f
45	a	b	c	d	e	f
46	a	b	c	d	e	f
47	a	b	c	d	e	f
48	a	b	c	d	e	f
49	a	b	c	d	e	f
50	a	b	c	d	e	f
51	a	b	c	d	e	f
52	a	b	c	d	e	f
53	a	b	c	d	e	f
54	a	b	c	d	e	f
55	a	b	c	d	e	f
56	a	b	c	d	e	f
57	a	b	c	d	e	f
58	a	b	c	d	e	f
59	a	b	c	d	e	f
60	a	b	c	d	e	f
61	a	b	c	d	e	f
62	a	b	c	d	e	f

63	a	b	c	d	e	f
64	a	b	c	d	e	f
65	a	b	c	d	e	f
66	a	b	c	d	e	f
67	a	b	c	d	e	f
68	a	b	c	d	e	f
69	a	b	c	d	e	f
70	a	b	c	d	e	f
71	a	b	c	d	e	f
72	a	b	c	d	e	f
73	a	b	c	d	e	f
74	a	b	c	d	e	f
75	a	b	c	d	e	f
76	a	b	c	d	e	f
77	a	b	c	d	e	f
78	a	b	c	d	e	f
79	a	b	c	d	e	f
80	a	b	c	d	e	f
81	a	b	c	d	e	f
82	a	b	c	d	e	f
83	a	b	c	d	e	f
84	a	b	c	d	e	f
85	a	b	c	d	e	f
86	a	b	c	d	e	f
87	a	b	c	d	e	f
88	a	b	c	d	e	f
89	a	b	c	d	e	f
90	a	b	c	d	e	f
91	a	b	c	d	e	f
92	a	b	c	d	e	f
93	a	b	c	d	e	f
94	a	b	c	d	e	f
95	a	b	c	d	e	f
96	a	b	c	d	e	f
97	a	b	c	d	e	f
98	a	b	c	d	e	f
99	a	b	c	d	e	f
100	a	b	c	d	e	f
101	a	b	c	d	e	f
102	a	b	c	d	e	f
103	a	b	c	d	e	f
104	a	b	c	d	e	f
105	a	b	c	d	e	f
106	a	b	c	d	e	f
107	a	b	c	d	e	f
108	a	b	c	d	e	f
109	a	b	c	d	e	f
110	a	b	c	d	e	f
111	a	b	c	d	e	f
112	a	b	c	d	e	f
113	a	b	c	d	e	f
114	a	b	c	d	e	f
115	a	b	c	d	e	f
116	a	b	c	d	e	f
117	a	b	c	d	e	f
118	a	b	c	d	e	f
119	a	b	c	d	e	f
120	a	b	c	d	e	f
121	a	b	c	d	e	f
122	a	b	c	d	e	f
123	a	b	c	d	e	f
124	a	b	c	d	e	f

RAILROAD/EMPLOYER NAME: Julio A. Ariguiznaga
 ADDRESS: [REDACTED]
 CITY: [REDACTED] STATE: [REDACTED] ZIP: [REDACTED]
 CONTACT: Sandra Price-Cox PHONE: [REDACTED]



EMPLOYEE HEARING & VISION EXAM FORM

(A) PATIENT MUST FULLY COMPLETE THIS SECTION

PRINT FULL NAME: Julio A. Ariguiznaga DATE OF BIRTH: [REDACTED]
 HIRE DATE: 8-10-2017 JOB POSITION: Locomotive Conductor SEX: MALE FEMALE
 ADDRESS: [REDACTED]
 CITY: [REDACTED] STATE: [REDACTED] ZIP: [REDACTED]
 Do you have a current Engineer (49 CFR Part 240) and/or Conductor (49 CFR Part 242) certification? YES NO

By signing, you authorize the release of your test results to your employer and to TOMC, Inc. on behalf of your employer.
 SIGNATURE: [REDACTED] DATE: 12-18-2017

(B) AUTHORIZED EXAMINER CONDUCTING VISION ACUITY TEST MUST COMPLETE THIS SECTION

If patient needs hearing-only, skip this section and continue on to (C) on Page 2. **PLEASE KEEP PAGES 1 & 2 TOGETHER.**

Clinic Name: Nova Medical Center
 Address: 1111 Jupiter Road, Suite 100B
 City, State, Zip: [REDACTED]
 Phone: [REDACTED]

Distance Vision (Snellen) UNCORRECTED: LEFT - 20 / 20 RIGHT - 20 / 20 BINOCULAR - 20 / 20
 Distance Vision (Snellen) CORRECTED: LEFT - 20 / 20 RIGHT - 20 / 20 BINOCULAR - 20 / 20
 Peripheral Vision: Is field of vision normal? YES NO Vision Range (in degrees): L 90 R 90

COLOR VISION INSTRUCTIONS: Chromatic lenses and yarn tests are not allowed. The table below lists color vision testing requirements & pass/fail criteria for qualification (below). Other test types are not permissible. Mark the test used and record any errors in the appropriate column.

TEST USED:	ERRORS:	FRA ACCEPTED TESTS	FAILURE CRITERIA
	List "None" or Each Specific Plate # Missed	PSEUDOISOCROMATIC PLATE TESTS	
<input type="checkbox"/>		American Optical Company 1965	5 or more errors on plates 1-15
<input type="checkbox"/>		AOC - Hardy-Rand-Ritter plates - 2 nd edition	Any error on plates 1-6
<input type="checkbox"/>		Dvorine - Second edition	3 or more errors on plates 1-15
<input checked="" type="checkbox"/>	<u>NONE</u>	Ishihara (14 plate)	2 or more errors on plates 1-11
<input type="checkbox"/>		Ishihara (16 plate)	2 or more errors on plates 1-8
<input type="checkbox"/>		Ishihara (24 plate)	3 or more errors on plates 1-15
<input type="checkbox"/>		Ishihara (38 plate)	4 or more errors on plates 1-21
<input type="checkbox"/>		Richmond Plates 1983	5 or more errors on plates 1-15
		MULTIFUNCTION VISION TESTER	
<input type="checkbox"/>		Keystone Orthoscope	Any error
<input type="checkbox"/>		OPTIC 2000	Any error
<input type="checkbox"/>		Titmus Vision Tester	Any error
<input type="checkbox"/>		Titmus II Vision Tester	Any error

49 CFR PART 240.121 and 49 CFR PART 242.117 MINIMUM PASS CRITERIA:

COLOR: See table above.

DISTANCE: At least 20/40 (Snellen) acuity in each eye without corrective lenses; or, distant visual acuity separately corrected to at least 20/40 (Snellen) with corrective lenses and distant binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses.

PERIPHERAL: A field of vision of at least 70 degrees in the horizontal meridian in each eye.

49 CFR Parts 240 & 242 require a physician (MD or DO only) to make qualification conclusions. Otherwise, examiners/technicians should sign the appropriate "Examiner" line to indicate who performed the exam.

CONCLUSION: Based on these results, this individual:

- Qualifies without restrictions (per 49 CFR Part 240.121 and/or 49 CFR Part 242.117)
- Qualifies with restrictions (Must use corrective lenses) (per 49 CFR Part 240.121 and/or 49 CFR Part 242.117)
- Does not qualify (per 49 CFR Part 240.121 and/or 49 CFR Part 242.117)

PHYSICIAN SIGNATURE: [REDACTED]
 EXAMINER SIGNATURE: [REDACTED]

TITLE: MD VISION EXAM DATE: 12/18/17
 TITLE: CMA VISION EXAM DATE: 12-18-2017

(C) AUTHORIZED EXAMINER CONDUCTING HEARING ACUITY TEST MUST COMPLETE THIS SECTION

Clinic Name: Nova Medical Center
 Address: [REDACTED]
 City, State, Zip: [REDACTED]
 Phone: [REDACTED]

PRINT PATIENT FULL NAME: Julio A. Ariguiznaga DATE OF HEARING EXAM: 12-18-2017
 RAILROAD/EMPLOYER NAME: Dallas, Garland & Northeastern Railroad

PATIENT HEARING HISTORY - Please read the following and check the appropriate box if 'YES'. Where applicable, check the box to indicate whether the response is for the left ear or the right ear. Leave blank for 'NO' answers. Does the patient have or has the patient ever had:

<input type="checkbox"/> Ear Pain (Presently)	<input type="checkbox"/> L	<input type="checkbox"/> R	<input type="checkbox"/> Head Cold or Allergies/Hay Fever (Today)
<input type="checkbox"/> Drainage (Presently)	<input type="checkbox"/> L	<input type="checkbox"/> R	<input checked="" type="checkbox"/> Firearms use
<input type="checkbox"/> Ear Fullness/Discomfort	<input type="checkbox"/> L	<input type="checkbox"/> R	<input checked="" type="checkbox"/> Listen to loud music and/or have noisy hobbies
<input checked="" type="checkbox"/> Severe Ringing	<input checked="" type="checkbox"/> L	<input checked="" type="checkbox"/> R	<input type="checkbox"/> Ear, Head or Neck Surgery
<input type="checkbox"/> Sudden Hearing Loss	<input type="checkbox"/> L	<input type="checkbox"/> R	<input type="checkbox"/> Unconsciousness/Head Injury
<input type="checkbox"/> Seen a doctor for ear problems	<input type="checkbox"/> L	<input type="checkbox"/> R	<input checked="" type="checkbox"/> Previous Job with Loud Noise or Military Service
<input type="checkbox"/> Noticeable Hearing Loss	<input type="checkbox"/> L	<input type="checkbox"/> R	<input type="checkbox"/> Mumps, Measles or Scarlet Fever

IF ALL ANSWERS ARE NEGATIVE, PLEASE INITIAL HERE: _____

INSTRUCTIONS: Per federal requirements, this document MUST be completed FULLY. Audiometric tests shall be pure tone, air conduction, hearing threshold examinations. Audiometric tests shall be conducted with audiometers (including microprocessor audiometers) that meet the specifications of and are maintained and used in accordance with ANSI S3.6-2004. The test must be conducted in either an audiometric booth or soundproofed room or quiet room meeting the following standard: rooms used for audiometric testing shall not have background sound pressure levels exceeding those listed below when measured by equipment conforming at least to the Type 2 requirements of ANSI S1.4-1983 and to the Class 2 requirements of ANSI S1.11-2004:

Maximum Allowable Octave-Band Sound Pressure Levels for Audiometric Test Rooms

Octave-band center frequency (Hz)	500	1000	2000	4000	8000
Sound pressure levels - supra-aural earphones	40	40	47	57	62
Sound pressure levels - insert earphones	50	47	49	50	56
	<input type="checkbox"/> Supra-aural earphones used			<input type="checkbox"/> Insert earphones used	
Octave-band center frequency (Hz)	500	1000	2000	4000	8000
Levels	18	14.7	13.3	21.8	21.6

Acoustic calibration is required at least once annually; exhaustive calibration is required at least once every two years (annually if used on mobile test vans.) Functional operation must be checked before each day's use by testing a person with known, stable hearing thresholds or by appropriate calibration device (i.e. - OSCAR.) Deviations of 10 dB or greater requires an acoustic calibration.

Audiometer Make & Model: TREMORCUS RA 300 Serial Number: [REDACTED] Daily Functional Check Performed? YES NO
 Date of Last Acoustic Calibration: 10/5/12 Date of Last Exhaustive Calibration: 10/5/17

LEFT							RIGHT						
500	1000	2000	3000	4000	6000	8000	500	1000	2000	3000	4000	6000	8000
18	14.7	13.3	21.8	15	15	10	10	00	10	15	10	10	15

Otoscope Exam: LEFT: normal RIGHT: normal Does the employee wear Hearing Aids? YES LEFT ___ YES RIGHT ___ NO
 Did the employee avoid high noise and occupational noise for 14 hours prior to the test? YES ___ NO
 If no, did the employee wear hearing protection during any exposure to high noise or occupational noise? YES NO ___
 Was this a baseline or periodic hearing test? BASELINE ___ PERIODIC

49 CFR PART 240.121 and 49 CFR PART 242.117 MINIMUM PASS CRITERIA:
 The person does not have an average hearing loss in the better ear greater than 40 decibels at 500Hz, 1,000 Hz, and 2,000 Hz with or without use of a hearing aid.

49 CFR Parts 240 & 242 require a physician (MD or DO only) to make qualification conclusions. Otherwise, examiners/technicians should sign the appropriate "Examiner" line to indicate who performed the exam.

CONCLUSION: Based on these results, this individual:
 Qualifies without restrictions (per 49 CFR Part 240.121 and/or 49 CFR Part 242.117)
 Qualifies with restrictions (Must use hearing aids) (per 49 CFR Part 240.121 and/or 49 CFR Part 242.117)
 Does not qualify (per 49 CFR Part 240.121 and/or 49 CFR Part 242.117)

PHYSICIAN SIGNATURE: [REDACTED] TITLE: MD HEARING EXAM DATE: 12-18-2017
 EXAMINER SIGNATURE: [REDACTED] TITLE: CAP HEARING EXAM DATE: 12-18-2017



Intelligence to move forward

Julio Abraham Ariguznaga

Complete Report

Social Security Number: [REDACTED]
DOB: [REDACTED]

Prepared By:
HireRight
3349 Michelson Dr. Suite 150
Irvine, CA 92612

[REDACTED]

Request #: HE-121917-MA9J4

Turnaround time: 8 seconds

Package: Custom

Date Request Submitted: December 19, 2017 8:43 AM PST
Request Completion Date: December 19, 2017 8:44 AM PST

Requested By:

[REDACTED]

Product	Verification	Result	Adjudication Result
MVR Express	03588873, TX, USA	MVR Record Found	

MVR Express

Date MVR Request Submitted: December 19, 2017 8:43 AM PST
 MVR Request Completion Date: December 19, 2017 8:44 AM PST

Complete - MVR Record Found

Driver Personal Information

State: Texas

License: [REDACTED]

DOB: August 27, 1984

Requested As: [REDACTED] JULIO ARIGUZNAGA

Driver License Information

Class	Issued	Expires	Status	Restrictions
C		August 27, 2022	CLEAR	WITH CORRECTIVE LENSES

Miscellaneous / State Specific Information

Type	Description
CLASS	C - VEH<26,001 GVWR W/WO TOWED UNIT<10,001 GVWR
ORIGISSUE	2003-10-30
MISC	THIS TYPE OF RECORD WILL NOT REFLECT COMPLETION OF A DRIVING SAFETY COURSE.
MISC	THIS RECORD REFLECTS CONVICTIONS AND CRASH INVOLVEMENTS THAT ARE ALLOWED TO BE DISPLAYED BY LAW.

Driving Record Information

Type	V/S Date	C/R Date	Description	Violation Code			Pts
				State	ACD	HR	
VIOL	June 24, 2017	July 25, 2017	SPEEDING EQUAL TO OR GREATER THAN 10% ABOVE POSTED LOCATION: DEER PARK				
VIOL	January 12, 2015	February 20, 2015	SPEEDING EQUAL TO OR GREATER THAN 10% ABOVE POSTED				

Information reported may be limited in accordance with the Fair Credit Reporting Act and applicable state law.

V/S Date - Violation/Suspension date
 C/R Date - Conviction/Reinstatement date

Activity Log

Activity	Date/Time	Performed By	Recipient	Result
Report Submitted	December 19, 2017 8:43 AM PST	Dallas Garland & North Eastern		

¹ "Complete" indicates that this request has been processed to conclusion. Please review the report details in their entirety to evaluate any potential discrepancies or records related to this request.

All times listed in America/Los_Angeles timezone

The Activity Log above may reflect activity for this screening report. E-mail notifications, if configured by the company that requested the report, may have been sent by or through HireRight to an authorized company-user (shown as the "Recipient"). Some adjudication history entries and related e-mail notifications, if any, indicate whether an initial determination was made regarding whether the report satisfied the company's hiring criteria (shown in the "Result" column), including any preliminary status Result of "Meets" or "Does Not Meet" company standards. Sometimes a company's final adjudication determination may change from its initial determination. Questions about the company's hiring decisions should be directed to the company.

LEGAL NOTES:

The information provided herein is a consumer report as defined in the federal Fair Credit Reporting Act [15 USC 1681 et.seq.] It contains confidential information on the individual named. It is submitted subject to the express conditions contained in your Subscriber Agreement with HireRight, and may be used solely for legally permissible employment purposes (i.e., as a factor in evaluating the named individual for employment, promotion, reassignment or retention as an employee). Proper use of the content of this report and final verification of the named individual's identity is your sole responsibility.

TRAINEE FINAL EVALUATION

Trainee's Name: Julie Arizunaga
 Railroad Name: DGNO Date: 12-4-2017
 Job: B-704
 Cumulative Time of OJT Training (hours and minutes): 507 hours & 30 mins
 Evaluator Name: Michael Stewart

TASK	COMPETENT	ADDITIONAL TRAINING NEEDED	N/A
Job Briefing	✓		
3 Step/Red Zone protection	✓		
Mounting/dismounting equipment.	✓		
3 point contact/climbing ladders & steps	✓		
Crossing through equipment	✓		
Equipment securement/operating handbrakes	✓		
Leaving equipment to clear/foul	✓		
Operating Switches	✓		
Operating derails	✓		
Coupling air hoses/operating angle cocks	✓		
EOT installation/operation	✓		
Radio use	✓		
Hand signals	✓		
Protecting shoving movements	✓		
Copying/repeating mandatory directives	✓		
Hours of service documentation	✓		
Switch list preparation	✓		
Customer service paperwork completion	✓		
Haz-Mat placement/switching	✓		
Airbrake tests	✓		

[Redacted Signature]

EVALUATOR SIGNATURE



Search Assessments

Prepared By: Greg Mallinger at Mon, 13 Aug 2018 08:35:43 -0400

Filters: From: 2017-12-19; Type: Efficiency; Employee: Ariguznaga, Julio

Total Rows: 50

Type	Assessment / Test	Rules	Employee	Date	Trainer/Spv.	C/F	Loc./MP	End Loc./MP	Comments
EF	6.4 Reverse Movements	6.4 Reverse Movements - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	6.32 Road Crossings	6.32 Road Crossings - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.1.1 Position of Switches & Derails (Doublecheck)	7.1.1 Position of Switches & Derails (Doublecheck) - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.5 Testing Hand Brakes	7.5 Testing Hand Brakes - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.6 Securing Equipment	7.6 Securing Equipment - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.1.2 Safety Stops	7.1.2 Safety Stops - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.12 Movements Into Spur Tracks	7.12 Movements Into Spur Tracks - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	8.1 Switches Hand Operation of Switches	8.1 Switches Hand Operation of Switches - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.2 Communication Between Crews Switching	7.2 Communication Between Crews Switching - Complied	Ariguznaga, Julio (Transportation)	2018-01-24 01:45:00	Brian Butterworth(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	6.28 Movement on Other than Main Track	6.28 Movement on Other than Main Track - Complied	Ariguznaga, Julio (Transportation)	2018-01-24 23:45:00	Brian Butterworth(M)	C	DGNO: Wildwood Industrial: Wildwood / MP 630.7		The D703 crew stopped half the range of vision on a set up stop test.
EF	6.28 Movement on Other than Main Track	6.28 Movement on Other than Main Track - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		
EF	8.6 Restoring Switch to Normal Position	8.6 Restoring Switch to Normal Position - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		
EF	Getting On/Off Equipment	Getting On/Off Equipment - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		
EF	Job Briefing	Job Briefing - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		

Type	Assessment / Test	Rules	Employee	Date	Trainer/Spv.	C/F	Loc./MP	End Loc./MP	Comments
EF	810 (1) Track not fouled without proper protection. Working limits in place when track fouled with equipment or is unsafe for passage	810 (1) Track not fouled without proper protection. Working limits in place when track fouled with equipment or is unsafe for passage - Complied	Ariguznaga, Julio (Transportation)	2018-05-17 15:15:00	William Strawn(M) Mathew CarMichael(A)	C	DGNO: West Dallas: West Dallas		
EF	PPE	PPE - Complied	Ariguznaga, Julio (Transportation)	2018-05-17 15:15:00	William Strawn(M) Mathew CarMichael(A)	C	DGNO: West Dallas: West Dallas		
EF	T-218.105-Hand-operated Main Track Switches	8.2 Position of Switches - Complied 8.3 Main Track Switches - Complied 8.4 Lining Main Track Switch - Complied	Ariguznaga, Julio (Transportation)	2018-06-14 00:32:00	Michael Stewart(M)	C	DGNO: Lewisville Industrial: Lewisville / MP 733		
EF	T-218.109-Hand-operated Fixed Derails	8.20 Derail Location and Position - Complied	Ariguznaga, Julio (Transportation)	2018-06-14 00:32:00	Michael Stewart(M)	C	DGNO: Lewisville Industrial: Lewisville / MP 733		
EF	T-218.99-Shoving or Pushing Movements	6.5 Shoving Movements - Complied	Ariguznaga, Julio (Transportation)	2018-06-14 00:32:00	Michael Stewart(M)	C	DGNO: Lewisville Industrial: Lewisville / MP 733		
EF	6.32 Road Crossings	6.32 Road Crossings - Failed	Ariguznaga, Julio (Transportation)	2018-06-28 19:00:00	Michael Grice(M)	F	DGNO: Carrollton: Carrollton / MP 603		left crossing blocked coached and counseled
EF	T-218.109-Hand-operated Fixed Derails	8.20 Derail Location and Position - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	T-218.99-Shoving or Pushing Movements	6.5 Shoving Movements - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	5.9 Headlight Display	5.9 Headlight Display - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	6.32 Road Crossings	6.32 Road Crossings - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	7.1.1 Postion of Switches & Derails (Doublecheck)	7.1.1 Postion of Switches & Derails (Doublecheck) - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		

Search Assessments

Prepared By: Greg Mallinger at Mon, 13 Aug 2018 08:35:43 -0400
 Filters: From: 2017-12-19; Type: Efficiency; Employee: Ariguznaga, Julio - XXXXXXXXXX
 Total Rows: 50

Type	Assessment / Test	Rules	Employee	Date	Trainer/Spv.	C/F	Loc./MP	End Loc./MP	Comments
EF	6.4 Reverse Movements	6.4 Reverse Movements - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	6.32 Road Crossings	6.32 Road Crossings - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.1.1 Postion of Switches & Derails (Doublecheck)	7.1.1 Postion of Switches & Derails (Doublecheck) - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.5 Testing Hand Brakes	7.5 Testing Hand Brakes - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.6 Securing Equipment	7.6 Securing Equipment - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.1.2 Safety Stops	7.1.2 Safety Stops - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.12 Movements Into Spur Tracks	7.12 Movements Into Spur Tracks - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	8.1 Switches Hand Operation of Switches	8.1 Switches Hand Operation of Switches - Complied	Ariguznaga, Julio (Transportation)	2018-01-16 14:10:00	Michael Stewart(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	7.2 Communication Between Crews Switching	7.2 Communication Between Crews Switching - Complied	Ariguznaga, Julio (Transportation)	2018-01-24 01:45:00	Brian Butterworth(M)	C	DGNO: Mockingbird Yard: Mockingbird Yard / MP 638		
EF	6.28 Movement on Other than Main Track	6.28 Movement on Other than Main Track - Complied	Ariguznaga, Julio (Transportation)	2018-01-24 23:45:00	Brian Butterworth(M)	C	DGNO: Wildwood Industrial: Wildwood / MP 630.7		The D703 crew stopped half the range of vision on a set up stop test.
EF	6.28 Movement on Other than Main Track	6.28 Movement on Other than Main Track - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		
EF	8.6 Restoring Switch to Normal Position	8.6 Restoring Switch to Normal Position - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		
EF	Getting On/Off Equipment	Getting On/Off Equipment - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		
EF	Job Briefing	Job Briefing - Complied	Ariguznaga, Julio (Transportation)	2018-01-29 13:30:00	Joe Newsom(M)	C	DGNO: Garland: Garland / MP 751		

Type	Assessment / Test	Rules	Employee	Date	Trainer/Spv.	C/F	Loc./MP	End Loc./MP	Comments
EF	810 (1) Track not fouled without proper protection. Working limits in place when track fouled with equipment or is unsafe for passage	810 (1) Track not fouled without proper protection. Working limits in place when track fouled with equipment or is unsafe for passage - Complied	Ariguznaga, Julio (Transportation)	2018-05-17 15:15:00	William Strawn(M) Mathew CarMichael(A)	C	DGNO: West Dallas: West Dallas		
EF	PPE	PPE - Complied	Ariguznaga, Julio (Transportation)	2018-05-17 15:15:00	William Strawn(M) Mathew CarMichael(A)	C	DGNO: West Dallas: West Dallas		
EF	T-218.105-Hand-operated Main Track Switches	8.2 Position of Switches - Complied 8.3 Main Track Switches - Complied 8.4 Lining Main Track Switch - Complied	Ariguznaga, Julio (Transportation)	2018-06-14 00:32:00	Michael Stewart(M)	C	DGNO: Lewisville Industrial: Lewisville / MP 733		
EF	T-218.109-Hand-operated Fixed Derails	8.20 Derail Location and Position - Complied	Ariguznaga, Julio (Transportation)	2018-06-14 00:32:00	Michael Stewart(M)	C	DGNO: Lewisville Industrial: Lewisville / MP 733		
EF	T-218.99-Shoving or Pushing Movements	6.5 Shoving Movements - Complied	Ariguznaga, Julio (Transportation)	2018-06-14 00:32:00	Michael Stewart(M)	C	DGNO: Lewisville Industrial: Lewisville / MP 733		
EF	6.32 Road Crossings	6.32 Road Crossings - Failed	Ariguznaga, Julio (Transportation)	2018-06-28 19:00:00	Michael Grice(M)	F	DGNO: Carrollton: Carrollton / MP 603		left crossing blocked coached and counseled
EF	T-218.109-Hand-operated Fixed Derails	8.20 Derail Location and Position - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	T-218.99-Shoving or Pushing Movements	6.5 Shoving Movements - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	5.9 Headlight Display	5.9 Headlight Display - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	6.32 Road Crossings	6.32 Road Crossings - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		
EF	7.1.1 Postion of Switches & Derails (Doublecheck)	7.1.1 Postion of Switches & Derails (Doublecheck) - Complied	Ariguznaga, Julio (Transportation)	2018-07-23 02:43:00	Michael Stewart(M)	C	DGNO: East Dallas: East Dallas / MP 210.3		