EXHIBIT NO. 21E

# NATIONAL TRANSPORTATION SAFETY BOARD WASHINGTON, D.C.

Appendix 4: Tagging Instructions and Sample Wreckage and Diver Logs (4 pages)

Appendix 4: Tagging instructions and sample wreckage and diver logs



### TAGGING INSTRUCTIONS

TAG AS MANY ITEMS AS POSSIBLE WHEN LIFTED FROM WATER. ESPECIALLY IMPORTANT IS AIRCRAFT STRUCTURE AND SPECIFIC PARTS LIKE PUMPS AND CONTROLLERS.

TAG NUMBERS ARE SEQUENTIAL. RECORD THIS NUMBER ON WRECKAGE TRACKING LOGS WITH OTHER INFORMATION. ENSURE INFO MATCHES THAT BEING RECORDED BY NTSB AND FBI REPS.

TAGS ARE COLOR CODED FOR EASE IN IDENTIFYING WRECKAGE LOCATION AS FOLLOWS:

GREEN: DEBRIS FIELD 1 - NE YELLOW: DEBRIS FIELD 2 - CENTER RED: DEBRIS FIELD 3 - SW

IF YOU PICK UP DEBRIS FROM TWO DIFFERENT LOCATIONS, ENSURE THAT DEBRIS IS SEGREGATED. DO NOT MIX DEBRIS FROM DIFFERET LOCATIONS. IT IS VITAL THAT DEBRIS IS SEGREGATED. DO NOT MIX DIFFERENT TAG COLORS WHEN LOADED ONTO THE MIKE BOAT.

MULTIPLE PIECES MAY HAVE THE SAME DIVER TARGET NUMBER. THIS IS OK. EACH PIECE WILL HAVE A UNIQUE TAG NUMBER.

IF DEBRIS BREAKS APART ONCE ONBOARD, TAG EACH PIECE WITH SEQUENTIAL NUMBERS.

IF BASKET WITH SMALL PIECES COMES ABOARD, TAG LARGE PIECES AND BAG SMALLER PIECES AND TAG BAG.

WRECKAGE SHEETS WILL BE COLLECTED EACH MORNING. ENSURE A COPY IS AVAILABLE FOR PICKUP.



Th

# WRECKAGE LOG SHEET

DATE 0-4	TIME 112
TAG NUMBER A 144	
DIVE TARGET NUMBER _	LLS-138
WRECKAGE DESCRIPTION	N 2 YZF7 x IFt
light FRAMIUS	
	. 🗫
LATITUDE <u>40-38</u> 35	5.95 N
LONGITUDE 72 - 38' 3	7" -89 w of pick location

## **DIVER TARGET QUESTIONNAIRE**

TARGET NUMBER	l:	LAT:	LONG:	
DIVE BOAT:			IIZATION:	
DIVER NAME:			_	
DEPTH:	LS:	RS:	DATE:	
		TARGET DESCRIP	<u>rion</u>	
		AVIII .		
(Metal Structure/Win	ring/Piping/Mecha	nnical Components)		
Length:	Не	eight:	Width:	
YdandiGaina Niamban				
(De-1) News have (Wiese	Normaliana /Coot Do	w/Other Reference Num	nhora)	
(Part Numbers/Wire	Numbers/Seat Ro	w/Omer Reference Ivan	ioeis)	
Condition:				
(Fire Damage/Darke	ned Areas/Soot/Ir	sulation Missing/Bent)		
Documentations				
(Diver Visual/Diver	Video/ROV Vide	o/ROV Photo/Recovere	d Components/Electrical Wir	e Sample)
Describe Target:			***	
				<u></u>
Sketch Target:				

#### **Notes**

- Stay clear of oxygen bottles, round fire extinguisher bottles, springs, landing gear struts, sharp edges, door evacuation slides.
- Closely monitor bottom time and air supply.
- Remain within no-decompression dive limits.
- Alert SUPSALV Command Center when diving is secured for the day.
- Debrief SUPSALV Command Center/NTSB/FBI upon return to port.
- Safety is Paramount!

