

Above Scale = 1 nm

Sub System = 04

Range = 13, Y-Offset = 8, X-Offset = 16

Center of page Range/Bearing from Sensor 0 = 18.38/141

Range Marks at every 10 nm

ATCPLOT v2.0.58

Plotted 06-05-2006 @ 12:23:40

DATA: Tracking Data

A=N350WH 4226 010

I hereby certify this document is derived from computer recordings from

Jun 02, 2006, 14:30:00 UTC to - 06/02/06 15:00: UTC.

It is not an exact representation of the control position display.

Manager, _____

Facility _____

* = Normal Track
^ = ABC not equal RBC
c = Coasting Track

Index Time	ACQD	ACP	X Pos	Y Pos	Latitude	Longitude	Brg	Rng	Alt	Hdr	3rd	Separation	AltRng
A001	14:47:22	N360W/H	2549	-18.39	-19.01	041 06 45.14N	074 24 26.93W	224	26.45	028	000	090	
A002	14:47:26	N360W/H	2549	-18.59	-18.99	041 06 43.64N	074 24 42.82W	224	26.57	029	277	158	
A003	14:47:31	N360W/H	2556	-18.80	-18.97	041 06 41.85N	074 24 59.41W	225	26.74	030	276	165	
A004	14:47:36	N360W/H	2560	-19.01	-18.95	041 06 40.64N	074 25 16.11W	225	26.84	031	278	164	
A005	14:47:39	N360W/H	2564	-18.20	-18.95	041 06 37.64N	074 25 30.61W	224	26.98	031	273	161	
A006	14:47:44	N360W/H	2565	-18.40	-18.90	041 06 33.04N	074 25 45.61W	226	27.14	032	269	160	
A007	14:47:48	N360W/H	2570	-18.63	-18.88	041 06 28.89N	074 26 03.61W	226	27.31	033	268	161	
A008	14:47:53	N360W/H	2574	-18.84	-18.92	041 06 24.87N	074 26 18.15W	226	27.48	033	266	162	
A009	14:47:58	N360W/H	2577	-19.03	-19.03	041 06 21.07N	074 26 36.03W	227	27.64	032	264	163	
A010	14:48:02	N360W/H	2579	-19.23	-19.11	041 06 13.79N	074 26 49.33W	227	27.84	032	269	164	
A011	14:48:07	N360W/H	2581	-19.48	-19.08	041 06 12.34N	074 27 07.10W	227	27.89	028	263	165	
A012	14:48:11	N360W/H	2585	-19.73	-19.02	041 06 12.45N	074 27 28.12W	227	28.13	028	274	171	
A013	14:48:16	N360W/H	2590	-19.86	-18.97	041 06 15.15N	074 27 47.96W	228	28.20	027	269	179	
A014	14:48:21	N360W/H	2597	-19.12	-18.76	041 05 21.11N	074 28 02.72W	228	28.26	028	297	195	
A015	14:48:25	N360W/H	2602	-19.30	-18.66	041 05 25.65N	074 28 16.92W	229	28.34	028	302	181	
A016	14:48:29	N360W/H	2603	-19.44	-17.52	041 07 24.80N	074 29 21.68W	231	28.00	033	300	166	
A017	14:48:33	N360W/H	2636	-19.81	-17.34	041 07 35.73N	074 29 22.65W	232	27.86	034	003	160	
A018	14:48:37	N360W/H	2639	-19.81	-17.34	041 07 35.73N	074 29 22.65W	232	27.74	035	007	156	
A019	14:48:41	N360W/H	2641	-19.74	-17.01	041 07 35.86N	074 29 23.14W	232	27.80	035	032	160	
A020	14:48:45	N360W/H	2645	-19.70	-16.84	041 08 08.17N	074 29 24.10W	232	27.48	037	012	145	
A021	14:48:49	N360W/H	2646	-19.70	-16.66	041 08 16.95N	074 29 24.43W	232	27.39	038	010	141	
A022	14:48:53	N360W/H	2646	-19.60	-16.50	041 08 26.43N	074 29 24.85W	233	27.26	039	007	138	
A023	14:48:57	N360W/H	2651	-19.44	-16.20	041 08 44.78N	074 29 29.41W	233	27.02	038	008	131	
A024	14:49:01	N360W/H	2653	-19.23	-16.09	041 09 07.83N	074 29 33.10W	234	26.83	039	005	122	
A025	14:49:05	N360W/H	2655	-19.01	-15.82	041 09 17.82N	074 29 34.00W	234	26.78	039	004	122	
A026	14:49:09	N360W/H	2658	-18.61	-15.62	041 09 18.07N	074 29 37.88W	234	26.56	039	002	134	
A027	14:49:13	N360W/H	2663	-18.60	-15.41	041 09 31.47N	074 29 40.74W	234	26.53	039	002	137	
A028	14:49:17	N360W/H	2665	-18.41	-15.20	041 09 44.78N	074 29 43.13W	235	26.37	039	009	142	
A029	14:49:21	N360W/H	2670	-18.24	-15.02	041 09 58.04N	074 29 45.97W	235	26.22	040	012	144	
A030	14:49:25	N360W/H	2672	-18.03	-14.85	041 10 04.28N	074 29 48.53W	235	26.11	040	012	145	
A031	14:49:29	N360W/H	2678	-17.46	-14.67	041 10 14.45N	074 29 45.18W	236	26.03	039	006	145	
A032	14:49:33	N360W/H	2680	-17.23	-14.48	041 10 26.61N	074 29 45.09W	236	26.03	039	006	145	
A033	14:49:37	N360W/H	2684	-16.51	-14.31	041 10 36.26N	074 29 47.41W	236	25.87	039	051	149	
A034	14:49:41	N360W/H	2689	-16.26	-14.14	041 10 48.69N	074 30 04.10W	237	25.77	039	052	163	
A035	14:49:45	N360W/H	2692	-16.06	-13.98	041 11 01.37N	074 30 06.61W	237	25.63	040	050	163	
A036	14:49:49	N360W/H	2699	-15.83	-13.81	041 11 12.96N	074 30 09.27W	237	25.48	039	052	168	
A037	14:49:53	N360W/H	2703	-15.46	-13.70	041 11 26.61N	074 30 12.97W	237	25.28	039	052	160	
A038	14:49:57	N360W/H	2708	-15.25	-13.52	041 11 38.20N	074 29 52.57W	238	26.06	038	028	163	
A039	14:50:01	N360W/H	2709	-15.09	-13.18	041 11 48.68N	074 29 42.71W	238	24.87	038	037	165	
A040	14:50:05	N360W/H	2710	-14.95	-12.72	041 12 01.60N	074 29 36.14W	238	24.66	038	040	167	
A041	14:50:09	N360W/H	2711	-14.86	-12.66	041 12 11.72N	074 29 28.63W	238	24.46	039	043	167	
A042	14:50:13	N360W/H	2712	-14.72	-12.50	041 12 21.29N	074 29 16.97W	238	24.26	039	046	167	
A043	14:50:17	N360W/H	2713	-14.58	-12.39	041 12 31.29N	074 29 06.82W	238	24.05	039	048	167	
A044	14:50:21	N360W/H	2714	-14.44	-12.24	041 12 40.69N	074 28 56.12W	239	23.84	039	046	168	
A045	14:50:25	N360W/H	2718	-14.27	-12.07	041 13 07.44N	074 28 43.82W	239	23.62	039	040	169	
A046	14:50:29	N360W/H	2720	-14.01	-11.84	041 13 17.23N	074 28 33.17N	239	23.22	039	043	168	
A047	14:50:33	N360W/H	2721	-13.78	-11.71	041 13 28.94N	074 28 26.79W	239	23.02	039	043	168	
A048	14:50:37	N360W/H	2723	-13.64	-11.51	041 13 40.21N	074 28 18.84W	239	22.81	039	042	167	
A049	14:50:41	N360W/H	2725	-13.52	-11.45	041 13 51.21N	074 28 12.44W	240	22.63	039	040	166	
A050	14:50:45	N360W/H	2726	-13.41	-11.27	041 14 03.23N	074 28 07.19W	240	22.44	039	036	164	

Index Time ACID ACP X Pos Y Pos Latitude Longitude Bm Rnd Alt Hdg Spd Reposition Alt/Rnd

A053	14:51:49	N360WH	2731	-19.32	-11.06	041 14	15.73N	074 20	04.04W	240	27.26	039	023	185
A054	14:51:53	N360WH	2735	-19.33	-10.85	041 14	30.24N	074 20	00.50W	241	22.08	039	025	187
A055	14:51:58	N360WH	2740	-19.31	-10.70	041 14	40.53N	074 27	04.30W	241	21.90	039	029	186
A056	14:52:02	N360WH	2742	-19.01	-10.50	041 14	53.70N	074 27	50.19W	241	21.72	039	028	186
A057	14:52:07	N360WH	2746	-18.85	-10.34	041 15	04.13N	074 27	43.02W	241	21.55	039	033	185
A058	14:52:12	N360WH	2748	-18.79	-10.16	041 15	16.64N	074 27	35.31W	242	21.38	039	037	185
A059	14:52:16	N360WH	2752	-18.67	-09.98	041 15	28.74N	074 27	33.20W	242	21.17	039	032	185
A060	14:52:21	N360WH	2755	-18.66	-09.80	041 15	40.00N	074 27	27.24W	242	20.98	039	033	164
A061	14:52:26	N360WH	2759	-18.43	-09.63	041 15	52.40N	074 27	21.03W	242	20.79	039	034	164
A062	14:52:30	N360WH	2761	-18.32	-09.44	041 15	05.09N	074 27	16.95W	243	20.61	039	035	165
A063	14:52:35	N360WH	2765	-18.21	-09.29	041 15	18.38N	074 27	11.24W	243	20.42	039	030	167
A064	14:52:39	N360WH	2768	-18.07	-09.09	041 15	30.88N	074 27	02.82W	243	20.23	037	036	167
A065	14:52:44	N360WH	2771	-17.98	-08.91	041 15	43.09N	074 26	57.65W	244	20.05	036	035	167
A066	14:52:48	N360WH	2778	-17.84	-08.68	041 15	55.07N	074 26	52.55W	244	19.82	034	031	170
A067	14:52:53	N360WH	2780	-17.72	-08.49	041 15	09.40N	074 26	46.86W	244	19.64	033	034	173
A068	14:52:58	N360WH	2784	-17.55	-08.33	041 17	20.65N	074 26	38.30W	245	19.43	031	030	182
A069	14:53:02	N360WH	2785	-17.33	-08.19	041 17	31.09N	074 26	31.84W	245	19.17	031	028	182
A070	14:53:07	N360WH	2789	-17.10	-08.03	041 17	40.59N	074 26	25.78W	245	18.92	030	028	185
A071	14:53:11	N360WH	2793	-16.87	-07.84	041 17	48.76N	074 25	48.61W	245	18.59	030	026	189
A072	14:53:16	N360WH	2792	-16.65	-07.69	041 17	52.70N	074 25	37.62W	244	18.47	031	024	189
A073	14:53:21	N360WH	2779	-16.44	-07.52	041 17	59.67N	074 25	17.57W	244	18.26	030	026	187
A074	14:53:26	N360WH	2777	-16.22	-07.37	041 18	03.71N	074 24	00.65W	244	18.05	030	021	184
A075	14:53:30	N360WH	2773	-16.00	-07.18	041 18	09.30N	074 24	44.45W	244	17.83	029	021	181
A076	14:53:35	N360WH	2769	-15.79	-07.02	041 18	14.32N	074 24	38.05W	244	17.62	028	020	177
A077	14:53:39	N360WH	2769	-15.59	-07.79	041 18	19.91N	074 24	31.85W	243	17.43	028	020	173
A078	14:53:44	N360WH	2767	-15.33	-07.76	041 18	23.98N	074 24	26.03W	243	17.24	028	020	169
A079	14:53:48	N360WH	2765	-15.18	-07.72	041 18	28.61N	074 23	43.24W	243	17.03	028	021	165
A080	14:53:53	N360WH	2762	-14.98	-07.65	041 18	33.69N	074 23	38.43W	243	16.83	027	021	163
A081	14:53:58	N360WH	2760	-14.80	-07.64	041 18	38.68N	074 23	35.15W	243	16.66	028	020	160
A082	14:54:02	N360WH	2758	-14.61	-07.40	041 18	43.31N	074 23	07.10W	243	16.47	028	020	167
A083	14:54:07	N360WH	2753	-14.43	-07.67	041 18	47.84N	074 22	47.85W	242	16.30	028	020	163
A084	14:54:11	N360WH	2753	-14.26	-07.45	041 18	52.31N	074 22	36.15W	242	16.13	028	020	149
A085	14:54:16	N360WH	2752	-14.07	-07.43	041 18	57.24N	074 22	21.10W	242	15.94	028	020	147
A086	14:54:21	N360WH	2750	-13.91	-07.43	041 18	02.93N	074 22	09.60W	242	15.77	028	020	145
A087	14:54:26	N360WH	2749	-13.73	-07.38	041 19	09.49N	074 21	57.82W	242	15.59	027	021	144
A088	14:54:30	N360WH	2749	-13.58	-07.28	041 19	16.21N	074 21	46.81W	242	15.41	027	020	142
A089	14:54:35	N360WH	2750	-13.42	-07.20	041 18	23.07N	074 21	35.82W	242	15.23	027	020	140
A090	14:54:39	N360WH	2750	-13.27	-07.12	041 19	29.79N	074 21	25.61W	242	15.06	027	021	138
A091	14:54:44	N360WH	2750	-13.11	-07.03	041 19	37.24N	074 21	14.80W	242	14.88	027	021	138
A092	14:54:48	N360WH	2751	-12.95	-06.95	041 19	44.10N	074 21	03.81W	242	14.70	027	021	137
A093	14:54:53	N360WH	2751	-12.80	-06.88	041 19	50.24N	074 20	53.41W	242	14.63	027	021	137
A094	14:54:58	N360WH	2749	-12.64	-06.80	041 19	57.10N	074 20	42.42W	242	14.55	026	024	136
A095	14:55:02	N360WH	2749	-12.48	-06.71	041 20	04.54N	074 20	31.68W	242	14.37	027	023	137
A096	14:55:07	N360WH	2748	-12.33	-06.64	041 20	09.51N	074 20	20.84W	242	14.07	027	023	135
A097	14:55:12	N360WH	2748	-12.18	-06.57	041 20	16.02N	074 20	10.81W	242	13.84	028	024	134
A098	14:55:16	N360WH	2748	-12.03	-06.51	041 20	22.23N	074 20	01.00W	242	13.61	027	023	132
A099	14:55:21	N360WH	2747	-11.88	-06.44	041 20	28.51N	074 19	49.82W	242	13.43	027	023	131
A100	14:55:25	N360WH	2747	-11.76	-06.33	041 20	35.71N	074 19	41.71W	242	13.25	027	023	132
A101	14:55:30	N360WH	2749	-11.68	-06.26	041 20	42.63N	074 19	37.06W	242	13.21	027	023	131
A102	14:55:35	N360WH	2754	-11.53	-06.09	041 20	53.07N	074 19	37.82W	243	13.10	028	027	135
A103	14:55:39	N360WH	2763	-11.50	-05.90	041 21	03.08N	074 19	37.85W	243	13.01	028	024	133
A104	14:55:44	N360WH	2771	-11.54	-05.73	041 21	14.63N	074 19	39.27W	244	12.88	027	013	130

Index Time ACID ACP X Pos Y Pos Latitude Longitude Box Run Alt Hdg Spd Separation AW/Run
A157 14:59:54 MAGDMH 3089 -07.84 00.14 0412'48.05N 074 10 34.68W 271 07.84 010 037 101

Dist
Alt
Hdg
Spd

Plotted 06-05-2006 @ 12:23:40