ATTACHMENT 3

Laboratory and Toxicology Results (2)



FOR OFFICIAL USE ONLY Public availability to be determined under 5 U.S.C.552.a

> Mike Monronay Aeronautical Center Tuesday, April 02, 2013

P.O. Box 25092 Oklahoma City, Oklahoma 73125

National Transportation Safety Board Atlanta Federal Ctr, Rm 3M25, 60 Forsyth Street, SW Atlanta, GA 30303 ACCIDENT # 0033 INDIVIDUAL#: 007 NAME: TRAMMELL, RICHARD Z. DATE OF ACCIDENT 02/20/2013 DATE RECEIVED 03/20/2013 N# 777VG NTSB # ERA13MA139 LOCATION OF ACCIDENT Thomson, GA SPECIMENS Serum

MODE: AVIATION PUTREFACTION: No CAMI REF # 201300033007

FINAL FORENSIC TOXICOLOGY NON-FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NOT PERFORMED

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NO ETHANOL detected in Serum

DRUGS: Immunoassay used to screen for abused drugs. GC/Mass Spec, HPLC/Mass Spec, or GC/FTIR is used to confirm positive results. Concentrations (ug/mL) at or above those in () can be determined for the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), and barbiturates (0.060). For comprehensive information concerning these drugs see the CAMI Drug Information Web Site http://jag.cami.jccbi.gov/toxicology/.

>> NO DRUGS listed above detected in Serum

2013.04.02 10:47:07 -05'00'

Russell Lewis, Ph.D. TC, FAA, Forensic Toxicology Research Team CAMI

Page 1 of 1



FOR OFFICIAL USE ONLY Public availability to be determined under 5 U.S.C.552.a

Mike Monroney Aeronautical Center Tuesday, April 02, 2013

P.O Bo+ 25082 Oklahoma City, Oklahoma 73105

MODE: AVIATION

PUTREFACTION: No

CAMI REF # 201300033006

National Transportation Safety Board Atlanta Federal Ctr, Rm 3M25, 60 Forsyth Street, SW Atlanta, GA 30303

ACCIDENT # 0033 INDIVIDUAL#: 006 NAME: HAYDEN, JEREMY B. DATE RECEIVED 03/20/2013 DATE OF ACCIDENT 02/20/2013 NTSB # ERA13MA139 N# 777VG

LOCATION OF ACCIDENT Thomson, GA

SPECIMENS Serum

FINAL FORENSIC TOXICOLOGY NON-FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NOT PERFORMED

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NO ETHANOL detected in Serum

DRUGS: Immunoassay used to screen for abused drugs. GC/Mass Spec, HPLC/Mass Spec, or GC/FTIR is used to confirm positive results. Concentrations (ug/mL) at or above those in () can be determined for the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), and barbiturates (0.060). For comprehensive information concerning these drugs see the CAMI Drug Information Web Site http://jag.cami.jccbi.gov/toxicology/.

>> NO DRUGS listed above detected in Serum

2013.04.02 10:47:41 -05'00'

Russell Lewis, Ph.D. TC, FAA, Forensic Toxicology Research Team CAMI

Page 1 of 1