



**HUMAN PERFORMANCE FACTORS GROUP CHAIRMAN'S
FACTUAL REPORT**

Human Performance Attachment 9 - Post-Crash Toxicology Report for MTA Bus Driver

Baltimore, Maryland

HWY17MH007

(2 pages)



U.S. Department
of Transportation
**Federal Aviation
Administration**

THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15
DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM
FAA NTSB COUNSEL

Mike Monroney
Aeronautical Center

P.O. Box 25082
Oklahoma City, Oklahoma 73125

Monday, December 19, 2016

National Transportation Safety Board, Highway Safety
490 L'Enfant Plaza East, S.W.
Washington, DC 20594

ACCIDENT # 0235 INDIVIDUAL#: 001 NAME: Baker, Ebonee MODE: HIGHWAY
DATE OF ACCIDENT 11/01/2016 DATE RECEIVED 11/08/2016 PUTREFACTION: No
N # NTSB # HWY17MH007 CAMI REF # 201600235001
LOCATION OF ACCIDENT Baltimore, MD
SPECIMENS Blood, Brain, Heart, Kidney, Liver, Lung, Muscle, Spleen

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.


>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NO ETHANOL detected in Blood

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marijuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (<http://jag.cami.jccbi.gov/toxicology/>).

>> NO DRUGS listed above detected in Blood



c=US, o=U.S. Government, ou=AMC, ou=AMC,
cn=RUSSELL J LEWIS
2016.12.20 09:32:48 -06'00'

Russell Lewis, Ph.D., F-ABFT
TC, FAA, Forensic Toxicology
Research Team CAMI