

ATTACHMENT #21

**HERMAN'S ACCIDENT TRUCK REGISTRATION
INFORMATION**

(7 Pages)

06/30/2012

NEW JERSEY APPORTIONED CAB CARD
KEEP THIS CERTIFICATE IN YOUR VEHICLE

PLATE
NUMBER:

AE228E

UNIT NO. 45	YEAR 2004	MAKE MAC	ACCOUNT NUMBER NJ-01768		NJ 080000 ** * ** * ** *	DE 080000 ** * ** * ** *	MD 080000 ** * ** * ** *	PA 080000 ** * ** * ** *
VEHICLE IDENTIFICATION NUMBER 1M2AG11C54M012315		FLEET NO. 002	SUPP. NO. 0000	REG. CODE 11	** * ** * ** *	** * ** * ** *	** * ** * ** *	** * ** * ** *
TYPE TK	AXLES 4	GROSS WEIGHT 80000	FUEL D	REGISTRATION DATE 07/01/2011	** * ** * ** *	** * ** * ** *	** * ** * ** *	** * ** * ** *
		DESCRIPTION COMMERCIAL TRUCK	TRANS ID # IU201201768002000		** * ** * ** *	** * ** * ** *	** * ** * ** *	** * ** * ** *
OWNER HERMANS TRUCKING INC					** * ** * ** *	** * ** * ** *	** * ** * ** *	** * ** * ** *
CARRIER HERMAN'S TRUCKING INC 181 JACOBSTOWN-COOKSTOWN RD WRIGHTSTOWN, NJ 08562					** * ** * ** *	** * ** * ** *	** * ** * ** *	** * ** * ** *
					THE VEHICLE DESCRIBED HEREIN HAS BEEN PROPORTIONALLY REGISTERED BETWEEN THE STATE OF NEW JERSEY AND THE ABOVE JURISDICTIONS.			

000006062

CARRIER RESPONSIBLE FOR VEHICLE SAFETY
USDOT: 354713
HERMAN'S TRUCKING INC
181 JACOBSTOWN-COOKSTOWN RD
WRIGHTSTOWN, NJ 08562



This document is the property of the State of New Jersey. It may be recalled at any time if it is determined that the registrant supplied incorrect information and/or failed to pay appropriate registration fees.

This document grants registration reciprocity with the states/provinces whose two-letter postal abbreviation appears on this page. You must still comply with all other laws a state/province may have regarding intra and interstate operations.

Change of name or address must be reported in writing to the New Jersey Motor Vehicle Commission, Motor Carriers Unit, PO BOX 178, Trenton, NJ 08611-0178, within thirty(30) days.

Remember: Compulsory vehicle insurance is the law in New Jersey.



**New Jersey Motor Vehicle Commission
Chief Administrator.**

2

1768

NJ - MOTOR CARRIERS UNIT, IRP SECTION
IRP Billing Notice Summary

May 05, 2011

PAGE: 3

HERMAN'S TRUCKING INC
181 JACOBSTOWN-COOKSTOWN RD
WRIGHTSTOWN, NJ 08562CONTACT: CINDY
PHONE: (609) 758-3808
FAX: (609) 758-0040TIN NUMBER: 222275680
USDOT NUMBER: 000354713
ACCOUNT NUMBER: ----
PIN:
FLEET NUMBER: 2
SUPPLEMENT NUMBER: 0000
EXPIRATION MM/YEAR: 06/2012
NUMBER REG MONTHS: 12
EFFECTIVE DATE: 07/01/2011
INVOICE DATE: 05/05/2011
INVOICED VEHICLES: 4

***** WEIGHT GROUP NBR: 001 *****

STATE WEIGHT

NJ 80000
DE 80000
MD 80000
PA 80000

PLATE	UNIT	REG CODE	MAKE	YEAR	VIN	USDOT	FUEL	AXLES/ SEATS	CHARGE	CREDIT	NET DUE
AD934E	36	11	MAC	2001	1M2P324C91M055672	0354713	D	04/00	1,271.98	0.00	1,271.98
AD935E	37	11	MAC	1998	1M3AA15K7WW001290	0354713	D	02/00	1,271.98	0.00	1,271.98
AD935E	37	11	MAC	1998	1M3AA15K7WW001290	0354713	D	02/00	1,271.98	0.00	1,271.98
AK642P	30	11	MAC	1997	1M2AA13YXVW084420	0354713	D	03/00	1,271.98	0.00	1,271.98

TOTAL: \$5,087.92

PLEASE NOTE THAT TOTAL ON THIS VEHICLE SUMMARY IS NOT NECESSARILY THE TOTAL
AMOUNT DUE, WHICH IS STATED ON THE FIRST PAGE OF THIS BILLING NOTICE. THIS SUMMARY DOES
NOT INCLUDE ADMINISTRATIVE, CAB CARD, TOW TRUCK STICKER, OR REPLACE PLATE FEES. IN
ADDITION, THE MVC COULD APPLY CREDITS TO THE TOTAL BILLING NOTICE AND THOSE CREDITS
MAY NOT BE REFLECTED ON THIS PAGE IN THEIR ENTIRETY.

THIS ID CARD CONTAINS A BLUE BACKGROUND

IV2A (1-96)

STATE OF NEW JERSEY INSURANCE IDENTIFICATION CARD

NAME AND ADDRESS OF OFFICE ISSUING THIS CARD:

426 NEW JERSEY MANUFACTURERS INSURANCE COMPANY

301 SULLIVAN WAY

WEST TRENTON, NEW JERSEY 08628-0118

ANY ALTERATIONS WILL VOID THIS CARD

HERMAN'S TRUCKING INC
181 JACOBSTOWN COOKSTOWN RD
WRIGHTSTOWN NJ 08562

POLICY NUMBER

EFFECTIVE DATE

April 11, 2011

EXPIRATION DATE

April 11, 2012

Applicable with respect to the following Motor Vehicle:

FLEET

Year

Make

Vehicle Identification Number

D. A. Hart

Authorized Representative

SEE IMPORTANT MESSAGE ON REVERSE SIDE

AE228E NJ

DSM/Techno-Mack
APC 830000
L440000

MFD. BY: MACK Trucks
Tr
DATE OF MFR. MO. 11 YR. 03
INC. VEH. MFD. BY: Automated
Waste Equipment Co
DATE OF INC. VEH. MFR:
MO. 12 YR. 03
GVWR: 39627 KG (87360 LB)
GAWR-FRONT: 8165 KG (18000 LB)
GAWR INTERMEDIATE (1): 9072 KG (20000 LB)
GAWR INTERMEDIATE (2): 11195 KG (24680 LB)
GAWR-REAR: 11195 KG (24680 LB)
THIS VEHICLE CONFORMS TO ALL APPLI-
CABLE U.S.A. FEDERAL MOTOR VEHICLE
SAFETY STANDARDS IN EFFECT IN:
MO. 12 YR. 03
VEHICLE IDENTIFICATION NUMBER:
1M2AG11C54M012315
VEHICLE TYPE: Truck

SUITABLE TIRE-RIM CHOICE
FRONT: 385/65R22.5 TIRES,
22.5 X 12.25 RIMS, @ 827 KPA,
(120 PSI) COLD Single
INTERMEDIATE (1): 11R24.5 TIRES,
24.5 X 8.25 RIMS, @ 758 KPA,
(110 PSI) COLD DUAL
INTERMEDIATE (2): 11R24.5 TIRES,
24.5 X 8.25 RIMS, @ 758 KPA,
(110 PSI) COLD DUAL
REAR: 11R24.5 TIRES,
24.5 X 8.25 RIMS, @ 758 KPA,
(110 PSI) COLD DUAL



2. DATE: 11/2003

3. VEHICLE IDENTIFICATION NUMBER:

1M2AG11C54M012315

4. GVWR:

30555 KG

GAWRTIRESRIMS

(67360 LB)

5. FRONT:	8165 KG	(18000 LB) WITH	385/65R22.5J	, 22.5 X 12.25	, AT	827 KPA	(120 PSI) COLD	SINGLE
1ST INT.:	11195 KG	(24680 LB) WITH	11R24.5 H	, 24.5 X 8.25	, AT	758 KPA	(110 PSI) COLD	DUAL
2ND INT.:	KG	(LB) WITH		,	, AT	KPA	(PSI) COLD	
3RD INT.:	KG	(LB) WITH		,	, AT	KPA	(PSI) COLD	
REARMOST:	11195 KG	(24680 LB) WITH	11R24.5 H	, 24.5 X 8.25	, AT	758 KPA	(110 PSI) COLD	DUAL

6. VEHICLE TYPE: TRUCK

SEQ. NO.:

7. This incomplete vehicle was manufactured to conform to applicable

UNITED STATES

Motor Vehicle Safety Standards in effect on its date of manufacture shown above. Those Standards to which it complies in full are preceded in the MVSS list by an asterisk (*).

8. **MVSS 121**

The ratio, composed of the height of the center of gravity of the chassis, body, and payload, measured from ground level, divided by the wheelbase of the incomplete vehicle, if equipped with an air brake system by the incomplete vehicle manufacturer, shall not exceed .429

9. ***MVSS 101:**

This incomplete vehicle, when completed, will conform to Standard 101-Controls and Displays, if no alterations are made to driver operated controls, their identification and means of illumination, or to the location of the driver's seat or sun visor.

***MVSS 102:**

This incomplete vehicle, when completed, will conform to Standard 102- Transmission Shift Lever Sequence, if no alterations are made to the transmission, shift control or accelerator control.

***MVSS 103:**

This incomplete vehicle, when completed, will conform to the applicable sections of Standard 103- Windshield Defrosting and Defogging Systems, if no alterations are made to the heating and/or defrosting / defogging system(s).

***MVSS 104:**

This incomplete vehicle, when completed, will conform to Standard 104-Windshield Wiping and Washing Systems, if no alterations are made to the

***MVSS 106:**

This incomplete vehicle, when completed, will conform to Standard 106-Brake Hoses, if no alterations are made to the brake hoses, brake hose end fittings, or brake hose assemblies supplied with the incomplete vehicle; or no brake hose assemblies are added to the basic brake system.

MVSS 108:

Conformity with Standard 108-Lamps, Reflective Devices, and Associated Equipment, is not determined by the incomplete vehicle, since the incomplete vehicle does not include devices normally supplied with the body. Lamps, reflective devices, and associated equipment installed on the incomplete vehicle are in conformance with applicable requirements of Standard 108. Final conformance may require relocation of some devices installed on the incomplete vehicle. Increasing the height of the incomplete vehicle may cause installed lamps and/or reflectors to exceed the height limitations of Standard 108.

***MVSS 111:**

This incomplete vehicle, when completed, will conform to Standard 111-Rearview Mirrors, if no alterations or additions are made to the mirror assemblies, their location or mounting structures.

***MVSS 113:**

This incomplete vehicle, when completed, will conform to Standard 113- Hood Latch System, if no alterations are made in the hood latching system or components.

***CANADA MVSS 115:**

This incomplete vehicle, when completed, will conform to Standard 115-Vehicle Identification Number, if no alterations are made to the vehicle identification number stamped into the frame right-hand side rail.

***MVSS 116:**

This incomplete vehicle, when completed, will conform to Standard 116- Motor Vehicle Brake Fluid, when the incomplete vehicle is equipped with hydraulic brake components by the incomplete vehicle manufacturer and brake fluid is neither changed nor added. If the incomplete vehicle is not originally equipped with hydraulic brake components, the incomplete vehicle manufacturer makes no representation as to conformity with the standard.

NOTICE

For recommendations concerning additions to or modifications of this incomplete vehicle, please consult the Mack Body Installer's Guide for Class 8 Chassis (Service Manual # 1-001), available through Mack Service and Parts Dealers.

Intermediate and final stage manufacturers are responsible for any additional equipment they add to the incomplete vehicle. The weight of and/or location of an added body, associated equipment and the body's intended payload must NOT cause any GAWR's and/or the final GVWR to be exceeded.

4MR2668B
(Rev. 12/02)

American Roll-Off

Roll-Off Time

Hours

Order Number 6814 Product Roll-Off Dealer Trenton Mack
Job Number 10000 Model ARO-75-22-XT Customer D.J.M.
Type Roll-Off Drawing 11-000D Lift cylinder 110-300

Chassis

Make Mack CA 181
Model CV713 Year 2004
Transmission T310M
VIN 012315 Color Red
Dealer Trenton Mack

Lift Axle

Make Neway
Model ART505C1
Wheel Size 10 Hole Hub Piloted
Tires 11R 24.5
Axle # 31.5 in. chassis

Fender

Type Tandem Steel Dia.
Options Triaxle; Single over Axle;

Paint

Color Black
Paint Code 99A

Special Instructions

Hydraulic

PTO TG6S-M6507-A1KX
Adapter
Engine Speed 103 Location Right
Air Mounted
Pump P-50 Direct Mount
Valve V-42 3 sections
Inside Control 2 handles
Cable Length 84

Options

ICC Bumper Auto Folding ICC Bumper
Pintle Hook
Tool Box Regular - Steel
Tarp Cover Leave room
Other options
rear container winch 2

Subframe 195" XT Saddle 195
Hinge Cut 46-54 Tail 69
Bumper Down 2"

Date 12/05/2003 Start Date

Finish Date

Serial Number

(7)