

Attachment 11. Cotter Pin Reference

DCA12MA020 Maintenance Factual Report

00

COTTER PINS

FOR REFERENCE ONLY

Legend → Letter CA = S.S. (if you have existing stock with the letter AA that = alloy = ok
23310 is the basic number CA = stainless steel

Next 3 digits = diameter in MM

Example 010 = 1 mm or 1/32"

Example 040 = 4 mm or 5/32"

Last three digits = length in MM example 012 mm = 12 mm or about 1/2 inch long
length in MM example 025 mm = 25 mm or about 1 inch

100 Each Minimum Order on Cotter Pins

THE PINS IN BLUE ARE THE MOST COMMON USED PINS AND RECOMMENDED

EN 2367-37036 Spherical Stop Cotter Pins

1/32 inch (1 mm)

23310CA010010

23310CA010012

23310CA010015

23310CA010020

23310CA010025

1/16 inch (1.5 mm)

23310CA015012

23310CA015015

23310CA015020

23310CA015025

23310CA015030

5/64 inch (2 mm)

23310CA020015

23310CA020020

23310CA020025

23310CA020030

23310CA020035

23310CA020040

3/32 inch (2.5 mm)

23310CA025020

23310CA025025

23310CA025030

23310CA025035

23310CA025040

1/8 inch (3 mm)

23310CA030020
23310CA030025
23310CA030030
23310CA030035
23310CA030040

5/32 inch (4 mm)

23310CA040035
23310CA040040
23310CA040050

3/16 inch (5 mm)

23310CA050060