

**Attachment 28. Sundance Helicopters, Inc., Maintenance Record Status**

**DCA12MA020 Maintenance Factual Report**

8-Dec-11

Serial # 2300  
Model AS350B2

HOBBS 1755.2  
AIRCRAFT T/T 25216.5  
ENGINE T/T 7400.0

AIRFRAME FLTS 61405  
NP CYCLES 7845  
NG CYCLES 9667.20

Acft. Date of Mfr. = 12/5/1989 B2 CONVERSION 04/12/08

**37SH**

COMPONENT NAME	PART #	SERIAL #	SVC LIFE	UNIT	EVT	CMPNT TSO CSO	CMPNT TSO/CSO @ INSTL	ENGINE HRS/CYC @ INST	HRS/CYC SINCE INSTL	REMOVE @ ENG HRS/CYC	HRS/CYC REMAIN	NOTES
ARRIEL 1D1	0292005220	9043	OC	HR	OC	N/A	0.0	7400.0	0.0	N/A	N/A	AFTT: 25216.5
			OC	CY	OC	N/A	0.0	9667.20	0.00	N/A	N/A	Installed 12/08
FUEL CONTROL	0164548720	1049M	3000	HR	OH	800.0	0.0	6600.0	800.0	9600.0	2200.0	
FCU CHARACTERISTICS CHECK			500	HR	IN	0.0	0.0	7400.0	0.0	7900.0	500.0	
FREEWHEEL SHAFT	0292907680	2650B	3600	HR	OH	2197.3	1709.3	6912.0	488.0	8802.7	1402.7	
MO1 ACCESS GEARBOX	70BM015420	9043	3600	HR	IN	833.4	0.0	6566.6	833.4	10166.6	2766.6	
			15	YR	OH		Aug-00			Aug-15	1344	
MO2 AXIAL COMPRESSOR	70BM025020	2835	7200	HR	OH	833.4	0.0	6566.6	833.4	13766.6	6366.6	
			3600	HR	IN	833.4	0.0	6566.6	833.4	10166.6	2766.6	
			15	YR	OH		Feb-08			Feb-23	4081	
			400	HR	IN	0.0	0.0	7400.0	0.0	7800.0	400.0	
AXIAL COMPRESSOR WHEEL	2292152810	1143FB	14000	CY	RT	10374.50	9388.30	8681.00	986.20	13292.70	3625.50	
MO3 GAS GENERATOR	70BM035420	9778	3600	HR	OH	833.4	0.0	6566.6	833.4	10166.6	2766.6	
			15	YR	OH		Feb-08			Feb-23	4081	
REMOVE/CLEAN/INSTALL OIL SCAVENGE TUBE			1000	HR	IN	0.0	0.0	7400.0	0.0	8400.0	1000.0	
BORESCOPE COMBUST CHAMBER POST TU-244			500	HR	IN	0.0	0.0	7400.0	0.0	7900.0	500.0	
CENT COMP WHL/INDUCER			N/A	CY	RT	N/A	0.00	0.00	N/A	N/A	N/A	
COMPRESSOR IMPELLER	0292252930	785OTT	14000	CY	RT	9706.20	8720.00	8681.00	986.20	13961.00	4293.80	
COMPRESSOR INJECTION WHEEL	0292254010	1395XG	10000	CY	RT	6172.89	5186.69	8681.00	986.20	13494.31	3827.11	
1ST STAGE TURBINE DISK	0292253240	ADE2166YC	10000	CY	RT	3936.10	2949.90	8681.00	986.20	15731.10	6063.90	
1ST STAGE TURBINE BLADES	229225A1K0	334	12000	CY	RT	986.20	0.00	8681.00	986.20	20681.00	11013.80	
1ST STAGE TURBINE BLADES			6000	HR	RT	833.4	0.0	6566.6	833.4	12566.6	5166.6	
2ND STAGE TURBINE DISK	0292253250	E791AD	10000	CY	RT	986.20	0.00	8681.00	986.20	18681.00	9013.80	
2ND STAGE TURBINE BLADES	029225A1J0	RK1	10000	CY	RT	986.20	0.00	8681.00	986.20	18681.00	9013.80	
2ND STAGE TURBINE BLADES			1500	HR	RT	833.4	0.0	6566.6	833.4	8066.6	666.6	
MO4 FREE TURBINE	70BM045400	9226	7200	HR	OH	833.4	0.0	6566.6	833.4	13766.6	6366.6	
			3600	HR	IN	833.4	0.0	6566.6	833.4	10166.6	2766.6	
			15	YR	OH		Feb-08			Feb-23	4081	
FREE TURBINE DISK	2292802500	ADL0189WY	10000	CY	RT	887	0	6958	887	16958	9113	
MO5 REDUCTION GEAR	70BM055420	9509	3600	HR	OH	1252.1	764.1	6912.0	488.0	9747.9	2347.9	
			15	YR	OH		May-11			May-26	5278	
BLEED VALVE	9550161210	9198	O/C	YR	OH		Jan-00			O/C	N/A	
START/DRAIN VALVE	0174078030	306	10	YR	OH		Feb-08			Feb-18	2256	
DRAIN VALVE	0174126090	B42B	10	YR	OH		Dec-03			Dec-13	742	

COMPONENT NAME	PART #	SERIAL #	SVC LIFE	UNIT	EVT	CMPNT TSO CSO	CMPNT TSO/CSO @ INSTL	ACFT HRS/CYC @ INST	HRS/CYC SINCE INSTL	REMOVE @ ACFT HRS/CYC	HRS/CYC REMAIN	NOTES	
M/R BLADE	355A11-0020-11	9145	20000	HR	RT	16595.0	14711.1	23332.6	1883.9	28621.5	3405.0		
	355A11-0020-11	9146	20000	HR	RT	16439.8	14555.9	23332.6	1883.9	28776.7	3560.2		
	355A11-0020-11	9639	20000	HR	RT	13373.7	11489.8	23332.6	1883.9	31842.8	6626.3		
BLADE HORN	350A31-1877-02X	M8197	80000	HR	RT	25216.5	0.0	0.0	25216.5	80000.0	54783.5		
	350A31-1877-02X	M8217	80000	HR	RT	25216.5	0.0	0.0	25216.5	80000.0	54783.5		
	350A31-1877-02X	M8221	80000	HR	RT	25216.5	0.0	0.0	25216.5	80000.0	54783.5		
ANTI VIB ASSY	350A31-0033-06	1566	3000	HR	IN	2663.4	0.0	22553.1	2663.4	25553.1	336.6	PG# 3391	
ROTOR SHAFT	350A37-1290-02	M3745	20000	HR	RT	25216.5	0.0	0.0	25216.5	20000.0	N/A		
			160000	CY	RT	61405	0	0	61405	160000	98595		
			6	YR	IN	951	May-09	May-09	951	Apr-15	1239	C/W @ every 6	
MRH ATTACHMENT BOLTS	350A37-1244-20	88622	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1244-20	91081	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1244-20	91770	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1244-20	93654	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1244-20	94294	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1244-20	94346	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1245-20	84136	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1245-20	84634	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1245-20	84737	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1245-20	84800	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1245-20	84931	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
	350A37-1245-20	85554	3000	HR	RT	1540.6	0.0	23675.9	1540.6	26675.9	1459.4	PO# 8065	
M/R STARFLEX	350A31-1917-01	M6299	2400	HR	RT	1151.3	0.0	24065.2	1151.3	26465.2	1248.7	PO# 8524	
SLEEVE LOWER	350A31-1850-02	M22108	4400	HR	RT	4135.7	0.0	21080.8	4135.7	25480.8	264.3	PO# 5937	
	350A31-1850-02	M22152	4400	HR	RT	4135.7	0.0	21080.8	4135.7	25480.8	264.3	PO# 5937	
	350A31-1850-02	M22326	4400	HR	RT	4135.7	0.0	21080.8	4135.7	25480.8	264.3	PO# 5937	
SLEEVE UPPER	305A31-1850-03	M19358	4400	HR	RT	4135.7	0.0	21080.8	4135.7	25480.8	264.3	PO# 5937	
	305A31-1850-03	M21965	4400	HR	RT	4135.7	0.0	21080.8	4135.7	25480.8	264.3	PO# 5937	
	305A31-1850-03	M22038	4400	HR	RT	4135.7	0.0	21080.8	4135.7	25480.8	264.3	PO# 5937	
SPHER BRG BOLT	350A31-1854-21	25502	3000	HR	RT	847.4	0.0	24369.1	847.4	27369.1	2152.6	PO# 8441	
	350A31-1854-21	46946	3000	HR	RT	847.4	0.0	24369.1	847.4	27369.1	2152.6	PO# 8441	
	350A31-1854-21	47046	3000	HR	RT	847.4	0.0	24369.1	847.4	27369.1	2152.6	PO# 8441	
	350A31-1854-21	46931	3000	HR	RT	847.4	0.0	24369.1	847.4	27369.1	2152.6	PO# 8441	
	350A31-1854-21	47040	3000	HR	RT	847.4	0.0	24369.1	847.4	27369.1	2152.6	PO# 8441	
	350A31-1854-21	46370	3000	HR	RT	847.4	0.0	24369.1	847.4	27369.1	2152.6	PO# 8441	
FREQUENCY ADAPTER	704A33-640-100	01107		O/C	HR	O/C	N/A	0.0	21918.3	3298.2	N/A	N/A	PO# 6108
	704A33-640-100	01093		O/C	HR	O/C	N/A	0.0	21918.3	3298.2	N/A	N/A	PO# 6108
	704A33-640-100	01097		O/C	HR	O/C	N/A	0.0	21918.3	3298.2	N/A	N/A	PO# 6108
SPHERICAL THRUST BEARING	704A33-633-208	LK15767	6400	HR	RT	688.2	0.0	24528.3	688.2	30928.3	5711.8	PO# 8743	
	704A33-633-208	LK15661	6400	HR	RT	688.2	0.0	24528.3	688.2	30928.3	5711.8	PO# 8743	
	704A33-633-208	LK15515	6400	HR	RT	688.2	0.0	24528.3	688.2	30928.3	5711.8	PO# 8743	
SWASHPLATE BEARING	704A33-651-158	NR 7136	4800	HR	RT	3969.8	0.0	21246.7	3969.8	26046.7	830.2	PO# 4370	
BEVEL RED GEAR	350A32-0300-04	M2113	3800	HR	OH	621.2	261.0	24856.3	360.2	28395.3	3178.8	PO# L46	
MGB BOTTOM CASING	350A32-3119-03	M4299	20000	HR	RT	7790.7	7430.5	24856.3	360.2	37425.8	12209.3		
BEVEL PINION	350A32-3173-20	L880	20000	HR	RT	621.2	261.0	24856.3	360.2	44595.3	19378.8		
BEVEL WHEEL	350A32-3165-20	M929	20000	HR	RT	621.2	261.0	24856.3	360.2	44595.3	19378.8		

OIL PUMP ASSY	350A32-0400-00	M2218	3800	HR	OH	621.2	261.0	24856.3	360.2	28395.3	3178.8	PO# L46
EPICYCLIC REDUCTION GEAR	350A32-0110-00	M1336	3800	HR	OH	360.2	0.0	24856.3	360.2	28656.3	3439.8	PO# L46
PLANET GEAR CAGE	350A32-1089-21	CUR 00133	68700	CY	RT	552	0	60853	552	129553	68148	
PLANETARY GEAR	350A32-1082-03	L26302	20000	HR	RT	4141.9	3781.7	24856.3	360.2	41074.6	15858.1	
	350A32-1082-03	L26078	20000	HR	RT	4141.9	3781.7	24856.3	360.2	41074.6	15858.1	
	350A32-1082-03	L26300	20000	HR	RT	4141.9	3781.7	24856.3	360.2	41074.6	15858.1	
	350A32-1082-03	L26303	20000	HR	RT	4141.9	3781.7	24856.3	360.2	41074.6	15858.1	
	350A32-1082-03	L26301	20000	HR	RT	4141.9	3781.7	24856.3	360.2	41074.6	15858.1	
HYD DRIVE BEARING	704A33651206	R/N A7553	3600	HR	RT	169.2	0.0	25047.3	169.2	28647.3	3430.8	PO# 8849
			6	YR	RT	48	Oct-11	Oct-11	48	Oct-17	2142	
		Grease	100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0	
HYD DRIVE BELT	704A33-690-008	N/A	1500	HR	RT	541.8	0.0	24674.7	541.8	26174.7	958.2	PO# 9002
			6	YR	RT	120	Aug-11	Aug-11	120	Aug-17	2070	
HYD DRIVE BELT	704A33-690-004	N/A	600	HR	RT	25216.5	0.0	0.0	25216.5	600.0	N/A	NOT INSTALL
AIR CONDITIONING BELT	6005	N/A	1500	HR	RT	541.8	0.0	24674.7	541.8	26174.7	958.2	PO# 7267
SERVO, DUNLOP, F/A	AC67246	BX264	1800	HR	OH	0.0	0.0	25216.5	0.0	27016.5	1800.0	PO# 9048
SERVO, DUNLOP, LAT	AC67244	QG 450	1800	HR	OH	751.2	0.0	24465.3	751.2	26265.3	1048.8	PO# 8328
SERVO, DUNLOP, LAT	AC67244	QJ 254	1800	HR	OH	751.2	0.0	24465.3	751.2	26265.3	1048.8	PO# 8328
SERVO, DUNLOP, T/R	AC67032	DK287	1800	HR	OH	0.0	0.0	25216.5	0.0	27016.5	1800.0	PO# 9048
T/R D/S BEARINGS	704A33-651-181	N/A	3600	HR	RT	1540.6	0.0	23675.9	1540.6	27275.9	2059.4	PO# 7756
			60	MO	RT	341	Jan-11	Jan-11	341	Jan-16	1489	
LIGHT ALLOY TUBE	350A34-0210-06	M5540	10500	HR	RT	2553.4	0.0	22663.1	2553.4	33163.1	7946.6	PO# 7261
T/R GEARBOX ASSY	350A33-0200-05	MA 1987	3000	HR	OH	1687.1	267.6	23797.0	1419.5	26529.4	1312.9	Removed from
T/R GBX CASING	350A33-1090-02	MA02809	20000	HR	RT	11067.7	9648.2	23797.0	1419.5	34148.8	8932.3	
T/R GBX PINION GEAR	350A33-1000-21	L10603	4700	HR	RT	1687.1	267.6	23797.0	1419.5	28229.4	3012.9	
T/R GBX BEVEL WHEEL	350A33-1001-21	L10049	14000	HR	RT	1687.1	267.6	23797.0	1419.5	37529.4	12312.9	
T/R GBX SHAFT	350A33-1090-01	M 1401	20000	HR	RT	4074.0	2654.5	23797.0	1419.5	41142.5	15926.0	
T/R BLADE ASSY	355A12-0040-14	17203	4000	HR	RT	2595.7	0.0	22620.8	2595.7	26620.8	1404.3	PO# 7261
PITCH CHANGE SPIDER ASSY	350A33-2030-00	MA2073	O/C	HR	O/C	N/A		23797.0	N/A	O/C	O/C	FROM 345SH
PITCH CHANGE BEARING	704A33-651-210	NR4994	3000	HR	RT	2798.3	1378.8	23797.0	1419.5	25418.2	201.7	FROM 345SH
			Grease	100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0
BOOST PUMP	1C45-4	9B079	O/C	HR	O/C	3031.2	0.0	22185.3	3031.2	O/C	O/C	PO# 6571
	1C45-4	7BA9	O/C	HR	O/C	348.9	0.0	24867.6	348.9	O/C	O/C	PO# 8868
S/GEN APC	150SG122Q	10814	1600	HR	OH	947.3	0.0	24269.2	947.3	25869.2	652.7	PO# 2127
S/GEN AUXILEC	524-031	-	0	HR	OH			NOT INSTALLED			N/A	
S/GEN BEARING REPLACE		-	0	HR	RT			NOT INSTALLED			N/A	
S/GEN BRUSHES REPLACE		-	0	HR	RT			NOT INSTALLED			N/A	
ELEMENT, FDC ENGINE AIR FILTER	1350A2-1	05573	4500	HR	RT	3490.7	0.0	21725.8	3490.7	26225.8	1009.3	PO# 6400
HYDRAULIC HOSE REPLACEMENT			5000	HR	OTL	4882.6	0.0	20333.9	4882.6	25333.9	117.4	
			6	YR	OTL	1096	Dec-08	Dec-08	1096	Dec-14	1094	

INSPECTIONS			SVC LIFE	UNIT	EVT	TSI/TSO	CALENDAR START	INSP or INST @	DAYS SINCE INSP / INST	DATE DUE	DAYS REMAIN	NOTES	
ELT BATTERY	452-0133				RT					Nov-13	723	C406-1HM EL	
ELT INSTALLATION / FUNCTION TEST (FAR 91.207 (d))			500	HR	IN	81.0	0.0	25135.5	81.0	25635.5	419.0		
			12	MO	IN	27	Nov-11	Nov-11	27	Nov-12	339		
TRANSPONDER INSPECT	GTX-330 011-00455	84131993	24	MO	IN	479	Aug-10	Aug-10	479	Aug-12	253	CERT BY HSN	
FIRE EXTINGUISHER	WEIGHT CHECK	s/n WW-155938	12	MO	IN	156	Jul-11	Jul-11	156	Jul-12	210		
	HYDRO		72	MO	IN	2048	Apr-06	Apr-06	2048	May-12	148		
	RETIRE		144	MO	RT	2048	Apr-06	Apr-06	2048	May-18	2344		
BATTERY, CONCORDE, LEAD ACID	RG-390E	40416401	1800	HR	RT	757.9	0.0	24458.6	757.9	26258.6	1042.1	PO# 8900	
			24	MO	RT	158	Jul-11	Jul-11	158	Jul-13	574		
BATTERY, SAFT, NICAD	4606-4												
			3	MO	IN		Jan-00	Jan-00	40885	Mar-00	N/A		NOT INSTALL
			42	MO	IN		Jan-00	Jan-00	40885	Dec-00	N/A		NOT INSTALL
		TEMP SENSOR	500	HR	IN	25216.5	0.0	0.0	25216.5	500.0	N/A	NOT INSTALL	
CARGO HOOK	528-023-01		36	MO	OH		Jun-04	Jun-04	2717	Jul-07	N/A	NOT INSTALL	
			42	MO	IN		Jan-05	Jan-05	2528	Jan-06	N/A	NOT INSTALL	
SWING COMPASS			12	MO	IN	85	Sep-11	Sep-11	85	Sep-12	281		
A/C WEIGHING			24	MO	IN	732	Jul-09	Jul-09	870	Jul-11		Fire Contract F	
PILOT RESTRAINTS-AUTO FLUG	4091-1-011-2396	AMSAFE	10	YR	RT	1529	Oct-07	Oct-07	1514	Sep-17	2121	PO# 3883	
FRONT SEAT	91686331315010		10	YR	RT	1731	Mar-07	Mar-07	1731	Mar-17	1919		
AFT PASSENGER 4 EA.	0344814		10	YR	RT	1731	Mar-07	Mar-07	1731	Mar-17	1919		
FLEX HOSE REPLACEMENT			10	YR	RT	2645	Sep-04	Sep-04	2645	Sep-14	1005		
HEATER LINE			12	YR	RT	3619	Jan-02	Jan-02	3619	Jan-14	761		
INSPECTIONS			SVC LIFE	UNIT	EVT	TSI	TSI @ Insp	LAST INSP	TSI	DUE @ AFTT	HRS REMAIN	NOTES	
30 HOUR INSPECTION			30	HR	IN	0.0	0.0	25216.5	0.0	25246.5	30.0		
100 HOUR INSPECTION			100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0		
500 HOUR INSPECTION			500	HR	IN	81.0	0.0	25135.5	81.0	25635.5	419.0		
2400 HOUR INSPECTION			2400	HR	IN	169.2	0.0	25047.3	169.2	27447.3	2230.8		
2500 HOUR INSPECTION			2500	HR	IN	541.8	0.0	24674.7	541.8	27174.7	1958.2		
3000 HOUR INSPECTION			3000	HR	IN	81.0	0.0	25135.5	81.0	28135.5	2919.0		
5400 HOUR INSPECTION			5400	HR	IN	4882.6	0.0	20333.9	4882.6	25733.9	517.4		
12 YEAR INSPECTION AIRFRAME			144	MO	IN	2316	Aug-05	Aug-05	2316	Aug-17	2076		
MANDATORY BULLETINS			SVC LIFE	UNIT	EVT	TSI	TSI @ Insp	LAST INSP	TSI	DUE @ AFTT	HRS REMAIN	NOTES	
AD 2000-25-08 /SB 05-00-28					IN	N/A BY P/N							
AD 98-24-35			30	HR	IN	SEE SUNDANCE 30 HOUR CHECKLIST							
SB 05-00-08 PARA 1C2b			100	HR	IN	SEE SUNDANCE 100 HOUR CHECKLIST							
SB 05-00-08 PARA 1C2			500	HR	IN	SEE SUNDANCE 500 HOUR CHECKLIST							
SB 05.18 1C(2)			500	HR	IN	SEE SUNDANCE 500 HOUR CHECKLIST							
SB 05.11 R5 1.C.2			30/500	HR	IN	SEE SUNDANCE 30/500 HOUR CHECKLIST							
SB 05.00.33				HR	IN	One time only							
AD 2001-04-14			2500	HR	IN	541.8	0.0	24674.7	541.8	27174.7	1958.2		
			6	YR	IN	120	Aug-11	Aug-11	120	Aug-17	2070		
AD 2000-20-19 / SB 01.17a cc.3			500	HR	IN	81.0	0.0	25135.5	81.0	25635.5	419.0		
AD 2003-12-14			400	HR	IN	0.0	0.0	7400.0	0.0	7800.0	400.0		
AD2004-05-23			100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0		
AD 2007-06-15			110	HR	IN	0.0	0.0	25216.5	0.0	25326.5	110.0		

SERVICE REQUIREMENTS			SVC LIFE	UNIT	EVT	TSI	TSI @ Insp	LAST INSP	TSI	DUE @ AFTT	HRS REMAIN	DATE
ENGINE OIL	Mobil 254		300	HR	RT	0.0	0.0	25216.5	0.0	25516.5	300.0	
MAIN GEARBOX	Mobil 254		500	HR	RT	81.0	0.0	25135.5	81.0	25635.5	419.0	
TAIL ROTOR GEARBOX	Mobil 254		500	HR	RT	81.0	0.0	25135.5	81.0	25635.5	419.0	
HYDRAULIC FLUID	MIL-H-83282		1000	HR	RT	81.0	0.0	25135.5	81.0	26135.5	919.0	
<del>FACET SCAVENGE FILTER REPLACEMENT AND BYPASS</del>			400	HR	RT	25216.5	0.0		25216.5	400.0	N/A	NOT INSTALL
<del>MICHIGAN DYNAMICS FUEL FILTER REPLACEMENT &amp; BYPASS</del>			500	HR	RT	25216.5	0.0		25216.5	500.0	N/A	NOT INSTALL
SPECIAL INSPECTIONS						LAST INSP	DATE					NOTES
FDC 100 Inspection			100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0	
FDC 300 / Annual Inspection			300	HR	IN	0.0	0.0	25216.5	0.0	25516.5	300.0	
TAIL BOOM MOUNTED BATTERY	STC00422NY		100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0	
IFS AIR-CONDITIONER			100	HR	IN	0.0	0.0	25216.5	0.0	25316.5	100.0	
SB 63.00.11	GIMBAL CHECK					11728.5	?	C/W @ THIS TIME				
ASB 55.00.12	REPLACEMENT OF VERT STAB ATTACH BOLTS					15994.2	?	C/W @ THIS TIME				
AD 2007.06.15	HYD DRIVE MOD					17738.7	?	C/W @ THIS TIME				
ASB 29.00.10	HYD HOSE REPLACEMENT					20333.9	12/04/08	C/W @ THIS TIME				
REGISTRATION REQUIREMENTS												NOTES
AIRCRAFT REGISTRATION										Jan-14	785	
406 MHz ELT REGISTRATION										Jan-13	407	
SUNDANCE EXCLUSIVE ITEMS NOTE: THESE ITEMS ARE NOT REQUIRED BY THE MANUFACTURER OR THE FAA			FREQ	UNIT	EVT	CMPNT TSO CSO	CMPNT TSO/CSO @ INSTL	ACFT HRS/CYC @ INST	HRS/CYC SINCE INSTL	REMOVE @ ACFT HRS/CYC	HRS/DAY REMAIN	NOTES
TRACK & BALANCE			500	HR	RT	25216.5	0.0	0.0	25216.5	500.0	N/A	
BEARINGS, FREQ ADAPTER (3 ea)			1200	HR	RT	5049.2	0.0	20167.3	5049.2	21367.3	N/A	PO# 5111
TIE-DOWN, M/R			1100	HR	IN	25216.5	0.0	0.0	25216.5	1100.0	N/A	
ACFT COMPONENT S/N CHECK			1100	HR	IN	25216.5	0.0	0.0	25216.5	1100.0	N/A	
LEAK CK, PITOT/STATIC SYSTEM			12	MO	IN		Aug-04	Aug-04	2656	Aug-05	N/A	