

#### INSPECTION / MAINTENANCE RECORD

FAA CRS GR4R216M / Savannah, GA

Page 1 of 2

MODEL: G-IV

SERIAL NO.: 1399

REGISTRATION NO.: N121JM WORK ORDER NO.: SC335771 ACTT: 4696.4 ACTL: 2573

DATE STARTED: 09/03/2013 DATE COMPLETED: 09/20/2013

Reference the Inspection / Maintenance Record Attachment for Gulfstream CMP Codes that were accomplished under the above work order.

Updated the Equipment List section of the Weight and Balance Manual.

Weight and Balance data has been revised and inserted into the Weight and Balance Manual.

The weight and balance change to the aircraft is negligible.

Reference FAA Form 337, dated 09/20/2013, for pertinent details and approved technical data of major alterations and/or major repairs accomplished under this work order.

Performed Pilot and Co-Pilot Pitot/Static and Digital Air Data Computer functional and leak tests in accordance with the G-IV Maintenance Manual Chapter 34-01-00, (CMP 341074 and 341094) and inspected the area around the left and right primary static ports as outlined in G-IV Maintenance Manual Chapter 53-20-00 (GAC CMP 533010) which meets the requirements of Federal Aviation Regulations 91.411, FAR 91 Appendix G and FAR 43 Appendix E for all Reduced Vertical Separation Minimums (RVSM) certified aircraft.

Date of Inspection and Calibration: 09/18/2013

Static/Altimeter and Automatic Altitude Reporting System(s) tests were performed in accordance with FAR 43, Appendix E, Paragraph (a), (b), (c) as required by FAR 91.411 and FAR 91 Appendix G for all Reduced Vertical Separation Minimums (RVSM) certified aircraft.

Standby Altimeter:

Part No.: 64111-952-1

Serial No.: 4085

Certified to 50,000 feet

Date Tested: 09/15/2013

Next Due: 09/2015

Next Due: 09/2015

No. 1 Digital Air Data Computer:

Part No.: 7000700-984

Serial No.: 99118571

Certified to 50,000 feet

Date Tested: 09/15/2013

Next Due: 09/2015

No. 2 Digital Air Data Computer:

Part No.: 7000700-984

Serial No.: 99118574

Certified to 50,000 feet

Date Tested: 09/15/2013

Next Due: 09/2015

ATC transponder tests were performed in accordance with FAR 43 Appendix E, Paragraph C and Appendix F, as required by FAR 91.413.

No. 1 Part No.: 622-9210-409 Serial No.: 1635 Date Tested: 09/17/2013 Next Due: 09/2015 No. 2 Part No.: 622-9210-409 Serial No.: 5310 Date Tested: 09/17/2013 Next Due: 09/2015

6.27. Performed VOR check in accordance with FAR 91.171.

Date Tested: 09/19/2013

#### NSPECTION / MAINTENAN RECORD CONTINUATION

Work Order No.: SC335771 FAA CRS GR4R216M / Savannah, GA Page 2 of 2

12.30. Complied with FAR 91.207(c)(2), the expiration date for replacing the Emergency Locator Transmitter Battery is 09/2016. Complied with functional check in accordance with CMP 256011 as required by FAR 91.207(d).

- 14.1. Complied with Aviation Communication and Surveillance Systems Service Bulletin No. 7517900-34-6017, Rev. 2 dated 06/15/2008 TCAS 2000 Computer Enhancement to BITE Software for Specific Resistor Failures and Upgrades the TCAS 2000 Computer to Software Modification B.
- 16.1. Complied with Gulfstream ASC 477: NZ 2010 FMS 6.1 Software with SBAS/LPV GPS Installation with minor deviations in accordance with Gulfstream Drawing No. CE41 6990103, Rev. NC: FMS NZ 6.1 ILS Look-Alike (ASC 477 Dev) under Gulfstream Custom Engineering Drawing List No. CE41 4960404, Rev. D. (No FAA Form 8110-3 / 8100-9 was issued for the minor deviations). Installed Flight Manual Supplement No. GIV-2012-02 (or later approved version) into the Airplane Flight Manual. Reference the Electrical Load Supplement No. SGER-314, Rev. NC, for applicable electrical load changes as a result of this installation.
  - Reference Gulfstream Document No. SGER-299, Rev. NC, for Maintenance Requirements Instructions for Continued Airworthiness.
  - Reference FAA Form 8100-9, dated 07/09/2012, for approval of Electrical Load Supplement in support of NZ-2000 FMS Version 6.1 Software with SBAS/LPV GPS Upgrade.
- 18.1. Complied with Gulfstream ASC481A: Automatic Dependence Surveillance Broadcast Out (ADS-B Out) Installation with minor deviations in accordance with Gulfstream Drawing No. CE41 6990102, Rev NC: ADS-B Out (ASC 481A Dev) under Gulfstream Custom Engineering Drawing List No. CE41 4960404, Rev. D. (No FAA Form 8110-3 / 8100-9 was issued for the minor deviations.) Installed Flight Manual Supplement No. GIV-2011-02 into the Airplane Flight Manual.
  - Reference Gulfstream Document No. SGER-452, Rev. A, for Maintenance Requirements Instructions for Continued Airworthiness.
- Installed TCAS (Traffic Collision Avoidance System) Version 7.1 in accordance with STC ST02406LA under Aviation Communication and Surveillance Systems (ASCC) Approved Model List (AML) No. ST02406LA, Rev. NC, Reference GIV ASC 480.
  - Reference ACSS Document No. 8008572-001, Rev. A, for Maintenance Requirements Instructions for Continued Airworthiness.

I certify that this aircraft has been inspected in accordance with a Due Inspection (Customer Supplied CMP) under the approved manufacturer's recommended inspection program under FAR 91.409(f)(3) and is approved for return to service with regards to the maintenance accomplished. Further details of this inspection and related maintenance are on file at this Repair Station under the above work order. A copy of the work order has been provided to the operator.

AUTHORIZED SIGNATURE:



### INSPECTION / MAINTENANCE RECORD ATTACHMENT FAA CRS GR4R216M / Savannah, GA

Page: 1 of 4

MODEL: G-IV SERIAL NO: 1399

REGISTRATION NO: N121JM WORK ORDER NO: SC335771 ACTT: 4696.4 ACTL: 2573

DATE STARTED: 09/03/2013 COMPLETED DATE: 09/20/2013

The following additional CMP codes were complied with during maintenance under the above work order by GAC SAV:

212033	RAM AIR CHECK VALVE - DETAILED INSPECTION			
212200	DISPLAY UNIT FAN FILTERS - INSPECTION			
213046	DEPRESS RATE SWITCH - SCREEN INSP/FILTER DISC			
213053	CABIN PRESS WARNING (ANEROID) SWITCH - FUNCTI			
213078	SAFETY VALVE FILTER - DETAILED INSPECTION			
213083	VALVE,SAFETY PRESS-GROUND TEST			
215005	AIR COND SYSTEM-OPS TEST			
215009	R CONDITIONING SHUTOFF VALVE (LEFT) - OPERA			
215010	AIR CONDITIONING SHUTOFF VALVE (RIGHT) - OPER			
215011	AIR CYCLE MACHINE (LEFT) - REMOVAL / INSTALLA			
215012	AIR CYCLE MACHINE (RIGHT) - REMOVAL / INSTALL			
217070	WATER SEPARATOR, LEFT			
217071	WATER SEPARATOR, RIGHT			
217075	WATER SEPARATOR BAG (LEFT) - INSPECTION			
217076	WATER SEPARATOR BAG (RIGHT) - INSPECTION			
217086	MODULATING WATER SEPARATOR ANTI-ICE VALVE (RI			
223003	PERFORMANCE MANAGEMENT SYSTEM NO. 1 - OPERATI			
223004	PERFORMANCE MANAGEMENT SYSTEM NO. 2 - OPERATI			
223007	PERFORMANCE COMPUTER NO. 1 - REMOVAL / INSTAL			
223008	PERFORMANCE COMPUTER NO. 2 - REMOVAL / INSTAL			
231007	TRANSCEIVER, #3 VHF COMM			
231015	VHF COMMUNICATIONS SYSTEM - OPERATIONAL CHECK			
231035	ANTENNA, VHF COMM (TOP FWD)			
231036	ANTENNA, VHF COMM (BOT FWD)			
231037	ANTENNA, VHF COMM (BOT AFT)			
231039	ANTENNA, VHF/AM-FM			
231456	ANTENNA, 800 MGHZ #1			
231471	HANDSET, CBN L/H-800 MGHZ			
231500	AIU OPERATIONAL CHECK NO.1			
231501	AIU OPERATIONAL CHECK NO.2			
232015	DECODER, SELCAL			
232225	ANTENNA, AFIS			
32231	PRINTER, AFIS			
33011	AMPLIFIER, CABIN P/A			
235042	AUDIO INTERFACE UNIT-4000			
235043	AUDIO INTERFACE UNIT-4000			
237004	COCKPIT VOICE RECORDER SYSTEM - OPERATIONAL T			
237023	CVR UNDERWATER LOCATOR BEACON (DK120) - BATTE			
237030	CVR UNDERWATER LOCATOR BEACON - REMOVAL / INS			

intenar	ice under the above work order by GAC SAV:			
237031	CVR UNDERWATER LOCATOR BEACON (DK120) - BATTE			
237047	CVR UNDERWATER LOCATOR BEACON - BATTERY VOLTA			
237048	CVR UNDERWATER LOCATOR BEACON - SWITCH CLEANI			
240160	EMERG LIGHTING / POWER SYSTEM - OPERATIONAL T			
240250	EMERGENCY SECURAPLANE BATTERY NO. 1 (SELF TES			
240251	EMERGENCY SECURAPLANE BATTERY NO. 2 (SELF TES			
240252	EMERGENCY SECURAPLANE BATTERY NO. 3 (SELF TES			
240253	EMERGENCY SECURAPLANE BATTERY NO. 4 (SELF TES			
240255	EMERGENCY SECURAPLANE BATTERY NO. 1 - REMOVAL			
242005	ENGINE ALTERNATOR (LEFT) - REMOVAL / INSTALLA			
242006	ENGINE ALTERNATOR (RIGHT) - REMOVAL / INSTALL			
242007	L ENGINE ALTERNATOR BEARING - DISCARD			
242008	R ENGINE ALTERNATOR BEARING - DISCARD			
245051	AC/DC POWER DISTR-F/TEST			
245090	BUS POWER CONTROL UNIT, AC(BPCU			
251036	FLASHLIGHT(S) - OPERATIONAL TEST			
251109	SEAT ASSEMBLY, PILOT			
251110	SEAT ASSEMBLY, COPILOT			
252030	SHADE, #5 R.H. WINDOW			
252032	SHADE, #6 R.H. WINDOW			
256101	EMERGENCY LOCATOR TRANSMITTER - OPERATIONAL T			
256105	EMERGENCY LOCATOR XMITTER			
256130	EMERGENCY LOCATOR TRANSMITTER ANTENNA - REMOV			
256201	LIFE VEST(S) (EXPIRATION DATE) - DETAILED INS	Ţ		
256204	LIFE VEST(S) - RESTORE			
256211	LIFE VEST (NO. 1) - REMOVAL / INSTALLATION			
256212	LIFE VEST (NO. 2) - REMOVAL / INSTALLATION			
256213	LIFE VEST (NO. 3) - REMOVAL / INSTALLATION			
256214	LIFE VEST (NO. 4) - REMOVAL / INSTALLATION			
256215	LIFE VEST (NO. 5) - REMOVAL / INSTALLATION			
256216	LIFE VEST (NO. 6) - REMOVAL / INSTALLATION			
256217	LIFE VEST (NO. 7) - REMOVAL / INSTALLATION			
256218	LIFE VEST (NO. 8) - REMOVAL / INSTALLATION			
256219	LIFE VEST (NO. 9) - REMOVAL / INSTALLATION			
256220	LIFE VEST (NO. 10) - REMOVAL / INSTALLATION			
256221	LIFE VEST (NO. 11) - REMOVAL / INSTALLATION			
256222	LIFE VEST (NO. 12) - REMOVAL / INSTALLATION			
256223	LIFE VEST (NO. 13) - REMOVAL / INSTALLATION			
256224	LIFE VEST (NO. 14) - REMOVAL / INSTALLATION			

## INSPECTION / MAINTENAN RECORD ATTACHMENT FAA CRS GR4R216M / Savannah, GA

Page: 2 of 4

256240	LIFE VEST (PILOT) - REMOVAL / INSTALLATION	
256241	LIFE VEST (COPILOT) - REMOVAL / INSTALLATION	
256242	LIFE VEST (JUMP SEAT) - REMOVAL / INSTALLATIO	
256251	LIFE RAFT #1	
256252	LIFE RAFT #2	
256261	LIFE RAFT NO. 1 - RESTORE	
256262	LIFE RAFT NO. 2 - RESTORE	
256266	LIFE RAFT(S) EXPIRATION DATE - DETAILED INSPE	
256374	FIRE / CRASH AXE - INSPECTION	
261201	ENGINE FIRE EXTINGUISHING FIRING CIRCUITRY -	
262025	BOTTLE, L ENGINE FIRE EXT	
262030	BOTTLE, R ENGINE FIRE EXT	
262045	FIRE BOTTLE (HYDROSTATIC) {LEFT} - FUNCTIONAL	
262050	FIRE BOTTLE (HYDROSTATIC) {RIGHT} - FUNCTIONA	
262065	FIRE BOTTLE (WEIGHT CHECK) {LEFT} - DETAILED	
262070	FIRE BOTTLE (WEIGHT CHECK) {RIGHT} - DETAILED	
262115	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262116	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262117	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262118	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262119	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262120	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262121	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262122	ENGINE FIRE EXTINGUISHING EXPLOSIVE CARTRIDGE	
262601	EXTINGUISHER, HALON COCKPIT	
262603	EXTINGUISHER, HALON AFT CABIN	
262621	EXT, HALON COCKPIT-WEIGHT CK	
262623	EXT, HALON AFT CABIN-WEIGHT CK	
262631	PORTABLE HALON FIRE EXTINGUISHER (RIGHT COCKP	
262633	PORTABLE HALON FIRE EXTINGUISHER (AFT CABIN)	
262652	EXT, HALON FWD CLOSET-DI	
262656	EXT, HALON FWD CLOSET-WT CHECK	
262694	EXTN, TRASH RECEPTACLE - DETAILED INSP	
262722	TRASH RECEPTACLE ENCLOSURE (AFT LAVATORY) - D	
262726	TRASH RECEPTACLE FIRE EXTINGUISHER NOZZLES (A	
275019	WING FLAP (LEFT) - LUBRICATION	
275020	WING FLAP (RIGHT) - LUBRICATION	
275023	WING FLAP TRAVELING NUT (LEFT) - LUBRICATION	
275024	WING FLAP TRAVELING NUT (RIGHT) - LUBRICATION	
276013	SPOILER HINGES (LEFT) - LUBRICATION	
276014	SPOILER HINGES (RIGHT) - LUBRICATION	
276065	AIRCRAFT CONFIGURATION / TAKEOFF WARNING - FU	
293001	AUXILIARY SYSTEM DIFFERENTIAL PRESSURE INDICA	
293002	UTILITY SYSTEM DIFFERENTIAL PRESSURE INDICATO	
312001	COCKPIT CLOCKS OPERATIONAL CK	
312015	BATTERY, PILOT CLOCK	
312016	BATTERY, COPILOT CLOCK	
	COMPUTER, HEADS UP DISPLAY	
314560		

315016	ANNUNCIATOR COUPLER NO. 1			
315018	ANNUNCIATOR LIGHT-OPS TEST			
316006	ELECTRONIC DISPLAY SYSTEM AUTOMATIC RECONFIGU			
316007	ELECTRONIC DISPLAY SYSTEM MANUAL RECONFIGURAT			
316009	SYMBOL GENERATOR SWITCHING - OPERATIONAL TEST			
316012	SYMBOL GENERATOR NO. 2 - REMOVAL / INSTALLATI			
316013	SYMBOL GENERATOR NO. 3 - REMOVAL / INSTALLATI			
316021	DISPLAY UNIT NO. 1 - REMOVAL / INSTALLATION (			
316022	DISPLAY UNIT NO. 2 - REMOVAL / INSTALLATION (			
316023	DISPLAY UNIT NO. 3 - REMOVAL / INSTALLATION (			
316024	DISPLAY UNIT NO. 4 - REMOVAL / INSTALLATION (			
316025	DISPLAY UNIT NO. 5 - REMOVAL / INSTALLATION (			
316026	DISPLAY UNIT NO. 6 - REMOVAL / INSTALLATION (			
316029	INCLINOMETER,#1			
316030	INCLINOMETER,#2			
316097	AURAL WARNING SYSTEM - OPERATIONAL TEST (AUDI			
317050	MONTHLY QAR DOWNLOAD			
320004	MAIN LANDING GEAR & SYSTEMS (LEFT) - LUBRICAT			
320005	MAIN LANDING GEAR & SYSTEMS (RIGHT) - LUBRICA			
320006	NOSE LANDING GEAR & SYSTEMS - LUBRICATION			
320008	NLG AND MLG DOORS - ZONAL INSPECTION			
322036	AXLE FITTING ASSY, NLG			
322042	NOSE GEAR AXLE ASSEMBLY - CORROSION PREVENTIO			
323002	L/G CYCLING OPERATIONAL TEST			
324009	WHEEL, LEFT NOSE GEAR			
324010	WHEEL, RIGHT NOSE GEAR			
324049	NOSE GEAR WHEEL BEARINGS (LEFT) - INSPECTION			
324050	NOSE GEAR WHEEL BEARINGS (RIGHT) - INSPECTION			
324206	BRAKE WEAR (HMAB) - DETAILED INSP			
334023	STROBE LIGHT ASSEMBLY (TAIL) - REMOVAL / INST			
334062	NAVIGATION POSITION LIGHTS LENS - DETAILED IN			
341014	STANDBY ALTIMETER - CALIBRATION/TEST (FAR91.4			
341035	ANTENNA, #1 RADIO ALT XMITTER			
341036	RADIO ALTIMETER RECEIVER ANTENNA NO. 1 - REMO			
341037	RADIO ALTIMETER RECEIVER ANTENNA NO. 2 - REMO			
341038	ANTENNA, #2 RADIO ALT XMITTER			
	PILOT PITOT / STATIC AND DADC - FUNCTIONAL /			
341074				
341075	STANDBY PITOT / STATIC SYSTEM - FUNCTIONAL /			
341085	DADC NO. 1 - CALIBRATION			
341086	DADC NO. 2 - CALIBRATION			
341094	COPILOT PITOT / STATIC AND DADC - FUNCTIONAL			
342609	EVS EXTERIOR RADOME FAIRING INSTALLATION - DE			
342610	EVS IR (SAPPHIRE) WINDOW INSTALLATION - DETAI			
342611	EVS RADOME MOUNTING ATTACHMENT - INSPECTION			
342616	IR (SAPPHIRE) WINDOW ASSEMBLY (EVS) - PREVENT			
343014	MARKER BEACON ANTENNA - REMOVAL / INSTALLATIO			
343015	MARKER BEACON SYSTEM - OPERATIONAL CHECK			
343064	VOR - IFR CHECK (FAR 91.171)			
344095	IRU NO. 1 SECURAPLANE BATTERY (BITE / BATTERY			

# INSPECTION / MAINTENAN ... RECORD ATTACHMENT FAA CRS GR4R216M / Savannah, GA

Page: 3 of 4

	INVINO A SECURARIANE DATTERY (BITE / DATTERY		
344096	IRU NO. 2 SECURAPLANE BATTERY (BITE / BATTERY		
344205	EGPW COMPUTER - REMOVAL / INSTALLATION		
344236	GROUND PROXIMITY SYS OPS TEST		
344305	TCAS COMPUTER - REMOVAL / INSTALLATION		
344315	TRAFFIC COLLISION AVOIDANCE SYSTEM TOP ANTENN		
344316	TRAFFIC COLLISION AVOIDANCE SYSTEM BOTTOM ANT		
344341	TCAS - FUNCTIONAL CHECK		
345105	DME TRANSCEIVER NO. 1 - REMOVAL / INSTALLATIO		
345141	DISTANCE MEASURING EQUIPMENT ANTENNA NO. 1		
345142	DISTANCE MEASURING EQUIPMENT ANTENNA NO. 2 -		
345219	ADF SYSTEM - OPERATIONAL CHECK		
345250	ADF DUAL ANTENNA - REMOVAL/INSTALLATION		
345305	ATC TRANSPONDER NO. 1 - REMOVAL / INSTALLATIO		
345306	ATC TRANSPONDER NO. 2 - REMOVAL / INSTALLATIO		
345311	ATC NO. 1 - FUNCTIONAL TEST / INSPECTION (FAR		
345312	ATC NO. 2 - FUNCTIONAL TEST / INSPECTION (FAR		
345328	ANTENNA, #1 ATC - TOP		
345329	ANTENNA, #2 ATC - TOP		
345341	ATC LOWER ANTENNA NO. 1 - REMOVAL / INSTALLAT		
345342	ATC LOWER ANTENNA NO. 2 - REMOVAL / INSTALLAT		
345805	GPS SYSTEM-OPS TEST		
345815	ANTENNA, GPS #1		
345816	ANTENNA, GPS #2		
346015	FMS NAVIGATION COMPUTER NO. 1 - REMOVAL/INS		
346016	FMS NAVIGATION COMPUTER NO. 2 - REMOVAL / INS		
346019	FMS NO. 1 NDB - UPDATE		
346020	FMS NO. 2 NDB - UPDATE		
346051	GPS NAV COMPUTER #1		
346052	GPS NAV COMPUTER #2		
346265	GNS-SENSOR UNIT #1		
346266	GNS-SENSOR UNIT #2		
349800	FLIGHT MANAGEMENT SYSTEM NO. 1 - OPERATIONAL		
349801	FLIGHT MANAGEMENT SYSTEM NO. 2 - OPERATIONAL		
350102	OXYGEN CYLINDER (NO. 2) - REMOVAL / INSTALLAT		
350106	OXYGEN CYLINDER (NO. 2) - DISCARD		
350122	OXYGEN BOTTLES (HYDROSTATIC, NO. 2) - FUNCTIO		
351001	CREW OXYGEN LOW-PRESSURE SWITCH - OPERATIONAL		
351005	CREW OXYGEN SYSTEM (PILOT) - OPERATIONAL TEST		
351006	CREW OXYGEN SYSTEM (COPILOT) - OPERATIONAL TE		
353011	OXYGEN BOTTLE, PORTABLE (NO. 1)		
353012	OXYGEN BOTTLE, PORTABLE (NO. 2)		
353021	PORTABLE OXYGEN BOTTLE (HYDROSTATIC, NO. 1) -		
353022	PORTABLE OXYGEN BOTTLE (HYDROSTATIC, NO. 2) -		
353041	OXYGEN BOTTLE, #1 PORT-F/CK		
353042	OXYGEN BOTTLE, #2 PORT-F/CK		
353052	PORTABLE OXYGEN BOTTLE / MASK - DETAILED INSP		
361019	FILTER ELE, L/H SERVO AIR PRES		
361020	FILTER ELE, R/H SERVO AIR PRES		
361053	APU AIR CHECK VALVE - REMOVAL / INSTALLATION		

361056	APU AIR CHECK VALVE - DETAILED INSPECTION			
383021	AFT WATER SYSTEM DRAIN MAST - REMOVAL / INSTA			
490001	APU GTCP36-100(G) - REMOVAL / INSTALLATION			
490002	APU GTCP36-100(G) - OPERATIONAL TEST			
490008	APU PALLET ASSEMBLY GTCP36-100(G) - GENERAL V			
490009	VIBRATION ISOLATORS MOUNTS GTCP36-100(G) - GE			
490020	AUXILIARY POWER UNIT GTCP36-100(G) - ALTERNAT			
490027	APU ALTERNATOR MOUNT - REMOVAL / INSTALLATION			
491000	APU ENCLOSURE THERMAL BLANKET / COATING - GEN			
492004	APU COMBUSTION CHAMBER CAP GTCP36-100(G) - RE			
492005	APU COMBUSTION CHAMBER GTCP36-100(G) - REMOVA			
492006	APU COMBUSTOR UNIT GTCP36-100(G) - INSPECTION			
493025	APU FUEL NOZZLE ASSEMBLY GTCP36-100(G) - REMO			
493026	APU FUEL NOZZLE ASSEMBLY GTCP36-100(G) - DETA			
493031	APU FUEL FILTER GTCP36-100(G) - DETAILED INSP			
493032	APU FUEL FILTER ELEMENT GTCP36-100(G) - REMOV			
494005	APU STARTER MOTOR GTCP36-100(G) - REMOVAL / I			
494006	APU STARTER MOTOR GTCP36-100(G) - INSPECTION			
494018	APU IGNITER PLUG GTCP36-100(G) - REMOVAL / IN			
494019	APU IGNITER PLUG GTCP36-100(G) - INSPECTION			
494020	IGNITER PLUG LEAD GTCP36-100(G) - INSPECTION			
494022	APU IGNITER PLUG LEAD GTCP36-100(G) - REMOVAL			
498011	APU EXHAUST DUCT ASSEMBLY (INTERNAL) GTCP36-1			
499010	APU OIL CHANGE GTCP36-100(G) - SERVICE			
499015	APU OIL FILTER GTCP36-100(G) - DETAILED INSPE			
499020	APU MAGNETIC DRAIN PLUG GTCP36-100(G) - INSPE			
521003	MAIN ENTRANCE DOOR - LUBRICATION			
523004	BAGGAGE DOOR - LUBRICATION			
531046	MAIN GEAR WHEEL WELLS FS 452 - FS 496 LOWER W			
531047	MAIN GEAR WHEEL WELLS FS 452 - FS 496 WIRING			
533010	STATIC PORTS (RVSM) - INSPECTION			
534021	NOSE GEAR WHEEL WELL FS 44 - FS 119 - ZONAL I			
534022	MLG WHEEL WELLS FS452 - FS496 - ZONAL INSP			
539051	PRESSURE BULKHEAD COMPOSITE PANELS - GENERAL			
539053	AFT PRESSURE BULKHEAD BEAM BULKHEAD SUPPORT -			
539516	ANTENNA INTERFACE - INSPECTION			
541017	PYLON EXTERNAL / INTERNAL (LEFT) - INSPECTION			
541018	PYLON EXTERNAL / INTERNAL (RIGHT) - INSPECTIO			
562007	WINDOW LEAK-CHECK			
562052	EMERGENCY WINDOW (RIGHT NO. 1) - REMOVAL / IN			
562053	EMERGENCY WINDOW (RIGHT NO. 2) - REMOVAL / IN			
570003	WING LOWER SURFACE (LEFT) - ZONAL INSPECTION			
570004	WING LOWER SURFACE (RIGHT) - ZONAL INSPECTION			
573015	WINGLET BLADE VIEW FROM GROUND (LEFT) - ZONAL			
573016	WINGLET BLADE VIEW FROM GROUND (RIGHT) - ZONA			
574007	WING LEADING EDGE EXTERNAL BL 35.80 - 433 INB			
574008	WING LEADING EDGE EXTERNAL BL 35.80 - 433 INB			
742001	IGNITION SYSTEM - AUDIBLE CHECK			
742002	IGNITION SYSTEM - AUDIBLE CHECK			

## INSPECTION / MAINTENANCE RECORD ATTACHMENT FAA CRS GR4R216M / Savannah, GA

Page: 4 of 4

783021	THRUST REVERSER HYDRAULIC ACTUATOR (LEFT) - R	974800	ASC 480 TCAS 7.1 INSTALLATION
901376	STC ST02406LA - INSTALLATION OF TCAS VERSION	974811	ASC 481A AUTOMATIC DEPENDENCE SURVEILLANCE BR
974770	ASC 477 NZ 2010 6.1 SOFTWARE WITH SBAS/LPV GP	994001	AD 2012-02-08 AVIATION COMMUNICATION & SURVEI

#### AUTHORIZED SIGNATURE: