TACH	TODAYS TIME IN E	ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER
	- DENTICE IN	MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENT
	2/9 /16 C-17	72N N6091E S/N: 17271989
	AFTT: 5047.8	TACH: 1913.7 HOBBS: 3753.6
	Lubricated all	flight control cables, sprayed fuselage,
	empennage a	nd wings with Corrector V. L
	inline sustion	nd wings with Corrosion X. Installed new Rapco
	1 Tastad SIT	filter P/N: RA-D9-18-1 and inlet filter RA-B3-5-
		in accordance with FAR 91-207. ELT
	operational ch	neck was good. Battery due 10/16. I certify
	that this aircra	aft has been inspected in accordance with an
	ANNUAL inspe	ection and was determined to be in airworthy
	condition. All a	applicable AD's were complied with thru this
	bi-weekly period	od including AD 2011-10-09. All work was
		in accordance with C-172 service manual
		FAR 43 agreender D

 ${\bf Photo}~{\bf 1-Airframe~logbook~entry,~annual~insp.}$

DATE 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
9	TIME	FLIGHT		2/9 /16 C-172N N6091E S/N: 17271989 ENG LYC: O-320-H2AD S/N: L-5444-76 ETT: 4040.4 SMOH: 38.3 TACH: 1913.7 HOBBS: 3753.6 Performed compression check: CLY#1 75/80, CLY#2 74 /80, CLY# 3 73/80, and CLY#4 774 /80. Removed and replaced induction air filter with new bracket filter p/n: BA-6108. All sparkplugs were removed, cleaned, gapped, tested, and reinstalled. Performed ops check. Ops check good. I certify that this Engine was inspected in accordance with an ANNUAL inspection and was determined to be in airworthy condition. All applicable AD's were complied thru this bi-weekly period. All work I/A/W section 2 service manual and
				current FAR 43 appendix b

Photo 2 – Engine logbook entry, annual insp.

DATE T.T. T.S.O. **DESCRIPTION OF WORK** 2/9 /16 C-172N N6091E S/N: 17271989 AFTT: 5047.8 TACH: 1913.7 HOBBS: 3753.6 McCauley: 1C160/DTM7557M1 S/N: 735569 PTT: 5047.8 PTSMO: 38.3 Removed propeller, inspected spinner, spinner bulkhead and propeller and no defects were found. Reinstalled propeller spinner bulk heads and propeller assembly. I certify that this propeller was inspected in accordance with an ANNUAL inspection and was determined to be in airworthy condition. All AD'S thru this bi-weekly period were checked and complied with. All work was accomplished in accordance with C-172 service manual section 2 and FAR 43 appendix D.

Photo 3 – Propeller logbook entry, annual insp.