

PROPELLOR ENTRY
N123SB PN BHC-C2YF-1BF SN AM2622
TACH 3681.72 Hobbs 1809.4
JAN, 24 2017

100 HOUR INSPECTION PER SERVICE MANUAL. AD'S C/W THRU 2017-02.
Installed overhauled propeller IAW piper and Hartzell service manual

I CERTIFY THAT THIS PROPELLER HAS BEEN INSPECTED I/A/W A 100/ANNUAL INSPECTION, WAS DETERMINED TO
BE IN AN AIRWORTHY CONDITION AND WAS RETURNED TO SERVICE.

[Handwritten signature]
[Redacted]

Photo 1 – Propeller 100 hour inspection

ENGINE ENTRY

**N123SB MODEL TSIO520BE2F SN 273821-R
TACH 3681.72 HOBBS 1809.4 TSMOH 00.00
JAN 24 2017**

Removed engine TSIO520BE2F SN 273821-R, Installed overhauled engine TSIO520BE2F SN 273821-R IAW Teledyne continental and piper aircraft engine manuals. Installed with new lord engine mounts and new hoses. Replaced two egt probes pn 2870, CW AD 84-26-02 replaced induction air filter, performed fuel set up IAW TCM SID 97-3E. Ground run and leak check accomplished. 100 HOUR INSPECTION PER SERVICE MANUAL. AD'S C/W THRU 2017-02.

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED I/A/W A 100/ANNUAL INSPECTION, WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION AND WAS RETURNED TO SERVICE.

Timothy J Kline
A&P [REDACTED]

Photo 2 - Engine 100 hour inspection

AIRFRAME ENTRY

N123SB PA46-310P SN 46-8508023

TACH 3681.72 Hobbs 1909.4

JAN 24 2017

100 HOUR INSPECTION PER Piper SERVICE MANUAL. AD'S C/W THRU 2017-12.
JACKED AIRCRAFT LUBRICATED GEAR, PERFFORM GEAR SWING, EMERG GEAR EXTENTION.
CLEANED FUEL STRAINERS, SUMPED MAIN FUEL TANKS. SERVICED HYD POWER PACK WITH 5606
INSTALLED NEW DONALDSON FILTER 151936 DUE AGAIN IN 500 HOURS PER AD 84-26-02.
SERVICE BRAKE MASTER CYLANDER WITH MIL H-5606. INFLATED TIRES PER B.F.G SPECIFICATIONS.
TESTED ELT I.A.W. FAR 91.207(d) AND REPLACED BATTERY. NEW DUE DATE. FEB 2019. RELAMPED RIGHT NAV
LIGHT, RE LAMPED BOTH WING POSITION LIGHTS.

I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED I/A/W AN ANNUAL INSPECTION, WAS DETERMINED TO BE
IN AN AIRWORTHY CONDITION AND WAS RETURNED TO SERVICE.

Timothy J Kline
A&P

Photo 3 - Airframe 100 hour inspection