UP 5666 BLUECARD UP 5666

U.S DEPARTMENT OF TRANSPORTATION		UNION PACIFIC RAILROAD LOCOMOTIVE INSPECTION AND REPAIR RECORD										
FEDERAL RAILROAD ADMINISTRATION		In accordance with the Locomotive Inspection Act, 36 State, 913, as amended and the regulations issued pursuant to that Act, the parts and appurtenances of the locomotive unit have been inspected and all defects disclosed by the inspection have been properly repaired.										
REPORTING YEAR :2017			IS LOCO.NEW: No				IF RENUMBERED/PREV.INIT&NO:					
1. OPERATED BY: UN	RRCode	e: UP	2. OWNED		:Union Pacific Railroad Company							
3. MODEL NO: C44ACCTE			5. YR. BUILT: 2004		6. PROPELLED BY: D-E		7. HORSEPOWER: 4390		8. TYPE OF SERVICE: FREIGHT			
9. STEAM GEN.	9. STEAM GEN. GEN. #1: N/A WORKING			G PRESSURE:					GEN. #2: N/A WORKING PRESSURE:			
10. MAXIMUM PISTON	I TRAVEL:8 inches		TYPE OF AIR	BRAKE: EF	PIC2		AIR DRYER EQUIPPED: YES					
11. OUT OF USE CRE	DIT: 0		12. LAST PER	RIODIC INSI	PECTION E	DATE: 08/25/2	2016 PI	LACE: HOUENGV	VST, TX			
	91 day max. interval	Previo 11/28/2	us Date: 2016	Date & Ce 03/03/2017 SOESTER	7 N W	Date & Cert: Date & Cert:		Date & Cert:				
PERIODIC INSPECTIONS			CHECK ONE:	•	92 DAYS PER 229.23(a).		<b>V</b>	184 DAYS PER 229	9.23(b)(1)ONLY.			
13. DATE	14. PLACE	. PLACE 15. ITEM		S * 16. PERSO CONDUCTI				16. PERSON CONDUCTING	17. CERTIFIED BY			
O/S FROM: 02/23/2017 TO: 03/03/2017												
	SOUTH MORRILL, NE			7 K L DERR		5		K L DERR	N W SOESTER			
* 15. ITEM CODE: APPL. [8] EVENT REC	GEAR [3] CA	B EQUIP	[4] MECH.	EQUIP [5] ELI	ECT. E	QUIP [6] STEAM	GEN. [7] SAFETY					
TESTS 18. H&H TEST PRESSURE DRILLED			19.WAIVER PART - 229: 20. WAIVER - WAIVER FRA-2001-11014 , WAIVER FRA-2004-17308 , WAIVER FRA-2005-21179 , WAIVER FRA-2005-21613 , WAIVER FRA-2014-0085						20. WAIVER - OTHER:			
TYPE / INTERVAL NOT MORE THAN			21. PERSON CONDUCTING		22. TEST DATE AND PLACE		23. CERTIFIED BY		24. PREVIOUS TEST DATE AND PLACE			
HAND BRAKE 232.105(c)/368 days									08/25/2016 HOUENGWST, TX			
ANNUAL TESTS 229.27/368 days			NA		NA		NA		NA			
L1 229.29(C1)(A1) (1) FILTERS ONLY/368 days									08/25/2016 HOUENGWST, TX			
L2&L3 229.29(C2/C3)(EPIC2)/2944 days									11/01/2012 NORTH PLATTE GE, NE			
EVENT RECORDER 229.25(d) or 229.27(c)/368 days			SEE COLUMN ABOVE	N 15					08/25/2016 HOUENGWST, TX			

UP 5666 BLUECARD UP 5666

REMARKS: CARRIERS ENTER ANY OTHER CLARIFYING OR EXPLANATORY INFORMATION.

DO NOT USE AFTER: 06/02/2017

EVENT RECORDER EQUIPPED: PULSE TTX-REC-M6W GE INT ALT

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI

WAIVER DETAILS:

WAIVER FRA-2001-11014

ELECTRONIC DAILY INSPECTION.

WAIVER FRA-2004-17308

ELECTRONIC BLUE CARD.

WAIVER FRA-2005-21179

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI.IF AFM EQUIPPED, AFM SET AT 64 CFM FOR 120-130 PSI OR 60 CFM FOR 130-140 PSI.

WAIVER FRA-2005-21613

ELECTRONIC AIR BRAKE TESTING FOR EXTENSION OF COTS INTERVAL.

WAIVER FRA-2014-0085

RELIEF FROM REQUIREMENT TO PERFORM TEST PRESCRIBED BY CFR 236.586 ON MICROPROCESSOR BASED AUTOMATIC CAB SIGNAL, TRAIN STOP AND TRAIN CONTROL SYSTEMS.

## Certification of true copy.

I certify that this is a true copy of the inspection and repair record of locomotive no. UP 5666

ATTENTION: A false entry on this form is punishable by fine or imprisonment (U.S. Code. Title 18. Sec. 1001).

(Officer-in-charge) 03/13/2017

Officer-in-charge) DATE

UP 8037 BLUECARD UP 8037

U.S DEPARTMENT OF TRANSPORTATION		UNION PACIFIC RAILROAD LOCOMOTIVE INSPECTION AND REPAIR RECORD									
FEDERAL RAILROAD ADMINISTRATION		In accordance with the Locomotive Inspection Act, 36 State, 913, as amended and the regulations issued pursuant to that Act, the parts and appurtenances of the locomotive unit have been inspected and all defects disclosed by the inspection have been properly repaired.									
REPORTING YEAR :2016			IS LOCO.NEW: No					IF RENUMBERED/PREV.INIT&NO:			
OPERATED BY: UNION PACIFIC RAILROAD			RRCode	e: UP	2. OWNEI	D BY (Railroad) UP	:Union	mpany			
3. MODEL NO: C45ACCTE	4. LOCO INIT/NO : UP 8037		5. YR. BUILT: 2012		6. PROPELLED BY: D-E		7. HORSEPOWER: 4400		8. TYPE OF SERVICE: FREIGHT		
9. STEAM GEN. GEN. #1: N/A WORKING		PRESSURE:				GEN. #2: N/A WORKING PRESSURE:					
10. MAXIMUM PISTOI	N TRAVEL:8 inches		TYPE OF AIR	YPE OF AIR BRAKE: CCB2  AIR DRYER EQUIPPED: YES							
11. OUT OF USE CRE	EDIT: 101		12. LAST PER	2. LAST PERIODIC INSPECTION DATE: 09/26/2015 PLACE: HINKLE, OR							
AFM CAL. 229.29(b)	91 day max. interval	Previo 12/15/2	us Date: 2015	Date & Ce 03/25/2016 GUDEHUS	6 M L	Date & Cert: 06/19/2016 D D HALEY		Date & Cert: 07/01/2016 E W OBERLANDER	Date & Cert: 10/07/2016 T M GROVE		
PERIODIC INSPECTIONS			CHECK ONE:		92 DAYS PER 229.23(a).		V	184 DAYS PER 229.23(b)(1)ONLY.			
13. DATE	14. PLACE	15. ITEMS *		16. PERSON CONDUCTING		15. ITEMS *		16. PERSON CONDUCTING	17. CERTIFIED BY		
O/S FROM: 01/04/20	)16 TO: 01/04/2016						•				
01/04/2016 ROSEVILLE, CA 8		M A JEFFE		ERS				R P MULVANY			
O/S FROM: 03/24/20											
03/25/2016	DOLORES, CA	OLORES, CA 1-4 & 7		W J HABE	EEB 5			W J HABEEB	W J HABEEB		
O/S FROM: 10/04/20	16 TO: 10/07/2016										
10/07/2016	2016 KCMO DIESL, MO 1-4 &		7 R E SALIS		SBURY 5		R T CHRISTMAS		T M GROVE		
* 15. ITEM CODE: [1] BRAKES [2] RUNNING GEAR [3] CAB EQUIP [4] MECH. EQUIP [5] ELECT. EQU APPL. [8] EVENT RECORDER							QUIP [6] STEAM	GEN. [7] SAFETY			
TESTS 18. H&H TEST PRESSURE DRILLED		19.WAIVER PART - 229:  WAIVER FRA-2001-11014 , WAIVER FRA-2004-17308 , WAIVER FRA-2005-21179 , WAIVER FRA-2005-21613 , WAIVER FRA-2014-0085 , WAIVER FRA-2015-0114					20. WAIVER - OTHER:				
TYPE / INTERVAL NOT MORE THAN			21. PERSON CONDUCTING		22. TEST DATE AND PLACE		23. CERTIFIED BY		24. PREVIOUS TEST DATE AND PLACE		
HAND BRAKE 232.105(c)/368 days			E W OBERLANDER		07/01/2016 GLOBAL 4, IL		E W OBERLANDER		07/06/2015 ROSEVILST, CA		
ANNUAL TESTS 229.27/368 days			NA		NA		NA		NA		
L1 229.29(C1)(A1) (1) FILTERS ONLY/368 days			K E STAHL		01/04/2016 ROSEVILLE, CA		K E STAHL		01/09/2015 W COLTON SERV TRK,		
L2&L3 229.29(C2/C3)(CCB2)/2576 days									09/21/2012 ERIE, PA		
EVENT RECORDER days	SEE COLUMN ABOVE	N 15					01/09/2015 W COLTON SERV TRK,				

UP 8037 BLUECARD UP 8037

REMARKS: CARRIERS ENTER ANY OTHER CLARIFYING OR EXPLANATORY INFORMATION.

DO NOT USE AFTER: 04/08/2017

EVENT RECORDER EQUIPPED: PULSE TTX-IDR-02

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI

WAIVER DETAILS:

WAIVER FRA-2001-11014

ELECTRONIC DAILY INSPECTION.

WAIVER FRA-2004-17308

ELECTRONIC BLUE CARD.

WAIVER FRA-2005-21179

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI.IF AFM EQUIPPED, AFM SET AT 64 CFM FOR 120-130 PSI OR 60 CFM FOR 130-140 PSI.

WAIVER FRA-2005-21613

ELECTRONIC AIR BRAKE TESTING FOR EXTENSION OF COTS INTERVAL.

WAIVER FRA-2014-0085

RELIEF FROM REQUIREMENT TO PERFORM TEST PRESCRIBED BY CFR 236.586 ON MICROPROCESSOR BASED AUTOMATIC CAB SIGNAL, TRAIN STOP AND TRAIN CONTROL SYSTEMS.

WAIVER FRA-2015-0114

WAIVER FOR METHOD OF SECURING WHEEL ON 419 AND 455 SERIES WHEEL STYLE ELECTRIC LOCOMOTIVE PARKING BRAKE

OUT OF SERVICE DETAILS :

OUT OF SERVICE 10/27/2012 TO 02/04/2013 101 DAYS AT PROVISO, IL OS

Certification of true copy.

I certify that this is a true copy of the inspection and repair record of locomotive no. UP 8037

ATTENTION: A false entry on this form is punishable by fine or imprisonment (U.S. Code. Title 18. Sec. 1001).

03/14/2017
(Officer-in-charge) DATE

UP 8037 BLUECARD UP 8037

U.S DEPARTMENT OF TRANSPORTATION		UNION PACIFIC RAILROAD LOCOMOTIVE INSPECTION AND REPAIR RECORD									
FEDERAL RAILROAD ADMINISTRATION			In accordance with the Locomotive Inspection Act, 36 State, 913, as amended and the regulations issued pursuant to that Act, the parts and appurtenances of the locomotive unit have been inspected and all defects disclosed by the inspection have been properly repaired.								
REPORTING YEAR :20	IS LOCO.NEW: No				IF RENUMBERED/PREV.INIT&NO:						
1. OPERATED BY: UNI	RRCode	e: UP	2. OWNED		:Union Pacific Railroad Company						
3. MODEL NO: C45ACCTE			5. YR. BUILT: 2012		6. PROPELLED BY: D-E		7. HORSEPOWER: 4400		8. TYPE OF SERVICE: FREIGHT		
9. STEAM GEN.	GEN. #1: N/A WC	RKING	3 PRESSURE:					GEN. #2: N/A WORKING PRESSURE:			
10. MAXIMUM PISTON	TRAVEL:8 inches		TYPE OF AIR BRAKE: CCB2					AIR DRYER EQUIPPED: YES			
11. OUT OF USE CREE	DIT: 101		12. LAST PER	RIODIC INS	PECTION D	DATE: 10/07/	2016 P	LACE: KCMO DIE	SL, MO		
AFM CAL. 229.29(b)	91 day max. interval	Previo 10/07/	us Date: 2016	Date & Cert: Date		Date & Cert:	Date & Cert:				
PERIODIC INSPECTIONS			CHECK ONE:		92 DAYS PER 229.23(a).		☑ 184 DAYS PER 22		!9.23(b)(1)ONLY.		
13. DATE	14. PLACE	15. ITE	EMS *	16. PERSO	ON TING	15. ITEMS *		16. PERSON CONDUCTING	17. CERTIFIED BY		
O/S FROM: 01/13/201											
	N LITTLE ROCK RAMP, AR	8		J L MOOD	Y				S D HARGROVE		
* 15. ITEM CODE: [1] BRAKES [2] RUNNING GEAR [3] CAB EQUIP [4] MECH. EQUIP [5] ELECT. EQUIP [6] STEAM GEN. [7] SAFETY APPL. [8] EVENT RECORDER								GEN. [7] SAFETY			
TESTS	19.WAIVER P.	ART - 229:					20. WAIVER - OTHER:				
PRESSURE DRILLED			WAIVER FRA-2001-11014 , WAIVER FRA-2004-17308 , WAIVER FRA-2005-21179 , WAIVER FRA-2005-21613 , WAIVER FRA-2014-0085 , WAIVER FRA-2015-0114								
TYPE / INTERVAL NOT MORE THAN			21. PERSON CONDUCTING		22. TEST DATE AND PLACE		23. CERTIFIED BY		24. PREVIOUS TEST DATE AND PLACE		
HAND BRAKE 232.105(c)/368 days									07/01/2016 GLOBAL 4, IL		
ANNUAL TESTS 229.27/368 days			NA		NA		NA		NA		
L1 229.29(C1)(A1) (1) FILTERS ONLY/368 days			J C KIRKLANI	D	01/13/2017 N LITTLE ROCK RAMP, AR		S D HARGROVE		01/04/2016 ROSEVILLE, CA		
L2&L3 229.29(C2/C3)(CCB2)/2576 days									09/21/2012 ERIE, PA		
EVENT RECORDER 229.25(d) or 229.27(c)/368 days			SEE COLUMN ABOVE	N 15					01/04/2016 ROSEVILLE, CA		

UP 8037 BLUECARD UP 8037

REMARKS: CARRIERS ENTER ANY OTHER CLARIFYING OR EXPLANATORY INFORMATION.

DO NOT USE AFTER: 04/08/2017

EVENT RECORDER EQUIPPED: PULSE TTX-IDR-02

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI

WAIVER DETAILS:

WAIVER FRA-2001-11014

ELECTRONIC DAILY INSPECTION.

WAIVER FRA-2004-17308

ELECTRONIC BLUE CARD.

WAIVER FRA-2005-21179

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI.IF AFM EQUIPPED, AFM SET AT 64 CFM FOR 120-130 PSI OR 60 CFM FOR 130-140 PSI.

WAIVER FRA-2005-21613

ELECTRONIC AIR BRAKE TESTING FOR EXTENSION OF COTS INTERVAL.

WAIVER FRA-2014-0085

RELIEF FROM REQUIREMENT TO PERFORM TEST PRESCRIBED BY CFR 236.586 ON MICROPROCESSOR BASED AUTOMATIC CAB SIGNAL, TRAIN STOP AND TRAIN CONTROL SYSTEMS.

WAIVER FRA-2015-0114

WAIVER FOR METHOD OF SECURING WHEEL ON 419 AND 455 SERIES WHEEL STYLE ELECTRIC LOCOMOTIVE PARKING BRAKE

OUT OF SERVICE DETAILS :

OUT OF SERVICE 10/27/2012 TO 02/04/2013 101 DAYS AT PROVISO, IL OS

Certification of true copy.

I certify that this is a true copy of the inspection and repair record of locomotive no. UP 8037

ATTENTION: A false entry on this form is punishable by fine or imprisonment (U.S. Code. Title 18. Sec. 1001).

03/14/2017
(Officer-in-charge) DATE

UP 8376 BLUECARD UP 8376

U.S DEPARTMENT OF TRANSPORTATION		UNION PACIFIC RAILROAD LOCOMOTIVE INSPECTION AND REPAIR RECORD										
FEDERAL RAILROAD ADMINISTRATION			In accordance with the Locomotive Inspection Act, 36 State, 913, as amended and the regulations issued pursuant to that Act, the parts and appurtenances of the locomotive unit have been inspected and all defects disclosed by the inspection have been properly repaired.									
REPORTING YEAR :2017			IS LOCO.NEW: No				IF RENUMBERED/PREV.INIT&NO:					
1. OPERATED BY: UNI	RRCode	e: UP	2. OWNED BY (Railroad) :Unic RRCode: UP			Jnion Pacific Railroad Company						
3. MODEL NO: SD70ACE	4. LOCO INIT/NO : UP 8376		5. YR. BUILT: 2005		6. PROPELLED BY: D-E		7. HORSEPOWER: 4300			/PE OF SERVICE: IGHT		
9. STEAM GEN.	9. STEAM GEN. GEN. #1: N/A WORKING			3 PRESSURE:					GEN. #2: N/A WORKING PRESSURE:			
10. MAXIMUM PISTON	TRAVEL:8 inches		TYPE OF AIR	BRAKE: FS	STBK		AIR DRYER EQUIPPED: YES					
11. OUT OF USE CREE	DIT: 0		12. LAST PER	RIODIC INSI	PECTION E	DATE: 08/12/2	2016 PI	LACE: NLRK JEN	KS, Al	R		
AFM CAL. 229.29(b)	91 day max. interval	Previo 11/05/2	us Date: 2016	Date & Ce 01/31/2017 TROBAUG	7 S D		Date & Cert:	Date & Cert:				
PERIODIC INSPECTIONS			CHECK ONE:		92 DAYS PER 229.23(a).		<b>V</b>	184 DAYS PER 229	9.23(b)(1)ONLY.			
13. DATE	14. PLACE	ACE 15. ITEMS *		16. PERSO	PERSON 15. ITEMS *		16. PERSON CONDUCTING		1	7. CERTIFIED BY		
O/S FROM: 01/09/20												
01/10/2017	HOUSTON, TX	1-4 & 7		M J SARA	VIA	5		I C CARTIAL	K	L PARKINSON		
* 15. ITEM CODE: [1] BRAKES [2] RUNNING GEAR [3] CAB EQUIP [4] MECH. EQUIP [5] ELECT. EQUIP [6] STEAM GEN. [7] SAFETY APPL. [8] EVENT RECORDER								[7] SAFETY				
TESTS 18. H&H TEST PRESSURE DRILLED			19.WAIVER PART - 229:  WAIVER FRA-2001-11014 , WAIVER FRA-2004-17308 , WAIVER FRA-2005-21179 , WAIVER FRA-2005-21613 , WAIVER FRA-2014-0085						WAIVER - OTHER:			
TYPE / INTERVAL NOT MORE THAN			21. PERSON CONDUCTING		22. TEST DATE AND PLACE		23. CERTIFIED BY		24. PREVIOUS TEST DATE AND PLACE			
HAND BRAKE 232.105(c)/368 days									08/12/2016 NLRK JENKS, AR			
ANNUAL TESTS 229.27/368 days			NA		NA		NA		NA			
L1 229.29(C1)(A1) (1) FILTERS ONLY/368 days										2/2016 NLRK (S, AR		
L2&L3 229.29(C2/C3)(FSTBK)/3651 days										6/2016 LOS ELES, CA		
EVENT RECORDER 229.25(d) or 229.27(c)/368 days			SEE COLUMN ABOVE	N 15						2/2016 NLRK (S, AR		

UP 8376 BLUECARD UP 8376

REMARKS: CARRIERS ENTER ANY OTHER CLARIFYING OR EXPLANATORY INFORMATION.

DO NOT USE AFTER: 05/02/2017

EVENT RECORDER EQUIPPED: BACH-SIMPSON 54360-512 CHM

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI

WAIVER DETAILS:

WAIVER FRA-2001-11014

ELECTRONIC DAILY INSPECTION.

WAIVER FRA-2004-17308

ELECTRONIC BLUE CARD.

WAIVER FRA-2005-21179

MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI.IF AFM EQUIPPED, AFM SET AT 64 CFM FOR 120-130 PSI OR 60 CFM FOR 130-140 PSI.

WAIVER FRA-2005-21613

ELECTRONIC AIR BRAKE TESTING FOR EXTENSION OF COTS INTERVAL.

WAIVER FRA-2014-0085

RELIEF FROM REQUIREMENT TO PERFORM TEST PRESCRIBED BY CFR 236.586 ON MICROPROCESSOR BASED AUTOMATIC CAB SIGNAL, TRAIN STOP AND TRAIN CONTROL SYSTEMS.

## Certification of true copy.

I certify that this is a true copy of the inspection and repair record of locomotive no. UP 8376

ATTENTION: A false entry on this form is punishable by fine or imprisonment (U.S. Code. Title 18. Sec. 1001).

(Officer-in-charge) 03/13/2017

OFFICER-IN-CHARGE) DATE