

INSTALLED COMPONENTS AND INSPECTION DATA SHEET

770

INSTALLED COMPONENTS AND INSPECTION DATA SHEET												
AIRCRAFT SERIAL NUMBER:		67-17658	N658H	ENGINE STARTS:		145	REGISTRATION NUMBER:		N658H			
DATA LAST UPDATED ON:		1/9/2018	TOTAL LANDINGS TO DATE:		391		MAST TUBE RINS:		49,674			
FLIGHT HOUR METER:		N/A	TOTAL TORQUE EVENTS (LIFTS):		0		M/R TRUNNION TOTAL RINS:		74,723.0			
ENGINE HOUR METER:		N/A	ENGINE TIME SINCE O/H:		92.3		Green = Blocks to be Updated		Yellow = Inspection Near by Hrs			
AIRCRAFT TOTAL TIME:		4420.5	TOTAL ENGINE TIME:		2293.3		Blue = A Daily Requirement		Orange = Inspection Near by Days			
No.	COMPONENT OR INSPECTION	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @	Red = DUE
							DATE	A/C HRS	TSN	TSO/TSI	A/C HRS	REMAINING
1	STAB BAR ASSY	204-011-326-007	WOMMUAA 5003-35	O/C								O/C
2	STAB CENTER FRAME ASSY	204-011-307-001	A061	15,000	HRS	RET	4/22/2016	4334.2	446.0		18888.2	14,467.7
3	STAB CENTER FRAME ASSY	204-011-307-001	TR3564	15,000	HRS	RET	4/22/2016	4334.2	1,933.0		17401.2	12,980.7
4	TUBE ASSEMBLY, STABILIZER	212-010-311-101		O/C			4/22/2016	4334.2				O/C
5	TUBE ASSEMBLY, STABILIZER	212-010-311-101		O/C			4/22/2016	4334.2				O/C
6	MAIN ROTOR BLADE	205-015-150-101D	AA132	10,000	HRS	RET	4/22/2016	4334.2	200.0		14134.2	9,713.7
7	MAIN ROTOR BLADE	205-015-150-101D	AA161	10,000	HRS	RET	4/22/2016	4334.2	650.0		13684.2	9,263.7
8	M/R HUB ASSEMBLY	204-012-101-139	ADA-0619	1,200	HRS	O/H	4/22/2016	4334.2	4,720.0	0.0	5534.2	1,113.7
9	M/R YOKE	204-011-102-017	JI-1-3669	7,200	HRS	RET	4/22/2016	4334.2	4,382.1	0.0	7152.1	2,731.6
10	M/R TRUNNION	204-011-105-001	A1-07044	15,000	HRS	RET	4/22/2016	4334.2	3,713.8	0.0	15620.4	11,199.9
11	M/R TRUNNION (RINS)	204-011-105-001	A1-07044	300,000.0	RINS	RET	4/22/2016	74,723.0		300,000.0	225,277.0	
12	GRIP ASSEMBLY MAIN	204-011-121-005	J1-1-25228	17,500	HRS	RET	4/22/2016	4334.2	5,304.4	0.0	16529.8	12,109.3
13	GRIP ASSEMBLY MAIN	204-011-121-005	YY1-1414	17,500	HRS	RET	4/22/2016	4334.2	4,783.5	0.0	17050.7	12,630.2
14	M/R T. T. STRAPS	204-310-101-101	LPFS 29476	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
15	M/R T. T. STRAPS	204-310-101-101	LPFS 29469	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
16	PIN	204-012-104-005	FWFS 437	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
17	PIN	204-012-104-005	DIFS 15049	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
18	PIN	204-012-104-005	DIFS 15095	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
19	PIN	204-012-104-005	DIFS 15040	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
20	M/R STRAP FITTINGS-O/B	204-012-103-003	HA3885	2,400	HRS	RET	4/22/2016	4334.2	570.6		6163.6	1,743.1
21	M/R STRAP FITTINGS-O/B	ASI-4012-103-001	P1-098	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
22	M/R STRAP FITTINGS-I/B	ASI-4012-102-009	P3-139	2,400	HRS	RET	4/22/2016	4334.2	0.0		6734.2	2,313.7
23	M/R STRAP FITTINGS-I/B	204-012-102-009	A-5070	2,400	HRS	RET	4/22/2016	4334.2	1,486.7		5247.5	827.0
24	CLEVIS, DRAG BRACES	204-011-179-001	MO-095	3,600	HRS	RET	4/22/2016	4334.2	1,937.7		5996.5	1,576.0
25	CLEVIS, DRAG BRACES	204-011-179-001	MO-384	3,600	HRS	RET	4/22/2016	4334.2	1,525.2		6409.0	1,988.5
26	SCISSORS & SLEEVE	204-011-401-011	BE 1550	1,200	HRS	O/H	4/22/2016	4334.2	2,386.0	0.0	5534.2	1,113.7
27	SCISSORS LEVER	204-011-406-013	EA-1054	3,600	HRS	RET	4/22/2016	4334.2	1,186.0	0.0	6748.2	2,327.7
28	SCISSORS LEVER	204-011-406-013	EA-0697	3,600	HRS	RET	4/22/2016	4334.2	1,186.0	0.0	6748.2	2,327.7
29	SWASH PLATE ASSY.	204-011-400-011	J19-5306	1,200	HRS	O/H	4/22/2016	4334.2	5,613.4	0.0	5534.2	1,113.7
30	SWASH PLATE SUPPORT	204-011-404-005	466A19	3,600	HRS	RET	4/22/2016	4334.2	2,066.5	0.0	5867.7	1,447.2
31	COLLECTIVE LEVER	212-010-403-005	EA9963	4,800	HRS	RET	4/22/2016	4334.2	1,994.5	0.0	7139.7	2,719.2
32	COLLECTIVE LEVER	212-010-403-005	EA10038	4,800	HRS	RET	4/22/2016	4334.2	2,805.5	0.0	6328.7	1,908.2
33	MAST ASSEMBLY	204-040-366-015	A-6695	1,500	HRS	O/H	4/22/2016	4334.2	905.6	19.6	5814.6	1,394.1
34	MAST TUBE	204-011-450-105	NFS-52342	15,000	HRS	RET	4/22/2016	4334.2	905.6	19.6	18428.6	14,008.1
35	MAST TUBE (RINS)	204-011-450-105	NFS-52342	265,000	RINS	RET	7/28/2017	49,674		265,000	265,000	
36	MAST BEARING	212-040-136-001	JA 2499	1,500	HRS	O/H	4/22/2016	4334.2	1,546.3	19.6	5814.6	1,394.1

	COMPONENT OR INSPECTION	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	REMAINING
							DATE	A/C HRS	TSN	TSO/TSI		
37	ROTOR CONTROL BOLTS	204-1629-2 (KIT)16										
38	MAIN TRANSMISSION	204-040-016-005	A12-650B	600	HRS	RET	4/22/2016	4334.2	0.0		4934.2	513.7
39	INPUT QUILL	205-040-263-111	A12-1652	2,000	HRS	O/H	4/22/2016	4342.6	7,518.8	0.0	6342.6	1,922.1
40	TAILBOOM ASSEMBLY	205-032-800-007	BBBD-3970	1,500	HRS	O/H	4/22/2016	4342.6	1,519.8	0.0	5842.6	1,422.1
41	#1 HANGER BEARING (A20-06902)	204-040-623-111	ZS-21251	O/C								O/C
42	#2 HANGER BEARING (A20-05065)	204-040-623-111	ZS-21253	1,000	HRS	RET	4/22/2016	4334.2	18.7		5315.5	895.0
43	#3 HANGER BEARING (A20-02697)	204-040-623-111	ZV-18814	1,000	HRS	RET	4/22/2016	4334.2	18.7		5315.5	895.0
44	#4 HANGER BEARING (A20-07355)	204-040-623-111	ZS-21252	1,000	HRS	RET	4/22/2016	4334.2	18.7		5315.5	895.0
45	ELEVATOR L/H	205-030-856-019	AC0106	1,000	HRS	RET	4/22/2016	4334.2	18.7		5315.5	1000.0
46	ELEVATOR R/H	205-030-856-021	AS 1323	3,600	HRS	RET	4/22/2016	4334.2	565.2		7369.0	2,948.5
47	HORN ASSY,ELEVATOR	205-001-914-025	RE 0978	3,600	HRS	RET	4/22/2016	4334.2	1,993.0		5941.2	1,520.7
48	T53-L-703 ENGINE ASSY	1-000-060-23	LE-10462Z	4,800	HRS	RET	4/22/2016	4334.2	3,029.0		6105.2	1,684.7
49	42 DEGREE GEARBOX	212-040-003-073	AHP-104	3,000	HRS	O/H	4/22/2016	4334.2	2,207.0	0.0	7334.2	2,913.7
50	90 DEGREE GEARBOX	212-040-004-009	AHT-51659	5,000	HRS	O/H	4/22/2016	4334.2	UKN	0.0	9334.2	5,000.0
51	HUB ASSY., T/R	212-011-701-125	HB1291	5,000	HRS	O/H	4/22/2016	4334.2	1,136.0	0.0	9334.2	4,913.7
52	YOKE ASSY., T/R	212-011-702-001	HB1665	2,500	HRS	O/H	4/22/2016	4334.2	0.0	0.0	6834.2	2,413.7
53	BLADE,T/R	212-010-750-011	A-FS 5713	5,000	HRS	RET	4/22/2016	4334.2	0.0	0.0	9334.2	4,913.7
54	BLADE,T/R	212-010-750-011	A-FS 6973	5,000	HRS	RET	4/22/2016	4334.2	491.0	19.6	8843.2	4,422.7
55	MAIN DRIVE SHAFT	SKCP-2281-103		5,000	HRS	RET	4/22/2016	4334.2	793.6	19.6	8540.6	4,120.1
56	FAN, TURBINE	204-062-540-1	12880631	O/C			4/22/2016	4334.2				O/C
57	BEARING BALL, ANNULA (Turbine fan)	J33C32		O/C			4/22/2016	4334.2				O/C
58	BEARING BALL, ANNULA (Turbine fan)	H33C32		450	HRS	RET	4/22/2016	4334.2	0.0	0.0	4784.2	363.7
				450	HRS	RET	4/22/2016	4334.2	0.0	0.0	4784.2	363.7

REOCCURRING AIRWORTHINESS DIRECTIVES (AD's)

	AIRWORTHINESS INSPECTIONS	FREQUENCY	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	REMAINING
						DATE	A/C HRS	TSN	TSO/TSI		
59	AD 2013-15-02 T/R Blades	25 Hour	25	HRS			4419.3			4444.3	23.8
60	AD 2013-15-02 T/R Blades	30 Day	30	DAYS		12/24/2017				1/23/18	14
61	AD 2006-11-16R3 Fuel Cont/Gov	1250 HOUR	1250	HRS			4334.2			5584.20	1,163.70
62	AD 2002-03-01 Eng Vib	1000 HOUR	1000	HRS			4334.2			5334.20	913.70
63	AD 92-23-01 M/R Pillow Blocks	1200 HOUR	1200	HRS			4334.2			5534.20	1,113.70
64	AD 2001-13-01 T/R Counter Wt Nut	100 HOUR	100	HRS			4342.6			4442.60	22.1

STC, ICA INSPECTIONS

	COMPONENT OR INSPECTION	FREQUENCY	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	REMAINING
						DATE	A/C HRS	TSN	TSO/TSI		
65	DART CROSS TUBE (SR01298NY)	DAILY	1	Days		12/24/2017				12/25/17	-15
66	DART CROSS TUBE (SR01298NY)	300	300	HRS			4334.2			4634.2	213.7
67	DART CROSS TUBE (SR01298NY)	2 YEAR / HARDLANDING	24	MONTHS		4/28/2016				4/28/18	109.0
68	DART SKID TUBES (SR00563NY)	DAILY	1	Days		12/24/2017				12/25/17	-15
69	DART SKID TUBES (SR00563NY)	300 HR / HARDLANDING	300	HRS			4334.2			4634.2	213.7
70	DART ENGINE MOUNT SS (SR02070NY)	100 HR	100	HRS			4334.2			4434.2	13.7
71	DART ENGINE MOUNT (SR01395NY)	100 HR	100	HRS			4334.2			4434.2	13.7

STC, ICA INSPECTIONS - CONTINUED

	COMPONENT OR INSPECTION	FREQUENCY	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @	REMAINING
						DATE	A/C HRS	TSN	TSO/TSI	A/C HRS	
72	VECTOR 212 CONTROLS (SR00267SE)	DAILY	1	Days		12/24/2017				12/25/17	-15
73	VECTOR 212 CONTROLS (SR00267SE)	100 HR	100	HRS			4342.6			4442.6	22.1
74	VECTOR 212 CONTROLS (SR00267SE)	150 HR	150	HRS			4342.6			4492.6	72.1
75	VECTOR 212 CONTROLS (SR00267SE)	12 MONTHS	12	MONTHS		2/3/2017				2/3/18	25
76	AFS FILTER (SR02358CH)	RETIRMEMENT AFTER 15 CLEANINGS	15	TIMES			0		0	0	15
77	FILTER	CLEANING 300 HR	300	HRS			4334.2			4634.2	213.7
78	FILTER	CLEANING 1 YEAR	1	YEAR		2/3/2017				2/3/18	25
79	FILTER	CONDITIONAL 300HR	300	HRS			4334.2			4634.2	213.7
80	FILTER	CONDITIONAL 1 YEAR	1	YEAR		2/3/2017				2/3/18	25
81	FILTER	VISUAL - ANNUAL	1	YEAR		2/3/2017				2/3/18	25
82	STRUCTURAL COMPONENTS	VISUAL - 100 HRS	100	HRS			4334.2			4434.2	13.7
83	STRUCTURAL COMPONENTS	VISUAL - ANNUAL	1	YEAR		2/3/2017				2/3/18	25
84	ELECTRICAL & SYSTEM COMPONENTS	VISUAL - 100 HRS	100	HRS			4334.2			4434.2	13.7
85	ELECTRICAL & SYSTEM COMPONENTS	VISUAL - ANNUAL	1	YEAR		2/3/2017				2/3/18	25
86	ELECTRICAL & SYSTEM COMPONENTS	FUNCTION CHECK - ANNUAL	1	YEAR		2/3/2017				2/3/18	25
87	AKV CYCLE COUNTER (SR02204LA)	ANNUAL	1	YEAR		2/3/2017				2/3/18	25
88	MINUTEMAN ENGINE (SR01196LA)	150 HR	150	HRS			4342.6	2207.0	0.0	4492.6	72.1
89	MINUTEMAN ENGINE (SR01196LA)	1200 HOUR	1200	HRS			4342.6	2207.0	0.0	5542.6	1,122.1
90	42 GB / 90 GB OIL CHANGE	300 HR	300	HRS			4342.6			4642.6	222.1
91	42 GB / 90 GB OIL CHANGE	12 MONTHS	12	MONTHS		2/3/2017				2/3/18	25
92	SPECIAL INSPECTIONS	T/R RETAINING NUT TORQUE	10	HRS							N/A
93	5 TO 10 HRS AFTER ISTALLATION	42 GB ATTACHMENT BOLT TORQUE	10	HRS							Completed
94	5 TO 10 HRS AFTER ISTALLATION	90 GB RETAINING NUT TORQUE	10	HRS							Completed
95		TAILBOOM ATTACHMENT 100 HR	100	HRS			4342.6			4442.6	22.1
96	5 TO 10 HRS AFTER ISTALLATION	T/R TRUNNION BEARING	10	HRS							Completed
97		212-010-723-001 OR 212-010-768-001									Completed
98	INSPECT & LUB FLEX COUPLINGS	42 GB / 90 GB 600 HR	600	HRS			4334.2			4934.2	513.7
99	INSPECT & LUB FLEX COUPLINGS	42 GB / 90 GB 6 MONTHS	6	MONTHS		8/11/2017				2/11/18	33
100	Tail Rotor Cross Head	100 Hours	100	HRS			4342.6			4442.6	22.1
101	ELT S/N: 2997	ELT Battery	5	YEAR		8/17/2016				8/17/21	1,316
102	ELT Unit	ELT Inspections	1	YEAR		9/15/2017				9/15/18	249.0
103	Gill Aircraft Battery 7638-44	1200 / 12 Mo	1200	HRS			4342.6			5542.6	1,122.1
104	Gill Aircraft Battery 7638-44	12 Months	12	MONTHS		2/3/2017	4342.6			2/3/18	25
105	Gill Aircraft Battery 7638-44	600 HR / 6 Mo after 1200 HR / 12 Mo	600	HRS			4342.6				600 HR after 1200 HR
106	Gill Aircraft Battery 7638-44	600 HR / 6 Mo after 1200 HR / 12 Mo	6	MONTHS		8/11/2017					6 Mo after 1200 HR

AIRCRAFT INSPECTIONS

	COMPONENT OR INSPECTION	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	REMAINING
							DATE	A/C HRS	TSN	TSO/TSI		
107	14 Day/10 HR Insps & Eng Runup	TM 55-1520-210-23										
108	14 Day PMD Inspection											
109	14 Day Engine Runup			14	DAYS		12/24/2017				1/7/2018	-2
110	10 HR PMD Inspection			14	DAYS		12/24/2017				1/7/2018	-2
111	25.0 Hr Aircraft Oil Samples	TB 43-0106/UH-1-94-ASAM-01		10	HRS			4419.3			4429.3	8.8
112	Lycoming T-53-703 Engine		LE10462Z	25	HRS		12/24/2017	4420.5			4445.5	25.0
113	Main Transmission	204-040-016-005	A12-650B	25	HRS		12/24/2017	4420.5			4445.5	25.0
114	42" Tail Rotor Gearbox	212-040-003-073	AHP-104	25	HRS		12/24/2017	4420.5			4445.5	25.0
115	90" Tail Rotor Gearbox	212-040-004-009	AHT51659	25	HRS		12/24/2017	4420.5			4445.5	25.0
116	Hydraulic System	N/A	N/A	25	HRS		12/24/2017	4420.5			4445.5	25.0
117	Aircraft Lube	TM 55-1520-210-23-1									4445.5	25.0
118	Aircraft Lube	M/R Hub		50	HRS							
119	Aircraft Lube	Aircraft		150	HRS			4395.5			4445.5	25.0
120	Aircraft Lube	T/R D/S Flex Coupling		600	HRS			4342.6			4492.6	72.1
121	Aircraft Lube	T/R D/S Flex Coupling		12	MONTHS		2/3/2017				4942.6	522.1
122	Phase Inspections	TM 55-1520-210-PM									2/3/18	25
123	Phase Inspection	Phase 1		150	HRS		2/3/2017	4342.6			4492.6	72.1
124	Phase Inspection	Phase 2		300	HRS		2/3/2017	4342.6			4642.6	222.1
125	Phase Inspection	Phase 3		450	HRS		2/3/2017	4342.6			4792.6	372.1
126	Phase Inspection	Phase 4		600	HRS		2/3/2017	4342.6			4942.6	522.1
127	Phase Inspection	Phase 5		750	HRS		2/3/2017	4342.6			5092.6	672.1
128	Phase Inspection	Phase 6		900	HRS		2/3/2017	4342.6			5242.6	822.1
129	6 Month Inspections	TM 55-1520-210-23-1										
130	6 Months	Fire Extinguisher		6	MONTHS		8/11/2017				2/11/18	33
131	6 Months	Ground Receptacle		6	MONTHS		8/11/2017				2/11/18	33
132	12 Month inspections	TM 55-1520-210-23-1		12	MONTHS							
133	12 Months	Magnetic Compass		12	MONTHS		10/4/2017				10/4/18	268
134	12 Months	OAT Gage		12	MONTHS		2/3/2017				2/3/18	25
135	12 Months	Bleed Air / Muff Heater		12	MONTHS		2/3/2017				2/3/18	25
136	12 Months	Magnesium Clevis End (Droop Comp)		12	MONTHS		2/3/2017				2/3/18	25
137	12 Months	Fire Warning		12	MONTHS		2/3/2017				2/3/18	25
138	24 Month Inspections	TM 55-1520-210-23-1		24	MONTHS						2/3/18	25
139	24 Months	Airspeed Indicator Test & Inspection		24	MONTHS		10/4/17				10/4/19	633
140	24 Months	Pitot Static		24	MONTHS		10/4/17				10/4/19	633
141	24 Months	Altimeter Test & Inspection/Certification		24	MONTHS		10/4/17				10/4/19	633
142	24 Months	Transponder Test		24	MONTHS		10/4/17				10/4/19	633
143	24 Months	Aircraft Weight & Balance		24	MONTHS		9/20/16				9/20/18	254
144	50 Hrs	TM 55-1520-210-23-1		50	HRS							
145	Inspection	Lift Link		50	HRS		9/16/17	4403.5			4453.5	33.0
146	50 HR / 30 Days	TM 55-1520-210-23-1										
147	Cleaning / Inspection	Main Rotor Blades		30	Days		12/24/17				1/23/18	14
148	212 T/R Blades: See AD 2013-15-02 212 T/R 25 Hr / 30 Day Inspections (Line # __)			30	Days		12/24/17				1/23/18	14
149	Cleaning / Inspection	Engine Wash		50	HRS		7/29/17	4395.5			4445.5	25.0

AIRCRAFT INSPECTIONS - CONTINUED

AIRCRAFT INSPECTIONS - CONTINUED												
	COMPONENT OR INSPECTION	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @	REMAINING
							DATE	A/C HRS	TSN	TSO/TSI	A/C HRS	
150	75 HRS	TM 55-1520-210-23-1		75	HRS							
151	Wafer Disc Screen	Transmission Sump Filter		75	HRS							
152		Chip Detector		75	HRS			4403.5			4478.5	58.0
153	100 HR / 120 Days	TM 55-1520-210-23-1		100	HRS			4403.5			4478.5	58.0
154		Voltage Regulator		120	Days			4342.6			4442.6	22.1
156	300 Hrs	TM 55-1520-210-23-1					10/5/17	4342.6			2/2/18	24
157	Sloppy Link Insp	HYD Servo Lever Assy		300	HRS							
158	600 HRS	TM 55-1520-210-23-1						4342.6			4642.6	222.1
159		M/R Blade Ballast Weight		600	HRS							
160	900 HRS	TM 55-1520-210-23-1						4342.6			4942.6	522.1
161		Engine Oil Change		900	HRS							
162		Transmission Oil Tank & Cooler Oil Change		900	HRS			4342.6			5242.6	822.1
163	1200 HRS / 24 Months	TM 55-1520-210-23-1						4342.6			5242.6	822.1
164	Inspection	90 GB Mounting		1200	HRS							
165	Inspection	90 GB Mounting		24	MONTHS			4342.6			5542.6	1,122.1
166	Engine Vibration Screening	SOF UH-1-98-05		1000	HRS		4/28/2016	4334.2			4/28/18	109
167	Engine Hot End Inspection	TM 55-2840-229-23-1		1200	HRS			4328.2			5328.2	907.7
168	3600 HRS	TM 55-1520-210-23-1						4334.2	2207.0	0.0	5534.2	1,113.7
169	Corrosion Inspection	Elevator Horn		3600	HRS							
								4342.6			7942.6	3,522.1

OTHER COMPONENTS - ON CONDITION (O/C) COMPONENTS

	AVIONICS	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	
							DATE	A/C HRS	TSN	TSO/TSI		
170	Garmin G500H PFD/MFD (#1 GDU620)	011-01264-60	165302053	O/C			10/4/2017	4406.5				Pilot Side
171	Garmin G500H AHARS (#1 GRS-77H)	011-00868-20	1ST002028	O/C			10/4/2017	4406.5				Pilot Side
172	Garmin G500H ADC (#1 GDC74-H)	011-00882-11	1SY006924	O/C			10/4/2017	4406.5				Pilot Side
173	Garmin G500H Magnetometer (#1 GMU-44)	011-00870-10	1CM011607	O/C			10/4/2017	4406.5				Pilot Side
174	Garmin G500H Temp Probe (#1 GTP-59)	011-00978-00	47936120	O/C			10/4/2017	4406.5				Pilot Side
175	Garmin G500H PFD/MFD (#2 GDU620)	011-01264-50	165205399	O/C			10/4/2017	4406.5				Pilot Side
176	Garmin G500H AHARS (#2 GRS-77H)	011-00868-20	1ST000290	O/C			10/4/2017	4406.5				Co-Pilot Side
177	Garmin G500H ADC (#2 GDC74-H)	011-00882-11	1SY006931	O/C			10/4/2017	4406.5				Co-Pilot Side
178	Garmin G500H Temp Probe (#2 GTP-59)	011-00978-00	47936122	O/C			10/4/2017	4406.5				Co-Pilot Side
179	Garmin GTX345R Remote Transponder	011-03303-00	3EH002190	O/C			10/4/2017	4406.5				Co-Pilot Side
180	Garmin GTX345R Transponder Antenna	CI 105	79906	O/C			10/4/2017	4406.5				
181	Garmin GRA55 Radar Altimeter	011-02537-05	3RC006172	O/C			10/4/2017	4406.5				
182	Garmin GRA55 Radar Altimeter Antenna (Fwd)	S67-2002	543-86462	O/C			10/4/2017	4406.5				
183	Garmin GRA55 Radar Altimeter Antenna (Aft)	S-67-2002	543-86464	O/C			10/4/2017	4406.5				
184	Garmin GTN 750H	011-02282-00	1ZA020648	O/C			10/4/2017	4406.5				
185	Garmin GA35 WAAS GPS Antenna	013-00235-00	135580	O/C			10/4/2017	4406.5				
186	Garmin GTN650H	011-02256-00	1Z5022768	O/C			10/4/2017	4406.5				
187	Garmin GA35 WAAS GPS Antenna	013-00235-00	135582	O/C			10/4/2017	4406.5				
188	Garmin GMA35CC Remote Audio Panel	011-02299-40	1T6200768	O/C			10/4/2017	4406.5				

	INSTRUMENTS	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @	
							DATE	A/C HRS	TSN	TSO/TSI	A/C HRS	
189	AIRSPED INDICATOR PILOT	MS2845-T2	240930	O/C			4/22/2016	4334.2				
190	AIRSPED INDICATOR COPILOT	MS28045-T2	240728	O/C			4/22/2016	4334.2				
191	PILOT ALTIMETER	2934P-3	ALT008070053	O/C			4/22/2016	4334.2				
192	COPILOT ALTIMETER	ALT201INF-3	ALT00807003	O/C			4/22/2016	4334.2				
193	DUAL TACHOMETER	41105C5A4E3	21433	O/C			4/22/2016	4334.2				
194	N1 TACHOMETER	8DJ81CDG2	11378	O/C			4/22/2016	4334.2				
195	EGT INDICATOR	157800	442887	O/C			4/22/2016	4334.2				
196	TORQUE PRESSURE - PILOT	71117-1	3810	O/C			4/22/2016	4334.2				
197	TORQUE PRESSURE - CO-PILOT	71117-1	5-72-86	O/C			4/22/2016	4334.2				
198	ENGINE OIL PRESSURE	71117-1	9138-265	O/C			4/22/2016	4334.2				
199	TRANSMISSION OIL PRESSURE	71117-1	2149	O/C			4/22/2016	4334.2				
200	FUEL QUANTITY	393004-01409	DAAJ9-81	O/C			4/22/2016	4334.2				
201	FUEL PRESSURE	MS28010-1	1247	O/C			4/22/2016	4334.2				
202	ENGINE OIL TEMP	MS28009-1	14093	O/C			4/22/2016	4334.2				
203	TRANSMISSION OIL TEMP	MS28009-1	3941	O/C			4/22/2016	4334.2				
204	AC VOLT METER			O/C			4/22/2016	4334.2				
205	DC VOLT METER			O/C			4/22/2016	4334.2				
206	DC LOAD METER			O/C			4/22/2016	4334.2				
207	VERTICAL SPEED - PILOT	RC-30-V	83882	O/C			4/22/2016	4334.2				
208	VERTICAL SPEED - CO-PILOT	RC-30-V	VJ11472	O/C			4/22/2016	4334.2				
209	DIGITAL HORIZON- CO-PILOT	RCA2600-3		O/C			4/22/2016	4334.2				
210	DIGITAL HORIZON- PILOT	RCA2600-3		O/C			4/22/2016	4334.2				
211	Mid-Continent MD93 Digital Clock	64210093-1	E17-11588	O/C			4/22/2016	4334.2				
212	Mid-Continent TA-102 Dual USB Charging Port			O/C			10/4/2017	4406.5				
		64301102-1	C17-11148				10/4/2017	4406.5				
	ELECTRICAL	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @	
							DATE	A/C HRS	TSN	TSO/TSI	A/C HRS	
213	DC VOLT REGULATOR	07639-CSV1152-12AB	BR6031A	O/C			4/22/2016	4334.2				
214	DC VOLT REGULATOR	07639-CSV1152-12AB	AN2105	O/C			4/22/2016	4334.2				
215	INVERTER	SPC10D	1123	O/C			4/22/2016	4334.2				
216	INVERTER	SPC10D	1122	O/C			4/22/2016	4334.2				

OTHER COMPONENTS

	FUEL SYSTEM	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @	
							DATE	A/C HRS	TSN	TSO/TSI	A/C HRS	
217	LEFT FUEL BLADDER FWD.	205-062-635-001		O/C			4/22/2016	4334.2				
218	RIGHT FUEL BLADDER FWD.	205-062-635-002		O/C			4/22/2016	4334.2				
219	LEFT FUEL BLADDER, REAR	2F11637012-1		O/C			4/22/2016	4334.2				
220	RIGHT FUEL BLADDER REAR	205-062-635-11		O/C			4/22/2016	4334.2				
221	REAR CENTER FUEL BLADDER	205-062-635-13		O/C			4/22/2016	4334.2				
222	FUEL FILTER ASSY	204-040-760-13	1148	O/C			4/22/2016	4334.2				
223	FUEL PRESSURE TRANSMITTER	MS28005-1		O/C			4/22/2016	4334.2				
224	RIGHT FUEL PUMP	2C27-3	9030265	O/C			4/22/2016	4334.2				
225	LEFT FUEL PUMP	2C27-3	9020110	O/C			4/22/2016	4334.2				

OTHER COMPONENTS - CONTINUED

	HYDRAULICS	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	
							DATE	A/C HRS	TSN	TSO/TSI		
226	TAIL ROTOR SERVO	212-076-004-005	1963	O/C			4/22/2016	4334.2		0.0		
227	SERVO IRREVERSIBLE VALVE L/H	204-076-055-001	22320	O/C			4/22/2016	4334.2		0.0		
228	SERVO IRREVERSIBLE VALVE R/H	204-076-055-001	53233	O/C			4/22/2016	4334.2		0.0		
229	SERVO IRREVERSIBLE VALVE COLL	204-076-055-001	49450	O/C			4/22/2016	4334.2		0.0		
230	HYDRAULIC SERVO L/H	204-076-052-009	F1139	O/C			4/22/2016	4334.2				
231	HYDRAULIC SERVO COLL	204-076-052-009	F0837	O/C			4/22/2016	4334.2				
232	M/R DAMPER	204-010-937-007	18404	O/C			4/22/2016	4334.2				
233	M/R DAMPER	204-010-937-007	17361	O/C			4/22/2016	4334.2				
	T/R DRIVESHAFTS	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	
							DATE	A/C HRS	TSN	TSO/TSI		
234	SHAFT ASSEMBLY, TAIL	204-040-620-5	A13-85610	O/C			4/22/2016	4334.2				
235	SHAFT ASSEMBLY, TAIL	204-040-620-3	A13-54682	O/C			4/22/2016	4334.2				
236	SHAFT ASSEMBLY, TAIL	204-040-620-3	A13-22581	O/C			4/22/2016	4334.2				
237	SHAFT ASSEMBLY, TAIL	204-040-620-3	A13-39283	O/C			4/22/2016	4334.2				
238	SHAFT ASSEMBLY, TAIL	204-040-620-3	A13-112643	O/C			4/22/2016	4334.2				
	ENGINE ACCESSORIES	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	
							DATE	A/C HRS	TSN	TSO/TSI		
239	TORQUE METER OIL PUMP	1-300-221-04 OR 1-300-221-03		O/C			4/22/2016	4334.2				
240	STARTER/STBY GENERATOR	30E20-61-A		O/C			4/22/2016	4334.2				
241	FUEL CONTROL	1-170-240-60	552A5181	O/C			4/22/2016	4334.2				
242	ENGINE GOVERNOR	1-160-850-23	682AM9341	O/C			4/22/2016	4334.2				
	MISCELLANEOUS	PART NUMBER	SERIAL NUMBER	FREQ.	TYPE	ACTION	COMP. INSTALLATION /COMPLY DATA				DUE @ A/C HRS	
							DATE	A/C HRS	TSN	TSO/TSI		
243	TRANS. OIL COOLER	204-040-724-3		O/C			4/22/2016	4334.2				
244	ENG. COOLER, LUBRICATING	204-060-549-9		O/C			4/22/2016	4334.2				
245	CYCLE COUNTER	UH1T53CC		O/C			4/22/2016	4334.2				
246	AVEO Posistrobe LED Nav/Position Light	AVE-PSPSYW-D01	A01-170700064	O/C			10/4/2017	4406.5				
247	ELT	11-06691		O/C			4/22/2016	4334.2				
248	RT PROCESSOR	066-3054-00		O/C			4/22/2016	4334.2				
249	A-740 INTERFACE	A-740		O/C			4/22/2016	4334.2				
250	N301	N301-000		O/C			4/22/2016	4334.2				
251	N301	N301-000		O/C			4/22/2016	4334.2				
252	N301	N301-000		O/C			4/22/2016	4334.2				
253	N301	N301-000		O/C			4/22/2016	4334.2				
254	COOLING FAN	C-129A		O/C			4/22/2016	4334.2				
255	PUMP, AXIAL PISTONS	PV3-044-8	MX1820445	O/C			4/22/2016	4334.2				

Table 3-12. Torque Values for Nut-Bolt Combinations

Bolt Material	Steel, Corrosion Resistant, and Titanium Bolts Tensile Strength 125 KSI (MIN)		Steel Bolts Tensile Strength 160 KSI (MIN)			
Bolt Numbers	AN3 thru AN20 AN42 thru AN49 AN73 thru AN81 AN173 thru AN186 MS20033 thru MS20046	MS27039 MS20073 MS20074 AN509 MS24694 AN525	MS20004 thru MS20024 NAS144 thru NAS158 NAS333 thru NAS340 NAS583 thru NAS590 NAS624 thru NAS644 NAS1303 thru NAS1320 NAS172 NAS517			
Nut Type	Steel Castellated Nuts, Plate-Nuts and Self-Locking Nuts		Steel Self-Locking Castellated Nuts		Steel Castellated Nuts, Plate-Nuts and Self-Locking Nuts	
Application	Tension	Shear	Tension	Shear	Tension	Shear
Nut Numbers	AN310 AN315 AN363 MS20365 MS20500 MS21044 MS21045 NAS679 NAS1021 MS21042 MS21043	AN320 MS20364 MS21083 NAS1022	MS17825	MS17826	AN310 AN315 AN363 MS20365 MS20500 MS21044 MS21045 NAS679 NAS1021 MS21042 MS21043	AN320 MS20364 MS21083 NAS1022

Table 3-12. Torque Values for Nut-Bolt Combinations - Continued

Fine Thread Series Torque Limits in Inch/Lbs								
Nut-Bolt Size	40 KSI Tension In Bolt Note 1	90 KSI Tension In Bolt Note 2	24 KSI Tension In Bolt Note 1	54 KSI Tension In Bolt Note 2	Note 3	Note 3	Note 1	Note 1
8-36	12-15	20	7-9	12				
10-32	20-25	40	12-15	25	20-40	12-25	25-30	15-20
1/4-28	50-70	100	30-40	60	50-95	30-60	80-100	50-60
5/16-24	100-140	225	60-85	140	100-215	60-100	120-145	70-90
3/8-24	160-190	390	95-110	240	160-375	80-150	200-250	120-150
7/16-20	450-500	840	270-300	500	450-700	100-250	520-620	300-400
1/2-20	480-690	1100	290-410	660	600-1100	150-325	770-950	450-500
9/16-18	800-1000	1600	480-600	960			1100-1300	650-800
5/8-18	1100-1300	2400	660-780	1400			1250-1550	750-950
3/4-16	2300-2500	5000	1300-1500	3000			2650-3200	1600-1900
7/8-14	2500-3000	7000	1500-1800	4200			3550-4350	2100-2600
1-12	3700-5500	1000	2200-3000	6000			4500-5500	2700-3300
1 1/8-12	5000-7000	15000	3000-4200	9000			6000-7300	3600-4400
1 1/4-12	9000-11000	25000	5400-6600	15000			11000-13400	6600-8000
Coarse Thread Series Torque Limits in Inch/Lbs								
8-32	12-15	20	7-9	12				
10-24	20-25	35	12-15	21				
1/4-20	40-50	75	25-30	45				
5/16-18	80-90	160	48-55	100				
3/8-16	160-185	275	95-110	170				
7/16-14	235-225	475	140-155	280				
1/2-13	400-480	880	240-290	520				
9/16-12	500-700	1100	300-420	650				
5/8-11	700-900	1500	420-540	900				
3/4-10	1150-1600	2500	700-950	1500				
7/8-9	2200-3000	4600	1300-1800	2700				
1-8	3700-5000	7600	2200-3000	4500				
1 1/8-8	5500-6500	12000	3300-4000	7200				
1 1/4-8	6500-8000	16000	4000-5000	10000				

Table 3-12. Torque Values for Nut-Bolt Combinations - Continued

CAUTION

Insufficient tightening of fasteners can allow the bolt and nut, as well as the parts it is holding together, to wear excessively. This can also allow parts to flex under a load causing wear and fatigue which can result in premature failure of components. Excessive tightening of fasteners can cause damage to components, deformation, and/or failure of fasteners. All torque values are for dry (unlubricated) threads. If threads are lubricated, the limit is 70 percent of value in this table.

- NOTE 1. Torque limits apply to nut tightening only. When tightening a bolt head, torque values must be increased to include frictional resistance of the bolt in the hole. The following torque method shall be used on nut-bolt combinations when such tightening is required.
- Using torque wrench, read torque required to turn the bolt in the hole. (The threads of bolt shall have engaged nut threads to a small extent.)
 - Add this initial frictional torque reading to applicable torque value and tighten to this adjusted value.
- When tightening self-locking nuts (non-castellated) torque values must be increased to include frictional resistance of the self-locking device. The following torque method shall be used on nut-bolt combinations when self-locking nuts are used.
- Start nut on bolt and run nut until self-locking device is in complete contact with bolt. Using torque wrench, read torque required to turn nut before nut contacts the washer.
 - Add this initial frictional torque reading to applicable torque value and tighten to this adjusted value.
- NOTE 2. Maximum torque allowed for cotter pin hole alignment. If limit is exceeded, discard nut and bolt and inspect parts secured by nut and bolt.
- NOTE 3. When tightening self-locking castellated nuts, MS17825 and MS17826, first tighten to minimum torque. If slot in nut is aligned with cotter pin hole in bolt, tighten nut an additional 60° (one castellation) and install cotter pin. If slot in nut is not aligned with cotter pin hole in bolt, tighten nut until aligned, and install cotter pin. In either case, maximum torque must not be exceeded.
- NOTE 4. When installing assembly using cotter pin, washers, and nut, use of thick vs. thin washer under nut to provide proper run down of nut is optional.

J.C. Dodd

Page 1 of 1

Trinidad, Colorado 81082-8723

Dates: From: January 1, 2018 to January 31, 2018

Business Charges to J.C. Dodd's Sapphire Aviation Charge Card

Receipt #	Date:	Description of Expenses/Charges	Amount
1	1/2/18	Autozone. New battery for the Ford Raptor. Old battery would not hold a charge.	
2	1/2/18	A lighted 3x magnifier and a lighted 10x magnifier for performing the 25 hour/ 30 day Tail Rotor Airworthiness Directive Inspection.	
3	1/1/18	Portable VHF Ground to Air radio to communicate with Marc during straffing runs and for general use to communicate with the helicopter from the ground when needed.	
4	1/2/18	Wilson Amplifiers. Per Charles' directive. Two mobile cell phone signal boosters. One for the hummer and one for the snowcat. (Got a 5% discount.)	
5	1/3/18	Walmart. Canvas bag for GPS units and accessories.	
6	1/3/18	Screws, nuts, washers to install 4 GPS mounts and 2 cell phone signal boosters.	
7	1/3/18	Electrical supplies to install 4 GPS mounts and 2 cell phone signal boosters.	
8	1/5/18	Electrical supplies to install 4 GPS mounts and 2 cell phone signal boosters.	
9	1/5/18	Velcro straps to secure charging cables, etc. for GPS accessories.	
10	1/7/18	Windsock for Ranch House.	
11	1/8/18	Six Powerflares Helipad Portable LED Lights. Five for an inverted Y to land to and one for the windsock.	
12	1/8/17	I used one of the suction mounts I ordered for the GPS units to mount the LED Lightbar Controller in the Ford Raptor. This suction mount will replace that one that was meant for the	
13	1/10/18	Walmart. More Binders and dividers for aircraft books.	
14	1/11/18	Mission at the Bell. Dinner for A&P mechanic Eric Klopfer. (Per Diem.)	
15	1/12/18	Tony's Dinner. Breakfast for A&P mechanic Eric Klopfer and for me. (Per Diem.)	
16	1/12/18	Nana and Nanos. Dinner for A&P mechanic Eric Klopfer.	
17	1/12/18	Walmart. LZ marking Paint. Aircraft cleaning supplies.	
18	1/12/18	Big R. Hammer stapler and staples for hanging targets.	
19	1/14/18	Bella Luna Pizza. Lunch for A&P mechanic and me. (Shared a pizza.)	
20	1/14/18	Gas Station. Gas for the tug at the hangar.	
21	1/15/18	Big R. Right angle drill and bits to remove broken stud in transmission.	
22	1/15/18	Carquest. 1/4" torque wrench to torque transmission filter bolts.	
23	1/15/18	Autozone. Electrical parts to install GPS and cell phone booster in Hummer.	
24	1/15/18	Big R. 1 1/2" pipe & cap to mount Wi-Fi antenna on.	
25	1/15/18	Carquest. Hydro fitting plug, can and hose to catch hydro fluid in.	
26	1/15/18	Trinidad Builders Supply. More bits to drill stud with, first ones poor quality and wont cut.	
27			
28			
29			
30			
31			
32			
33			
34			
35			
Total			

Pac West Helicopters, Inc.

DATE	INVOICE #
1/15/2018	18-3185

SOLD TO

Sapphire Aviation LLC
J.C. Dodd

Trinidad, Colorado 81082-8723

SHIP TO

Sapphire Aviation LLC
J.C. Dodd

Trinidad, CO 81082-8723

CUSTOMER P.O.		TERMS	DUE DATE	REP	SHIP DATE	SHIP VIA	FREIGHT ACCT #	W.O.
		Due on receipt	1/15/2018	JG	1/15/2018	UPS Red	PWH	N/A
QTY	PART NUMBER	DESCRIPTION			PWH P.O	COND.	UNIT PRICE	TOTAL
1	AN126007	Stud			4175			
1	205-040-187-3	Gasket			P16-9506			
4	MS21044N4	Nut			6230			
1	Shipping	Overnight Freight TRK#						
NET 30 TERM-- 1.5% LATE FEE ON UNPAID BALANCE THIS SHIPMENT CONTAINS ITEMS WHICH MAY BE CONTROLLED BY THE EXPORT ADMINISTRATION REGULATIONS (EAR: 15 CFR 710-774) OR THE INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR: 22CFR 120-130). BY ACCEPTING DELIVERY OF THESE ITEMS, CUSTOMER EXPRESSLY ASSUMES RESPONSIBILITY FOR EAR/ITAR COMPLIANCE, INCLUDING DETERMINING LICENSE REQUIREMENTS AND AUTHORITY, IS THE EXPORTER AS PER EAR 758.3(B) AND IS SOLELY RESPONSIBLE FOR OBTAINING ANY AND ALL REQUIRED EXPORT APPROVALS PRIOR TO EXPORT. VIOLATIONS OF THE EAR OR ITAR CAN RESULT IN SEVERE FINES, PENTALTIES, IMPRISONMENT, AND LOSS OF EXPORTING PRIVILEGES.								
						Total		
						Sales Tax		
						Payment		
						Balance		

Aircraft Model:	Serial Number:	Registration:	Owner:	Page <u>13</u>
UH-1H	67-17658	N658H	Sapphire Aviation LLC	Date:

Maintenance Record

Sign, Certificate #, and Date All Entries, Indicate Aircraft Hours at Time of Corrective Action.

Discrepancy:

ALL OIL LEVELS SLIGHTLY LOW DUE TO OIL SAMPLES.
1-12-18, 4420.5 ACFT HRS. [REDACTED]

Correction Action:

TOPPED OFF ALL OIL LEVELS WITH BP2380 + HYDRAULIC
OIL FOR HYDRO SYSTEM. ENG TOOK 2/3 QT. [REDACTED] 4420.5 ACFT HRS
1-12-18

Discrepancy:

JET A FUEL PORT NOT PROPERLY LABELED. 1-12-18 4420.5 HRS
[REDACTED]

Correction Action:

LABELED JET-A PORT WITH PROPER LABELS

[REDACTED] 4420.5 ACFT HRS 1-12-18

Discrepancy:

/

Correction Action:

Discrepancy:

Correction Action:

Discrepancy:

Correction Action:

Discrepancy:

Correction Action:

Discrepancy:

Correction Action:

Discrepancy:

Correction Action:



RATON AMERICAN PARTS, INC.
CARQUEST TRINIDAD

TRINIDAD, CO 81082

STORE 7540

CASHIER: SH1

1/15/2018

12:31 PM

Unit # 39696

Invoice #

56501

REF# 102371

1 HHC G60102-0006
SYDR FITTING
RESELLABLE RETURN

1 HHC G60402-0006
HYD FITTING

3 DAY 80234GL
HEATER HOSE HD
3 @ 3.68

1 TPG 85013
GAS CAN 1 PLUS CARB

0302
SUBTOTAL
TAX

TOTAL DUE

VISA

PERMIT TO: RATON AMERICAN PARTS, INC.
326 S 2ND ST, RATON, NM 87140

THANK YOU FOR SHOPPING AT
TRINIDAD BUILDERS SUPPLY

TRINIDAD, CO 81082

26

01/15/18 4:40PM DLM

552 SALE

6956130 2 EA
63907 TITNM NITRIDE BIT 7/6
4442364 1 EA
63906 TITNM NITRIDE BIT 3/3
2530368 1 EA
63905 TITNM NITRIDE BIT 5/6
8567372 1 EA
63908 TITNM NITRIDE BIT 1/8

SUB-TOTAL:\$

TAX

TOTAL

BC AMT:

BK CARD#:

MID:

AUTH:

AMT: \$

Host reference #:

Bat#

Authorizing Network: VISA

Chip Read

EXPR: XXXX

Bank card

USD\$

==>> JRNL#I04194
CUST NO:*5

<<==

THANK YOU JAMIE DODD
FOR YOUR PATRONAGE

↑
BITS/ PARTS/ TOOLS TO
REPAIR BROKEN
STUD IN TRANSMISSION

15

Thank you for shopping at
BIG R TRADING INC

21

Shop 24/7 @ WWW.BIGRONLINE.COM

1/15/18 9:11AM CBOREGO 352 SALE

631910 1 EA
7/64 HD SPLIT PT COBALT DRL
1 1
631900 1 EA
5/64 HD SPLIT PT COBALT DRL
1 1
631630 1 EA
** #2 SPIRAL SCREW EXTRACTOR
631910 1 EA
7/64 HD SPLIT PT COBALT DRL
1 1
631625 1 EA
** #1 SPIRAL SCREW EXTRACTOR
631895 1 EA
1/16 HD SPLIT PT COBALT DRL
1 (A2)
16/5815 1 EA
3/8 RIGHT ANGLE DRILL

SUB-TOTAL:\$
TAX:\$
TOTAL:\$
BC AMT:

CARD#:

AMT:
677 Bat#

EXPR: XXXX

RIGHT ANGLE
DRILL TO
REMOVE
BROKEN
STUD IN
TRANSMISSION

Bank card

USD\$

JRNL#B13677
CUST NO:*1

<<==

THANK YOU JAMIE DODD
FOR YOUR PATRONAGE

050 TRINIDAD CITY T
056 STATE TAX
054 COUNTY SALES TA

CARQUEST

22

AUTO PARTS

RATON AMERICAN PARTS, INC.
CARQUEST TRINIDAD

TRINIDAD, CO 81082

STORE 7540

CASHIER: RWI

Account # 39696

PREFERRED CUSTOMER

Invoice # 56490

1/15/2018

10:32 AM

CUSTOMER

REF# 102350

Qty Unit Part / Description
1 AHT 85060
WR TRQ MICRO 1/4DR

1 HHC G60102-0006
SYDR FITTING

0302

SUBTOTAL
TAX

TOTAL DUE

VISA

REMIT TO: RATON AMERICAN PARTS, INC.
RATON NM 87740

↑
1/4" TORQUE WRENCH
TO TORQUE TRANSMISSION
EXTERNAL OIL FILTER
NUTS.