



WALDEN RD

GARLAND AVE

8855 GARLAND AVE

8711 ARLISS ST

8853 GARLAND AVE

8662 PINEY BRANCH RD

8709 ARLISS ST

8664 PINEY BRANCH RD

8666 PINEY BRANCH RD

8707 ARLISS ST

8851 GARLAND AVE

8660 PINEY BRANCH RD

8668 PINEY BRANCH RD

8648 PINEY BRANCH RD

8644 PINEY BRANCH RD

8654 PINEY BRANCH RD

8658 PINEY BRANCH RD

ARLISS ST

8642 PINEY BRANCH RD

8652 PINEY BRANCH RD

8672 PINEY BRANCH RD

8701 ARLISS ST

8656 PINEY BRANCH RD

8674 PINEY BRANCH RD

8650 PINEY BRANCH RD

PINEY BRANCH RD

8600 PINEY BRANCH RD / 8700 ARLISS ST

GARLAND AVE



0 200 Feet

Incident	Call Type	Group 2	Date	Time
16-009945	6.90E+03	FULL ASSIG	8/10/2016	23:53:52
15-012098	52C1	ADAPTIVE	10/4/2015	17:29:56
16-015682	52C1	ADAPTIVE	12/17/2016	20:02:02
16-000465	52C4	ADAPTIVE	1/12/2016	2:10:16
16-010557	52C4	ADAPTIVE	8/24/2016	13:34:20
16-013056	52C4	ADAPTIVE	10/19/2016	17:35:13
16-004546	53A1	SERVICE CA	4/13/2016	10:23:42
16-009212	60B30	ADAPTIVE	7/25/2016	22:16:27
16-010017	60D10	ADAPTIVE	8/12/2016	10:04:51
16-010109	60D10	ADAPTIVE	8/14/2016	14:11:56
16-010150	60D10	ADAPTIVE	8/15/2016	11:59:29
16-010403	60D10	ADAPTIVE	8/20/2016	19:53:01
16-010408	60D10	ADAPTIVE	8/20/2016	23:36:55
16-010833	60D10	ADAPTIVE	8/30/2016	17:17:18
16-013689	60D10	ADAPTIVE	11/2/2016	20:17:51
16-014067	60D10	ADAPTIVE	11/11/2016	11:36:47
16-014404	60D10	ADAPTIVE	11/18/2016	20:13:34
16-010112	60D40	ADAPTIVE	8/14/2016	15:51:52
16-010122	60D40	ADAPTIVE	8/14/2016	20:45:19
16-010162	60D40	ADAPTIVE	8/15/2016	16:14:15
16-010285	60D40	ADAPTIVE	8/17/2016	21:52:57
16-010431	60D40	ADAPTIVE	8/21/2016	18:06:27
16-010483	60D40	ADAPTIVE	8/22/2016	22:59:21
16-010627	60D40	ADAPTIVE	8/25/2016	22:38:58
16-010842	60D40	ADAPTIVE	8/30/2016	20:16:56
16-011231	60D40	ADAPTIVE	9/8/2016	16:11:07
16-011495	60D40	ADAPTIVE	9/14/2016	18:15:10
16-011510	60D40	ADAPTIVE	9/15/2016	6:15:01
16-011804	60D40	ADAPTIVE	9/21/2016	20:51:46
16-011966	60D40	ADAPTIVE	9/25/2016	16:00:06
16-012291	60D40	ADAPTIVE	10/2/2016	20:28:55
16-013204	60D40	ADAPTIVE	10/23/2016	5:44:37
16-013526	60D40	ADAPTIVE	10/30/2016	15:07:50
15-006556	67B1	ADAPTIVE	6/1/2015	8:50:53
16-002443	67B1	ADAPTIVE	2/26/2016	0:58:40
16-013313	69D1	FULL ASSIG	10/25/2016	16:24:16
15-000936	ALA/BELS	ADAPTIVE	1/22/2015	20:00:00
15-004599	ALA/BELS	ADAPTIVE	4/17/2015	9:32:21
15-004631	ALA/BELS	ADAPTIVE	4/18/2015	0:42:48
15-005224	ALA/BELS	ADAPTIVE	5/1/2015	22:06:31
15-001300	FIR/APT	FULL ASSIG	2/1/2015	3:00:58
15-003602	FIR/APT	FULL ASSIG	3/24/2015	18:18:08
16-010007	FRS-ASST	ADAPTIVE	8/12/2016	6:40:58
16-010054	FRS-ASST	ADAPTIVE	8/13/2016	5:27:36
16-010095	FRS-ASST	ADAPTIVE	8/14/2016	5:30:48
16-010122	FRS-ASST	ADAPTIVE	8/14/2016	20:41:55

16-010131	FRS-ASST	ADAPTIVE	8/15/2016	5:39:19
16-010190	FRS-ASST	ADAPTIVE	8/16/2016	5:55:08
16-010239	FRS-ASST	ADAPTIVE	8/17/2016	5:49:48
16-011187	FRS-ASST	ADAPTIVE	9/7/2016	18:29:01
14-011063	GAS/IN	ADAPTIVE	9/26/2014	18:44:27
16-009998	POL-ASST	ADAPTIVE	8/11/2016	23:47:37
16-010467	SDETAIL	SYSTEM	8/22/2016	13:29:19
16-010554	SDETAIL	SYSTEM	8/24/2016	12:24:05

Location	Box	Long	Lat
8701 Arliss Street	1602	-76.999	38.99871
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8664 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99878
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8672 PINEY BRANCH RD ,MCG	1602	-76.9985	38.9988
8654 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99875
8853 GARLAND AVE ,MCG	1602	-77.0004	39.00081
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8648 PINEY BRANCH RD ,MCG	1602	-76.9988	38.99874
8644 PINEY BRANCH RD ,MCG	1602	-76.999	38.99871
8709 ARLISS ST ,MCG	1602	-77.0012	38.99877
8652 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99875
8652 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99875
8662 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99877
8642 PINEY BRANCH RD ,MCG	1602	-76.999	38.9987
8711 ARLISS ST ,MCG	1602	-77.0012	38.99885
8668 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99879
8666 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99878
8709 ARLISS ST ,MCG	1602	-77.0012	38.99877
8650 PINEY BRANCH RD ,MCG	1602	-76.9988	38.99874
8855 GARLAND AVE ,MCG	1602	-77.0004	39.00081
8674 PINEY BRANCH RD ,MCG	1602	-76.9985	38.9988
8851 GARLAND AVE ,MCG	1602	-77.0004	39.00081
8662 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99877
8668 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99879
8656 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99875
8650 PINEY BRANCH RD ,MCG	1602	-76.9988	38.99874
8707 ARLISS ST ,MCG	1602	-77.0011	38.99868
8660 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99877
8644 PINEY BRANCH RD ,MCG	1602	-76.999	38.99871
8660 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99877
8668 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99879
8642 PINEY BRANCH RD ,MCG	1602	-76.999	38.9987
8600 PINEY BRANCH RD / 8700 ARLISS ST ,MCG	1602	-77.001	38.99842
8664 PINEY BRANCH RD ,MCG	1602	-76.9986	38.99878
8853 GARLAND AVE ,MCG	1602	-77.0004	39.00081
8674 PINEY BRANCH RD ,MCG	1602	-76.9985	38.9988
8654 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99875
8658 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99876
8648 PINEY BRANCH RD ,MCG	1602	-76.9988	38.99874
8672 PINEY BRANCH RD ,MCG	1602	-76.9985	38.9988
8709 ARLISS ST ,MCG	1602	-77.0012	38.99877
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842

8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8711 ARLISS ST ,MCG	1602	-77.0012	38.99885
8654 PINEY BRANCH RD ,MCG	1602	-76.9987	38.99875
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842
8701 ARLISS ST ,MCG	1602	-77.001	38.99842

Narrative

DISP. FOR A REPORT OF A HIGHRISE BUILDING FIRE AT 8644 PINEY BRANCH RD. ENROUTE TO CALL ECC UPDATED
SEE UNIT

Paramedic Engine 716 and Truck 716 was dispatched for the reported AFA (Automatic Fire Alarm). Upon arrival or
see unit report

See unit reports for info

SEE UNIT.

ALL UNITS WERE PLACED IN SERVICE WHILE RESPONDING.

NOTHING FOUND THROUGHOUT INTERIOR OR EXTERIOR OF BUILDING, UNIT IN SERVICE W/O INCIDENT.

DISP FOR AN ODOR OF GAS IN THE LAUNDRY ROOM. CREW AOS OF A 3 STORY GARDEN APARTMENT WITH NOTH
ALL UNITS WERE PLACED IN SERVICE WHILE RESPONDING.

See unit reports for specific unit info.

Dispatched for an odor of gas in Apartment 303. Arrived on location and staged at the hydrant. Found a 3 and th

Dispatched for gas leak in Apartment 204 with Engine 701 and Truck 716. Arrived on location with nothing eviden

DISP FOR ODOR OF GAS IN APT 203. UNIT MONITORED WITH NO FINDINGS THROUGHOUT APT AND UTILITY ROO
GAVE WATER SUPPLY INSTRUCTIONS TO PE701. ARRIVED ON SCENE TO FIND 3 STORY GARDEN APT. WITH NOTHI

Adaptive. See unit reports.

GOOD INTENT.

PE716 investigated a report of a gas leak in a apartment building. We sampled the environment and we found no
E716 responded for a reported gas leak. Arrived to find an apartment building with an odor of mercaptan in the l

ADAPTIVE FOR INSIDE ODOR OF GAS. ARRIVED ON SCENE WITH GAS COMPANY, NOTHING FOUND, TURNED SCEN

Dispatched for an odor of gas in the apartment building. Arrived on location with nothing evident and investigatir

DISP FOR THE ODOR OF GAS IN APT T4. CREW MONITORED APT AND HAD NO FINDINGS VIA METER OR SMELL. R

ARRIVED ON SCENE TO FIND A THREE STORY GARDEN APARTMENT WITH NOTHING EVIDENT. PROCEEDED TO THE

RESP. ODOR NG IN APT 204, A/O/S STAGED AWAY FROM BUILDING APPROACHED NO ODOR GAS NOR ANY READII

DISP FOR BELLS, WHILE EN-ROUTE ECC CHANGED CALL TYPR TO ODOR OF GAS INSIDE. UNITS AOS TO FIND BELLS

INVESTIGATED AN ODOR OF GAS IN APT 11. OCCUPANT STATED THAT STOVE WAS MALFUNCTIONING EARLIER IN

See unit reports for info.

GAVE WATER SUPPLY INSTRUCTIONS TO PE701 WHILE EN ROUTE. ARRIVED ON SCENE AND GAVE IOSR. PROCEEDE

ARRIVED ON SCENE TO FIND A 3 STORY GARDEN APARTMENT WITH NOTHING EVIDENT. MET OUTSIDE BY THE AP/

Dispatched for an inside odor of gas. We gave water supply enroute, gave the BIR upon arrival and asked other ur

UNITS DISPATCHED FOR AN INSIDE ODOR OF GAS. ARRIVED ON SCENE OF A THREE STORY GARDEN APT WITH NC

See unit reports for info

RESP. ODOR GAS ON 4TH FLOOR APT. BUILDING A/O/S 4 STORY BRICK NOTHING EVIDENT HAD PE701 STAND BY A

E702 UNIT REPORT

see unit report

see unit report

SEE UNIT.

See unit report for info.

MALICIOUS PULL

SEE UNIT

Units responded for smoke in the hallway. Co 16 OAS to find unattended food on the stove in T-3. No fire or injuri

See unit reports for detailed info.

Assisted with investigation of fire

Assisted with Investigation of fire. Refer to MCFM event report

Assisted with investigation of fire. Refer to MCFM event report.

Dispatched to investigate smoke coming from collapsed building. Investigated and found just dust and no smoke.

additional details coming from multiple sources

Assisted with Investigation of fire. Refer to MCFM event report

Assisted with Fire Investigation.

E716 IS RESPONDING FOR A REPORTED INSIDE ODOR OF GAS. E716 ARRIVED ON THE SCENE AND LAID OUT FROM

Dispatched on the gas odor inside the apartment building. AOS with a 3 story garden apartment building with the

Dispatched to assist the police on the scene of earlier fire. Found small fire at the peak of the roof. Extinguished t

ASSISTED FEI WITH BATTERY OPERATED RECIP. SAW. WPC

See previous report. DBOYD9274

BY SAYING THEY WERE SENDING THE RID FOR SEVERAL CALLS. SUBSEQUENTLY, ECC SAID THERE WAS A
1 the scene Paramedic Engine 716 staged at the hydrant and the crew walked to the scene. Truck 716 ar

HING EVIDENT. CREW FROM T716 INVESTIGATED THE TERRACE LEVEL LAUNDRY ROOM, APARTMENTS, A

e front and 4 in the rear apartment building with nothing evident. Companies investigated and found a
it and investigated. Met with the caller who advised they returned home and smelled gas. Investigated
M. ALL EXPOSURES ABOVE AND BELOW CHECKED, AS WELL AS LAUNDRY AND STORAGE ROOMS, WITH
VG EVIDENT. RESIDENCE OUTSIDE. INVESTIGATED AN ODOR OF GAS ON SECOND FLOOR. NO GAS SMELL

LEL. The gas stove pilot lights had been extinguished and the occupant indicated that the oven had bee
aundry room, but no ppm or LEL on the meter.

E OVER TO GAS COMPANY

ng, staging at the hydrant in the area. Checked all floors including callers apartment. Had odor of lacque
EMAINING UNITS OF BUILDING ASSESSED, INCLUDING GAS METER AND UTILITY ROOM WITH NO FINDIN
APARTMENT AND WAS MET BY A NEIGHBOR WHO STATED THE APARTMENT OWNER SMELLED GAS. AF
NGS ON METER MET BY CALLER AT FRONT DOOR STATE HE SMELLED EITHER GAS OR PAINT IN HIS APT. J
RINGING FROM A MALICIOUS PULL. CREWS MONITORED THE ENTIRE BUILDING AND FOUND MINOR CC
THE DAY AND MAINTENANCE HAD BEEN OUT TO SERVICE IT. APT AND UTILITY ROOM WAS MONITORE

ED TO APT. 201 FOR A REPORT OF ODOR OF GAS. PROCEEDED INTO THE APARTMENT. NO SMELL OF GAS
ARTMENT OWNER WHO STATED SHE SMELLED GAS. PROCEEDED INSIDE THE APARTMENT AND DID NOT
rits to stage. We investigated the entire building, including the meter room in the basement and found
OTHING EVIDENT. PE-706 AND PE-716 STAGED. CREW FROM T-716 INVESTIGATED A GAS ODOR IN

AT HYDRANT AT ENTRANCE. NO ODOR IN HALLWAYS ALL 4 FLOORS, CHECKED BOTTOM LEVEL AT GAS MI

es or loss. Ventilated the apartment.

Cleared the scene and returned to service.

1 THE HYDRANT IN FRONT OF 8707 ARLISS ST. THE CREW FROM E716 MET THE CALLING PARTY IN FRON
caller outside. Had PE712 stand by the hydrant on Arlyss ST and T834 standby on their rig. The crew fou
the same. All units picked up and returned to service.

A REPORT OF SEVERAL PEOPLE TRAPPED ON THE 2ND AND 3RD FLOORS. BC7

arrived on the scene and investigated the structure

AND GAS METERS WITH NO ODOR OR READINGS ON THE MULTI GAS METER. PE701 WAS D

malfunctioning oven in apartment 304 and
in apartment 204 and the laundry room with
NO FINDINGS. UNITS IN SERVICE W/O INCIDENT. T716 REPLACED BATTERY IN
CHECKED OR DETECTED ON THE FIRST, SECOND, AND THIRD FLOORS. CHECKED APARTMENT

found defective. The gas to the oven was isolated

arrived in Basement and 3rd floor. Investigated
GAS. DUE TO RESIDENTS' CONCERNS, WASH GAS WAS REQUESTED TO ASSESS BUILDING
APPROACHED THE APARTMENT TO FIND THE DOOR OPEN. PROCEEDED IN AND CLOSED THE DOOR.
APT 303. HE GAVE ME KEY WE PROCEEDED TO HIS APT. ROOMMATE WAS IN APT. SLIGHT
GAS READINGS AND MINOR GAS (150-200PPM) IN THE LAUNDRY/METER ROOM. CREW
CHECKED WITH 4-GAS METER WITH NO FINDINGS. EXPOSURE UNITS WERE CHECKED BY PE71

AS NOTED. 4 GAS METER USED THROUGHOUT THE ENTIRE APARTMENT. NO GAS DETECTED
DID NOT SMELL ANY GAS. 4 GAS METER USED AND CHECKED THE ENTIRE APARTMENT. NO READING
no odors of gas or readings on the meter
APT 11. RESIDENT ADVISED CREW THAT SHE SMELLS GAS IN HER KITCHEN

METER ALSO NEG BOTH ODOR AND ON 4 GAS. CALLER FROM 202 STATED HE SMELLED

IT OF THE BUILDING WHO ADVISED THAT SHE SMELLED GAS IN HER APARTMENT.
nd an odor of paint thinner in the baseme