THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15 DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM FAA NTSB COUNSEL



Mike Monroney Aeronautica: Center

P.O. Box 25082 Okiahoma City, Okiahoma 73125

Monday, March 13, 2017

National Transportation Safety Board 505 South 336th Street, Suite 540 Federal Way, WA 98003

ACCIDENT # 0014 INDIVIDUAL#: 002 DATE OF ACCIDENT 01/02/2017

DATE RECEIVED 01/24/2017 NTSB # WPR17FA045

NAME:

 MODE:
 AVIATION

 PUTREFACTION:
 No

 CAMI REF #
 201700014002

LOCATION OF ACCIDENT Payson, AZ

SPECIMENS Bile, Blood (Cavity), Brain, Gastric, Heart, Kidney, Liver, Lung, Muscle, Spleen, Urine, Vitreous

N# 272EF

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood (Cavity)

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NO ETHANOL detected in Vitreous

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (http://jag.cami.jccbi.gov/toxicology/).

>> Tadalafil detected in Blood (Cavity) >> Tadalafil NOT detected in Urine



Russell Lewis, Ph.D., F-ABFT TC, FAA, Forensic Toxicology Research Team CAMI c=US, o=U.S. Government, ou=AMC, ou=AMC, cn=RUSSELL J LEWIS 2017.03.16 09:58:05 -05'00' THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15 DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM FAA NTSB COUNSEL



Administration

Mike Monroney Aeronautical Cenier

P.O. Box 25082 Oklahoma City, Oklahoma 73125

MODE: AVIATION

PUTREFACTION: No

CAMI REF # 201700014001

National Transportation Safety Board

505 South 336th Street, Suite 540

Federal Way, WA 98003

DATE OF ACCIDENT 01/02/2017

ACCIDENT # 0014 INDIVIDUAL#: 001

DATE RECEIVED 01/24/2017

NAME:

NTSB# WPR17FA045

Monday, March 06, 2017

LOCATION OF ACCIDENT Payson, AZ

N# 272EF

SPECIMENS Bile, Brain, Gastric, Heart, Kidney, Liver, Lung, Muscle, Spleen, Urine

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NOT PERFORMED

-Notes:

Samples from passengers are analyzed for CARBON MONOXIDE (COHb) only in cases of fire, and CYANIDE when COHb is equal to or greater than 10%, or upon special request, provided suitable blood samples were submitted.

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NOT PERFORMED

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (http://jag.cami.jccbi.gov/toxicology/).

>> NOT PERFORMED



Russell Lewis, Ph.D., F-ABFT TC, FAA Forensic Toxicology Research Team CAMI c=US, o=U.S. Government, ou=AMC, ou=AMC, cn=RUSSELL J LEWIS 2017.03.07 13:15:27 -06'00' THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15 DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM FAA NTSB COUNSEL



- Mike Monreney Aeronautical Center P.O. Box 25082 Oklahoma City, Oklahoma, 73125

Federal Aviation Administration

Wednesday, March 08, 2017

National Transportation Safety Board

505 South 336th Street, Suite 540

Federal Way, WA 98003

ACCIDENT # 0014 INDIVIDUAL#: 003

DATE OF ACCIDENT 01/02/2017 DAT N # 272EF NTS

DATE RECEIVED 01/24/2017 NTSB # WPR17FA045
 MODE:
 AVIATION

 PUTREFACTION:
 No

 CAMI REF #
 201700014003

LOCATION OF ACCIDENT Payson, AZ

SPECIMENS Bile, Blood (Heart), Brain, Gastric, Heart, Kidney, Liver, Lung, Muscle, Spleen

NAME:

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood (Heart)

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NOT PERFORMED

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001). cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (http://jag.cami.jccbi.gov/toxicology/).

>> NOT PERFORMED

-Notes:

Samples from passengers are analyzed for CARBON MONOXIDE (COHb) only in cases of fire, and CYANIDE when COHb is equal to or greater than 10%, or upon special request, provided suitable blood samples were submitted.

Russell Lewis, Ph.D., F-ABFT TC, FAA, Forensic Toxicology Research Team CAMI c=US, o=U.S. Government, ou∞AMC, ou=AMC, cn≈RUSSELLJLEWIS 2017.03.14 08:51:42 -05'00'

THESE RECORDS MAY BE	RELEASABLE	UNDER THE	FOIA REQU	EST 15
DAYS AFTER SIGNATURE	DATE UNLESS	WE HEAR C	THERWISE	ROM
FAA NTSB COUNSEL				

US Department of Transportation

Federal Aviation Administration Mike Monroney Aeronautical Center

P.O. Box 25082 Oklahoma City, Oklahoma 73125

National Transportation Safety Board

505 South 336th Street, Suite 540

Federal Way, WA 98003

DATE OF ACCIDENT 01/02/2017

ACCIDENT # 0014 INDIVIDUAL#: 004 NAME:

N# 272EF

DATE RECEIVED 01/24/2017 NTSB # WPR17FA045

Tuesday, March 07, 2017

 MODE:
 AVIATION

 PUTREFACTION:
 No

 CAMI REF #
 201700014004

LOCATION OF ACCIDENT Payson, AZ

SPECIMENS Bile, Blood (Heart), Brain, Gastric, Heart, Kidney, Liver, Lung, Muscle, Spleen, Vitreous

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood (Heart)

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NOT PERFORMED

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (http://jag.cami.jccbi.gov/toxicology/).

>> NOT PERFORMED

-Notes:

Samples from passengers are analyzed for CARBON MONOXIDE (COHb) only in cases of fire, and CYANIDE when COHb is equal to or greater than 10%, or upon special request, provided suitable blood samples were submitted.



Russell Lewis, Ph.D., F-ABFT TC, FAA, Forensic Toxicology Research Team CAMI c≕US, o≔U.S. Government, ou≔AMC, ou≃AMC, cn≈RUSSELL J LEWIS 2017.03.09 11:38:35 · 06'00'