

**Enbridge Line 6B release**

**Marshall, Michigan, July 25, 2010**

**DCA10MP007**

**Volume injected SCADA Study – Attachment C**

**Information Request 118 Line 6B Flow meter SCADA data**

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:00:00	1958	2004	1940	0	0	57	0	0	0
25/Jul/10 00:00:10	1958	2006	1941	0	0	57	0	0	0
25/Jul/10 00:00:20	1957	2002	1942	0	0	57	0	0	0
25/Jul/10 00:00:30	1955	2001	1942	0	0	57	0	0	0
25/Jul/10 00:00:40	1954	1999	1940	0	0	57	0	0	0
25/Jul/10 00:00:50	1953	2000	1936	0	0	57	0	0	0
25/Jul/10 00:01:00	1953	2001	1940	0	0	57	0	0	0
25/Jul/10 00:01:10	1952	1999	1942	0	0	57	0	0	0
25/Jul/10 00:01:20	1952	1998	1946	0	0	57	0	0	0
25/Jul/10 00:01:30	1949	2000	1947	0	0	57	0	0	0
25/Jul/10 00:01:40	1947	1999	1944	0	0	57	0	0	0
25/Jul/10 00:01:50	1944	1994	1946	0	0	57	0	0	0
25/Jul/10 00:02:00	1940	1991	1946	0	0	57	0	0	0
25/Jul/10 00:02:10	1940	1995	1946	0	0	57	0	0	0
25/Jul/10 00:02:20	1942	1995	1949	0	0	57	0	0	0
25/Jul/10 00:02:30	1945	1998	1954	0	0	57	0	0	0
25/Jul/10 00:02:40	1944	1999	1955	0	0	57	0	0	0
25/Jul/10 00:02:50	1943	1995	1954	0	0	57	0	0	0
25/Jul/10 00:03:00	1944	1996	1948	0	0	57	0	0	0
25/Jul/10 00:03:10	1945	1995	1947	0	0	57	0	0	0
25/Jul/10 00:03:20	1950	1995	1948	0	0	57	0	0	0
25/Jul/10 00:03:30	1952	1996	1943	0	0	57	0	0	0
25/Jul/10 00:03:40	1951	1996	1942	0	0	57	0	0	0
25/Jul/10 00:03:50	1952	1998	1941	0	0	57	0	0	0
25/Jul/10 00:04:00	1953	1996	1942	0	0	57	0	0	0
25/Jul/10 00:04:10	1954	1992	1942	0	0	57	0	0	0
25/Jul/10 00:04:20	1950	1995	1943	0	0	57	0	0	0
25/Jul/10 00:04:30	1954	1990	1948	0	0	57	0	0	0
25/Jul/10 00:04:40	1954	1993	1950	0	0	57	0	0	0
25/Jul/10 00:04:50	1952	1995	1948	0	0	57	0	0	0
25/Jul/10 00:05:00	1951	1999	1950	0	0	57	0	0	0
25/Jul/10 00:05:10	1950	1997	1950	0	0	57	0	0	0
25/Jul/10 00:05:20	1949	1999	1950	0	0	57	0	0	0
25/Jul/10 00:05:30	1952	1999	1948	0	0	57	0	0	0
25/Jul/10 00:05:40	1952	2000	1952	0	0	57	0	0	0
25/Jul/10 00:05:50	1951	2001	1950	0	0	57	0	0	0
25/Jul/10 00:06:00	1950	2006	1958	0	0	57	0	0	0
25/Jul/10 00:06:10	1949	2005	1956	0	0	57	0	0	0
25/Jul/10 00:06:20	1946	2006	1954	0	0	57	0	0	0
25/Jul/10 00:06:30	1947	2004	1954	0	0	57	0	0	0
25/Jul/10 00:06:40	1947	2009	1960	0	0	57	0	0	0
25/Jul/10 00:06:50	1940	2004	1963	0	0	57	0	0	0
25/Jul/10 00:07:00	1939	2005	1964	0	0	57	0	0	0
25/Jul/10 00:07:10	1939	2005	1963	0	0	57	0	0	0
25/Jul/10 00:07:20	1940	2001	1958	0	0	57	0	0	0
25/Jul/10 00:07:30	1942	2002	1958	0	0	57	0	0	0
25/Jul/10 00:07:40	1941	2003	1959	0	0	57	0	0	0
25/Jul/10 00:07:50	1938	2009	1956	0	0	57	0	0	0
25/Jul/10 00:08:00	1939	2009	1958	0	0	57	0	0	0
25/Jul/10 00:08:10	1938	2013	1960	0	0	57	0	0	0
25/Jul/10 00:08:20	1938	2012	1959	0	0	57	0	0	0
25/Jul/10 00:08:30	1938	2009	1956	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:08:40	1939	2013	1960	0	0	57	0	0	0
25/Jul/10 00:08:50	1938	2015	1966	0	0	57	0	0	0
25/Jul/10 00:09:00	1934	2010	1967	0	0	57	0	0	0
25/Jul/10 00:09:10	1931	2015	1968	0	0	57	0	0	0
25/Jul/10 00:09:20	1933	2015	1968	0	0	57	0	0	0
25/Jul/10 00:09:30	1934	2010	1962	0	0	57	0	0	0
25/Jul/10 00:09:40	1938	2005	1959	0	0	57	0	0	0
25/Jul/10 00:09:50	1939	2009	1956	0	0	57	0	0	0
25/Jul/10 00:10:00	1940	2009	1955	0	0	57	0	0	0
25/Jul/10 00:10:10	1943	2010	1953	0	0	57	0	0	0
25/Jul/10 00:10:20	1944	2011	1950	0	0	57	0	0	0
25/Jul/10 00:10:30	1944	2011	1950	0	0	57	0	0	0
25/Jul/10 00:10:40	1943	2012	1949	0	0	57	0	0	0
25/Jul/10 00:10:50	1950	2014	1951	0	0	57	0	0	0
25/Jul/10 00:11:00	1948	2014	1950	0	0	57	0	0	0
25/Jul/10 00:11:10	1946	2013	1952	0	0	57	0	0	0
25/Jul/10 00:11:20	1947	2019	1952	0	0	57	0	0	0
25/Jul/10 00:11:30	1943	2016	1956	0	0	57	0	0	0
25/Jul/10 00:11:40	1945	2015	1959	0	0	57	0	0	0
25/Jul/10 00:11:50	1944	2018	1956	0	0	57	0	0	0
25/Jul/10 00:12:00	1945	2017	1955	0	0	57	0	0	0
25/Jul/10 00:12:10	1942	2018	1956	0	0	57	0	0	0
25/Jul/10 00:12:20	1942	2018	1960	0	0	57	0	0	0
25/Jul/10 00:12:30	1940	2011	1962	0	0	57	0	0	0
25/Jul/10 00:12:40	1940	2009	1962	0	0	57	0	0	0
25/Jul/10 00:12:50	1943	2010	1958	0	0	57	0	0	0
25/Jul/10 00:13:00	1943	2011	1957	0	0	57	0	0	0
25/Jul/10 00:13:10	1938	2010	1956	0	0	57	0	0	0
25/Jul/10 00:13:20	1935	2011	1957	0	0	57	0	0	0
25/Jul/10 00:13:30	1929	2007	1958	0	0	57	0	0	0
25/Jul/10 00:13:40	1927	2005	1956	0	0	57	0	0	0
25/Jul/10 00:13:50	1926	2001	1958	0	0	57	0	0	0
25/Jul/10 00:14:00	1928	2003	1956	0	0	57	0	0	0
25/Jul/10 00:14:10	1928	2002	1954	0	0	57	0	0	0
25/Jul/10 00:14:20	1926	2003	1955	0	0	57	0	0	0
25/Jul/10 00:14:30	1929	2003	1955	0	0	57	0	0	0
25/Jul/10 00:14:40	1927	2002	1958	0	0	57	0	0	0
25/Jul/10 00:14:50	1929	2004	1955	0	0	57	0	0	0
25/Jul/10 00:15:00	1928	2006	1955	0	0	57	0	0	0
25/Jul/10 00:15:10	1929	2008	1955	0	0	57	0	0	0
25/Jul/10 00:15:20	1932	2014	1958	0	0	57	0	0	0
25/Jul/10 00:15:30	1933	2016	1955	0	0	57	0	0	0
25/Jul/10 00:15:40	1933	2015	1955	0	0	57	0	0	0
25/Jul/10 00:15:50	1934	2015	1954	0	0	57	0	0	0
25/Jul/10 00:16:00	1933	2014	1950	0	0	57	0	0	0
25/Jul/10 00:16:10	1938	2015	1951	0	0	57	0	0	0
25/Jul/10 00:16:20	1937	2015	1954	0	0	57	0	0	0
25/Jul/10 00:16:30	1938	2013	1958	0	0	57	0	0	0
25/Jul/10 00:16:40	1937	2012	1958	0	0	57	0	0	0
25/Jul/10 00:16:50	1938	2010	1956	0	0	57	0	0	0
25/Jul/10 00:17:00	1938	2011	1958	0	0	57	0	0	0
25/Jul/10 00:17:10	1944	2008	1958	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:17:20	1945	2007	1956	0	0	57	0	0	0
25/Jul/10 00:17:30	1946	2016	1954	0	0	57	0	0	0
25/Jul/10 00:17:40	1943	2017	1956	0	0	57	0	0	0
25/Jul/10 00:17:50	1944	2013	1956	0	0	57	0	0	0
25/Jul/10 00:18:00	1942	2014	1958	0	0	57	0	0	0
25/Jul/10 00:18:10	1940	2018	1962	0	0	57	0	0	0
25/Jul/10 00:18:20	1938	2018	1959	0	0	57	0	0	0
25/Jul/10 00:18:30	1939	2021	1962	0	0	57	0	0	0
25/Jul/10 00:18:40	1939	2020	1959	0	0	57	0	0	0
25/Jul/10 00:18:50	1936	2019	1957	0	0	57	0	0	0
25/Jul/10 00:19:00	1935	2017	1954	0	0	57	0	0	0
25/Jul/10 00:19:10	1934	2011	1953	0	0	57	0	0	0
25/Jul/10 00:19:20	1933	2007	1952	0	0	57	0	0	0
25/Jul/10 00:19:30	1934	2007	1950	0	0	57	0	0	0
25/Jul/10 00:19:40	1933	2013	1948	0	0	57	0	0	0
25/Jul/10 00:19:50	1934	2014	1948	0	0	57	0	0	0
25/Jul/10 00:20:00	1933	2012	1956	0	0	57	0	0	0
25/Jul/10 00:20:10	1936	2014	1957	0	0	57	0	0	0
25/Jul/10 00:20:20	1934	2017	1957	0	0	57	0	0	0
25/Jul/10 00:20:30	1934	2017	1956	0	0	57	0	0	0
25/Jul/10 00:20:40	1934	2014	1962	0	0	57	0	0	0
25/Jul/10 00:20:50	1934	2015	1962	0	0	57	0	0	0
25/Jul/10 00:21:00	1934	2014	1962	0	0	57	0	0	0
25/Jul/10 00:21:10	1933	2017	1966	0	0	57	0	0	0
25/Jul/10 00:21:20	1932	2018	1969	0	0	57	0	0	0
25/Jul/10 00:21:30	1931	2019	1964	0	0	57	0	0	0
25/Jul/10 00:21:40	1932	2018	1962	0	0	57	0	0	0
25/Jul/10 00:21:50	1933	2017	1966	0	0	57	0	0	0
25/Jul/10 00:22:00	1934	2016	1965	0	0	57	0	0	0
25/Jul/10 00:22:10	1938	2016	1964	0	0	57	0	0	0
25/Jul/10 00:22:20	1939	2017	1966	0	0	57	0	0	0
25/Jul/10 00:22:30	1938	2015	1966	0	0	57	0	0	0
25/Jul/10 00:22:40	1937	2016	1964	0	0	57	0	0	0
25/Jul/10 00:22:50	1937	2019	1964	0	0	57	0	0	0
25/Jul/10 00:23:00	1939	2021	1963	0	0	57	0	0	0
25/Jul/10 00:23:10	1936	2017	1958	0	0	57	0	0	0
25/Jul/10 00:23:20	1939	2022	1958	0	0	57	0	0	0
25/Jul/10 00:23:30	1939	2021	1958	0	0	57	0	0	0
25/Jul/10 00:23:40	1934	2018	1965	0	0	57	0	0	0
25/Jul/10 00:23:50	1929	2015	1962	0	0	57	0	0	0
25/Jul/10 00:24:00	1926	2016	1965	0	0	57	0	0	0
25/Jul/10 00:24:10	1929	2015	1965	0	0	57	0	0	0
25/Jul/10 00:24:20	1929	2011	1962	0	0	57	0	0	0
25/Jul/10 00:24:30	1933	2014	1960	0	0	57	0	0	0
25/Jul/10 00:24:40	1934	2018	1960	0	0	57	0	0	0
25/Jul/10 00:24:50	1938	2020	1962	0	0	57	0	0	0
25/Jul/10 00:25:00	1940	2019	1963	0	0	57	0	0	0
25/Jul/10 00:25:10	1940	2024	1964	0	0	57	0	0	0
25/Jul/10 00:25:20	1943	2025	1963	0	0	57	0	0	0
25/Jul/10 00:25:30	1947	2021	1964	0	0	57	0	0	0
25/Jul/10 00:25:40	1952	2018	1962	0	0	57	0	0	0
25/Jul/10 00:25:50	1954	2018	1956	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:26:00	1955	2017	1954	0	0	57	0	0	0
25/Jul/10 00:26:10	1955	2013	1954	0	0	57	0	0	0
25/Jul/10 00:26:20	1953	2009	1954	0	0	57	0	0	0
25/Jul/10 00:26:30	1952	2013	1956	0	0	57	0	0	0
25/Jul/10 00:26:40	1956	2015	1957	0	0	57	0	0	0
25/Jul/10 00:26:50	1953	2018	1958	0	0	57	0	0	0
25/Jul/10 00:27:00	1954	2018	1960	0	0	57	0	0	0
25/Jul/10 00:27:10	1955	2021	1961	0	0	57	0	0	0
25/Jul/10 00:27:20	1950	2017	1960	0	0	57	0	0	0
25/Jul/10 00:27:30	1949	2019	1962	0	0	57	0	0	0
25/Jul/10 00:27:40	1950	2017	1963	0	0	57	0	0	0
25/Jul/10 00:27:50	1947	2016	1964	0	0	57	0	0	0
25/Jul/10 00:28:00	1948	2016	1965	0	0	57	0	0	0
25/Jul/10 00:28:10	1948	2019	1968	0	0	57	0	0	0
25/Jul/10 00:28:20	1949	2017	1968	0	0	57	0	0	0
25/Jul/10 00:28:30	1949	2014	1967	0	0	57	0	0	0
25/Jul/10 00:28:40	1948	2014	1967	0	0	57	0	0	0
25/Jul/10 00:28:50	1945	2012	1966	0	0	57	0	0	0
25/Jul/10 00:29:00	1941	2008	1969	0	0	57	0	0	0
25/Jul/10 00:29:10	1944	2008	1969	0	0	57	0	0	0
25/Jul/10 00:29:20	1948	2008	1968	0	0	57	0	0	0
25/Jul/10 00:29:30	1952	2005	1963	0	0	57	0	0	0
25/Jul/10 00:29:40	1952	2005	1962	0	0	57	0	0	0
25/Jul/10 00:29:50	1947	2009	1962	0	0	57	0	0	0
25/Jul/10 00:30:00	1943	2013	1962	0	0	57	0	0	0
25/Jul/10 00:30:10	1942	2015	1963	0	0	57	0	0	0
25/Jul/10 00:30:20	1940	2014	1959	0	0	57	0	0	0
25/Jul/10 00:30:30	1941	2013	1963	0	0	57	0	0	0
25/Jul/10 00:30:40	1940	2010	1966	0	0	57	0	0	0
25/Jul/10 00:30:50	1940	2007	1964	0	0	57	0	0	0
25/Jul/10 00:31:00	1941	2011	1964	0	0	57	0	0	0
25/Jul/10 00:31:10	1938	2014	1965	0	0	57	0	0	0
25/Jul/10 00:31:20	1937	2011	1966	0	0	57	0	0	0
25/Jul/10 00:31:30	1937	2011	1969	0	0	57	0	0	0
25/Jul/10 00:31:40	1939	2009	1969	0	0	57	0	0	0
25/Jul/10 00:31:50	1941	2014	1966	0	0	57	0	0	0
25/Jul/10 00:32:00	1943	2011	1964	0	0	57	0	0	0
25/Jul/10 00:32:10	1943	2011	1963	0	0	57	0	0	0
25/Jul/10 00:32:20	1942	2017	1960	0	0	57	0	0	0
25/Jul/10 00:32:30	1940	2018	1959	0	0	57	0	0	0
25/Jul/10 00:32:40	1942	2015	1966	0	0	57	0	0	0
25/Jul/10 00:32:50	1943	2018	1960	0	0	57	0	0	0
25/Jul/10 00:33:00	1938	2020	1966	0	0	57	0	0	0
25/Jul/10 00:33:10	1938	2021	1971	0	0	57	0	0	0
25/Jul/10 00:33:20	1936	2018	1971	0	0	57	0	0	0
25/Jul/10 00:33:30	1937	2021	1964	0	0	57	0	0	0
25/Jul/10 00:33:40	1938	2023	1964	0	0	57	0	0	0
25/Jul/10 00:33:50	1938	2021	1966	0	0	57	0	0	0
25/Jul/10 00:34:00	1939	2020	1964	0	0	57	0	0	0
25/Jul/10 00:34:10	1943	2017	1962	0	0	57	0	0	0
25/Jul/10 00:34:20	1942	2017	1960	0	0	57	0	0	0
25/Jul/10 00:34:30	1942	2015	1957	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:34:40	1939	2015	1960	0	0	57	0	0	0
25/Jul/10 00:34:50	1938	2018	1955	0	0	57	0	0	0
25/Jul/10 00:35:00	1939	2018	1953	0	0	57	0	0	0
25/Jul/10 00:35:10	1942	2022	1956	0	0	57	0	0	0
25/Jul/10 00:35:20	1944	2020	1958	0	0	57	0	0	0
25/Jul/10 00:35:30	1943	2019	1958	0	0	57	0	0	0
25/Jul/10 00:35:40	1944	2022	1959	0	0	57	0	0	0
25/Jul/10 00:35:50	1945	2023	1959	0	0	57	0	0	0
25/Jul/10 00:36:00	1946	2021	1957	0	0	57	0	0	0
25/Jul/10 00:36:10	1946	2023	1956	0	0	57	0	0	0
25/Jul/10 00:36:20	1946	2018	1954	0	0	57	0	0	0
25/Jul/10 00:36:30	1949	2017	1950	0	0	57	0	0	0
25/Jul/10 00:36:40	1952	2015	1953	0	0	57	0	0	0
25/Jul/10 00:36:50	1951	2013	1958	0	0	57	0	0	0
25/Jul/10 00:37:00	1949	2016	1959	0	0	57	0	0	0
25/Jul/10 00:37:10	1944	2015	1957	0	0	57	0	0	0
25/Jul/10 00:37:20	1943	2018	1960	0	0	57	0	0	0
25/Jul/10 00:37:30	1942	2016	1964	0	0	57	0	0	0
25/Jul/10 00:37:40	1942	2017	1971	0	0	57	0	0	0
25/Jul/10 00:37:50	1940	2019	1972	0	0	57	0	0	0
25/Jul/10 00:38:00	1941	2016	1975	0	0	57	0	0	0
25/Jul/10 00:38:10	1940	2016	1975	0	0	57	0	0	0
25/Jul/10 00:38:20	1937	2014	1977	0	0	57	0	0	0
25/Jul/10 00:38:30	1938	2017	1976	0	0	57	0	0	0
25/Jul/10 00:38:40	1938	2019	1977	0	0	57	0	0	0
25/Jul/10 00:38:50	1939	2019	1974	0	0	57	0	0	0
25/Jul/10 00:39:00	1938	2017	1975	0	0	57	0	0	0
25/Jul/10 00:39:10	1938	2020	1974	0	0	57	0	0	0
25/Jul/10 00:39:20	1940	2016	1969	0	0	57	0	0	0
25/Jul/10 00:39:30	1939	2015	1967	0	0	57	0	0	0
25/Jul/10 00:39:40	1940	2014	1964	0	0	57	0	0	1
25/Jul/10 00:39:50	1939	2016	1961	0	0	57	0	0	1
25/Jul/10 00:40:00	1943	2018	1962	0	0	57	0	0	1
25/Jul/10 00:40:10	1941	2013	1960	0	0	57	0	0	1
25/Jul/10 00:40:20	1943	2014	1964	0	0	57	0	0	2
25/Jul/10 00:40:30	1944	2009	1964	0	0	57	0	0	2
25/Jul/10 00:40:40	1946	2012	1966	0	0	57	0	0	2
25/Jul/10 00:40:50	1950	2015	1966	0	0	57	0	0	2
25/Jul/10 00:41:00	1951	2016	1966	0	0	57	0	0	3
25/Jul/10 00:41:10	1948	2017	1962	0	0	57	0	0	3
25/Jul/10 00:41:20	1948	2016	1962	0	0	57	0	0	3
25/Jul/10 00:41:30	1948	2014	1960	0	0	57	0	0	4
25/Jul/10 00:41:40	1947	2017	1962	0	0	57	0	0	4
25/Jul/10 00:41:50	1949	2017	1959	0	0	57	0	0	4
25/Jul/10 00:42:00	1948	2020	1958	0	0	57	0	0	4
25/Jul/10 00:42:10	1944	2021	1960	0	0	57	0	0	5
25/Jul/10 00:42:20	1945	2021	1963	0	0	57	0	0	5
25/Jul/10 00:42:30	1940	2022	1964	0	0	57	0	0	5
25/Jul/10 00:42:40	1939	2022	1966	0	0	57	0	0	5
25/Jul/10 00:42:50	1940	2022	1972	0	0	57	0	0	6
25/Jul/10 00:43:00	1936	2022	1971	0	0	57	0	0	6
25/Jul/10 00:43:10	1935	2020	1972	0	0	57	0	0	6

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:43:20	1935	2016	1972	0	0	57	0	0	6
25/Jul/10 00:43:30	1934	2017	1976	0	0	57	0	0	7
25/Jul/10 00:43:40	1933	2018	1976	0	0	57	0	0	7
25/Jul/10 00:43:50	1938	2021	1972	0	0	57	0	0	7
25/Jul/10 00:44:00	1940	2022	1970	0	0	57	0	0	7
25/Jul/10 00:44:10	1938	2023	1970	0	0	57	0	0	8
25/Jul/10 00:44:20	1940	2021	1967	0	0	57	0	0	8
25/Jul/10 00:44:30	1942	2021	1968	0	0	57	0	0	8
25/Jul/10 00:44:40	1942	2022	1965	0	0	57	0	0	8
25/Jul/10 00:44:50	1948	2020	1964	0	0	57	0	0	9
25/Jul/10 00:45:00	1949	2018	1964	0	0	57	0	0	9
25/Jul/10 00:45:10	1953	2017	1963	0	0	57	0	0	9
25/Jul/10 00:45:20	1952	2021	1961	0	0	57	0	0	9
25/Jul/10 00:45:30	1950	2020	1964	0	0	57	0	0	10
25/Jul/10 00:45:40	1944	2021	1968	0	0	57	0	0	10
25/Jul/10 00:45:50	1941	2020	1968	0	0	57	0	0	10
25/Jul/10 00:46:00	1940	2021	1969	0	0	57	0	0	11
25/Jul/10 00:46:10	1940	2021	1971	0	0	57	0	0	11
25/Jul/10 00:46:20	1940	2024	1972	0	0	57	0	0	11
25/Jul/10 00:46:30	1940	2027	1969	0	0	57	0	0	11
25/Jul/10 00:46:40	1939	2029	1970	0	0	57	0	0	12
25/Jul/10 00:46:50	1937	2028	1971	0	0	57	0	0	12
25/Jul/10 00:47:00	1933	2026	1971	0	0	57	0	0	12
25/Jul/10 00:47:10	1937	2024	1969	0	0	57	0	0	12
25/Jul/10 00:47:20	1940	2026	1970	0	0	57	0	0	13
25/Jul/10 00:47:30	1941	2030	1968	0	0	57	0	0	13
25/Jul/10 00:47:40	1944	2023	1966	0	0	57	0	0	13
25/Jul/10 00:47:50	1943	2024	1969	0	0	57	0	0	13
25/Jul/10 00:48:00	1943	2020	1966	0	0	57	0	0	14
25/Jul/10 00:48:10	1941	2025	1968	0	0	57	0	0	14
25/Jul/10 00:48:20	1939	2029	1970	0	0	57	0	0	14
25/Jul/10 00:48:30	1940	2029	1967	0	0	57	0	0	14
25/Jul/10 00:48:40	1939	2023	1967	0	0	57	0	0	15
25/Jul/10 00:48:50	1937	2023	1966	0	0	57	0	0	15
25/Jul/10 00:49:00	1936	2023	1964	0	0	57	0	0	15
25/Jul/10 00:49:10	1934	2024	1964	0	0	57	0	0	15
25/Jul/10 00:49:20	1928	2022	1966	0	0	57	0	0	16
25/Jul/10 00:49:30	1929	2020	1965	0	0	57	0	0	16
25/Jul/10 00:49:40	1927	2021	1966	0	0	57	0	0	16
25/Jul/10 00:49:50	1927	2024	1965	0	0	57	0	0	16
25/Jul/10 00:50:00	1929	2021	1966	0	0	57	0	0	17
25/Jul/10 00:50:10	1927	2016	1965	0	0	57	0	0	17
25/Jul/10 00:50:20	1924	2018	1964	0	0	57	0	0	17
25/Jul/10 00:50:30	1926	2016	1964	0	0	57	0	0	17
25/Jul/10 00:50:40	1930	2011	1962	0	0	57	0	0	18
25/Jul/10 00:50:50	1930	2009	1966	0	0	57	0	0	18
25/Jul/10 00:51:00	1932	2013	1965	0	0	57	0	0	18
25/Jul/10 00:51:10	1935	2014	1962	0	0	57	0	0	19
25/Jul/10 00:51:20	1935	2017	1961	0	0	57	0	0	19
25/Jul/10 00:51:30	1937	2016	1960	0	0	57	0	0	19
25/Jul/10 00:51:40	1936	2013	1961	0	0	57	0	0	19
25/Jul/10 00:51:50	1937	2013	1962	0	0	57	0	0	20

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 00:52:00	1941	2018	1966	0	0	57	0	0	20
25/Jul/10 00:52:10	1944	2018	1970	0	0	57	0	0	20
25/Jul/10 00:52:20	1945	2018	1968	0	0	57	0	0	20
25/Jul/10 00:52:30	1947	2016	1971	0	0	57	0	0	21
25/Jul/10 00:52:40	1948	2018	1971	0	0	57	0	0	21
25/Jul/10 00:52:50	1949	2019	1970	0	0	57	0	0	21
25/Jul/10 00:53:00	1952	2022	1969	0	0	57	0	0	21
25/Jul/10 00:53:10	1950	2024	1966	0	0	57	0	0	22
25/Jul/10 00:53:20	1948	2021	1965	0	0	57	0	0	22
25/Jul/10 00:53:30	1947	2021	1966	0	0	57	0	0	22
25/Jul/10 00:53:40	1945	2021	1966	0	0	57	0	0	22
25/Jul/10 00:53:50	1941	2023	1962	0	0	57	0	0	23
25/Jul/10 00:54:00	1937	2027	1961	0	0	57	0	0	23
25/Jul/10 00:54:10	1932	2031	1959	0	0	57	0	0	23
25/Jul/10 00:54:20	1929	2034	1962	0	0	57	0	0	23
25/Jul/10 00:54:30	1920	2031	1966	0	0	57	0	0	24
25/Jul/10 00:54:40	1907	2027	1967	0	0	57	0	0	24
25/Jul/10 00:54:50	1877	2023	1968	0	0	57	0	0	24
25/Jul/10 00:55:00	1859	2018	1969	0	0	57	0	0	24
25/Jul/10 00:55:10	1823	2018	1971	0	0	57	0	0	25
25/Jul/10 00:55:20	1782	2019	1967	0	0	57	0	0	25
25/Jul/10 00:55:30	1752	2017	1969	0	0	57	0	0	25
25/Jul/10 00:55:40	1729	2017	1971	0	0	57	0	0	26
25/Jul/10 00:55:50	1699	2021	1971	0	0	57	0	0	26
25/Jul/10 00:56:00	1672	2018	1971	0	0	57	0	0	26
25/Jul/10 00:56:10	1651	2017	1971	0	0	57	0	0	26
25/Jul/10 00:56:20	1639	2013	1969	0	0	57	0	0	27
25/Jul/10 00:56:30	1642	2014	1967	0	0	57	0	0	27
25/Jul/10 00:56:40	1644	2014	1966	0	0	57	0	0	42
25/Jul/10 00:56:50	1649	2015	1967	0	0	57	0	0	128
25/Jul/10 00:57:00	1674	2015	1969	0	0	57	0	0	205
25/Jul/10 00:57:10	1703	2015	1968	0	0	57	0	0	273
25/Jul/10 00:57:20	1726	2014	1969	0	0	57	0	0	300
25/Jul/10 00:57:30	1740	2014	1967	0	0	57	0	0	325
25/Jul/10 00:57:40	1757	2014	1967	0	0	57	0	0	336
25/Jul/10 00:57:50	1777	2017	1966	0	0	57	0	0	345
25/Jul/10 00:58:00	1787	2017	1968	0	0	57	0	0	349
25/Jul/10 00:58:10	1798	2015	1966	0	0	57	0	0	353
25/Jul/10 00:58:20	1806	2015	1965	0	0	57	0	0	355
25/Jul/10 00:58:30	1813	2017	1964	0	0	57	0	0	356
25/Jul/10 00:58:40	1817	2017	1965	0	0	57	0	0	357
25/Jul/10 00:58:50	1821	2019	1968	0	0	57	0	0	357
25/Jul/10 00:59:00	1823	2017	1972	0	0	57	0	0	356
25/Jul/10 00:59:10	1829	2018	1972	0	0	57	0	0	355
25/Jul/10 00:59:20	1834	2017	1975	0	0	57	0	0	358
25/Jul/10 00:59:30	1835	2021	1973	0	0	57	0	0	363
25/Jul/10 00:59:40	1836	2017	1972	0	0	57	0	0	370
25/Jul/10 00:59:50	1837	2022	1969	0	0	57	0	0	378
25/Jul/10 01:00:00	1839	2022	1972	0	0	57	0	0	391
25/Jul/10 01:00:10	1843	2023	1973	0	0	57	0	0	412
25/Jul/10 01:00:20	1846	2021	1967	0	0	57	0	0	457
25/Jul/10 01:00:30	1844	2017	1656	0	0	57	0	0	481



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:00:40	1845	2013	0	0	0	57	0	0	510
25/Jul/10 01:00:50	1845	2014	0	0	0	57	0	0	524
25/Jul/10 01:01:00	1845	2011	0	0	0	57	0	0	540
25/Jul/10 01:01:10	1845	2016	0	0	0	57	0	0	548
25/Jul/10 01:01:20	1845	2018	0	0	0	57	0	0	558
25/Jul/10 01:01:30	1843	2014	0	0	0	57	0	0	563
25/Jul/10 01:01:40	1848	1958	0	0	0	57	0	0	567
25/Jul/10 01:01:50	1852	1596	0	0	0	57	0	0	574
25/Jul/10 01:02:00	1853	1828	0	0	0	57	0	0	575
25/Jul/10 01:02:10	1853	1769	0	0	0	57	0	0	573
25/Jul/10 01:02:20	1858	1741	0	0	0	57	0	0	572
25/Jul/10 01:02:30	1860	1483	0	0	0	57	0	0	567
25/Jul/10 01:02:40	1864	1492	0	0	0	57	0	0	561
25/Jul/10 01:02:50	1866	1510	0	0	0	57	0	0	556
25/Jul/10 01:03:00	1868	1508	0	0	0	57	0	0	554
25/Jul/10 01:03:10	1873	1530	0	0	0	57	0	0	550
25/Jul/10 01:03:20	1875	1621	0	0	0	57	0	0	550
25/Jul/10 01:03:30	1873	2195	0	0	0	57	0	0	551
25/Jul/10 01:03:40	1872	2151	0	0	0	57	0	0	553
25/Jul/10 01:03:50	1874	2164	0	0	0	57	0	0	554
25/Jul/10 01:04:00	1878	2157	0	0	0	57	0	0	555
25/Jul/10 01:04:10	1878	2151	0	0	0	57	0	0	561
25/Jul/10 01:04:20	1879	2146	0	0	0	57	0	0	574
25/Jul/10 01:04:30	1878	2135	0	0	0	57	0	0	590
25/Jul/10 01:04:40	1879	2061	0	0	0	57	0	0	620
25/Jul/10 01:04:50	1879	2037	0	0	0	57	0	0	634
25/Jul/10 01:05:00	1875	2015	0	0	0	57	0	0	655
25/Jul/10 01:05:10	1875	2014	0	0	0	57	0	0	668
25/Jul/10 01:05:20	1878	2013	0	0	0	57	0	0	683
25/Jul/10 01:05:30	1879	2007	0	0	0	57	0	0	693
25/Jul/10 01:05:40	1877	2004	0	0	0	57	0	0	699
25/Jul/10 01:05:50	1872	2004	0	0	0	57	0	0	705
25/Jul/10 01:06:00	1870	2001	0	0	0	57	0	0	709
25/Jul/10 01:06:10	1868	2002	0	0	0	57	0	0	716
25/Jul/10 01:06:20	1864	2002	0	0	0	57	0	0	717
25/Jul/10 01:06:30	1861	2000	0	0	0	57	0	0	718
25/Jul/10 01:06:40	1858	1999	0	0	0	57	0	0	721
25/Jul/10 01:06:50	1856	2002	0	0	0	57	0	0	722
25/Jul/10 01:07:00	1855	2004	0	0	0	57	0	0	727
25/Jul/10 01:07:10	1852	2002	0	0	0	57	0	0	764
25/Jul/10 01:07:20	1848	1998	0	0	0	57	0	0	784
25/Jul/10 01:07:30	1849	1996	0	0	0	57	0	0	811
25/Jul/10 01:07:40	1848	1992	0	0	0	57	0	0	841
25/Jul/10 01:07:50	1850	1989	0	0	0	57	0	0	875
25/Jul/10 01:08:00	1853	1988	0	0	0	57	0	0	904
25/Jul/10 01:08:10	1853	1986	0	0	0	57	0	0	934
25/Jul/10 01:08:20	1856	1987	0	0	0	57	0	0	975
25/Jul/10 01:08:30	1856	1989	0	0	0	57	0	0	1004
25/Jul/10 01:08:40	1858	1995	0	0	0	57	0	0	1054
25/Jul/10 01:08:50	1861	1999	0	0	0	57	0	0	1090
25/Jul/10 01:09:00	1865	1998	0	0	0	57	0	0	1123
25/Jul/10 01:09:10	1866	1997	0	0	0	57	0	0	1144

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:09:20	1862	1996	0	0	0	57	0	0	1160
25/Jul/10 01:09:30	1864	1996	0	0	0	57	0	0	1181
25/Jul/10 01:09:40	1862	1996	0	0	0	57	0	0	1204
25/Jul/10 01:09:50	1862	1994	0	0	0	57	0	0	1237
25/Jul/10 01:10:00	1861	1992	0	0	0	57	0	0	1260
25/Jul/10 01:10:10	1864	1990	0	0	0	57	0	0	1296
25/Jul/10 01:10:20	1864	1988	0	0	0	57	0	0	1325
25/Jul/10 01:10:30	1864	1990	0	0	0	57	0	0	1359
25/Jul/10 01:10:40	1864	1991	0	0	0	57	0	0	1393
25/Jul/10 01:10:50	1860	1989	0	0	0	57	0	0	1437
25/Jul/10 01:11:00	1863	1981	0	0	0	57	0	0	1464
25/Jul/10 01:11:10	1865	1980	0	0	0	57	0	0	1492
25/Jul/10 01:11:20	1867	1977	0	0	0	57	0	0	1542
25/Jul/10 01:11:30	1870	1975	0	0	0	57	0	0	1580
25/Jul/10 01:11:40	1870	1974	0	0	0	57	0	0	1607
25/Jul/10 01:11:50	1868	1975	0	0	0	57	0	0	1626
25/Jul/10 01:12:00	1870	1981	0	0	0	57	0	0	1642
25/Jul/10 01:12:10	1869	1982	0	0	0	57	0	0	1645
25/Jul/10 01:12:20	1870	1984	0	0	0	57	0	0	1640
25/Jul/10 01:12:30	1869	1983	0	0	0	57	0	0	1631
25/Jul/10 01:12:40	1873	1986	0	0	0	57	0	0	1626
25/Jul/10 01:12:50	1875	1989	0	0	0	57	0	0	1614
25/Jul/10 01:13:00	1875	1990	0	0	0	57	0	0	1607
25/Jul/10 01:13:10	1872	1991	0	0	0	57	0	0	1595
25/Jul/10 01:13:20	1874	1991	0	0	0	57	0	0	1588
25/Jul/10 01:13:30	1875	1990	0	0	0	57	0	0	1581
25/Jul/10 01:13:40	1877	1994	0	0	0	57	0	0	1572
25/Jul/10 01:13:50	1877	1993	0	0	0	57	0	0	1561
25/Jul/10 01:14:00	1878	1992	0	0	0	57	0	0	1552
25/Jul/10 01:14:10	1876	1990	0	0	0	57	0	0	1546
25/Jul/10 01:14:20	1881	1991	0	0	0	57	0	0	1539
25/Jul/10 01:14:30	1880	1989	0	0	0	57	0	0	1535
25/Jul/10 01:14:40	1882	1991	0	0	0	57	0	0	1537
25/Jul/10 01:14:50	1882	1994	0	0	0	57	0	0	1533
25/Jul/10 01:15:00	1882	1991	0	0	0	57	0	0	1527
25/Jul/10 01:15:10	1881	1993	0	0	0	57	0	0	1526
25/Jul/10 01:15:20	1879	1996	0	0	0	57	0	0	1526
25/Jul/10 01:15:30	1874	1999	0	0	0	57	0	0	1528
25/Jul/10 01:15:40	1872	1994	0	0	0	57	0	0	1529
25/Jul/10 01:15:50	1871	1998	0	0	0	57	0	0	1527
25/Jul/10 01:16:00	1871	1992	0	0	0	57	0	0	1529
25/Jul/10 01:16:10	1868	1985	0	0	0	57	0	0	1533
25/Jul/10 01:16:20	1866	1982	0	0	0	57	0	0	1537
25/Jul/10 01:16:30	1865	1983	0	0	0	57	0	0	1538
25/Jul/10 01:16:40	1868	1987	0	0	0	57	0	0	1538
25/Jul/10 01:16:50	1872	1987	0	0	0	57	0	0	1538
25/Jul/10 01:17:00	1876	1985	0	0	0	57	0	0	1542
25/Jul/10 01:17:10	1878	1991	0	0	0	57	0	0	1544
25/Jul/10 01:17:20	1878	1992	0	0	0	57	0	0	1549
25/Jul/10 01:17:30	1886	1992	0	0	0	57	0	0	1549
25/Jul/10 01:17:40	1884	1989	0	0	0	57	0	0	1550
25/Jul/10 01:17:50	1883	1990	0	0	0	57	0	0	1554

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:18:00	1882	1992	0	0	0	57	0	0	1558
25/Jul/10 01:18:10	1884	1991	0	0	0	57	0	0	1561
25/Jul/10 01:18:20	1886	1994	0	0	0	57	0	0	1560
25/Jul/10 01:18:30	1881	1994	0	0	0	57	0	0	1561
25/Jul/10 01:18:40	1878	1989	0	0	0	57	0	0	1566
25/Jul/10 01:18:50	1881	1987	0	0	0	57	0	0	1569
25/Jul/10 01:19:00	1880	1989	0	0	0	57	0	0	1567
25/Jul/10 01:19:10	1882	1987	0	0	0	57	0	0	1571
25/Jul/10 01:19:20	1886	1988	0	0	0	57	0	0	1572
25/Jul/10 01:19:30	1881	1985	0	0	0	57	0	0	1575
25/Jul/10 01:19:40	1880	1986	0	0	0	57	0	0	1579
25/Jul/10 01:19:50	1882	1989	0	0	0	57	0	0	1576
25/Jul/10 01:20:00	1885	1989	0	0	0	57	0	0	1579
25/Jul/10 01:20:10	1883	1988	0	0	0	57	0	0	1574
25/Jul/10 01:20:20	1887	1987	0	0	0	57	0	0	1581
25/Jul/10 01:20:30	1885	1990	0	0	0	57	0	0	1587
25/Jul/10 01:20:40	1883	1991	0	0	0	57	0	0	1587
25/Jul/10 01:20:50	1882	1992	0	0	0	57	0	0	1590
25/Jul/10 01:21:00	1880	1991	0	0	0	57	0	0	1592
25/Jul/10 01:21:10	1880	1987	0	0	0	57	0	0	1589
25/Jul/10 01:21:20	1880	1985	0	0	0	57	0	0	1595
25/Jul/10 01:21:30	1882	1986	0	0	0	57	0	0	1597
25/Jul/10 01:21:40	1881	1982	0	0	0	57	0	0	1597
25/Jul/10 01:21:50	1880	1983	0	0	0	57	0	0	1596
25/Jul/10 01:22:00	1881	1988	0	0	0	57	0	0	1603
25/Jul/10 01:22:10	1886	1988	0	0	0	57	0	0	1608
25/Jul/10 01:22:20	1889	1987	0	0	0	57	0	0	1609
25/Jul/10 01:22:30	1892	1985	0	0	0	57	0	0	1609
25/Jul/10 01:22:40	1890	1981	0	0	0	57	0	0	1612
25/Jul/10 01:22:50	1892	1983	0	0	0	57	0	0	1613
25/Jul/10 01:23:00	1893	1983	0	0	0	57	0	0	1618
25/Jul/10 01:23:10	1893	1983	0	0	0	57	0	0	1621
25/Jul/10 01:23:20	1885	1982	0	0	0	57	0	0	1624
25/Jul/10 01:23:30	1878	1979	0	0	0	57	0	0	1626
25/Jul/10 01:23:40	1863	1977	0	0	0	57	0	0	1625
25/Jul/10 01:23:50	1860	1975	0	0	0	57	0	0	1625
25/Jul/10 01:24:00	1849	1978	0	0	0	57	0	0	1623
25/Jul/10 01:24:10	1845	1983	0	0	0	57	0	0	1621
25/Jul/10 01:24:20	1837	1982	0	0	0	57	0	0	1616
25/Jul/10 01:24:30	1833	1978	0	0	0	57	0	0	1620
25/Jul/10 01:24:40	1824	1978	0	0	0	57	0	0	1622
25/Jul/10 01:24:50	1821	1981	0	0	0	57	0	0	1623
25/Jul/10 01:25:00	1821	1975	0	0	0	57	0	0	1625
25/Jul/10 01:25:10	1829	1972	0	0	0	57	0	0	1618
25/Jul/10 01:25:20	1832	1967	0	0	0	57	0	0	1625
25/Jul/10 01:25:30	1837	1966	0	0	0	57	0	0	1622
25/Jul/10 01:25:40	1845	1964	0	0	0	57	0	0	1631
25/Jul/10 01:25:50	1850	1963	0	0	0	57	0	0	1631
25/Jul/10 01:26:00	1856	1968	0	0	0	57	0	0	1636
25/Jul/10 01:26:10	1862	1967	0	0	0	57	0	0	1631
25/Jul/10 01:26:20	1865	1966	0	0	0	57	0	0	1636
25/Jul/10 01:26:30	1871	1968	0	0	0	57	0	0	1639

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:26:40	1873	1969	0	0	0	57	0	0	1639
25/Jul/10 01:26:50	1872	1971	0	0	0	57	0	0	1636
25/Jul/10 01:27:00	1871	1967	0	0	0	57	0	0	1638
25/Jul/10 01:27:10	1876	1964	0	0	0	57	0	0	1641
25/Jul/10 01:27:20	1878	1970	0	0	0	57	0	0	1638
25/Jul/10 01:27:30	1878	1973	0	0	0	57	0	0	1641
25/Jul/10 01:27:40	1875	1970	0	0	0	57	0	0	1636
25/Jul/10 01:27:50	1874	1965	0	0	0	57	0	0	1636
25/Jul/10 01:28:00	1873	1963	0	0	0	57	0	0	1638
25/Jul/10 01:28:10	1872	1966	0	0	0	57	0	0	1640
25/Jul/10 01:28:20	1871	1968	0	0	0	57	0	0	1639
25/Jul/10 01:28:30	1871	1966	0	0	0	57	0	0	1643
25/Jul/10 01:28:40	1873	1966	0	0	0	57	0	0	1644
25/Jul/10 01:28:50	1875	1958	0	0	0	57	0	0	1639
25/Jul/10 01:29:00	1875	1957	0	0	0	57	0	0	1636
25/Jul/10 01:29:10	1874	1960	0	0	0	57	0	0	1638
25/Jul/10 01:29:20	1875	1962	0	0	0	57	0	0	1641
25/Jul/10 01:29:30	1874	1962	0	0	0	57	0	0	1639
25/Jul/10 01:29:40	1878	1959	0	0	0	57	0	0	1639
25/Jul/10 01:29:50	1878	1957	0	0	0	57	0	0	1641
25/Jul/10 01:30:00	1884	1957	0	0	0	57	0	0	1642
25/Jul/10 01:30:10	1888	1955	0	0	0	57	0	0	1641
25/Jul/10 01:30:20	1892	1954	0	0	0	57	0	0	1640
25/Jul/10 01:30:30	1897	1954	0	0	0	57	0	0	1640
25/Jul/10 01:30:40	1897	1954	0	0	0	57	0	0	1639
25/Jul/10 01:30:50	1906	1953	0	0	0	57	0	0	1638
25/Jul/10 01:31:00	1913	1954	0	0	0	57	0	0	1646
25/Jul/10 01:31:10	1918	1956	0	0	0	57	0	0	1648
25/Jul/10 01:31:20	1923	1954	0	0	0	57	0	0	1646
25/Jul/10 01:31:30	1929	1953	0	0	0	57	0	0	1646
25/Jul/10 01:31:40	1933	1952	0	0	0	57	0	0	1651
25/Jul/10 01:31:50	1933	1950	0	0	0	57	0	0	1647
25/Jul/10 01:32:00	1935	1948	0	0	0	57	0	0	1646
25/Jul/10 01:32:10	1934	1942	0	0	0	57	0	0	1653
25/Jul/10 01:32:20	1935	1941	0	0	0	57	0	0	1651
25/Jul/10 01:32:30	1937	1944	0	0	0	57	0	0	1653
25/Jul/10 01:32:40	1937	1944	0	0	0	57	0	0	1650
25/Jul/10 01:32:50	1933	1942	0	0	0	57	0	0	1649
25/Jul/10 01:33:00	1937	1941	0	0	0	57	0	0	1650
25/Jul/10 01:33:10	1935	1944	0	0	0	57	0	0	1652
25/Jul/10 01:33:20	1933	1946	0	0	0	57	0	0	1652
25/Jul/10 01:33:30	1931	1940	0	0	0	57	0	0	1652
25/Jul/10 01:33:40	1912	1940	0	0	0	57	0	0	1649
25/Jul/10 01:33:50	1894	1939	0	0	0	57	0	0	1651
25/Jul/10 01:34:00	1867	1938	0	0	0	57	0	0	1650
25/Jul/10 01:34:10	1827	1944	0	0	0	57	0	0	1649
25/Jul/10 01:34:20	1799	1940	0	0	0	57	0	0	1650
25/Jul/10 01:34:30	1778	1933	0	0	0	57	0	0	1650
25/Jul/10 01:34:40	1759	1929	0	0	0	57	0	0	1647
25/Jul/10 01:34:50	1734	1931	0	0	0	57	0	0	1643
25/Jul/10 01:35:00	1713	1930	0	0	0	57	0	0	1644
25/Jul/10 01:35:10	1695	1926	0	0	0	57	0	0	1643

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:35:20	1676	1927	0	0	0	57	0	0	1645
25/Jul/10 01:35:30	1678	1925	0	0	0	57	0	0	1647
25/Jul/10 01:35:40	1683	1920	0	0	0	57	0	0	1646
25/Jul/10 01:35:50	1689	1920	0	0	0	57	0	0	1649
25/Jul/10 01:36:00	1704	1919	0	0	0	57	0	0	1647
25/Jul/10 01:36:10	1718	1918	0	0	0	57	0	0	1653
25/Jul/10 01:36:20	1725	1919	0	0	0	57	0	0	1651
25/Jul/10 01:36:30	1730	1925	0	0	0	57	0	0	1651
25/Jul/10 01:36:40	1735	1924	0	0	0	57	0	0	1651
25/Jul/10 01:36:50	1741	1924	0	0	0	57	0	0	1653
25/Jul/10 01:37:00	1745	1922	0	0	0	57	0	0	1649
25/Jul/10 01:37:10	1749	1920	0	0	0	57	0	0	1649
25/Jul/10 01:37:20	1754	1922	0	0	0	57	0	0	1652
25/Jul/10 01:37:30	1759	1922	0	0	0	57	0	0	1652
25/Jul/10 01:37:40	1767	1919	0	0	0	57	0	0	1652
25/Jul/10 01:37:50	1772	1919	0	0	0	57	0	0	1655
25/Jul/10 01:38:00	1778	1917	0	0	0	57	0	0	1657
25/Jul/10 01:38:10	1783	1914	0	0	0	57	0	0	1656
25/Jul/10 01:38:20	1786	1918	0	0	0	57	0	0	1655
25/Jul/10 01:38:30	1790	1920	0	0	0	57	0	0	1652
25/Jul/10 01:38:40	1794	1920	0	0	0	57	0	0	1650
25/Jul/10 01:38:50	1797	1919	0	0	0	57	0	0	1649
25/Jul/10 01:39:00	1800	1915	0	0	0	57	0	0	1651
25/Jul/10 01:39:10	1800	1917	0	0	0	57	0	0	1654
25/Jul/10 01:39:20	1799	1919	0	0	0	57	0	0	1653
25/Jul/10 01:39:30	1799	1918	0	0	0	57	0	0	1654
25/Jul/10 01:39:40	1798	1918	0	0	0	57	0	0	1651
25/Jul/10 01:39:50	1797	1919	0	0	0	57	0	0	1650
25/Jul/10 01:40:00	1799	1921	0	0	0	57	0	0	1649
25/Jul/10 01:40:10	1801	1912	0	0	0	57	0	0	1648
25/Jul/10 01:40:20	1803	1908	0	0	0	57	0	0	1650
25/Jul/10 01:40:30	1803	1909	0	0	0	57	0	0	1655
25/Jul/10 01:40:40	1800	1912	0	0	0	57	0	0	1655
25/Jul/10 01:40:50	1801	1911	0	0	0	57	0	0	1654
25/Jul/10 01:41:00	1804	1911	0	0	0	57	0	0	1651
25/Jul/10 01:41:10	1807	1913	0	0	0	57	0	0	1645
25/Jul/10 01:41:20	1809	1915	0	0	0	57	0	0	1648
25/Jul/10 01:41:30	1812	1918	0	0	0	57	0	0	1656
25/Jul/10 01:41:40	1816	1917	0	0	0	57	0	0	1655
25/Jul/10 01:41:50	1819	1915	0	0	0	57	0	0	1653
25/Jul/10 01:42:00	1819	1914	0	0	0	57	0	0	1650
25/Jul/10 01:42:10	1822	1919	0	0	0	57	0	0	1649
25/Jul/10 01:42:20	1824	1917	0	0	0	57	0	0	1647
25/Jul/10 01:42:30	1827	1913	0	0	0	57	0	0	1645
25/Jul/10 01:42:40	1831	1911	0	0	0	57	0	0	1643
25/Jul/10 01:42:50	1828	1908	0	0	0	57	0	0	1647
25/Jul/10 01:43:00	1830	1903	0	0	0	57	0	0	1648
25/Jul/10 01:43:10	1828	1901	0	0	0	57	0	0	1651
25/Jul/10 01:43:20	1824	1900	0	0	0	57	0	0	1651
25/Jul/10 01:43:30	1819	1899	0	0	0	57	0	0	1652
25/Jul/10 01:43:40	1801	1897	0	0	0	57	0	0	1651
25/Jul/10 01:43:50	1781	1896	0	0	0	57	0	0	1644

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:44:00	1756	1897	0	0	0	57	0	0	1646
25/Jul/10 01:44:10	1741	1897	0	0	0	57	0	0	1648
25/Jul/10 01:44:20	1728	1893	0	0	0	57	0	0	1650
25/Jul/10 01:44:30	1714	1896	0	0	0	57	0	0	1649
25/Jul/10 01:44:40	1704	1897	0	0	0	57	0	0	1648
25/Jul/10 01:44:50	1694	1895	0	0	0	57	0	0	1650
25/Jul/10 01:45:00	1689	1895	0	0	0	57	0	0	1650
25/Jul/10 01:45:10	1682	1893	0	0	0	57	0	0	1652
25/Jul/10 01:45:20	1682	1896	0	0	0	57	0	0	1650
25/Jul/10 01:45:30	1689	1892	0	0	0	57	0	0	1655
25/Jul/10 01:45:40	1706	1896	0	0	0	57	0	0	1651
25/Jul/10 01:45:50	1719	1902	0	0	0	57	0	0	1650
25/Jul/10 01:46:00	1728	1906	0	0	0	57	0	0	1646
25/Jul/10 01:46:10	1736	1902	0	0	0	57	0	0	1648
25/Jul/10 01:46:20	1743	1903	0	0	0	57	0	0	1649
25/Jul/10 01:46:30	1751	1904	0	0	0	57	0	0	1650
25/Jul/10 01:46:40	1757	1899	0	0	0	57	0	0	1649
25/Jul/10 01:46:50	1762	1895	0	0	0	57	0	0	1649
25/Jul/10 01:47:00	1767	1894	0	0	0	57	0	0	1649
25/Jul/10 01:47:10	1772	1893	0	0	0	57	0	0	1651
25/Jul/10 01:47:20	1772	1892	0	0	0	57	0	0	1654
25/Jul/10 01:47:30	1776	1890	0	0	0	57	0	0	1652
25/Jul/10 01:47:40	1777	1892	0	0	0	57	0	0	1653
25/Jul/10 01:47:50	1777	1889	0	0	0	57	0	0	1654
25/Jul/10 01:48:00	1776	1890	0	0	0	57	0	0	1650
25/Jul/10 01:48:10	1776	1890	0	0	0	57	0	0	1651
25/Jul/10 01:48:20	1779	1892	0	0	0	57	0	0	1652
25/Jul/10 01:48:30	1781	1892	0	0	0	57	0	0	1655
25/Jul/10 01:48:40	1780	1889	0	0	0	57	0	0	1657
25/Jul/10 01:48:50	1780	1888	0	0	0	57	0	0	1657
25/Jul/10 01:49:00	1779	1882	0	0	0	57	0	0	1655
25/Jul/10 01:49:10	1778	1888	0	0	0	57	0	0	1651
25/Jul/10 01:49:20	1776	1887	0	0	0	57	0	0	1646
25/Jul/10 01:49:30	1777	1881	0	0	0	57	0	0	1648
25/Jul/10 01:49:40	1779	1882	0	0	0	57	0	0	1649
25/Jul/10 01:49:50	1781	1887	0	0	0	57	0	0	1650
25/Jul/10 01:50:00	1783	1886	0	0	0	57	0	0	1655
25/Jul/10 01:50:10	1780	1885	0	0	0	57	0	0	1651
25/Jul/10 01:50:20	1779	1881	0	0	0	57	0	0	1652
25/Jul/10 01:50:30	1781	1882	0	0	0	57	0	0	1651
25/Jul/10 01:50:40	1777	1878	0	0	0	57	0	0	1654
25/Jul/10 01:50:50	1778	1877	0	0	0	57	0	0	1657
25/Jul/10 01:51:00	1781	1872	0	0	0	57	0	0	1657
25/Jul/10 01:51:10	1784	1874	0	0	0	57	0	0	1661
25/Jul/10 01:51:20	1785	1871	0	0	0	57	0	0	1664
25/Jul/10 01:51:30	1785	1870	0	0	0	57	0	0	1661
25/Jul/10 01:51:40	1785	1869	0	0	0	57	0	0	1654
25/Jul/10 01:51:50	1787	1869	0	0	0	57	0	0	1656
25/Jul/10 01:52:00	1785	1863	0	0	0	57	0	0	1659
25/Jul/10 01:52:10	1787	1865	0	0	0	57	0	0	1657
25/Jul/10 01:52:20	1781	1861	0	0	0	57	0	0	1655
25/Jul/10 01:52:30	1781	1862	0	0	0	57	0	0	1658

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 01:52:40	1784	1863	0	0	0	57	0	0	1656
25/Jul/10 01:52:50	1783	1859	0	0	0	57	0	0	1657
25/Jul/10 01:53:00	1779	1863	0	0	0	57	0	0	1658
25/Jul/10 01:53:10	1779	1865	0	0	0	57	0	0	1661
25/Jul/10 01:53:20	1779	1866	0	0	0	57	0	0	1661
25/Jul/10 01:53:30	1780	1865	0	0	0	57	0	0	1655
25/Jul/10 01:53:40	1779	1865	0	0	0	57	0	0	1652
25/Jul/10 01:53:50	1778	1866	0	0	0	57	0	0	1654
25/Jul/10 01:54:00	1776	1866	0	0	0	57	0	0	1652
25/Jul/10 01:54:10	1776	1863	0	0	0	57	0	0	1654
25/Jul/10 01:54:20	1776	1864	0	0	0	57	0	0	1658
25/Jul/10 01:54:30	1774	1859	0	0	0	57	0	0	1657
25/Jul/10 01:54:40	1774	1856	0	0	0	57	0	0	1654
25/Jul/10 01:54:50	1778	1850	0	0	0	57	0	0	1651
25/Jul/10 01:55:00	1778	1856	0	0	0	57	0	0	1652
25/Jul/10 01:55:10	1780	1845	0	0	0	57	0	0	1651
25/Jul/10 01:55:20	1776	1846	0	0	0	57	0	0	1651
25/Jul/10 01:55:30	1774	1843	0	0	0	57	0	0	1656
25/Jul/10 01:55:40	1773	1843	0	0	0	57	0	0	1656
25/Jul/10 01:55:50	1776	1847	0	0	0	57	0	0	1656
25/Jul/10 01:56:00	1777	1856	0	0	0	57	0	0	1653
25/Jul/10 01:56:10	1778	1852	0	0	0	57	0	0	1653
25/Jul/10 01:56:20	1775	1847	0	0	0	57	0	0	1654
25/Jul/10 01:56:30	1772	1850	0	0	0	57	0	0	1655
25/Jul/10 01:56:40	1769	1846	0	0	0	57	0	0	1656
25/Jul/10 01:56:50	1767	1841	0	0	0	57	0	0	1654
25/Jul/10 01:57:00	1769	1846	0	0	0	57	0	0	1652
25/Jul/10 01:57:10	1771	1838	0	0	0	57	0	0	1654
25/Jul/10 01:57:20	1771	1839	0	0	0	57	0	0	1656
25/Jul/10 01:57:30	1772	1834	0	0	0	57	0	0	1654
25/Jul/10 01:57:40	1767	1832	0	0	0	57	0	0	1651
25/Jul/10 01:57:50	1769	1835	0	0	0	57	0	0	1652
25/Jul/10 01:58:00	1770	1834	0	0	0	57	0	0	1649
25/Jul/10 01:58:10	1772	1830	0	0	0	57	0	0	1653
25/Jul/10 01:58:20	1771	1828	0	0	0	57	0	0	1651
25/Jul/10 01:58:30	1777	1832	0	0	0	57	0	0	1653
25/Jul/10 01:58:40	1780	1832	0	0	0	57	0	0	1654
25/Jul/10 01:58:50	1781	1837	0	0	0	57	0	0	1652
25/Jul/10 01:59:00	1780	1837	0	0	0	57	0	0	1651
25/Jul/10 01:59:10	1781	1833	0	0	0	57	0	0	1654
25/Jul/10 01:59:20	1782	1829	0	0	0	57	0	0	1652
25/Jul/10 01:59:30	1782	1829	0	0	0	57	0	0	1654
25/Jul/10 01:59:40	1782	1834	0	0	0	57	0	0	1658
25/Jul/10 01:59:50	1780	1830	0	0	0	57	0	0	1662
25/Jul/10 02:00:00	1779	1830	0	0	0	57	0	0	1661
25/Jul/10 02:00:10	1775	1832	0	0	0	57	0	0	1661
25/Jul/10 02:00:20	1776	1833	0	0	0	57	0	0	1664
25/Jul/10 02:00:30	1773	1834	0	0	0	57	0	0	1658
25/Jul/10 02:00:40	1771	1835	0	0	0	57	0	0	1654
25/Jul/10 02:00:50	1776	1838	0	0	0	57	0	0	1656
25/Jul/10 02:01:00	1776	1842	0	0	0	57	0	0	1655
25/Jul/10 02:01:10	1775	1840	0	0	0	57	0	0	1657

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:01:20	1778	1837	0	0	0	57	0	0	1661
25/Jul/10 02:01:30	1776	1832	0	0	0	57	0	0	1660
25/Jul/10 02:01:40	1775	1838	0	0	0	57	0	0	1659
25/Jul/10 02:01:50	1775	1830	0	0	0	57	0	0	1656
25/Jul/10 02:02:00	1777	1825	0	0	0	57	0	0	1658
25/Jul/10 02:02:10	1776	1825	0	0	0	57	0	0	1657
25/Jul/10 02:02:20	1778	1825	0	0	0	57	0	0	1657
25/Jul/10 02:02:30	1774	1826	0	0	0	57	0	0	1657
25/Jul/10 02:02:40	1773	1826	0	0	0	57	0	0	1655
25/Jul/10 02:02:50	1772	1830	0	0	0	57	0	0	1654
25/Jul/10 02:03:00	1772	1830	0	0	0	57	0	0	1659
25/Jul/10 02:03:10	1774	1833	0	0	0	57	0	0	1661
25/Jul/10 02:03:20	1774	1838	0	0	0	57	0	0	1659
25/Jul/10 02:03:30	1775	1839	0	0	0	57	0	0	1657
25/Jul/10 02:03:40	1775	1835	0	0	0	57	0	0	1654
25/Jul/10 02:03:50	1775	1835	0	0	0	57	0	0	1657
25/Jul/10 02:04:00	1776	1830	0	0	0	57	0	0	1661
25/Jul/10 02:04:10	1771	1829	0	0	0	57	0	0	1658
25/Jul/10 02:04:20	1767	1834	0	0	0	57	0	0	1660
25/Jul/10 02:04:30	1772	1835	0	0	0	57	0	0	1660
25/Jul/10 02:04:40	1771	1841	0	0	0	57	0	0	1657
25/Jul/10 02:04:50	1771	1843	0	0	0	57	0	0	1657
25/Jul/10 02:05:00	1768	1843	0	0	0	57	0	0	1651
25/Jul/10 02:05:10	1769	1842	0	0	0	57	0	0	1656
25/Jul/10 02:05:20	1771	1846	0	0	0	57	0	0	1654
25/Jul/10 02:05:30	1772	1846	0	0	0	57	0	0	1652
25/Jul/10 02:05:40	1772	1842	0	0	0	57	0	0	1652
25/Jul/10 02:05:50	1773	1845	0	0	0	57	0	0	1652
25/Jul/10 02:06:00	1772	1846	0	0	0	57	0	0	1652
25/Jul/10 02:06:10	1773	1846	0	0	0	57	0	0	1655
25/Jul/10 02:06:20	1771	1845	0	0	0	57	0	0	1655
25/Jul/10 02:06:30	1769	1842	0	0	0	57	0	0	1653
25/Jul/10 02:06:40	1770	1838	0	0	0	57	0	0	1650
25/Jul/10 02:06:50	1772	1839	0	0	0	57	0	0	1647
25/Jul/10 02:07:00	1770	1842	0	0	0	57	0	0	1643
25/Jul/10 02:07:10	1769	1844	0	0	0	57	0	0	1641
25/Jul/10 02:07:20	1767	1843	0	0	0	57	0	0	1644
25/Jul/10 02:07:30	1763	1846	0	0	0	57	0	0	1643
25/Jul/10 02:07:40	1762	1841	0	0	0	57	0	0	1644
25/Jul/10 02:07:50	1764	1838	0	0	0	57	0	0	1643
25/Jul/10 02:08:00	1762	1837	0	0	0	57	0	0	1644
25/Jul/10 02:08:10	1759	1838	0	0	0	57	0	0	1644
25/Jul/10 02:08:20	1759	1837	0	0	0	57	0	0	1641
25/Jul/10 02:08:30	1757	1832	0	0	0	57	0	0	1640
25/Jul/10 02:08:40	1757	1829	0	0	0	57	0	0	1641
25/Jul/10 02:08:50	1754	1832	0	0	0	57	0	0	1642
25/Jul/10 02:09:00	1752	1831	0	0	0	57	0	0	1642
25/Jul/10 02:09:10	1753	1830	0	0	0	57	0	0	1643
25/Jul/10 02:09:20	1756	1834	0	0	0	57	0	0	1642
25/Jul/10 02:09:30	1760	1829	0	0	0	57	0	0	1639
25/Jul/10 02:09:40	1762	1828	0	0	0	57	0	0	1640
25/Jul/10 02:09:50	1764	1830	0	0	0	57	0	0	1645



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:10:00	1762	1829	0	0	0	57	0	0	1640
25/Jul/10 02:10:10	1765	1826	0	0	0	57	0	0	1638
25/Jul/10 02:10:20	1762	1825	0	0	0	57	0	0	1636
25/Jul/10 02:10:30	1762	1824	0	0	0	57	0	0	1632
25/Jul/10 02:10:40	1763	1824	0	0	0	57	0	0	1634
25/Jul/10 02:10:50	1765	1825	0	0	0	57	0	0	1636
25/Jul/10 02:11:00	1768	1825	0	0	0	57	0	0	1635
25/Jul/10 02:11:10	1766	1823	0	0	0	57	0	0	1633
25/Jul/10 02:11:20	1764	1822	0	0	0	57	0	0	1631
25/Jul/10 02:11:30	1761	1826	0	0	0	57	0	0	1634
25/Jul/10 02:11:40	1761	1829	0	0	0	57	0	0	1635
25/Jul/10 02:11:50	1761	1830	0	0	0	57	0	0	1634
25/Jul/10 02:12:00	1760	1829	0	0	0	57	0	0	1636
25/Jul/10 02:12:10	1762	1834	0	0	0	57	0	0	1637
25/Jul/10 02:12:20	1763	1838	0	0	0	57	0	0	1632
25/Jul/10 02:12:30	1763	1837	0	0	0	57	0	0	1633
25/Jul/10 02:12:40	1763	1841	0	0	0	57	0	0	1632
25/Jul/10 02:12:50	1762	1845	0	0	0	57	0	0	1632
25/Jul/10 02:13:00	1759	1843	0	0	0	57	0	0	1632
25/Jul/10 02:13:10	1761	1839	0	0	0	57	0	0	1632
25/Jul/10 02:13:20	1761	1839	0	0	0	57	0	0	1628
25/Jul/10 02:13:30	1761	1840	0	0	0	57	0	0	1628
25/Jul/10 02:13:40	1759	1834	0	0	0	57	0	0	1622
25/Jul/10 02:13:50	1760	1832	0	0	0	57	0	0	1617
25/Jul/10 02:14:00	1760	1835	0	0	0	57	0	0	1620
25/Jul/10 02:14:10	1754	1835	0	0	0	57	0	0	1626
25/Jul/10 02:14:20	1752	1833	0	0	0	57	0	0	1625
25/Jul/10 02:14:30	1754	1829	0	0	0	57	0	0	1621
25/Jul/10 02:14:40	1756	1825	0	0	0	57	0	0	1624
25/Jul/10 02:14:50	1759	1821	0	0	0	57	0	0	1626
25/Jul/10 02:15:00	1758	1813	0	0	0	57	0	0	1628
25/Jul/10 02:15:10	1759	1813	0	0	0	57	0	0	1619
25/Jul/10 02:15:20	1758	1817	0	0	0	57	0	0	1624
25/Jul/10 02:15:30	1761	1819	0	0	0	57	0	0	1625
25/Jul/10 02:15:40	1763	1821	0	0	0	57	0	0	1627
25/Jul/10 02:15:50	1766	1816	0	0	0	57	0	0	1627
25/Jul/10 02:16:00	1766	1819	0	0	0	57	0	0	1625
25/Jul/10 02:16:10	1765	1816	0	0	0	57	0	0	1623
25/Jul/10 02:16:20	1763	1813	0	0	0	57	0	0	1622
25/Jul/10 02:16:30	1762	1811	0	0	0	57	0	0	1624
25/Jul/10 02:16:40	1761	1810	0	0	0	57	0	0	1622
25/Jul/10 02:16:50	1760	1812	0	0	0	57	0	0	1622
25/Jul/10 02:17:00	1758	1813	0	0	0	57	0	0	1620
25/Jul/10 02:17:10	1759	1820	0	0	0	57	0	0	1620
25/Jul/10 02:17:20	1759	1816	0	0	0	57	0	0	1616
25/Jul/10 02:17:30	1756	1813	0	0	0	57	0	0	1620
25/Jul/10 02:17:40	1753	1819	0	0	0	57	0	0	1616
25/Jul/10 02:17:50	1753	1814	0	0	0	57	0	0	1617
25/Jul/10 02:18:00	1757	1815	0	0	0	57	0	0	1618
25/Jul/10 02:18:10	1759	1818	0	0	0	57	0	0	1616
25/Jul/10 02:18:20	1756	1818	0	0	0	57	0	0	1614
25/Jul/10 02:18:30	1756	1820	0	0	0	57	0	0	1615

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:18:40	1756	1819	0	0	0	57	0	0	1618
25/Jul/10 02:18:50	1757	1820	0	0	0	57	0	0	1618
25/Jul/10 02:19:00	1757	1821	0	0	0	57	0	0	1614
25/Jul/10 02:19:10	1755	1822	0	0	0	57	0	0	1610
25/Jul/10 02:19:20	1753	1822	0	0	0	57	0	0	1614
25/Jul/10 02:19:30	1770	1826	0	0	0	57	0	0	1620
25/Jul/10 02:19:40	1787	1829	0	0	0	57	0	0	1616
25/Jul/10 02:19:50	1799	1834	0	0	0	57	0	0	1615
25/Jul/10 02:20:00	1813	1838	0	0	0	57	0	0	1613
25/Jul/10 02:20:10	1835	1841	0	0	0	57	0	0	1615
25/Jul/10 02:20:20	1845	1835	0	0	0	57	0	0	1610
25/Jul/10 02:20:30	1862	1840	0	0	0	57	0	0	1608
25/Jul/10 02:20:40	1876	1841	0	0	0	57	0	0	1609
25/Jul/10 02:20:50	1888	1839	0	0	0	57	0	0	1610
25/Jul/10 02:21:00	1898	1843	0	0	0	57	0	0	1605
25/Jul/10 02:21:10	1912	1847	0	0	0	57	0	0	1610
25/Jul/10 02:21:20	1914	1842	0	0	0	57	0	0	1605
25/Jul/10 02:21:30	1908	1841	0	0	0	57	0	0	1605
25/Jul/10 02:21:40	1902	1842	0	0	0	57	0	0	1610
25/Jul/10 02:21:50	1898	1842	0	0	0	57	0	0	1612
25/Jul/10 02:22:00	1892	1846	0	0	0	57	0	0	1610
25/Jul/10 02:22:10	1893	1850	0	0	0	57	0	0	1615
25/Jul/10 02:22:20	1894	1853	0	0	0	57	0	0	1617
25/Jul/10 02:22:30	1893	1851	0	0	0	57	0	0	1614
25/Jul/10 02:22:40	1894	1850	0	0	0	57	0	0	1614
25/Jul/10 02:22:50	1891	1855	0	0	0	57	0	0	1610
25/Jul/10 02:23:00	1893	1855	0	0	0	57	0	0	1605
25/Jul/10 02:23:10	1889	1854	0	0	0	57	0	0	1614
25/Jul/10 02:23:20	1891	1852	0	0	0	57	0	0	1614
25/Jul/10 02:23:30	1891	1845	0	0	0	57	0	0	1617
25/Jul/10 02:23:40	1886	1846	0	0	0	57	0	0	1619
25/Jul/10 02:23:50	1883	1847	0	0	0	57	0	0	1620
25/Jul/10 02:24:00	1881	1850	0	0	0	57	0	0	1622
25/Jul/10 02:24:10	1876	1846	0	0	0	57	0	0	1619
25/Jul/10 02:24:20	1875	1849	0	0	0	57	0	0	1621
25/Jul/10 02:24:30	1870	1850	0	0	0	57	0	0	1621
25/Jul/10 02:24:40	1867	1847	0	0	0	57	0	0	1620
25/Jul/10 02:24:50	1865	1854	0	0	0	57	0	0	1618
25/Jul/10 02:25:00	1865	1858	0	0	0	57	0	0	1617
25/Jul/10 02:25:10	1865	1857	0	0	0	57	0	0	1621
25/Jul/10 02:25:20	1864	1855	0	0	0	57	0	0	1622
25/Jul/10 02:25:30	1865	1852	0	0	0	57	0	0	1621
25/Jul/10 02:25:40	1864	1849	0	0	0	57	0	0	1624
25/Jul/10 02:25:50	1863	1847	0	0	0	57	0	0	1626
25/Jul/10 02:26:00	1863	1849	0	0	0	57	0	0	1627
25/Jul/10 02:26:10	1862	1848	0	0	0	57	0	0	1628
25/Jul/10 02:26:20	1861	1850	0	0	0	57	0	0	1625
25/Jul/10 02:26:30	1864	1856	0	0	0	57	0	0	1624
25/Jul/10 02:26:40	1861	1857	0	0	0	57	0	0	1622
25/Jul/10 02:26:50	1857	1858	0	0	0	57	0	0	1619
25/Jul/10 02:27:00	1854	1857	0	0	0	57	0	0	1619
25/Jul/10 02:27:10	1856	1856	0	0	0	57	0	0	1622

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:27:20	1855	1856	0	0	0	57	0	0	1623
25/Jul/10 02:27:30	1856	1858	0	0	0	57	0	0	1620
25/Jul/10 02:27:40	1855	1858	0	0	0	57	0	0	1620
25/Jul/10 02:27:50	1855	1856	0	0	0	57	0	0	1623
25/Jul/10 02:28:00	1854	1855	0	0	0	57	0	0	1622
25/Jul/10 02:28:10	1849	1857	0	0	0	57	0	0	1621
25/Jul/10 02:28:20	1846	1858	0	0	0	57	0	0	1620
25/Jul/10 02:28:30	1852	1857	0	0	0	57	0	0	1620
25/Jul/10 02:28:40	1855	1857	0	0	0	57	0	0	1622
25/Jul/10 02:28:50	1854	1856	0	0	0	57	0	0	1624
25/Jul/10 02:29:00	1852	1856	0	0	0	57	0	0	1625
25/Jul/10 02:29:10	1853	1855	0	0	0	57	0	0	1627
25/Jul/10 02:29:20	1850	1857	0	0	0	57	0	0	1629
25/Jul/10 02:29:30	1848	1856	0	0	0	57	0	0	1628
25/Jul/10 02:29:40	1844	1859	0	0	0	57	0	0	1627
25/Jul/10 02:29:50	1842	1861	0	0	0	57	0	0	1627
25/Jul/10 02:30:00	1845	1865	0	0	0	57	0	0	1625
25/Jul/10 02:30:10	1846	1866	0	0	0	57	0	0	1620
25/Jul/10 02:30:20	1844	1869	0	0	0	57	0	0	1620
25/Jul/10 02:30:30	1843	1871	0	0	0	57	0	0	1620
25/Jul/10 02:30:40	1843	1870	0	0	0	57	0	0	1618
25/Jul/10 02:30:50	1842	1868	0	0	0	57	0	0	1619
25/Jul/10 02:31:00	1841	1865	0	0	0	57	0	0	1620
25/Jul/10 02:31:10	1846	1873	0	0	0	57	0	0	1621
25/Jul/10 02:31:20	1848	1873	0	0	0	57	0	0	1622
25/Jul/10 02:31:30	1850	1874	0	0	0	57	0	0	1625
25/Jul/10 02:31:40	1847	1877	0	0	0	57	0	0	1627
25/Jul/10 02:31:50	1844	1875	0	0	0	57	0	0	1626
25/Jul/10 02:32:00	1846	1877	0	0	0	57	0	0	1623
25/Jul/10 02:32:10	1842	1878	0	0	0	57	0	0	1624
25/Jul/10 02:32:20	1844	1877	0	0	0	57	0	0	1626
25/Jul/10 02:32:30	1840	1877	0	0	0	57	0	0	1631
25/Jul/10 02:32:40	1838	1877	0	0	0	57	0	0	1629
25/Jul/10 02:32:50	1836	1881	0	0	0	57	0	0	1622
25/Jul/10 02:33:00	1833	1889	0	0	0	57	0	0	1626
25/Jul/10 02:33:10	1836	1888	0	0	0	57	0	0	1630
25/Jul/10 02:33:20	1831	1886	0	0	0	57	0	0	1628
25/Jul/10 02:33:30	1833	1889	0	0	0	57	0	0	1629
25/Jul/10 02:33:40	1836	1886	0	0	0	57	0	0	1627
25/Jul/10 02:33:50	1835	1887	0	0	0	57	0	0	1628
25/Jul/10 02:34:00	1835	1886	0	0	0	57	0	0	1632
25/Jul/10 02:34:10	1837	1886	0	0	0	57	0	0	1633
25/Jul/10 02:34:20	1841	1887	0	0	0	57	0	0	1632
25/Jul/10 02:34:30	1840	1883	0	0	0	57	0	0	1633
25/Jul/10 02:34:40	1842	1883	0	0	0	57	0	0	1631
25/Jul/10 02:34:50	1841	1886	0	0	0	57	0	0	1630
25/Jul/10 02:35:00	1843	1887	0	0	0	57	0	0	1632
25/Jul/10 02:35:10	1847	1887	0	0	0	57	0	0	1630
25/Jul/10 02:35:20	1851	1883	0	0	0	57	0	0	1632
25/Jul/10 02:35:30	1851	1878	0	0	0	57	0	0	1634
25/Jul/10 02:35:40	1852	1875	0	0	0	57	0	0	1637
25/Jul/10 02:35:50	1855	1875	0	0	0	57	0	0	1636

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	Delivery Flow Rate - IOL	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:36:00	1852	1877	0	0	0	57	0	0	1636
25/Jul/10 02:36:10	1852	1881	0	0	0	57	0	0	1638
25/Jul/10 02:36:20	1853	1879	0	0	0	57	0	0	1638
25/Jul/10 02:36:30	1855	1881	0	0	0	57	0	0	1636
25/Jul/10 02:36:40	1855	1881	0	0	0	57	0	0	1637
25/Jul/10 02:36:50	1853	1878	0	0	0	57	0	0	1638
25/Jul/10 02:37:00	1851	1875	0	0	0	57	0	0	1638
25/Jul/10 02:37:10	1851	1875	0	0	0	57	0	0	1636
25/Jul/10 02:37:20	1852	1877	0	0	0	57	0	0	1635
25/Jul/10 02:37:30	1852	1881	0	0	0	57	0	0	1637
25/Jul/10 02:37:40	1850	1883	0	0	0	57	0	0	1641
25/Jul/10 02:37:50	1848	1882	0	0	0	57	0	0	1637
25/Jul/10 02:38:00	1850	1884	0	0	0	57	0	0	1636
25/Jul/10 02:38:10	1849	1887	0	0	0	57	0	0	1632
25/Jul/10 02:38:20	1850	1887	0	0	0	57	0	0	1631
25/Jul/10 02:38:30	1847	1884	0	0	0	57	0	0	1634
25/Jul/10 02:38:40	1845	1881	0	0	0	57	0	0	1637
25/Jul/10 02:38:50	1845	1881	0	0	0	57	0	0	1639
25/Jul/10 02:39:00	1843	1888	0	0	0	57	0	0	1635
25/Jul/10 02:39:10	1842	1891	0	0	0	57	0	0	1635
25/Jul/10 02:39:20	1841	1890	0	0	0	57	0	0	1640
25/Jul/10 02:39:30	1841	1887	0	0	0	57	0	0	1639
25/Jul/10 02:39:40	1843	1885	0	0	0	57	0	0	1637
25/Jul/10 02:39:50	1848	1886	0	0	0	57	0	0	1640
25/Jul/10 02:40:00	1856	1885	0	0	0	57	0	0	1641
25/Jul/10 02:40:10	1861	1889	0	0	0	57	0	0	1643
25/Jul/10 02:40:20	1872	1886	0	0	0	57	0	0	1641
25/Jul/10 02:40:30	1904	1881	0	0	0	57	0	0	1636
25/Jul/10 02:40:40	1918	1884	0	0	0	57	0	0	1640
25/Jul/10 02:40:50	1935	1886	0	0	0	57	0	0	1644
25/Jul/10 02:41:00	1943	1878	0	0	0	57	0	0	1642
25/Jul/10 02:41:10	1939	1877	0	0	0	57	0	0	1642
25/Jul/10 02:41:20	1924	1881	0	0	0	57	0	0	1641
25/Jul/10 02:41:30	1912	1880	0	0	0	57	0	0	1642
25/Jul/10 02:41:40	1901	1878	0	0	0	57	0	0	1643
25/Jul/10 02:41:50	1886	1875	0	0	0	57	0	0	1644
25/Jul/10 02:42:00	1873	1876	0	0	0	57	0	0	1643
25/Jul/10 02:42:10	1855	1875	0	0	0	57	0	0	1641
25/Jul/10 02:42:20	1842	1870	0	0	0	57	0	0	1639
25/Jul/10 02:42:30	1829	1871	0	0	0	57	0	0	1638
25/Jul/10 02:42:40	1807	1866	0	0	0	57	0	0	1635
25/Jul/10 02:42:50	1793	1873	0	0	0	57	0	0	1634
25/Jul/10 02:43:00	1781	1873	0	0	0	57	0	0	1637
25/Jul/10 02:43:10	1774	1870	0	0	0	57	0	0	1638
25/Jul/10 02:43:20	1766	1867	0	0	0	57	0	0	1638
25/Jul/10 02:43:30	1753	1862	0	0	0	57	0	0	1642
25/Jul/10 02:43:40	1751	1858	0	0	0	57	0	0	1644
25/Jul/10 02:43:50	1752	1858	0	0	0	57	0	0	1641
25/Jul/10 02:44:00	1749	1854	0	0	0	57	0	0	1641
25/Jul/10 02:44:10	1736	1850	0	0	0	57	0	0	1644
25/Jul/10 02:44:20	1726	1844	0	0	0	57	0	0	1640
25/Jul/10 02:44:30	1720	1838	0	0	0	57	0	0	1640

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:44:40	1719	1830	0	0	0	57	0	0	1644
25/Jul/10 02:44:50	1727	1831	0	0	0	57	0	0	1640
25/Jul/10 02:45:00	1745	1826	0	0	0	57	0	0	1639
25/Jul/10 02:45:10	1759	1824	0	0	0	57	0	0	1640
25/Jul/10 02:45:20	1775	1826	0	0	0	57	0	0	1642
25/Jul/10 02:45:30	1782	1824	0	0	0	57	0	0	1640
25/Jul/10 02:45:40	1786	1822	0	0	0	57	0	0	1636
25/Jul/10 02:45:50	1787	1819	0	0	0	57	0	0	1631
25/Jul/10 02:46:00	1786	1820	0	0	0	57	0	0	1631
25/Jul/10 02:46:10	1785	1821	0	0	0	57	0	0	1634
25/Jul/10 02:46:20	1786	1815	0	0	0	57	0	0	1634
25/Jul/10 02:46:30	1786	1810	0	0	0	57	0	0	1636
25/Jul/10 02:46:40	1782	1807	0	0	0	57	0	0	1635
25/Jul/10 02:46:50	1778	1806	0	0	0	57	0	0	1632
25/Jul/10 02:47:00	1771	1804	0	0	0	57	0	0	1633
25/Jul/10 02:47:10	1769	1807	0	0	0	57	0	0	1633
25/Jul/10 02:47:20	1758	1812	0	0	0	57	0	0	1635
25/Jul/10 02:47:30	1755	1809	0	0	0	57	0	0	1632
25/Jul/10 02:47:40	1749	1813	0	0	0	57	0	0	1632
25/Jul/10 02:47:50	1747	1812	0	0	0	57	0	0	1636
25/Jul/10 02:48:00	1742	1811	0	0	0	57	0	0	1637
25/Jul/10 02:48:10	1738	1813	0	0	0	57	0	0	1634
25/Jul/10 02:48:20	1741	1814	0	0	0	57	0	0	1631
25/Jul/10 02:48:30	1740	1812	0	0	0	57	0	0	1635
25/Jul/10 02:48:40	1740	1811	0	0	0	57	0	0	1632
25/Jul/10 02:48:50	1742	1813	0	0	0	57	0	0	1632
25/Jul/10 02:49:00	1739	1815	0	0	0	57	0	0	1631
25/Jul/10 02:49:10	1744	1815	0	0	0	57	0	0	1632
25/Jul/10 02:49:20	1743	1815	0	0	0	57	0	0	1631
25/Jul/10 02:49:30	1746	1819	0	0	0	57	0	0	1628
25/Jul/10 02:49:40	1746	1821	0	0	0	57	0	0	1627
25/Jul/10 02:49:50	1742	1823	0	0	0	57	0	0	1628
25/Jul/10 02:50:00	1743	1821	0	0	0	57	0	0	1626
25/Jul/10 02:50:10	1741	1819	0	0	0	57	0	0	1630
25/Jul/10 02:50:20	1741	1822	0	0	0	57	0	0	1631
25/Jul/10 02:50:30	1735	1824	0	0	0	57	0	0	1630
25/Jul/10 02:50:40	1733	1826	0	0	0	57	0	0	1633
25/Jul/10 02:50:50	1735	1829	0	0	0	57	0	0	1633
25/Jul/10 02:51:00	1734	1822	0	0	0	57	0	0	1631
25/Jul/10 02:51:10	1734	1824	0	0	0	57	0	0	1633
25/Jul/10 02:51:20	1734	1822	0	0	0	57	0	0	1635
25/Jul/10 02:51:30	1734	1824	0	0	0	57	0	0	1636
25/Jul/10 02:51:40	1737	1828	0	0	0	57	0	0	1632
25/Jul/10 02:51:50	1737	1826	0	0	0	57	0	0	1630
25/Jul/10 02:52:00	1738	1830	0	0	0	57	0	0	1636
25/Jul/10 02:52:10	1736	1826	0	0	0	57	0	0	1638
25/Jul/10 02:52:20	1736	1826	0	0	0	57	0	0	1635
25/Jul/10 02:52:30	1739	1827	0	0	0	57	0	0	1636
25/Jul/10 02:52:40	1742	1824	0	0	0	57	0	0	1634
25/Jul/10 02:52:50	1744	1824	0	0	0	57	0	0	1633
25/Jul/10 02:53:00	1747	1827	0	0	0	57	0	0	1631
25/Jul/10 02:53:10	1744	1830	0	0	0	57	0	0	1631

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 02:53:20	1745	1828	0	0	0	57	0	0	1631
25/Jul/10 02:53:30	1747	1829	0	0	0	57	0	0	1629
25/Jul/10 02:53:40	1749	1829	0	0	0	57	0	0	1632
25/Jul/10 02:53:50	1748	1832	0	0	0	57	0	0	1632
25/Jul/10 02:54:00	1748	1834	0	0	0	57	0	0	1636
25/Jul/10 02:54:10	1748	1839	0	0	0	57	0	0	1637
25/Jul/10 02:54:20	1751	1839	0	0	0	57	0	0	1633
25/Jul/10 02:54:30	1746	1842	0	0	0	57	0	0	1632
25/Jul/10 02:54:40	1743	1841	0	0	0	57	0	0	1633
25/Jul/10 02:54:50	1742	1845	0	0	0	57	0	0	1635
25/Jul/10 02:55:00	1744	1852	0	0	0	57	0	0	1635
25/Jul/10 02:55:10	1750	1859	0	0	0	57	0	0	1638
25/Jul/10 02:55:20	1753	1863	0	0	0	57	0	0	1640
25/Jul/10 02:55:30	1760	1865	0	0	0	57	0	0	1643
25/Jul/10 02:55:40	1763	1866	0	0	0	57	0	0	1643
25/Jul/10 02:55:50	1771	1863	0	0	0	57	0	0	1642
25/Jul/10 02:56:00	1773	1861	0	0	0	57	0	0	1639
25/Jul/10 02:56:10	1778	1855	0	0	0	57	0	0	1637
25/Jul/10 02:56:20	1780	1853	0	0	0	57	0	0	1642
25/Jul/10 02:56:30	1781	1855	0	0	0	57	0	0	1645
25/Jul/10 02:56:40	1782	1855	0	0	0	57	0	0	1642
25/Jul/10 02:56:50	1783	1853	0	0	0	57	0	0	1644
25/Jul/10 02:57:00	1783	1852	0	0	0	57	0	0	1645
25/Jul/10 02:57:10	1780	1842	0	0	0	57	0	0	1644
25/Jul/10 02:57:20	1778	1847	0	0	0	57	0	0	1648
25/Jul/10 02:57:30	1780	1842	0	0	0	57	0	0	1646
25/Jul/10 02:57:40	1777	1842	0	0	0	57	0	0	1642
25/Jul/10 02:57:50	1781	1841	0	0	0	57	0	0	1645
25/Jul/10 02:58:00	1783	1840	0	0	0	57	0	0	1643
25/Jul/10 02:58:10	1784	1839	0	0	0	57	0	0	1640
25/Jul/10 02:58:20	1785	1838	0	0	0	57	0	0	1642
25/Jul/10 02:58:30	1784	1837	0	0	0	57	0	0	1643
25/Jul/10 02:58:40	1781	1837	0	0	0	57	0	0	1641
25/Jul/10 02:58:50	1782	1838	0	0	0	57	0	0	1641
25/Jul/10 02:59:00	1780	1837	0	0	0	57	0	0	1646
25/Jul/10 02:59:10	1779	1838	0	0	0	57	0	0	1646
25/Jul/10 02:59:20	1780	1838	0	0	0	57	0	0	1644
25/Jul/10 02:59:30	1782	1837	0	0	0	57	0	0	1646
25/Jul/10 02:59:40	1779	1836	0	0	0	57	0	0	1646
25/Jul/10 02:59:50	1781	1838	0	0	0	57	0	0	1648
25/Jul/10 03:00:00	1780	1838	0	0	0	57	0	0	1643
25/Jul/10 03:00:10	1780	1837	0	0	0	57	0	0	1644
25/Jul/10 03:00:20	1777	1838	0	0	0	57	0	0	1641
25/Jul/10 03:00:30	1780	1840	0	0	0	57	0	0	1640
25/Jul/10 03:00:40	1784	1841	0	0	0	57	0	0	1638
25/Jul/10 03:00:50	1784	1844	0	0	0	57	0	0	1639
25/Jul/10 03:01:00	1785	1844	0	0	0	57	0	0	1638
25/Jul/10 03:01:10	1783	1840	0	0	0	57	0	0	1637
25/Jul/10 03:01:20	1783	1839	0	0	0	57	0	0	1638
25/Jul/10 03:01:30	1785	1838	0	0	0	57	0	0	1637
25/Jul/10 03:01:40	1786	1832	0	0	0	57	0	0	1637
25/Jul/10 03:01:50	1790	1830	0	0	0	57	0	0	1635

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:02:00	1792	1834	0	0	0	57	0	0	1635
25/Jul/10 03:02:10	1793	1838	0	0	0	57	0	0	1635
25/Jul/10 03:02:20	1795	1838	0	0	0	57	0	0	1635
25/Jul/10 03:02:30	1793	1837	0	0	0	57	0	0	1636
25/Jul/10 03:02:40	1795	1832	0	0	0	57	0	0	1635
25/Jul/10 03:02:50	1792	1835	0	0	0	57	0	0	1636
25/Jul/10 03:03:00	1795	1834	0	0	0	57	0	0	1629
25/Jul/10 03:03:10	1793	1838	0	0	0	57	0	0	1628
25/Jul/10 03:03:20	1791	1837	0	0	0	57	0	0	1628
25/Jul/10 03:03:30	1791	1841	0	0	0	57	0	0	1628
25/Jul/10 03:03:40	1792	1846	0	0	0	57	0	0	1630
25/Jul/10 03:03:50	1794	1843	0	0	0	57	0	0	1630
25/Jul/10 03:04:00	1795	1838	0	0	0	57	0	0	1625
25/Jul/10 03:04:10	1794	1841	0	0	0	57	0	0	1627
25/Jul/10 03:04:20	1799	1838	0	0	0	57	0	0	1627
25/Jul/10 03:04:30	1797	1839	0	0	0	57	0	0	1625
25/Jul/10 03:04:40	1798	1838	0	0	0	57	0	0	1623
25/Jul/10 03:04:50	1800	1836	0	0	0	57	0	0	1627
25/Jul/10 03:05:00	1799	1834	0	0	0	57	0	0	1627
25/Jul/10 03:05:10	1799	1830	0	0	0	57	0	0	1625
25/Jul/10 03:05:20	1800	1829	0	0	0	57	0	0	1624
25/Jul/10 03:05:30	1796	1832	0	0	0	57	0	0	1621
25/Jul/10 03:05:40	1795	1829	0	0	0	57	0	0	1625
25/Jul/10 03:05:50	1796	1830	0	0	0	57	0	0	1627
25/Jul/10 03:06:00	1796	1831	0	0	0	57	0	0	1626
25/Jul/10 03:06:10	1795	1827	0	0	0	57	0	0	1627
25/Jul/10 03:06:20	1794	1824	0	0	0	57	0	0	1631
25/Jul/10 03:06:30	1797	1829	0	0	0	57	0	0	1628
25/Jul/10 03:06:40	1795	1829	0	0	0	57	0	0	1627
25/Jul/10 03:06:50	1794	1826	0	0	0	57	0	0	1627
25/Jul/10 03:07:00	1794	1832	0	0	0	57	0	0	1630
25/Jul/10 03:07:10	1795	1834	0	0	0	57	0	0	1631
25/Jul/10 03:07:20	1794	1832	0	0	0	57	0	0	1629
25/Jul/10 03:07:30	1793	1838	0	0	0	57	0	0	1622
25/Jul/10 03:07:40	1790	1829	0	0	0	57	0	0	1623
25/Jul/10 03:07:50	1788	1837	0	0	0	57	0	0	1621
25/Jul/10 03:08:00	1786	1835	0	0	0	57	0	0	1623
25/Jul/10 03:08:10	1782	1833	0	0	0	57	0	0	1625
25/Jul/10 03:08:20	1777	1834	0	0	0	57	0	0	1624
25/Jul/10 03:08:30	1776	1832	0	0	0	57	0	0	1623
25/Jul/10 03:08:40	1773	1834	0	0	0	57	0	0	1616
25/Jul/10 03:08:50	1771	1835	0	0	0	57	0	0	1623
25/Jul/10 03:09:00	1766	1833	0	0	0	57	0	0	1627
25/Jul/10 03:09:10	1767	1835	0	0	0	57	0	0	1624
25/Jul/10 03:09:20	1768	1834	0	0	0	57	0	0	1620
25/Jul/10 03:09:30	1769	1827	0	0	0	57	0	0	1616
25/Jul/10 03:09:40	1767	1827	0	0	0	57	0	0	1620
25/Jul/10 03:09:50	1766	1825	0	0	0	57	0	0	1622
25/Jul/10 03:10:00	1771	1825	0	0	0	57	0	0	1616
25/Jul/10 03:10:10	1772	1828	0	0	0	57	0	0	1616
25/Jul/10 03:10:20	1770	1831	0	0	0	57	0	0	1619
25/Jul/10 03:10:30	1772	1834	0	0	0	57	0	0	1616

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:10:40	1773	1837	0	0	0	57	0	0	1620
25/Jul/10 03:10:50	1776	1832	0	0	0	57	0	0	1617
25/Jul/10 03:11:00	1775	1835	0	0	0	57	0	0	1615
25/Jul/10 03:11:10	1774	1838	0	0	0	57	0	0	1615
25/Jul/10 03:11:20	1772	1838	0	0	0	57	0	0	1617
25/Jul/10 03:11:30	1772	1837	0	0	0	57	0	0	1615
25/Jul/10 03:11:40	1774	1835	0	0	0	57	0	0	1616
25/Jul/10 03:11:50	1775	1828	0	0	0	57	0	0	1612
25/Jul/10 03:12:00	1772	1825	0	0	0	57	0	0	1614
25/Jul/10 03:12:10	1774	1823	0	0	0	57	0	0	1614
25/Jul/10 03:12:20	1772	1822	0	0	0	57	0	0	1614
25/Jul/10 03:12:30	1776	1822	0	0	0	57	0	0	1614
25/Jul/10 03:12:40	1776	1822	0	0	0	57	0	0	1613
25/Jul/10 03:12:50	1771	1820	0	0	0	57	0	0	1614
25/Jul/10 03:13:00	1772	1818	0	0	0	57	0	0	1615
25/Jul/10 03:13:10	1771	1822	0	0	0	57	0	0	1613
25/Jul/10 03:13:20	1771	1825	0	0	0	57	0	0	1613
25/Jul/10 03:13:30	1770	1828	0	0	0	57	0	0	1615
25/Jul/10 03:13:40	1768	1828	0	0	0	57	0	0	1613
25/Jul/10 03:13:50	1767	1828	0	0	0	57	0	0	1612
25/Jul/10 03:14:00	1770	1828	0	0	0	57	0	0	1614
25/Jul/10 03:14:10	1770	1824	0	0	0	57	0	0	1611
25/Jul/10 03:14:20	1767	1819	0	0	0	57	0	0	1612
25/Jul/10 03:14:30	1767	1818	0	0	0	57	0	0	1614
25/Jul/10 03:14:40	1770	1824	0	0	0	57	0	0	1612
25/Jul/10 03:14:50	1771	1823	0	0	0	57	0	0	1612
25/Jul/10 03:15:00	1771	1821	0	0	0	57	0	0	1617
25/Jul/10 03:15:10	1769	1827	0	0	0	57	0	0	1616
25/Jul/10 03:15:20	1765	1822	0	0	0	57	0	0	1613
25/Jul/10 03:15:30	1764	1822	0	0	0	57	0	0	1610
25/Jul/10 03:15:40	1763	1825	0	0	0	57	0	0	1610
25/Jul/10 03:15:50	1760	1824	0	0	0	57	0	0	1610
25/Jul/10 03:16:00	1761	1825	0	0	0	57	0	0	1610
25/Jul/10 03:16:10	1762	1824	0	0	0	57	0	0	1608
25/Jul/10 03:16:20	1757	1824	0	0	0	57	0	0	1607
25/Jul/10 03:16:30	1758	1826	0	0	0	57	0	0	1607
25/Jul/10 03:16:40	1758	1830	0	0	0	57	0	0	1614
25/Jul/10 03:16:50	1762	1832	0	0	0	57	0	0	1613
25/Jul/10 03:17:00	1764	1835	0	0	0	57	0	0	1612
25/Jul/10 03:17:10	1769	1832	0	0	0	57	0	0	1610
25/Jul/10 03:17:20	1772	1833	0	0	0	57	0	0	1608
25/Jul/10 03:17:30	1775	1835	0	0	0	57	0	0	1608
25/Jul/10 03:17:40	1777	1831	0	0	0	57	0	0	1605
25/Jul/10 03:17:50	1780	1829	0	0	0	57	0	0	1605
25/Jul/10 03:18:00	1779	1825	0	0	0	57	0	0	1609
25/Jul/10 03:18:10	1779	1827	0	0	0	57	0	0	1607
25/Jul/10 03:18:20	1780	1830	0	0	0	57	0	0	1606
25/Jul/10 03:18:30	1776	1830	0	0	0	57	0	0	1610
25/Jul/10 03:18:40	1776	1828	0	0	0	57	0	0	1611
25/Jul/10 03:18:50	1774	1829	0	0	0	57	0	0	1609
25/Jul/10 03:19:00	1771	1828	0	0	0	57	0	0	1608
25/Jul/10 03:19:10	1772	1826	0	0	0	57	0	0	1605



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:19:20	1771	1829	0	0	0	57	0	0	1603
25/Jul/10 03:19:30	1770	1829	0	0	0	57	0	0	1606
25/Jul/10 03:19:40	1767	1827	0	0	0	57	0	0	1611
25/Jul/10 03:19:50	1770	1829	0	0	0	57	0	0	1610
25/Jul/10 03:20:00	1771	1830	0	0	0	57	0	0	1609
25/Jul/10 03:20:10	1771	1832	0	0	0	57	0	0	1607
25/Jul/10 03:20:20	1770	1833	0	0	0	57	0	0	1609
25/Jul/10 03:20:30	1769	1833	0	0	0	57	0	0	1607
25/Jul/10 03:20:40	1771	1826	0	0	0	57	0	0	1608
25/Jul/10 03:20:50	1772	1826	0	0	0	57	0	0	1610
25/Jul/10 03:21:00	1773	1828	0	0	0	57	0	0	1606
25/Jul/10 03:21:10	1774	1828	0	0	0	57	0	0	1608
25/Jul/10 03:21:20	1772	1829	0	0	0	57	0	0	1603
25/Jul/10 03:21:30	1772	1830	0	0	0	57	0	0	1602
25/Jul/10 03:21:40	1775	1836	0	0	0	57	0	0	1604
25/Jul/10 03:21:50	1776	1836	0	0	0	57	0	0	1606
25/Jul/10 03:22:00	1777	1832	0	0	0	57	0	0	1607
25/Jul/10 03:22:10	1780	1829	0	0	0	57	0	0	1606
25/Jul/10 03:22:20	1785	1838	0	0	0	57	0	0	1610
25/Jul/10 03:22:30	1785	1836	0	0	0	57	0	0	1603
25/Jul/10 03:22:40	1784	1835	0	0	0	57	0	0	1604
25/Jul/10 03:22:50	1785	1834	0	0	0	57	0	0	1605
25/Jul/10 03:23:00	1784	1831	0	0	0	57	0	0	1602
25/Jul/10 03:23:10	1781	1832	0	0	0	57	0	0	1600
25/Jul/10 03:23:20	1783	1829	0	0	0	57	0	0	1602
25/Jul/10 03:23:30	1784	1828	0	0	0	57	0	0	1604
25/Jul/10 03:23:40	1784	1827	0	0	0	57	0	0	1604
25/Jul/10 03:23:50	1784	1825	0	0	0	57	0	0	1604
25/Jul/10 03:24:00	1783	1826	0	0	0	57	0	0	1603
25/Jul/10 03:24:10	1782	1828	0	0	0	57	0	0	1601
25/Jul/10 03:24:20	1782	1831	0	0	0	57	0	0	1602
25/Jul/10 03:24:30	1780	1826	0	0	0	57	0	0	1599
25/Jul/10 03:24:40	1778	1831	0	0	0	57	0	0	1602
25/Jul/10 03:24:50	1778	1834	0	0	0	57	0	0	1606
25/Jul/10 03:25:00	1781	1829	0	0	0	57	0	0	1603
25/Jul/10 03:25:10	1783	1838	0	0	0	57	0	0	1605
25/Jul/10 03:25:20	1784	1830	0	0	0	57	0	0	1604
25/Jul/10 03:25:30	1783	1825	0	0	0	57	0	0	1600
25/Jul/10 03:25:40	1782	1824	0	0	0	57	0	0	1598
25/Jul/10 03:25:50	1781	1822	0	0	0	57	0	0	1596
25/Jul/10 03:26:00	1781	1829	0	0	0	57	0	0	1598
25/Jul/10 03:26:10	1780	1823	0	0	0	57	0	0	1595
25/Jul/10 03:26:20	1780	1823	0	0	0	57	0	0	1597
25/Jul/10 03:26:30	1782	1828	0	0	0	57	0	0	1598
25/Jul/10 03:26:40	1781	1824	0	0	0	57	0	0	1599
25/Jul/10 03:26:50	1784	1822	0	0	0	57	0	0	1598
25/Jul/10 03:27:00	1781	1824	0	0	0	57	0	0	1602
25/Jul/10 03:27:10	1778	1830	0	0	0	57	0	0	1597
25/Jul/10 03:27:20	1778	1832	0	0	0	57	0	0	1599
25/Jul/10 03:27:30	1780	1834	0	0	0	57	0	0	1598
25/Jul/10 03:27:40	1781	1828	0	0	0	57	0	0	1594
25/Jul/10 03:27:50	1783	1829	0	0	0	57	0	0	1599

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:28:00	1784	1826	0	0	0	57	0	0	1602
25/Jul/10 03:28:10	1783	1829	0	0	0	57	0	0	1604
25/Jul/10 03:28:20	1785	1827	0	0	0	57	0	0	1600
25/Jul/10 03:28:30	1785	1830	0	0	0	57	0	0	1602
25/Jul/10 03:28:40	1787	1828	0	0	0	57	0	0	1601
25/Jul/10 03:28:50	1790	1825	0	0	0	57	0	0	1600
25/Jul/10 03:29:00	1791	1826	0	0	0	57	0	0	1602
25/Jul/10 03:29:10	1790	1824	0	0	0	57	0	0	1600
25/Jul/10 03:29:20	1789	1827	0	0	0	57	0	0	1600
25/Jul/10 03:29:30	1788	1825	0	0	0	57	0	0	1605
25/Jul/10 03:29:40	1786	1830	0	0	0	57	0	0	1603
25/Jul/10 03:29:50	1785	1831	0	0	0	57	0	0	1602
25/Jul/10 03:30:00	1784	1832	0	0	0	57	0	0	1600
25/Jul/10 03:30:10	1784	1829	0	0	0	57	0	0	1597
25/Jul/10 03:30:20	1784	1829	0	0	0	57	0	0	1598
25/Jul/10 03:30:30	1783	1826	0	0	0	57	0	0	1600
25/Jul/10 03:30:40	1781	1828	0	0	0	57	0	0	1605
25/Jul/10 03:30:50	1780	1828	0	0	0	57	0	0	1600
25/Jul/10 03:31:00	1783	1828	0	0	0	57	0	0	1598
25/Jul/10 03:31:10	1785	1829	0	0	0	57	0	0	1601
25/Jul/10 03:31:20	1786	1832	0	0	0	57	0	0	1604
25/Jul/10 03:31:30	1788	1836	0	0	0	57	0	0	1604
25/Jul/10 03:31:40	1786	1841	0	0	0	57	0	0	1608
25/Jul/10 03:31:50	1785	1837	0	0	0	57	0	0	1612
25/Jul/10 03:32:00	1786	1837	0	0	0	57	0	0	1608
25/Jul/10 03:32:10	1785	1833	0	0	0	57	0	0	1608
25/Jul/10 03:32:20	1783	1831	0	0	0	57	0	0	1604
25/Jul/10 03:32:30	1783	1830	0	0	0	57	0	0	1600
25/Jul/10 03:32:40	1785	1831	0	0	0	57	0	0	1598
25/Jul/10 03:32:50	1788	1834	0	0	0	57	0	0	1602
25/Jul/10 03:33:00	1785	1832	0	0	0	57	0	0	1598
25/Jul/10 03:33:10	1785	1831	0	0	0	57	0	0	1605
25/Jul/10 03:33:20	1784	1830	0	0	0	57	0	0	1605
25/Jul/10 03:33:30	1783	1829	0	0	0	57	0	0	1603
25/Jul/10 03:33:40	1782	1828	0	0	0	57	0	0	1602
25/Jul/10 03:33:50	1786	1831	0	0	0	57	0	0	1604
25/Jul/10 03:34:00	1790	1831	0	0	0	57	0	0	1603
25/Jul/10 03:34:10	1790	1829	0	0	0	57	0	0	1603
25/Jul/10 03:34:20	1791	1828	0	0	0	57	0	0	1604
25/Jul/10 03:34:30	1789	1827	0	0	0	57	0	0	1607
25/Jul/10 03:34:40	1785	1825	0	0	0	57	0	0	1603
25/Jul/10 03:34:50	1783	1824	0	0	0	57	0	0	1601
25/Jul/10 03:35:00	1781	1827	0	0	0	57	0	0	1604
25/Jul/10 03:35:10	1781	1825	0	0	0	57	0	0	1598
25/Jul/10 03:35:20	1783	1823	0	0	0	57	0	0	1603
25/Jul/10 03:35:30	1780	1825	0	0	0	57	0	0	1603
25/Jul/10 03:35:40	1777	1825	0	0	0	57	0	0	1602
25/Jul/10 03:35:50	1776	1822	0	0	0	57	0	0	1602
25/Jul/10 03:36:00	1774	1824	0	0	0	57	0	0	1603
25/Jul/10 03:36:10	1773	1825	0	0	0	57	0	0	1604
25/Jul/10 03:36:20	1774	1827	0	0	0	57	0	0	1601
25/Jul/10 03:36:30	1772	1830	0	0	0	57	0	0	1599

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:36:40	1776	1836	0	0	0	57	0	0	1602
25/Jul/10 03:36:50	1774	1837	0	0	0	57	0	0	1602
25/Jul/10 03:37:00	1772	1836	0	0	0	57	0	0	1602
25/Jul/10 03:37:10	1772	1835	0	0	0	57	0	0	1601
25/Jul/10 03:37:20	1776	1831	0	0	0	57	0	0	1601
25/Jul/10 03:37:30	1774	1835	0	0	0	57	0	0	1602
25/Jul/10 03:37:40	1778	1839	0	0	0	57	0	0	1600
25/Jul/10 03:37:50	1778	1833	0	0	0	57	0	0	1602
25/Jul/10 03:38:00	1776	1825	0	0	0	57	0	0	1602
25/Jul/10 03:38:10	1779	1825	0	0	0	57	0	0	1602
25/Jul/10 03:38:20	1780	1823	0	0	0	57	0	0	1602
25/Jul/10 03:38:30	1779	1827	0	0	0	57	0	0	1600
25/Jul/10 03:38:40	1782	1828	0	0	0	57	0	0	1601
25/Jul/10 03:38:50	1786	1823	0	0	0	57	0	0	1603
25/Jul/10 03:39:00	1787	1822	0	0	0	57	0	0	1603
25/Jul/10 03:39:10	1785	1822	0	0	0	57	0	0	1604
25/Jul/10 03:39:20	1785	1822	0	0	0	57	0	0	1600
25/Jul/10 03:39:30	1782	1821	0	0	0	57	0	0	1598
25/Jul/10 03:39:40	1782	1820	0	0	0	57	0	0	1599
25/Jul/10 03:39:50	1783	1817	0	0	0	57	0	0	1597
25/Jul/10 03:40:00	1780	1820	0	0	0	57	0	0	1602
25/Jul/10 03:40:10	1780	1821	0	0	0	57	0	0	1601
25/Jul/10 03:40:20	1779	1821	0	0	0	57	0	0	1602
25/Jul/10 03:40:30	1779	1822	0	0	0	57	0	0	1601
25/Jul/10 03:40:40	1780	1821	0	0	0	57	0	0	1603
25/Jul/10 03:40:50	1782	1823	0	0	0	57	0	0	1601
25/Jul/10 03:41:00	1783	1828	0	0	0	57	0	0	1604
25/Jul/10 03:41:10	1785	1829	0	0	0	57	0	0	1608
25/Jul/10 03:41:20	1784	1830	0	0	0	57	0	0	1605
25/Jul/10 03:41:30	1785	1828	0	0	0	57	0	0	1605
25/Jul/10 03:41:40	1788	1825	0	0	0	57	0	0	1608
25/Jul/10 03:41:50	1791	1827	0	0	0	57	0	0	1604
25/Jul/10 03:42:00	1791	1833	0	0	0	57	0	0	1608
25/Jul/10 03:42:10	1794	1835	0	0	0	57	0	0	1606
25/Jul/10 03:42:20	1791	1830	0	0	0	57	0	0	1607
25/Jul/10 03:42:30	1788	1830	0	0	0	57	0	0	1610
25/Jul/10 03:42:40	1784	1828	0	0	0	57	0	0	1604
25/Jul/10 03:42:50	1781	1828	0	0	0	57	0	0	1608
25/Jul/10 03:43:00	1782	1827	0	0	0	57	0	0	1608
25/Jul/10 03:43:10	1782	1827	0	0	0	57	0	0	1608
25/Jul/10 03:43:20	1781	1830	0	0	0	57	0	0	1602
25/Jul/10 03:43:30	1778	1831	0	0	0	57	0	0	1602
25/Jul/10 03:43:40	1778	1828	0	0	0	57	0	0	1604
25/Jul/10 03:43:50	1775	1831	0	0	0	57	0	0	1604
25/Jul/10 03:44:00	1774	1834	0	0	0	57	0	0	1608
25/Jul/10 03:44:10	1771	1837	0	0	0	57	0	0	1609
25/Jul/10 03:44:20	1771	1831	0	0	0	57	0	0	1606
25/Jul/10 03:44:30	1774	1831	0	0	0	57	0	0	1605
25/Jul/10 03:44:40	1777	1829	0	0	0	57	0	0	1608
25/Jul/10 03:44:50	1777	1827	0	0	0	57	0	0	1605
25/Jul/10 03:45:00	1781	1825	0	0	0	57	0	0	1600
25/Jul/10 03:45:10	1783	1822	0	0	0	57	0	0	1604

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:45:20	1787	1821	0	0	0	57	0	0	1609
25/Jul/10 03:45:30	1786	1822	0	0	0	57	0	0	1611
25/Jul/10 03:45:40	1790	1821	0	0	0	57	0	0	1611
25/Jul/10 03:45:50	1792	1823	0	0	0	57	0	0	1610
25/Jul/10 03:46:00	1794	1825	0	0	0	57	0	0	1610
25/Jul/10 03:46:10	1795	1827	0	0	0	57	0	0	1606
25/Jul/10 03:46:20	1794	1832	0	0	0	57	0	0	1604
25/Jul/10 03:46:30	1794	1831	0	0	0	57	0	0	1605
25/Jul/10 03:46:40	1794	1836	0	0	0	57	0	0	1607
25/Jul/10 03:46:50	1791	1834	0	0	0	57	0	0	1606
25/Jul/10 03:47:00	1793	1831	0	0	0	57	0	0	1605
25/Jul/10 03:47:10	1791	1826	0	0	0	57	0	0	1608
25/Jul/10 03:47:20	1793	1830	0	0	0	57	0	0	1610
25/Jul/10 03:47:30	1789	1831	0	0	0	57	0	0	1612
25/Jul/10 03:47:40	1791	1831	0	0	0	57	0	0	1613
25/Jul/10 03:47:50	1794	1829	0	0	0	57	0	0	1610
25/Jul/10 03:48:00	1794	1831	0	0	0	57	0	0	1607
25/Jul/10 03:48:10	1794	1833	0	0	0	57	0	0	1604
25/Jul/10 03:48:20	1792	1831	0	0	0	57	0	0	1603
25/Jul/10 03:48:30	1790	1831	0	0	0	57	0	0	1600
25/Jul/10 03:48:40	1792	1833	0	0	0	57	0	0	1610
25/Jul/10 03:48:50	1792	1833	0	0	0	57	0	0	1608
25/Jul/10 03:49:00	1791	1833	0	0	0	57	0	0	1610
25/Jul/10 03:49:10	1789	1832	0	0	0	57	0	0	1609
25/Jul/10 03:49:20	1791	1827	0	0	0	57	0	0	1607
25/Jul/10 03:49:30	1790	1826	0	0	0	57	0	0	1603
25/Jul/10 03:49:40	1786	1829	0	0	0	57	0	0	1601
25/Jul/10 03:49:50	1785	1831	0	0	0	57	0	0	1605
25/Jul/10 03:50:00	1785	1826	0	0	0	57	0	0	1608
25/Jul/10 03:50:10	1787	1828	0	0	0	57	0	0	1609
25/Jul/10 03:50:20	1789	1827	0	0	0	57	0	0	1602
25/Jul/10 03:50:30	1788	1825	0	0	0	57	0	0	1598
25/Jul/10 03:50:40	1784	1823	0	0	0	57	0	0	1601
25/Jul/10 03:50:50	1783	1822	0	0	0	57	0	0	1604
25/Jul/10 03:51:00	1781	1825	0	0	0	57	0	0	1602
25/Jul/10 03:51:10	1776	1829	0	0	0	57	0	0	1602
25/Jul/10 03:51:20	1729	1829	0	0	0	57	0	0	1607
25/Jul/10 03:51:30	1670	1834	0	0	0	57	0	0	1604
25/Jul/10 03:51:40	1629	1838	0	0	0	57	0	0	1595
25/Jul/10 03:51:50	1621	1840	0	0	0	57	0	0	1604
25/Jul/10 03:52:00	1656	1838	0	0	0	57	0	0	1605
25/Jul/10 03:52:10	1693	1838	0	0	0	57	0	0	1609
25/Jul/10 03:52:20	1734	1840	0	0	0	57	0	0	1611
25/Jul/10 03:52:30	1772	1838	0	0	0	57	0	0	1608
25/Jul/10 03:52:40	1818	1836	0	0	0	57	0	0	1610
25/Jul/10 03:52:50	1861	1837	0	0	0	57	0	0	1611
25/Jul/10 03:53:00	1904	1836	0	0	0	57	0	0	1612
25/Jul/10 03:53:10	1991	1836	0	0	0	57	0	0	1611
25/Jul/10 03:53:20	2090	1837	0	0	0	57	0	0	1613
25/Jul/10 03:53:30	2183	1838	0	0	0	57	0	0	1607
25/Jul/10 03:53:40	2228	1838	0	0	0	57	0	0	1609
25/Jul/10 03:53:50	2233	1846	0	0	0	57	0	0	1605

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 03:54:00	2235	1851	0	0	0	57	0	0	1609
25/Jul/10 03:54:10	2233	1855	0	0	0	57	0	0	1610
25/Jul/10 03:54:20	2230	1852	0	0	0	57	0	0	1610
25/Jul/10 03:54:30	2228	1853	0	0	0	57	0	0	1610
25/Jul/10 03:54:40	2222	1852	0	0	0	57	0	0	1607
25/Jul/10 03:54:50	2221	1855	0	0	0	57	0	0	1608
25/Jul/10 03:55:00	2210	1855	0	0	0	57	0	0	1605
25/Jul/10 03:55:10	2208	1854	0	0	0	57	0	0	1605
25/Jul/10 03:55:20	2203	1856	0	0	0	57	0	0	1603
25/Jul/10 03:55:30	2200	1860	0	0	0	57	0	0	1606
25/Jul/10 03:55:40	2201	1863	0	0	0	57	0	0	1607
25/Jul/10 03:55:50	2197	1865	0	0	0	57	0	0	1609
25/Jul/10 03:56:00	2194	1868	0	0	0	57	0	0	1603
25/Jul/10 03:56:10	2189	1874	0	0	0	57	0	0	1602
25/Jul/10 03:56:20	2183	1878	0	0	0	57	0	0	1605
25/Jul/10 03:56:30	2177	1879	0	0	0	57	0	0	1608
25/Jul/10 03:56:40	2117	1886	0	0	0	57	0	0	1605
25/Jul/10 03:56:50	2090	1890	0	0	0	57	0	0	1609
25/Jul/10 03:57:00	2030	1889	0	0	0	57	0	0	1604
25/Jul/10 03:57:10	2008	1889	0	0	0	57	0	0	1603
25/Jul/10 03:57:20	1965	1893	0	0	0	57	0	0	1604
25/Jul/10 03:57:30	1942	1891	0	0	0	57	0	0	1604
25/Jul/10 03:57:40	1904	1889	0	0	0	57	0	0	1608
25/Jul/10 03:57:50	1885	1892	0	0	0	57	0	0	1605
25/Jul/10 03:58:00	1857	1895	0	0	0	57	0	0	1604
25/Jul/10 03:58:10	1841	1893	0	0	0	57	0	0	1605
25/Jul/10 03:58:20	1819	1896	0	0	0	57	0	0	1608
25/Jul/10 03:58:30	1827	1900	0	0	0	57	0	0	1608
25/Jul/10 03:58:40	1875	1904	0	0	0	57	0	0	1605
25/Jul/10 03:58:50	1885	1907	0	0	0	57	0	0	1607
25/Jul/10 03:59:00	1901	1904	0	0	0	57	0	0	1607
25/Jul/10 03:59:10	1909	1912	0	0	0	57	0	0	1605
25/Jul/10 03:59:20	1915	1910	0	0	0	57	0	0	1605
25/Jul/10 03:59:30	1918	1910	0	0	0	57	0	0	1603
25/Jul/10 03:59:40	1927	1912	0	0	0	57	0	0	1607
25/Jul/10 03:59:50	1931	1914	0	0	0	57	0	0	1608
25/Jul/10 04:00:00	1935	1919	0	0	0	57	0	0	1611
25/Jul/10 04:00:10	1940	1921	0	0	0	57	0	0	1606
25/Jul/10 04:00:20	1940	1917	0	0	0	57	0	0	1611
25/Jul/10 04:00:30	1940	1915	0	0	0	57	0	0	1614
25/Jul/10 04:00:40	1941	1917	0	0	0	57	0	0	1612
25/Jul/10 04:00:50	1940	1920	0	0	0	57	0	0	1614
25/Jul/10 04:01:00	1944	1922	0	0	0	57	0	0	1616
25/Jul/10 04:01:10	1946	1923	0	0	0	57	0	0	1617
25/Jul/10 04:01:20	1947	1925	0	0	0	57	0	0	1615
25/Jul/10 04:01:30	1945	1929	0	0	0	57	0	0	1615
25/Jul/10 04:01:40	1944	1928	0	0	0	57	0	0	1617
25/Jul/10 04:01:50	1943	1934	0	0	0	57	0	0	1614
25/Jul/10 04:02:00	1939	1935	0	0	0	57	0	0	1616
25/Jul/10 04:02:10	1938	1935	0	0	0	57	0	0	1616
25/Jul/10 04:02:20	1937	1932	0	0	0	57	0	0	1621
25/Jul/10 04:02:30	1934	1929	0	0	0	57	0	0	1619

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:02:40	1940	1930	0	0	0	57	0	0	1621
25/Jul/10 04:02:50	1939	1930	0	0	0	57	0	0	1621
25/Jul/10 04:03:00	1939	1927	0	0	0	57	0	0	1623
25/Jul/10 04:03:10	1941	1926	0	0	0	57	0	0	1621
25/Jul/10 04:03:20	1940	1925	0	0	0	57	0	0	1625
25/Jul/10 04:03:30	1941	1929	0	0	0	57	0	0	1631
25/Jul/10 04:03:40	1942	1936	0	0	0	57	0	0	1631
25/Jul/10 04:03:50	1939	1938	0	0	0	57	0	0	1628
25/Jul/10 04:04:00	1939	1942	0	0	0	57	0	0	1630
25/Jul/10 04:04:10	1941	1943	0	0	0	57	0	0	1629
25/Jul/10 04:04:20	1937	1940	0	0	0	57	0	0	1626
25/Jul/10 04:04:30	1933	1941	0	0	0	57	0	0	1626
25/Jul/10 04:04:40	1936	1941	0	0	0	57	0	0	1628
25/Jul/10 04:04:50	1935	1947	0	0	0	57	0	0	1630
25/Jul/10 04:05:00	1932	1944	0	0	0	57	0	0	1631
25/Jul/10 04:05:10	1931	1942	0	0	0	57	0	0	1631
25/Jul/10 04:05:20	1933	1945	0	0	0	57	0	0	1633
25/Jul/10 04:05:30	1935	1938	0	0	0	57	0	0	1632
25/Jul/10 04:05:40	1938	1933	0	0	0	57	0	0	1635
25/Jul/10 04:05:50	1940	1936	0	0	0	57	0	0	1638
25/Jul/10 04:06:00	1939	1936	0	0	0	57	0	0	1638
25/Jul/10 04:06:10	1942	1936	0	0	0	57	0	0	1641
25/Jul/10 04:06:20	1939	1936	0	0	0	57	0	0	1642
25/Jul/10 04:06:30	1935	1942	0	0	0	57	0	0	1641
25/Jul/10 04:06:40	1936	1948	0	0	0	57	0	0	1643
25/Jul/10 04:06:50	1939	1950	0	0	0	57	0	0	1648
25/Jul/10 04:07:00	1936	1951	0	0	0	57	0	0	1650
25/Jul/10 04:07:10	1934	1952	0	0	0	57	0	0	1647
25/Jul/10 04:07:20	1933	1952	0	0	0	57	0	0	1649
25/Jul/10 04:07:30	1930	1953	0	0	0	57	0	0	1650
25/Jul/10 04:07:40	1931	1954	0	0	0	57	0	0	1651
25/Jul/10 04:07:50	1931	1951	0	0	0	57	0	0	1649
25/Jul/10 04:08:00	1929	1951	0	0	0	57	0	0	1647
25/Jul/10 04:08:10	1932	1945	0	0	0	57	0	0	1645
25/Jul/10 04:08:20	1932	1942	0	0	0	57	0	0	1650
25/Jul/10 04:08:30	1930	1945	0	0	0	57	0	0	1653
25/Jul/10 04:08:40	1925	1945	0	0	0	57	0	0	1654
25/Jul/10 04:08:50	1925	1948	0	0	0	57	0	0	1652
25/Jul/10 04:09:00	1922	1950	0	0	0	57	0	0	1655
25/Jul/10 04:09:10	1920	1948	0	0	0	57	0	0	1654
25/Jul/10 04:09:20	1918	1950	0	0	0	57	0	0	1660
25/Jul/10 04:09:30	1916	1947	0	0	0	57	0	0	1661
25/Jul/10 04:09:40	1912	1948	0	0	0	57	0	0	1662
25/Jul/10 04:09:50	1914	1950	0	0	0	57	0	0	1665
25/Jul/10 04:10:00	1917	1949	0	0	0	57	0	0	1666
25/Jul/10 04:10:10	1916	1948	0	0	0	57	0	0	1662
25/Jul/10 04:10:20	1918	1950	0	0	0	57	0	0	1664
25/Jul/10 04:10:30	1919	1942	0	0	0	57	0	0	1668
25/Jul/10 04:10:40	1917	1944	0	0	0	57	0	0	1663
25/Jul/10 04:10:50	1918	1944	0	0	0	57	0	0	1665
25/Jul/10 04:11:00	1917	1942	0	0	0	57	0	0	1666
25/Jul/10 04:11:10	1919	1946	0	0	0	57	0	0	1670

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:11:20	1922	1951	0	0	0	57	0	0	1669
25/Jul/10 04:11:30	1921	1951	0	0	0	57	0	0	1665
25/Jul/10 04:11:40	1917	1953	0	0	0	57	0	0	1669
25/Jul/10 04:11:50	1914	1948	0	0	0	57	0	0	1674
25/Jul/10 04:12:00	1914	1947	0	0	0	57	0	0	1672
25/Jul/10 04:12:10	1915	1946	0	0	0	57	0	0	1667
25/Jul/10 04:12:20	1919	1950	0	0	0	57	0	0	1672
25/Jul/10 04:12:30	1924	1952	0	0	0	57	0	0	1669
25/Jul/10 04:12:40	1925	1953	0	0	0	57	0	0	1673
25/Jul/10 04:12:50	1924	1954	0	0	0	57	0	0	1673
25/Jul/10 04:13:00	1921	1954	0	0	0	57	0	0	1674
25/Jul/10 04:13:10	1921	1955	0	0	0	57	0	0	1673
25/Jul/10 04:13:20	1919	1950	0	0	0	57	0	0	1677
25/Jul/10 04:13:30	1921	1954	0	0	0	57	0	0	1680
25/Jul/10 04:13:40	1920	1953	0	0	0	57	0	0	1676
25/Jul/10 04:13:50	1923	1953	0	0	0	57	0	0	1675
25/Jul/10 04:14:00	1925	1954	0	0	0	57	0	0	1678
25/Jul/10 04:14:10	1925	1953	0	0	0	57	0	0	1678
25/Jul/10 04:14:20	1925	1951	0	0	0	57	0	0	1676
25/Jul/10 04:14:30	1924	1948	0	0	0	57	0	0	1677
25/Jul/10 04:14:40	1926	1951	0	0	0	57	0	0	1677
25/Jul/10 04:14:50	1925	1950	0	0	0	57	0	0	1678
25/Jul/10 04:15:00	1925	1948	0	0	0	57	0	0	1677
25/Jul/10 04:15:10	1930	1947	0	0	0	57	0	0	1679
25/Jul/10 04:15:20	1928	1951	0	0	0	57	0	0	1682
25/Jul/10 04:15:30	1928	1949	0	0	0	57	0	0	1684
25/Jul/10 04:15:40	1926	1950	0	0	0	57	0	0	1683
25/Jul/10 04:15:50	1921	1953	0	0	0	57	0	0	1675
25/Jul/10 04:16:00	1917	1951	0	0	0	57	0	0	1685
25/Jul/10 04:16:10	1914	1953	0	0	0	57	0	0	1687
25/Jul/10 04:16:20	1917	1953	0	0	0	57	0	0	1685
25/Jul/10 04:16:30	1917	1954	0	0	0	57	0	0	1683
25/Jul/10 04:16:40	1916	1956	0	0	0	57	0	0	1684
25/Jul/10 04:16:50	1917	1953	0	0	0	57	0	0	1682
25/Jul/10 04:17:00	1915	1953	0	0	0	57	0	0	1683
25/Jul/10 04:17:10	1916	1954	0	0	0	57	0	0	1682
25/Jul/10 04:17:20	1915	1958	0	0	0	57	0	0	1678
25/Jul/10 04:17:30	1913	1958	0	0	0	57	0	0	1679
25/Jul/10 04:17:40	1914	1958	0	0	0	57	0	0	1684
25/Jul/10 04:17:50	1914	1958	0	0	0	57	0	0	1686
25/Jul/10 04:18:00	1914	1961	0	0	0	57	0	0	1686
25/Jul/10 04:18:10	1916	1962	0	0	0	57	0	0	1687
25/Jul/10 04:18:20	1919	1958	0	0	0	57	0	0	1691
25/Jul/10 04:18:30	1923	1961	0	0	0	57	0	0	1692
25/Jul/10 04:18:40	1924	1957	0	0	0	57	0	0	1693
25/Jul/10 04:18:50	1925	1958	0	0	0	57	0	0	1692
25/Jul/10 04:19:00	1923	1955	0	0	0	57	0	0	1694
25/Jul/10 04:19:10	1922	1950	0	0	0	57	0	0	1688
25/Jul/10 04:19:20	1923	1951	0	0	0	57	0	0	1690
25/Jul/10 04:19:30	1921	1948	0	0	0	57	0	0	1691
25/Jul/10 04:19:40	1920	1951	0	0	0	57	0	0	1691
25/Jul/10 04:19:50	1920	1950	0	0	0	57	0	0	1693

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:20:00	1920	1951	0	0	0	57	0	0	1691
25/Jul/10 04:20:10	1916	1948	0	0	0	57	0	0	1688
25/Jul/10 04:20:20	1913	1950	0	0	0	57	0	0	1689
25/Jul/10 04:20:30	1910	1946	0	0	0	57	0	0	1692
25/Jul/10 04:20:40	1911	1943	0	0	0	57	0	0	1693
25/Jul/10 04:20:50	1912	1941	0	0	0	57	0	0	1696
25/Jul/10 04:21:00	1913	1948	0	0	0	57	0	0	1699
25/Jul/10 04:21:10	1915	1948	0	0	0	57	0	0	1701
25/Jul/10 04:21:20	1918	1951	0	0	0	57	0	0	1700
25/Jul/10 04:21:30	1921	1951	0	0	0	57	0	0	1696
25/Jul/10 04:21:40	1920	1950	0	0	0	57	0	0	1696
25/Jul/10 04:21:50	1920	1950	0	0	0	57	0	0	1696
25/Jul/10 04:22:00	1921	1951	0	0	0	57	0	0	1697
25/Jul/10 04:22:10	1918	1950	0	0	0	57	0	0	1695
25/Jul/10 04:22:20	1917	1951	0	0	0	57	0	0	1697
25/Jul/10 04:22:30	1915	1950	0	0	0	57	0	0	1695
25/Jul/10 04:22:40	1914	1951	0	0	0	57	0	0	1696
25/Jul/10 04:22:50	1912	1950	0	0	0	57	0	0	1694
25/Jul/10 04:23:00	1911	1948	0	0	0	57	0	0	1699
25/Jul/10 04:23:10	1907	1945	0	0	0	57	0	0	1697
25/Jul/10 04:23:20	1904	1941	0	0	0	57	0	0	1692
25/Jul/10 04:23:30	1906	1941	0	0	0	57	0	0	1690
25/Jul/10 04:23:40	1908	1938	0	0	0	57	0	0	1690
25/Jul/10 04:23:50	1906	1935	0	0	0	57	0	0	1693
25/Jul/10 04:24:00	1906	1938	0	0	0	57	0	0	1698
25/Jul/10 04:24:10	1905	1941	0	0	0	57	0	0	1698
25/Jul/10 04:24:20	1905	1941	0	0	0	57	0	0	1699
25/Jul/10 04:24:30	1904	1938	0	0	0	57	0	0	1695
25/Jul/10 04:24:40	1903	1934	0	0	0	57	0	0	1694
25/Jul/10 04:24:50	1902	1939	0	0	0	57	0	0	1697
25/Jul/10 04:25:00	1904	1943	0	0	0	57	0	0	1695
25/Jul/10 04:25:10	1900	1945	0	0	0	57	0	0	1693
25/Jul/10 04:25:20	1901	1941	0	0	0	57	0	0	1693
25/Jul/10 04:25:30	1897	1936	0	0	0	57	0	0	1696
25/Jul/10 04:25:40	1893	1942	0	0	0	57	0	0	1700
25/Jul/10 04:25:50	1894	1942	0	0	0	57	0	0	1700
25/Jul/10 04:26:00	1896	1941	0	0	0	57	0	0	1696
25/Jul/10 04:26:10	1898	1939	0	0	0	57	0	0	1700
25/Jul/10 04:26:20	1897	1945	0	0	0	57	0	0	1703
25/Jul/10 04:26:30	1899	1943	0	0	0	57	0	0	1703
25/Jul/10 04:26:40	1899	1940	0	0	0	57	0	0	1701
25/Jul/10 04:26:50	1902	1941	0	0	0	57	0	0	1703
25/Jul/10 04:27:00	1902	1940	0	0	0	57	0	0	1705
25/Jul/10 04:27:10	1902	1936	0	0	0	57	0	0	1702
25/Jul/10 04:27:20	1906	1935	0	0	0	57	0	0	1701
25/Jul/10 04:27:30	1910	1934	0	0	0	57	0	0	1703
25/Jul/10 04:27:40	1911	1933	0	0	0	57	0	0	1701
25/Jul/10 04:27:50	1910	1934	0	0	0	57	0	0	1699
25/Jul/10 04:28:00	1910	1937	0	0	0	57	0	0	1693
25/Jul/10 04:28:10	1907	1934	0	0	0	57	0	0	1696
25/Jul/10 04:28:20	1906	1936	0	0	0	57	0	0	1695
25/Jul/10 04:28:30	1904	1930	0	0	0	57	0	0	1699



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:28:40	1903	1931	0	0	0	57	0	0	1702
25/Jul/10 04:28:50	1901	1928	0	0	0	57	0	0	1699
25/Jul/10 04:29:00	1903	1931	0	0	0	57	0	0	1699
25/Jul/10 04:29:10	1901	1926	0	0	0	57	0	0	1702
25/Jul/10 04:29:20	1900	1926	0	0	0	57	0	0	1702
25/Jul/10 04:29:30	1900	1925	0	0	0	57	0	0	1701
25/Jul/10 04:29:40	1898	1922	0	0	0	57	0	0	1704
25/Jul/10 04:29:50	1898	1921	0	0	0	57	0	0	1705
25/Jul/10 04:30:00	1901	1922	0	0	0	57	0	0	1706
25/Jul/10 04:30:10	1903	1926	0	0	0	57	0	0	1706
25/Jul/10 04:30:20	1903	1934	0	0	0	57	0	0	1702
25/Jul/10 04:30:30	1902	1930	0	0	0	57	0	0	1700
25/Jul/10 04:30:40	1903	1927	0	0	0	57	0	0	1703
25/Jul/10 04:30:50	1905	1930	0	0	0	57	0	0	1701
25/Jul/10 04:31:00	1907	1926	0	0	0	57	0	0	1702
25/Jul/10 04:31:10	1906	1929	0	0	0	57	0	0	1700
25/Jul/10 04:31:20	1905	1930	0	0	0	57	0	0	1698
25/Jul/10 04:31:30	1907	1931	0	0	0	57	0	0	1699
25/Jul/10 04:31:40	1907	1929	0	0	0	57	0	0	1703
25/Jul/10 04:31:50	1909	1928	0	0	0	57	0	0	1699
25/Jul/10 04:32:00	1911	1927	0	0	0	57	0	0	1701
25/Jul/10 04:32:10	1908	1928	0	0	0	57	0	0	1701
25/Jul/10 04:32:20	1912	1926	0	0	0	57	0	0	1699
25/Jul/10 04:32:30	1911	1921	0	0	0	57	0	0	1702
25/Jul/10 04:32:40	1907	1923	0	0	0	57	0	0	1703
25/Jul/10 04:32:50	1901	1926	0	0	0	57	0	0	1701
25/Jul/10 04:33:00	1902	1928	0	0	0	57	0	0	1698
25/Jul/10 04:33:10	1906	1931	0	0	0	57	0	0	1697
25/Jul/10 04:33:20	1907	1933	0	0	0	57	0	0	1698
25/Jul/10 04:33:30	1903	1928	0	0	0	57	0	0	1702
25/Jul/10 04:33:40	1901	1926	0	0	0	57	0	0	1701
25/Jul/10 04:33:50	1902	1923	0	0	0	57	0	0	1702
25/Jul/10 04:34:00	1903	1927	0	0	0	57	0	0	1699
25/Jul/10 04:34:10	1902	1928	0	0	0	57	0	0	1697
25/Jul/10 04:34:20	1903	1933	0	0	0	57	0	0	1701
25/Jul/10 04:34:30	1908	1932	0	0	0	57	0	0	1698
25/Jul/10 04:34:40	1911	1933	0	0	0	57	0	0	1700
25/Jul/10 04:34:50	1912	1934	0	0	0	57	0	0	1698
25/Jul/10 04:35:00	1906	1936	0	0	0	57	0	0	1698
25/Jul/10 04:35:10	1906	1933	0	0	0	57	0	0	1703
25/Jul/10 04:35:20	1906	1933	0	0	0	57	0	0	1699
25/Jul/10 04:35:30	1905	1934	0	0	0	57	0	0	1699
25/Jul/10 04:35:40	1904	1934	0	0	0	57	0	0	1703
25/Jul/10 04:35:50	1904	1930	0	0	0	57	0	0	1700
25/Jul/10 04:36:00	1902	1936	0	0	0	57	0	0	1703
25/Jul/10 04:36:10	1899	1939	0	0	0	57	0	0	1702
25/Jul/10 04:36:20	1895	1939	0	0	0	57	0	0	1704
25/Jul/10 04:36:30	1893	1939	0	0	0	57	0	0	1705
25/Jul/10 04:36:40	1893	1941	0	0	0	57	0	0	1709
25/Jul/10 04:36:50	1896	1939	0	0	0	57	0	0	1705
25/Jul/10 04:37:00	1881	1936	0	0	0	57	0	0	1699
25/Jul/10 04:37:10	1747	1935	0	0	0	57	0	0	1702

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:37:20	1645	1937	0	0	0	57	0	0	1699
25/Jul/10 04:37:30	1536	1936	0	0	0	57	0	0	1701
25/Jul/10 04:37:40	1438	1934	0	0	0	57	0	0	1706
25/Jul/10 04:37:50	1349	1920	0	0	0	57	0	0	1702
25/Jul/10 04:38:00	1257	1916	0	0	0	57	0	0	1700
25/Jul/10 04:38:10	1192	1902	0	0	0	57	0	0	1705
25/Jul/10 04:38:20	1131	1896	0	0	0	57	0	0	1704
25/Jul/10 04:38:30	1076	1889	0	0	0	57	0	0	1703
25/Jul/10 04:38:40	1022	1887	0	0	0	57	0	0	1706
25/Jul/10 04:38:50	992	1884	0	0	0	57	0	0	1707
25/Jul/10 04:39:00	1086	1878	0	0	0	57	0	0	1707
25/Jul/10 04:39:10	1191	1873	0	0	0	57	0	0	1704
25/Jul/10 04:39:20	1278	1872	0	0	0	57	0	0	1696
25/Jul/10 04:39:30	1410	1871	0	0	0	57	0	0	1697
25/Jul/10 04:39:40	1525	1870	0	0	0	57	0	0	1691
25/Jul/10 04:39:50	1627	1870	0	0	0	57	0	0	1692
25/Jul/10 04:40:00	1728	1869	0	0	0	57	0	0	1696
25/Jul/10 04:40:10	1800	1869	0	0	0	57	0	0	1696
25/Jul/10 04:40:20	1875	1869	0	0	0	57	0	0	1692
25/Jul/10 04:40:30	1939	1866	0	0	0	57	0	0	1689
25/Jul/10 04:40:40	2008	1866	0	0	0	57	0	0	1694
25/Jul/10 04:40:50	2039	1870	0	0	0	57	0	0	1694
25/Jul/10 04:41:00	2063	1870	0	0	0	57	0	0	1691
25/Jul/10 04:41:10	2086	1869	0	0	0	57	0	0	1692
25/Jul/10 04:41:20	2072	1867	0	0	0	57	0	0	1687
25/Jul/10 04:41:30	2038	1867	0	0	0	57	0	0	1690
25/Jul/10 04:41:40	2006	1865	0	0	0	57	0	0	1693
25/Jul/10 04:41:50	1973	1855	0	0	0	57	0	0	1692
25/Jul/10 04:42:00	1937	1858	0	0	0	57	0	0	1686
25/Jul/10 04:42:10	1890	1859	0	0	0	57	0	0	1686
25/Jul/10 04:42:20	1852	1855	0	0	0	57	0	0	1684
25/Jul/10 04:42:30	1810	1850	0	0	0	57	0	0	1681
25/Jul/10 04:42:40	1773	1848	0	0	0	57	0	0	1678
25/Jul/10 04:42:50	1739	1841	0	0	0	57	0	0	1678
25/Jul/10 04:43:00	1708	1841	0	0	0	57	0	0	1680
25/Jul/10 04:43:10	1678	1835	0	0	0	57	0	0	1684
25/Jul/10 04:43:20	1662	1835	0	0	0	57	0	0	1684
25/Jul/10 04:43:30	1651	1829	0	0	0	57	0	0	1683
25/Jul/10 04:43:40	1644	1831	0	0	0	57	0	0	1679
25/Jul/10 04:43:50	1640	1836	0	0	0	57	0	0	1681
25/Jul/10 04:44:00	1648	1832	0	0	0	57	0	0	1680
25/Jul/10 04:44:10	1655	1825	0	0	0	57	0	0	1678
25/Jul/10 04:44:20	1659	1822	0	0	0	57	0	0	1680
25/Jul/10 04:44:30	1666	1826	0	0	0	57	0	0	1681
25/Jul/10 04:44:40	1669	1825	0	0	0	57	0	0	1676
25/Jul/10 04:44:50	1674	1816	0	0	0	57	0	0	1676
25/Jul/10 04:45:00	1677	1813	0	0	0	57	0	0	1677
25/Jul/10 04:45:10	1678	1814	0	0	0	57	0	0	1678
25/Jul/10 04:45:20	1681	1816	0	0	0	57	0	0	1677
25/Jul/10 04:45:30	1682	1817	0	0	0	57	0	0	1675
25/Jul/10 04:45:40	1686	1816	0	0	0	57	0	0	1673
25/Jul/10 04:45:50	1689	1818	0	0	0	57	0	0	1675

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:46:00	1696	1812	0	0	0	57	0	0	1675
25/Jul/10 04:46:10	1706	1809	0	0	0	57	0	0	1670
25/Jul/10 04:46:20	1713	1806	0	0	0	57	0	0	1670
25/Jul/10 04:46:30	1718	1805	0	0	0	57	0	0	1671
25/Jul/10 04:46:40	1722	1804	0	0	0	57	0	0	1668
25/Jul/10 04:46:50	1726	1809	0	0	0	57	0	0	1667
25/Jul/10 04:47:00	1734	1806	0	0	0	57	0	0	1663
25/Jul/10 04:47:10	1743	1805	0	0	0	57	0	0	1666
25/Jul/10 04:47:20	1753	1807	0	0	0	57	0	0	1669
25/Jul/10 04:47:30	1762	1805	0	0	0	57	0	0	1668
25/Jul/10 04:47:40	1765	1802	0	0	0	57	0	0	1662
25/Jul/10 04:47:50	1766	1804	0	0	0	57	0	0	1662
25/Jul/10 04:48:00	1765	1809	0	0	0	57	0	0	1661
25/Jul/10 04:48:10	1768	1812	0	0	0	57	0	0	1659
25/Jul/10 04:48:20	1767	1812	0	0	0	57	0	0	1660
25/Jul/10 04:48:30	1769	1807	0	0	0	57	0	0	1659
25/Jul/10 04:48:40	1775	1808	0	0	0	57	0	0	1661
25/Jul/10 04:48:50	1778	1809	0	0	0	57	0	0	1657
25/Jul/10 04:49:00	1778	1807	0	0	0	57	0	0	1652
25/Jul/10 04:49:10	1776	1807	0	0	0	57	0	0	1652
25/Jul/10 04:49:20	1772	1803	0	0	0	57	0	0	1649
25/Jul/10 04:49:30	1772	1801	0	0	0	57	0	0	1649
25/Jul/10 04:49:40	1771	1802	0	0	0	57	0	0	1650
25/Jul/10 04:49:50	1774	1799	0	0	0	57	0	0	1646
25/Jul/10 04:50:00	1773	1796	0	0	0	57	0	0	1647
25/Jul/10 04:50:10	1773	1797	0	0	0	57	0	0	1648
25/Jul/10 04:50:20	1774	1801	0	0	0	57	0	0	1648
25/Jul/10 04:50:30	1772	1799	0	0	0	57	0	0	1645
25/Jul/10 04:50:40	1769	1801	0	0	0	57	0	0	1645
25/Jul/10 04:50:50	1766	1795	0	0	0	57	0	0	1648
25/Jul/10 04:51:00	1767	1793	0	0	0	57	0	0	1648
25/Jul/10 04:51:10	1764	1789	0	0	0	57	0	0	1652
25/Jul/10 04:51:20	1761	1790	0	0	0	57	0	0	1644
25/Jul/10 04:51:30	1762	1792	0	0	0	57	0	0	1651
25/Jul/10 04:51:40	1760	1788	0	0	0	57	0	0	1646
25/Jul/10 04:51:50	1757	1786	0	0	0	57	0	0	1644
25/Jul/10 04:52:00	1756	1789	0	0	0	57	0	0	1644
25/Jul/10 04:52:10	1758	1791	0	0	0	57	0	0	1648
25/Jul/10 04:52:20	1756	1789	0	0	0	57	0	0	1648
25/Jul/10 04:52:30	1757	1789	0	0	0	57	0	0	1646
25/Jul/10 04:52:40	1761	1788	0	0	0	57	0	0	1639
25/Jul/10 04:52:50	1763	1786	0	0	0	57	0	0	1637
25/Jul/10 04:53:00	1763	1782	0	0	0	57	0	0	1642
25/Jul/10 04:53:10	1762	1781	0	0	0	57	0	0	1635
25/Jul/10 04:53:20	1761	1788	0	0	0	57	0	0	1639
25/Jul/10 04:53:30	1758	1791	0	0	0	57	0	0	1637
25/Jul/10 04:53:40	1758	1788	0	0	0	57	0	0	1635
25/Jul/10 04:53:50	1761	1786	0	0	0	57	0	0	1633
25/Jul/10 04:54:00	1760	1788	0	0	0	57	0	0	1637
25/Jul/10 04:54:10	1759	1789	0	0	0	57	0	0	1637
25/Jul/10 04:54:20	1758	1793	0	0	0	57	0	0	1638
25/Jul/10 04:54:30	1754	1795	0	0	0	57	0	0	1634

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 04:54:40	1753	1795	0	0	0	57	0	0	1636
25/Jul/10 04:54:50	1753	1793	0	0	0	57	0	0	1638
25/Jul/10 04:55:00	1756	1792	0	0	0	57	0	0	1633
25/Jul/10 04:55:10	1758	1793	0	0	0	57	0	0	1629
25/Jul/10 04:55:20	1760	1797	0	0	0	57	0	0	1630
25/Jul/10 04:55:30	1757	1795	0	0	0	57	0	0	1632
25/Jul/10 04:55:40	1759	1792	0	0	0	57	0	0	1631
25/Jul/10 04:55:50	1761	1788	0	0	0	57	0	0	1629
25/Jul/10 04:56:00	1759	1790	0	0	0	57	0	0	1630
25/Jul/10 04:56:10	1761	1789	0	0	0	57	0	0	1628
25/Jul/10 04:56:20	1762	1791	0	0	0	57	0	0	1628
25/Jul/10 04:56:30	1765	1796	0	0	0	57	0	0	1625
25/Jul/10 04:56:40	1764	1796	0	0	0	57	0	0	1624
25/Jul/10 04:56:50	1763	1791	0	0	0	57	0	0	1623
25/Jul/10 04:57:00	1764	1788	0	0	0	57	0	0	1626
25/Jul/10 04:57:10	1766	1793	0	0	0	57	0	0	1626
25/Jul/10 04:57:20	1766	1796	0	0	0	57	0	0	1621
25/Jul/10 04:57:30	1766	1795	0	0	0	57	0	0	1620
25/Jul/10 04:57:40	1766	1799	0	0	0	57	0	0	1618
25/Jul/10 04:57:50	1766	1799	0	0	0	57	0	0	1617
25/Jul/10 04:58:00	1763	1798	0	0	0	57	0	0	1620
25/Jul/10 04:58:10	1763	1801	0	0	0	57	0	0	1620
25/Jul/10 04:58:20	1762	1801	0	0	0	57	0	0	1619
25/Jul/10 04:58:30	1763	1804	0	0	0	57	0	0	1615
25/Jul/10 04:58:40	1766	1809	0	0	0	57	0	0	1619
25/Jul/10 04:58:50	1763	1811	0	0	0	57	0	0	1618
25/Jul/10 04:59:00	1759	1813	0	0	0	57	0	0	1612
25/Jul/10 04:59:10	1762	1819	0	0	0	57	0	0	1612
25/Jul/10 04:59:20	1763	1817	0	0	0	57	0	0	1616
25/Jul/10 04:59:30	1764	1817	0	0	0	57	0	0	1617
25/Jul/10 04:59:40	1762	1812	0	0	0	57	0	0	1617
25/Jul/10 04:59:50	1761	1812	0	0	0	57	0	0	1617
25/Jul/10 05:00:00	1760	1814	0	0	0	57	0	0	1613
25/Jul/10 05:00:10	1761	1813	0	0	0	57	0	0	1618
25/Jul/10 05:00:20	1761	1816	0	0	0	57	0	0	1619
25/Jul/10 05:00:30	1759	1821	0	0	0	57	0	0	1613
25/Jul/10 05:00:40	1760	1822	0	0	0	57	0	0	1616
25/Jul/10 05:00:50	1761	1821	0	0	0	57	0	0	1613
25/Jul/10 05:01:00	1759	1819	0	0	0	57	0	0	1616
25/Jul/10 05:01:10	1760	1820	0	0	0	57	0	0	1617
25/Jul/10 05:01:20	1758	1819	0	0	0	57	0	0	1617
25/Jul/10 05:01:30	1759	1813	0	0	0	57	0	0	1618
25/Jul/10 05:01:40	1761	1821	0	0	0	57	0	0	1621
25/Jul/10 05:01:50	1761	1819	0	0	0	57	0	0	1618
25/Jul/10 05:02:00	1757	1819	0	0	0	57	0	0	1613
25/Jul/10 05:02:10	1756	1815	0	0	0	57	0	0	1614
25/Jul/10 05:02:20	1757	1814	0	0	0	57	0	0	1614
25/Jul/10 05:02:30	1757	1812	0	0	0	57	0	0	1613
25/Jul/10 05:02:40	1759	1809	0	0	0	57	0	0	1615
25/Jul/10 05:02:50	1761	1808	0	0	0	57	0	0	1613
25/Jul/10 05:03:00	1759	1809	0	0	0	57	0	0	1616
25/Jul/10 05:03:10	1760	1807	0	0	0	57	0	0	1617

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:03:20	1759	1805	0	0	0	57	0	0	1616
25/Jul/10 05:03:30	1761	1810	0	0	0	57	0	0	1617
25/Jul/10 05:03:40	1763	1813	0	0	0	57	0	0	1614
25/Jul/10 05:03:50	1765	1813	0	0	0	57	0	0	1612
25/Jul/10 05:04:00	1766	1816	0	0	0	57	0	0	1612
25/Jul/10 05:04:10	1768	1816	0	0	0	57	0	0	1613
25/Jul/10 05:04:20	1770	1821	0	0	0	57	0	0	1613
25/Jul/10 05:04:30	1768	1813	0	0	0	57	0	0	1614
25/Jul/10 05:04:40	1766	1815	0	0	0	57	0	0	1608
25/Jul/10 05:04:50	1767	1812	0	0	0	57	0	0	1612
25/Jul/10 05:05:00	1768	1811	0	0	0	57	0	0	1610
25/Jul/10 05:05:10	1768	1816	0	0	0	57	0	0	1608
25/Jul/10 05:05:20	1768	1819	0	0	0	57	0	0	1611
25/Jul/10 05:05:30	1770	1818	0	0	0	57	0	0	1610
25/Jul/10 05:05:40	1770	1817	0	0	0	57	0	0	1606
25/Jul/10 05:05:50	1772	1813	0	0	0	57	0	0	1611
25/Jul/10 05:06:00	1770	1811	0	0	0	57	0	0	1611
25/Jul/10 05:06:10	1767	1808	0	0	0	57	0	0	1607
25/Jul/10 05:06:20	1765	1805	0	0	0	57	0	0	1608
25/Jul/10 05:06:30	1762	1805	0	0	0	57	0	0	1610
25/Jul/10 05:06:40	1763	1807	0	0	0	57	0	0	1608
25/Jul/10 05:06:50	1765	1809	0	0	0	57	0	0	1606
25/Jul/10 05:07:00	1766	1813	0	0	0	57	0	0	1608
25/Jul/10 05:07:10	1764	1821	0	0	0	57	0	0	1610
25/Jul/10 05:07:20	1762	1821	0	0	0	57	0	0	1608
25/Jul/10 05:07:30	1763	1823	0	0	0	57	0	0	1606
25/Jul/10 05:07:40	1761	1822	0	0	0	57	0	0	1607
25/Jul/10 05:07:50	1766	1829	0	0	0	57	0	0	1607
25/Jul/10 05:08:00	1768	1832	0	0	0	57	0	0	1603
25/Jul/10 05:08:10	1772	1837	0	0	0	57	0	0	1604
25/Jul/10 05:08:20	1774	1842	0	0	0	57	0	0	1605
25/Jul/10 05:08:30	1772	1838	0	0	0	57	0	0	1609
25/Jul/10 05:08:40	1773	1838	0	0	0	57	0	0	1609
25/Jul/10 05:08:50	1772	1846	0	0	0	57	0	0	1608
25/Jul/10 05:09:00	1773	1840	0	0	0	57	0	0	1607
25/Jul/10 05:09:10	1772	1839	0	0	0	57	0	0	1605
25/Jul/10 05:09:20	1774	1838	0	0	0	57	0	0	1604
25/Jul/10 05:09:30	1770	1840	0	0	0	57	0	0	1607
25/Jul/10 05:09:40	1768	1843	0	0	0	57	0	0	1607
25/Jul/10 05:09:50	1768	1847	0	0	0	57	0	0	1610
25/Jul/10 05:10:00	1767	1845	0	0	0	57	0	0	1609
25/Jul/10 05:10:10	1769	1842	0	0	0	57	0	0	1610
25/Jul/10 05:10:20	1767	1847	0	0	0	57	0	0	1613
25/Jul/10 05:10:30	1769	1850	0	0	0	57	0	0	1615
25/Jul/10 05:10:40	1771	1845	0	0	0	57	0	0	1616
25/Jul/10 05:10:50	1772	1841	0	0	0	57	0	0	1616
25/Jul/10 05:11:00	1776	1841	0	0	0	57	0	0	1614
25/Jul/10 05:11:10	1776	1835	0	0	0	57	0	0	1613
25/Jul/10 05:11:20	1777	1832	0	0	0	57	0	0	1612
25/Jul/10 05:11:30	1776	1829	0	0	0	57	0	0	1614
25/Jul/10 05:11:40	1778	1830	0	0	0	57	0	0	1613
25/Jul/10 05:11:50	1776	1825	0	0	0	57	0	0	1613

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:12:00	1775	1826	0	0	0	57	0	0	1612
25/Jul/10 05:12:10	1779	1827	0	0	0	57	0	0	1608
25/Jul/10 05:12:20	1779	1828	0	0	0	57	0	0	1615
25/Jul/10 05:12:30	1780	1824	0	0	0	57	0	0	1612
25/Jul/10 05:12:40	1779	1825	0	0	0	57	0	0	1610
25/Jul/10 05:12:50	1776	1823	0	0	0	57	0	0	1612
25/Jul/10 05:13:00	1776	1821	0	0	0	57	0	0	1610
25/Jul/10 05:13:10	1779	1818	0	0	0	57	0	0	1608
25/Jul/10 05:13:20	1780	1821	0	0	0	57	0	0	1608
25/Jul/10 05:13:30	1780	1822	0	0	0	57	0	0	1611
25/Jul/10 05:13:40	1777	1821	0	0	0	57	0	0	1614
25/Jul/10 05:13:50	1775	1818	0	0	0	57	0	0	1614
25/Jul/10 05:14:00	1775	1823	0	0	0	57	0	0	1617
25/Jul/10 05:14:10	1772	1824	0	0	0	57	0	0	1617
25/Jul/10 05:14:20	1771	1827	0	0	0	57	0	0	1612
25/Jul/10 05:14:30	1774	1825	0	0	0	57	0	0	1611
25/Jul/10 05:14:40	1778	1826	0	0	0	57	0	0	1615
25/Jul/10 05:14:50	1777	1829	0	0	0	57	0	0	1613
25/Jul/10 05:15:00	1774	1825	0	0	0	57	0	0	1615
25/Jul/10 05:15:10	1776	1824	0	0	0	57	0	0	1616
25/Jul/10 05:15:20	1776	1825	0	0	0	57	0	0	1615
25/Jul/10 05:15:30	1780	1826	0	0	0	57	0	0	1615
25/Jul/10 05:15:40	1780	1828	0	0	0	57	0	0	1614
25/Jul/10 05:15:50	1778	1826	0	0	0	57	0	0	1612
25/Jul/10 05:16:00	1780	1829	0	0	0	57	0	0	1609
25/Jul/10 05:16:10	1778	1831	0	0	0	57	0	0	1609
25/Jul/10 05:16:20	1774	1829	0	0	0	57	0	0	1610
25/Jul/10 05:16:30	1772	1826	0	0	0	57	0	0	1615
25/Jul/10 05:16:40	1775	1826	0	0	0	57	0	0	1616
25/Jul/10 05:16:50	1775	1828	0	0	0	57	0	0	1607
25/Jul/10 05:17:00	1773	1829	0	0	0	57	0	0	1612
25/Jul/10 05:17:10	1772	1828	0	0	0	57	0	0	1611
25/Jul/10 05:17:20	1773	1826	0	0	0	57	0	0	1611
25/Jul/10 05:17:30	1774	1828	0	0	0	57	0	0	1615
25/Jul/10 05:17:40	1776	1824	0	0	0	57	0	0	1610
25/Jul/10 05:17:50	1779	1829	0	0	0	57	0	0	1610
25/Jul/10 05:18:00	1783	1822	0	0	0	57	0	0	1608
25/Jul/10 05:18:10	1782	1825	0	0	0	57	0	0	1607
25/Jul/10 05:18:20	1783	1824	0	0	0	57	0	0	1606
25/Jul/10 05:18:30	1783	1822	0	0	0	57	0	0	1606
25/Jul/10 05:18:40	1784	1820	0	0	0	57	0	0	1608
25/Jul/10 05:18:50	1785	1821	0	0	0	57	0	0	1608
25/Jul/10 05:19:00	1784	1819	0	0	0	57	0	0	1608
25/Jul/10 05:19:10	1784	1821	0	0	0	57	0	0	1610
25/Jul/10 05:19:20	1783	1826	0	0	0	57	0	0	1609
25/Jul/10 05:19:30	1782	1825	0	0	0	57	0	0	1610
25/Jul/10 05:19:40	1780	1825	0	0	0	57	0	0	1611
25/Jul/10 05:19:50	1778	1826	0	0	0	57	0	0	1609
25/Jul/10 05:20:00	1778	1822	0	0	0	57	0	0	1606
25/Jul/10 05:20:10	1778	1820	0	0	0	57	0	0	1605
25/Jul/10 05:20:20	1777	1818	0	0	0	57	0	0	1608
25/Jul/10 05:20:30	1779	1813	0	0	0	57	0	0	1608

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:20:40	1776	1814	0	0	0	57	0	0	1610
25/Jul/10 05:20:50	1774	1815	0	0	0	57	0	0	1609
25/Jul/10 05:21:00	1773	1812	0	0	0	57	0	0	1608
25/Jul/10 05:21:10	1775	1812	0	0	0	57	0	0	1607
25/Jul/10 05:21:20	1777	1812	0	0	0	57	0	0	1607
25/Jul/10 05:21:30	1779	1809	0	0	0	57	0	0	1603
25/Jul/10 05:21:40	1778	1808	0	0	0	57	0	0	1605
25/Jul/10 05:21:50	1778	1807	0	0	0	57	0	0	1607
25/Jul/10 05:22:00	1779	1811	0	0	0	57	0	0	1610
25/Jul/10 05:22:10	1780	1813	0	0	0	57	0	0	1612
25/Jul/10 05:22:20	1778	1811	0	0	0	57	0	0	1609
25/Jul/10 05:22:30	1777	1811	0	0	0	57	0	0	1608
25/Jul/10 05:22:40	1779	1809	0	0	0	57	0	0	1608
25/Jul/10 05:22:50	1781	1812	0	0	0	57	0	0	1610
25/Jul/10 05:23:00	1780	1816	0	0	0	57	0	0	1611
25/Jul/10 05:23:10	1780	1819	0	0	0	57	0	0	1611
25/Jul/10 05:23:20	1777	1821	0	0	0	57	0	0	1610
25/Jul/10 05:23:30	1781	1820	0	0	0	57	0	0	1609
25/Jul/10 05:23:40	1782	1818	0	0	0	57	0	0	1609
25/Jul/10 05:23:50	1784	1811	0	0	0	57	0	0	1609
25/Jul/10 05:24:00	1782	1813	0	0	0	57	0	0	1607
25/Jul/10 05:24:10	1783	1816	0	0	0	57	0	0	1608
25/Jul/10 05:24:20	1785	1822	0	0	0	57	0	0	1608
25/Jul/10 05:24:30	1785	1824	0	0	0	57	0	0	1607
25/Jul/10 05:24:40	1788	1825	0	0	0	57	0	0	1607
25/Jul/10 05:24:50	1791	1826	0	0	0	57	0	0	1605
25/Jul/10 05:25:00	1789	1825	0	0	0	57	0	0	1609
25/Jul/10 05:25:10	1787	1824	0	0	0	57	0	0	1606
25/Jul/10 05:25:20	1785	1819	0	0	0	57	0	0	1603
25/Jul/10 05:25:30	1785	1818	0	0	0	57	0	0	1602
25/Jul/10 05:25:40	1783	1816	0	0	0	57	0	0	1604
25/Jul/10 05:25:50	1782	1815	0	0	0	57	0	0	1605
25/Jul/10 05:26:00	1783	1814	0	0	0	57	0	0	1602
25/Jul/10 05:26:10	1779	1811	0	0	0	57	0	0	1602
25/Jul/10 05:26:20	1778	1807	0	0	0	57	0	0	1599
25/Jul/10 05:26:30	1778	1806	0	0	0	57	0	0	1598
25/Jul/10 05:26:40	1775	1805	0	0	0	57	0	0	1600
25/Jul/10 05:26:50	1776	1804	0	0	0	57	0	0	1604
25/Jul/10 05:27:00	1775	1803	0	0	0	57	0	0	1606
25/Jul/10 05:27:10	1776	1802	0	0	0	57	0	0	1602
25/Jul/10 05:27:20	1775	1803	0	0	0	57	0	0	1600
25/Jul/10 05:27:30	1775	1812	0	0	0	57	0	0	1597
25/Jul/10 05:27:40	1773	1816	0	0	0	57	0	0	1598
25/Jul/10 05:27:50	1771	1820	0	0	0	57	0	0	1601
25/Jul/10 05:28:00	1772	1824	0	0	0	57	0	0	1601
25/Jul/10 05:28:10	1774	1818	0	0	0	57	0	0	1603
25/Jul/10 05:28:20	1775	1819	0	0	0	57	0	0	1601
25/Jul/10 05:28:30	1776	1817	0	0	0	57	0	0	1598
25/Jul/10 05:28:40	1779	1818	0	0	0	57	0	0	1603
25/Jul/10 05:28:50	1784	1816	0	0	0	57	0	0	1603
25/Jul/10 05:29:00	1785	1819	0	0	0	57	0	0	1605
25/Jul/10 05:29:10	1784	1819	0	0	0	57	0	0	1605

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:29:20	1782	1820	0	0	0	57	0	0	1601
25/Jul/10 05:29:30	1783	1817	0	0	0	57	0	0	1601
25/Jul/10 05:29:40	1786	1813	0	0	0	57	0	0	1601
25/Jul/10 05:29:50	1788	1816	0	0	0	57	0	0	1598
25/Jul/10 05:30:00	1785	1813	0	0	0	57	0	0	1602
25/Jul/10 05:30:10	1786	1809	0	0	0	57	0	0	1602
25/Jul/10 05:30:20	1785	1808	0	0	0	57	0	0	1601
25/Jul/10 05:30:30	1782	1807	0	0	0	57	0	0	1600
25/Jul/10 05:30:40	1781	1806	0	0	0	57	0	0	1597
25/Jul/10 05:30:50	1782	1805	0	0	0	57	0	0	1598
25/Jul/10 05:31:00	1784	1805	0	0	0	57	0	0	1600
25/Jul/10 05:31:10	1789	1810	0	0	0	57	0	0	1601
25/Jul/10 05:31:20	1790	1810	0	0	0	57	0	0	1598
25/Jul/10 05:31:30	1789	1812	0	0	0	57	0	0	1599
25/Jul/10 05:31:40	1785	1808	0	0	0	57	0	0	1598
25/Jul/10 05:31:50	1786	1808	0	0	0	57	0	0	1596
25/Jul/10 05:32:00	1785	1807	0	0	0	57	0	0	1598
25/Jul/10 05:32:10	1784	1806	0	0	0	57	0	0	1599
25/Jul/10 05:32:20	1785	1807	0	0	0	57	0	0	1600
25/Jul/10 05:32:30	1784	1804	0	0	0	57	0	0	1592
25/Jul/10 05:32:40	1780	1799	0	0	0	57	0	0	1596
25/Jul/10 05:32:50	1777	1796	0	0	0	57	0	0	1592
25/Jul/10 05:33:00	1777	1800	0	0	0	57	0	0	1597
25/Jul/10 05:33:10	1779	1802	0	0	0	57	0	0	1602
25/Jul/10 05:33:20	1779	1805	0	0	0	57	0	0	1599
25/Jul/10 05:33:30	1780	1808	0	0	0	57	0	0	1599
25/Jul/10 05:33:40	1781	1806	0	0	0	57	0	0	1600
25/Jul/10 05:33:50	1785	1804	0	0	0	57	0	0	1599
25/Jul/10 05:34:00	1784	1795	0	0	0	57	0	0	1592
25/Jul/10 05:34:10	1783	1795	0	0	0	57	0	0	1597
25/Jul/10 05:34:20	1785	1796	0	0	0	57	0	0	1598
25/Jul/10 05:34:30	1786	1797	0	0	0	57	0	0	1603
25/Jul/10 05:34:40	1785	1803	0	0	0	57	0	0	1604
25/Jul/10 05:34:50	1783	1799	0	0	0	57	0	0	1598
25/Jul/10 05:35:00	1782	1797	0	0	0	57	0	0	1597
25/Jul/10 05:35:10	1783	1796	0	0	0	57	0	0	1595
25/Jul/10 05:35:20	1782	1796	0	0	0	57	0	0	1595
25/Jul/10 05:35:30	1781	1797	0	0	0	57	0	0	1594
25/Jul/10 05:35:40	1780	1798	0	0	0	57	0	0	1596
25/Jul/10 05:35:50	1778	1800	0	0	0	57	0	0	1596
25/Jul/10 05:36:00	1778	1802	0	0	0	57	0	0	1591
25/Jul/10 05:36:10	1775	1801	0	0	0	57	0	0	1590
25/Jul/10 05:36:20	1773	1799	0	0	0	57	0	0	1597
25/Jul/10 05:36:30	1775	1797	0	0	0	57	0	0	1601
25/Jul/10 05:36:40	1775	1797	0	0	0	57	0	0	1597
25/Jul/10 05:36:50	1776	1800	0	0	0	57	0	0	1596
25/Jul/10 05:37:00	1774	1803	0	0	0	57	0	0	1594
25/Jul/10 05:37:10	1776	1803	0	0	0	57	0	0	1596
25/Jul/10 05:37:20	1773	1799	0	0	0	57	0	0	1595
25/Jul/10 05:37:30	1767	1803	0	0	0	57	0	0	1600
25/Jul/10 05:37:40	1767	1804	0	0	0	57	0	0	1595
25/Jul/10 05:37:50	1770	1805	0	0	0	57	0	0	1594



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:38:00	1772	1805	0	0	0	57	0	0	1595
25/Jul/10 05:38:10	1776	1806	0	0	0	57	0	0	1592
25/Jul/10 05:38:20	1777	1805	0	0	0	57	0	0	1591
25/Jul/10 05:38:30	1777	1806	0	0	0	57	0	0	1594
25/Jul/10 05:38:40	1777	1805	0	0	0	57	0	0	1591
25/Jul/10 05:38:50	1781	1806	0	0	0	57	0	0	1591
25/Jul/10 05:39:00	1783	1806	0	0	0	57	0	0	1591
25/Jul/10 05:39:10	1788	1803	0	0	0	57	0	0	1590
25/Jul/10 05:39:20	1793	1804	0	0	0	57	0	0	1592
25/Jul/10 05:39:30	1795	1805	0	0	0	57	0	0	1595
25/Jul/10 05:39:40	1791	1805	0	0	0	57	0	0	1593
25/Jul/10 05:39:50	1792	1809	0	0	0	57	0	0	1594
25/Jul/10 05:40:00	1789	1806	0	0	0	57	0	0	1596
25/Jul/10 05:40:10	1787	1805	0	0	0	57	0	0	1592
25/Jul/10 05:40:20	1787	1807	0	0	0	57	0	0	1588
25/Jul/10 05:40:30	1788	1806	0	0	0	57	0	0	1588
25/Jul/10 05:40:40	1784	1807	0	0	0	57	0	0	1591
25/Jul/10 05:40:50	1780	1809	0	0	0	57	0	0	1587
25/Jul/10 05:41:00	1777	1807	0	0	0	57	0	0	1588
25/Jul/10 05:41:10	1776	1805	0	0	0	57	0	0	1595
25/Jul/10 05:41:20	1777	1805	0	0	0	57	0	0	1598
25/Jul/10 05:41:30	1777	1807	0	0	0	57	0	0	1599
25/Jul/10 05:41:40	1779	1805	0	0	0	57	0	0	1600
25/Jul/10 05:41:50	1781	1804	0	0	0	57	0	0	1601
25/Jul/10 05:42:00	1782	1809	0	0	0	57	0	0	1594
25/Jul/10 05:42:10	1783	1811	0	0	0	57	0	0	1597
25/Jul/10 05:42:20	1781	1812	0	0	0	57	0	0	1595
25/Jul/10 05:42:30	1782	1809	0	0	0	57	0	0	1593
25/Jul/10 05:42:40	1789	1807	0	0	0	57	0	0	1593
25/Jul/10 05:42:50	1786	1806	0	0	0	57	0	0	1592
25/Jul/10 05:43:00	1788	1805	0	0	0	57	0	0	1593
25/Jul/10 05:43:10	1790	1804	0	0	0	57	0	0	1599
25/Jul/10 05:43:20	1788	1806	0	0	0	57	0	0	1596
25/Jul/10 05:43:30	1781	1807	0	0	0	57	0	0	1593
25/Jul/10 05:43:40	1782	1805	0	0	0	57	0	0	1593
25/Jul/10 05:43:50	1783	1807	0	0	0	57	0	0	1588
25/Jul/10 05:44:00	1783	1811	0	0	0	57	0	0	1594
25/Jul/10 05:44:10	1782	1810	0	0	0	57	0	0	1591
25/Jul/10 05:44:20	1785	1811	0	0	0	57	0	0	1590
25/Jul/10 05:44:30	1784	1809	0	0	0	57	0	0	1589
25/Jul/10 05:44:40	1785	1810	0	0	0	57	0	0	1592
25/Jul/10 05:44:50	1784	1809	0	0	0	57	0	0	1594
25/Jul/10 05:45:00	1781	1807	0	0	0	57	0	0	1594
25/Jul/10 05:45:10	1782	1808	0	0	0	57	0	0	1595
25/Jul/10 05:45:20	1783	1807	0	0	0	57	0	0	1592
25/Jul/10 05:45:30	1781	1805	0	0	0	57	0	0	1590
25/Jul/10 05:45:40	1780	1806	0	0	0	57	0	0	1591
25/Jul/10 05:45:50	1774	1806	0	0	0	57	0	0	1593
25/Jul/10 05:46:00	1776	1805	0	0	0	57	0	0	1597
25/Jul/10 05:46:10	1771	1804	0	0	0	57	0	0	1597
25/Jul/10 05:46:20	1770	1808	0	0	0	57	0	0	1596
25/Jul/10 05:46:30	1771	1810	0	0	0	57	0	0	1601

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:46:40	1768	1808	0	0	0	57	0	0	1595
25/Jul/10 05:46:50	1769	1804	0	0	0	57	0	0	1589
25/Jul/10 05:47:00	1770	1801	0	0	0	57	0	0	1588
25/Jul/10 05:47:10	1771	1798	0	0	0	57	0	0	1590
25/Jul/10 05:47:20	1769	1798	0	0	0	57	0	0	1587
25/Jul/10 05:47:30	1767	1799	0	0	0	57	0	0	1587
25/Jul/10 05:47:40	1773	1798	0	0	0	57	0	0	1585
25/Jul/10 05:47:50	1772	1805	0	0	0	57	0	0	1586
25/Jul/10 05:48:00	1774	1807	0	0	0	57	0	0	1585
25/Jul/10 05:48:10	1774	1806	0	0	0	57	0	0	1588
25/Jul/10 05:48:20	1772	1806	0	0	0	57	0	0	1588
25/Jul/10 05:48:30	1775	1805	0	0	0	57	0	0	1588
25/Jul/10 05:48:40	1776	1804	0	0	0	57	0	0	1587
25/Jul/10 05:48:50	1775	1805	0	0	0	57	0	0	1593
25/Jul/10 05:49:00	1778	1804	0	0	0	57	0	0	1593
25/Jul/10 05:49:10	1782	1805	0	0	0	57	0	0	1596
25/Jul/10 05:49:20	1785	1798	0	0	0	57	0	0	1595
25/Jul/10 05:49:30	1784	1796	0	0	0	57	0	0	1595
25/Jul/10 05:49:40	1787	1796	0	0	0	57	0	0	1596
25/Jul/10 05:49:50	1785	1800	0	0	0	57	0	0	1595
25/Jul/10 05:50:00	1786	1800	0	0	0	57	0	0	1595
25/Jul/10 05:50:10	1790	1803	0	0	0	57	0	0	1596
25/Jul/10 05:50:20	1781	1805	0	0	0	57	0	0	1596
25/Jul/10 05:50:30	1744	1807	0	0	0	57	0	0	1592
25/Jul/10 05:50:40	1706	1804	0	0	0	57	0	0	1593
25/Jul/10 05:50:50	1673	1803	0	0	0	57	0	0	1591
25/Jul/10 05:51:00	1639	1809	0	0	0	57	0	0	1590
25/Jul/10 05:51:10	1613	1808	0	0	0	57	0	0	1592
25/Jul/10 05:51:20	1569	1808	0	0	0	57	0	0	1591
25/Jul/10 05:51:30	1520	1807	0	0	0	57	0	0	1590
25/Jul/10 05:51:40	1525	1809	0	0	0	57	0	0	1591
25/Jul/10 05:51:50	1561	1811	0	0	0	57	0	0	1587
25/Jul/10 05:52:00	1598	1815	0	0	0	57	0	0	1587
25/Jul/10 05:52:10	1652	1812	0	0	0	57	0	0	1587
25/Jul/10 05:52:20	1727	1810	0	0	0	57	0	0	1589
25/Jul/10 05:52:30	1808	1812	0	0	0	57	0	0	1593
25/Jul/10 05:52:40	1888	1814	0	0	0	57	0	0	1591
25/Jul/10 05:52:50	1958	1812	0	0	0	57	0	0	1588
25/Jul/10 05:53:00	2033	1817	0	0	0	57	0	0	1587
25/Jul/10 05:53:10	2107	1814	0	0	0	57	0	0	1585
25/Jul/10 05:53:20	2211	1811	0	0	0	57	0	0	1588
25/Jul/10 05:53:30	2242	1812	0	0	0	57	0	0	1590
25/Jul/10 05:53:40	2252	1813	0	0	0	57	0	0	1588
25/Jul/10 05:53:50	2252	1817	0	0	0	57	0	0	1590
25/Jul/10 05:54:00	2247	1817	0	0	0	57	0	0	1588
25/Jul/10 05:54:10	2242	1819	0	0	0	57	0	0	1584
25/Jul/10 05:54:20	2237	1827	0	0	0	57	0	0	1582
25/Jul/10 05:54:30	2227	1832	0	0	0	57	0	0	1580
25/Jul/10 05:54:40	2214	1834	0	0	0	57	0	0	1589
25/Jul/10 05:54:50	2202	1838	0	0	0	57	0	0	1592
25/Jul/10 05:55:00	2189	1840	0	0	0	57	0	0	1592
25/Jul/10 05:55:10	2180	1842	0	0	0	57	0	0	1592

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 05:55:20	2170	1842	0	0	0	57	0	0	1590
25/Jul/10 05:55:30	2161	1847	0	0	0	57	0	0	1587
25/Jul/10 05:55:40	2148	1854	0	0	0	57	0	0	1588
25/Jul/10 05:55:50	2135	1858	0	0	0	57	0	0	1586
25/Jul/10 05:56:00	2126	1863	0	0	0	57	0	0	1590
25/Jul/10 05:56:10	2108	1865	0	0	0	57	0	0	1588
25/Jul/10 05:56:20	2091	1870	0	0	0	57	0	0	1592
25/Jul/10 05:56:30	2076	1872	0	0	0	57	0	0	1595
25/Jul/10 05:56:40	2066	1876	0	0	0	57	0	0	1594
25/Jul/10 05:56:50	2055	1879	0	0	0	57	0	0	1596
25/Jul/10 05:57:00	2041	1880	0	0	0	57	0	0	1598
25/Jul/10 05:57:10	2028	1886	0	0	0	57	0	0	1597
25/Jul/10 05:57:20	2014	1887	0	0	0	57	0	0	1596
25/Jul/10 05:57:30	2005	1886	0	0	0	57	0	0	1597
25/Jul/10 05:57:40	1995	1890	0	0	0	57	0	0	1598
25/Jul/10 05:57:50	1985	1892	0	0	0	57	0	0	1593
25/Jul/10 05:58:00	1982	1892	0	0	0	57	0	0	1593
25/Jul/10 05:58:10	1983	1894	0	0	0	57	0	0	1596
25/Jul/10 05:58:20	1980	1891	0	0	0	57	0	0	1594
25/Jul/10 05:58:30	1977	1893	0	0	0	57	0	0	1597
25/Jul/10 05:58:40	1976	1898	0	0	0	57	0	0	1596
25/Jul/10 05:58:50	1975	1896	0	0	0	57	0	0	1597
25/Jul/10 05:59:00	1967	1894	0	0	0	57	0	0	1599
25/Jul/10 05:59:10	1964	1895	0	0	0	57	0	0	1601
25/Jul/10 05:59:20	1954	1896	0	0	0	57	0	0	1601
25/Jul/10 05:59:30	1935	1901	0	0	0	57	0	0	1602
25/Jul/10 05:59:40	1916	1903	0	0	0	57	0	0	1606
25/Jul/10 05:59:50	1903	1903	0	0	0	57	0	0	1608
25/Jul/10 06:00:00	1889	1905	0	0	0	57	0	0	1612
25/Jul/10 06:00:10	1878	1909	0	0	0	57	0	0	1609
25/Jul/10 06:00:20	1866	1910	0	0	0	57	0	0	1610
25/Jul/10 06:00:30	1855	1913	0	0	0	57	0	0	1611
25/Jul/10 06:00:40	1849	1910	0	0	0	57	0	0	1612
25/Jul/10 06:00:50	1845	1909	0	0	0	57	0	0	1612
25/Jul/10 06:01:00	1840	1912	0	0	0	57	0	0	1606
25/Jul/10 06:01:10	1842	1909	0	0	0	57	0	0	1609
25/Jul/10 06:01:20	1855	1912	0	0	0	57	0	0	1611
25/Jul/10 06:01:30	1865	1916	0	0	0	57	0	0	1615
25/Jul/10 06:01:40	1874	1917	0	0	0	57	0	0	1616
25/Jul/10 06:01:50	1886	1919	0	0	0	57	0	0	1616
25/Jul/10 06:02:00	1894	1919	0	0	0	57	0	0	1617
25/Jul/10 06:02:10	1901	1918	0	0	0	57	0	0	1615
25/Jul/10 06:02:20	1911	1922	0	0	0	57	0	0	1617
25/Jul/10 06:02:30	1914	1926	0	0	0	57	0	0	1616
25/Jul/10 06:02:40	1921	1932	0	0	0	57	0	0	1616
25/Jul/10 06:02:50	1924	1932	0	0	0	57	0	0	1618
25/Jul/10 06:03:00	1926	1927	0	0	0	57	0	0	1620
25/Jul/10 06:03:10	1927	1928	0	0	0	57	0	0	1623
25/Jul/10 06:03:20	1929	1926	0	0	0	57	0	0	1625
25/Jul/10 06:03:30	1929	1925	0	0	0	57	0	0	1621
25/Jul/10 06:03:40	1928	1925	0	0	0	57	0	0	1625
25/Jul/10 06:03:50	1929	1924	0	0	0	57	0	0	1627

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:04:00	1931	1924	0	0	0	57	0	0	1627
25/Jul/10 06:04:10	1935	1925	0	0	0	57	0	0	1625
25/Jul/10 06:04:20	1933	1921	0	0	0	57	0	0	1626
25/Jul/10 06:04:30	1930	1925	0	0	0	57	0	0	1623
25/Jul/10 06:04:40	1932	1927	0	0	0	57	0	0	1624
25/Jul/10 06:04:50	1935	1926	0	0	0	57	0	0	1625
25/Jul/10 06:05:00	1935	1927	0	0	0	57	0	0	1627
25/Jul/10 06:05:10	1936	1930	0	0	0	57	0	0	1627
25/Jul/10 06:05:20	1934	1929	0	0	0	57	0	0	1628
25/Jul/10 06:05:30	1930	1929	0	0	0	57	0	0	1632
25/Jul/10 06:05:40	1928	1931	0	0	0	57	0	0	1633
25/Jul/10 06:05:50	1925	1934	0	0	0	57	0	0	1633
25/Jul/10 06:06:00	1921	1932	0	0	0	57	0	0	1632
25/Jul/10 06:06:10	1924	1933	0	0	0	57	0	0	1635
25/Jul/10 06:06:20	1925	1934	0	0	0	57	0	0	1636
25/Jul/10 06:06:30	1925	1936	0	0	0	57	0	0	1638
25/Jul/10 06:06:40	1925	1938	0	0	0	57	0	0	1640
25/Jul/10 06:06:50	1926	1932	0	0	0	57	0	0	1642
25/Jul/10 06:07:00	1927	1932	0	0	0	57	0	0	1643
25/Jul/10 06:07:10	1929	1931	0	0	0	57	0	0	1643
25/Jul/10 06:07:20	1929	1932	0	0	0	57	0	0	1647
25/Jul/10 06:07:30	1926	1933	0	0	0	57	0	0	1649
25/Jul/10 06:07:40	1927	1933	0	0	0	57	0	0	1649
25/Jul/10 06:07:50	1926	1929	0	0	0	57	0	0	1653
25/Jul/10 06:08:00	1925	1926	0	0	0	57	0	0	1653
25/Jul/10 06:08:10	1926	1924	0	0	0	57	0	0	1657
25/Jul/10 06:08:20	1925	1924	0	0	0	57	0	0	1654
25/Jul/10 06:08:30	1923	1923	0	0	0	57	0	0	1650
25/Jul/10 06:08:40	1919	1919	0	0	0	57	0	0	1653
25/Jul/10 06:08:50	1919	1921	0	0	0	57	0	0	1652
25/Jul/10 06:09:00	1916	1922	0	0	0	57	0	0	1653
25/Jul/10 06:09:10	1918	1922	0	0	0	57	0	0	1654
25/Jul/10 06:09:20	1921	1922	0	0	0	57	0	0	1655
25/Jul/10 06:09:30	1920	1919	0	0	0	57	0	0	1651
25/Jul/10 06:09:40	1917	1923	0	0	0	57	0	0	1652
25/Jul/10 06:09:50	1914	1929	0	0	0	57	0	0	1652
25/Jul/10 06:10:00	1911	1928	0	0	0	57	0	0	1656
25/Jul/10 06:10:10	1908	1926	0	0	0	57	0	0	1656
25/Jul/10 06:10:20	1906	1928	0	0	0	57	0	0	1655
25/Jul/10 06:10:30	1909	1930	0	0	0	57	0	0	1654
25/Jul/10 06:10:40	1911	1929	0	0	0	57	0	0	1657
25/Jul/10 06:10:50	1911	1933	0	0	0	57	0	0	1662
25/Jul/10 06:11:00	1911	1932	0	0	0	57	0	0	1661
25/Jul/10 06:11:10	1906	1935	0	0	0	57	0	0	1661
25/Jul/10 06:11:20	1902	1935	0	0	0	57	0	0	1663
25/Jul/10 06:11:30	1904	1939	0	0	0	57	0	0	1662
25/Jul/10 06:11:40	1899	1940	0	0	0	57	0	0	1658
25/Jul/10 06:11:50	1899	1935	0	0	0	57	0	0	1659
25/Jul/10 06:12:00	1900	1938	0	0	0	57	0	0	1665
25/Jul/10 06:12:10	1898	1938	0	0	0	57	0	0	1663
25/Jul/10 06:12:20	1897	1937	0	0	0	57	0	0	1665
25/Jul/10 06:12:30	1892	1935	0	0	0	57	0	0	1664

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:12:40	1893	1934	0	0	0	57	0	0	1666
25/Jul/10 06:12:50	1892	1936	0	0	0	57	0	0	1664
25/Jul/10 06:13:00	1896	1940	0	0	0	57	0	0	1666
25/Jul/10 06:13:10	1895	1937	0	0	0	57	0	0	1668
25/Jul/10 06:13:20	1897	1934	0	0	0	57	0	0	1667
25/Jul/10 06:13:30	1901	1931	0	0	0	57	0	0	1664
25/Jul/10 06:13:40	1906	1932	0	0	0	57	0	0	1663
25/Jul/10 06:13:50	1903	1930	0	0	0	57	0	0	1662
25/Jul/10 06:14:00	1904	1927	0	0	0	57	0	0	1664
25/Jul/10 06:14:10	1904	1925	0	0	0	57	0	0	1664
25/Jul/10 06:14:20	1906	1927	0	0	0	57	0	0	1666
25/Jul/10 06:14:30	1908	1925	0	0	0	57	0	0	1668
25/Jul/10 06:14:40	1910	1918	0	0	0	57	0	0	1667
25/Jul/10 06:14:50	1911	1919	0	0	0	57	0	0	1666
25/Jul/10 06:15:00	1914	1916	0	0	0	57	0	0	1662
25/Jul/10 06:15:10	1910	1915	0	0	0	57	0	0	1665
25/Jul/10 06:15:20	1909	1918	0	0	0	57	0	0	1669
25/Jul/10 06:15:30	1910	1922	0	0	0	57	0	0	1668
25/Jul/10 06:15:40	1909	1923	0	0	0	57	0	0	1667
25/Jul/10 06:15:50	1912	1926	0	0	0	57	0	0	1666
25/Jul/10 06:16:00	1916	1925	0	0	0	57	0	0	1668
25/Jul/10 06:16:10	1912	1925	0	0	0	57	0	0	1668
25/Jul/10 06:16:20	1912	1925	0	0	0	57	0	0	1671
25/Jul/10 06:16:30	1913	1924	0	0	0	57	0	0	1674
25/Jul/10 06:16:40	1914	1924	0	0	0	57	0	0	1667
25/Jul/10 06:16:50	1915	1920	0	0	0	57	0	0	1667
25/Jul/10 06:17:00	1920	1920	0	0	0	57	0	0	1671
25/Jul/10 06:17:10	1917	1920	0	0	0	57	0	0	1671
25/Jul/10 06:17:20	1920	1922	0	0	0	57	0	0	1671
25/Jul/10 06:17:30	1922	1927	0	0	0	57	0	0	1671
25/Jul/10 06:17:40	1920	1927	0	0	0	57	0	0	1672
25/Jul/10 06:17:50	1915	1928	0	0	0	57	0	0	1672
25/Jul/10 06:18:00	1911	1927	0	0	0	57	0	0	1670
25/Jul/10 06:18:10	1911	1926	0	0	0	57	0	0	1667
25/Jul/10 06:18:20	1908	1927	0	0	0	57	0	0	1664
25/Jul/10 06:18:30	1906	1924	0	0	0	57	0	0	1666
25/Jul/10 06:18:40	1901	1924	0	0	0	57	0	0	1665
25/Jul/10 06:18:50	1899	1926	0	0	0	57	0	0	1663
25/Jul/10 06:19:00	1897	1923	0	0	0	57	0	0	1664
25/Jul/10 06:19:10	1892	1922	0	0	0	57	0	0	1664
25/Jul/10 06:19:20	1890	1923	0	0	0	57	0	0	1667
25/Jul/10 06:19:30	1888	1924	0	0	0	57	0	0	1669
25/Jul/10 06:19:40	1891	1925	0	0	0	57	0	0	1666
25/Jul/10 06:19:50	1895	1925	0	0	0	57	0	0	1668
25/Jul/10 06:20:00	1895	1923	0	0	0	57	0	0	1669
25/Jul/10 06:20:10	1894	1918	0	0	0	57	0	0	1666
25/Jul/10 06:20:20	1891	1919	0	0	0	57	0	0	1663
25/Jul/10 06:20:30	1889	1916	0	0	0	57	0	0	1663
25/Jul/10 06:20:40	1891	1919	0	0	0	57	0	0	1663
25/Jul/10 06:20:50	1894	1918	0	0	0	57	0	0	1667
25/Jul/10 06:21:00	1895	1917	0	0	0	57	0	0	1663
25/Jul/10 06:21:10	1895	1916	0	0	0	57	0	0	1670

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:21:20	1899	1916	0	0	0	57	0	0	1668
25/Jul/10 06:21:30	1901	1917	0	0	0	57	0	0	1665
25/Jul/10 06:21:40	1902	1918	0	0	0	57	0	0	1664
25/Jul/10 06:21:50	1904	1917	0	0	0	57	0	0	1666
25/Jul/10 06:22:00	1905	1917	0	0	0	57	0	0	1668
25/Jul/10 06:22:10	1907	1918	7	0	0	57	0	0	1667
25/Jul/10 06:22:20	1910	1912	32	0	0	57	0	0	1660
25/Jul/10 06:22:30	1908	1915	57	0	0	57	0	0	1651
25/Jul/10 06:22:40	1907	1914	391	0	0	57	0	0	1636
25/Jul/10 06:22:50	1906	1915	1347	0	0	57	0	0	1629
25/Jul/10 06:23:00	1908	1915	1856	0	0	57	0	0	1623
25/Jul/10 06:23:10	1908	1914	1766	0	0	57	0	0	1625
25/Jul/10 06:23:20	1905	1915	1794	0	0	57	0	0	1623
25/Jul/10 06:23:30	1904	1914	1945	0	0	57	0	0	1615
25/Jul/10 06:23:40	1901	1917	1963	0	0	57	0	0	1600
25/Jul/10 06:23:50	1898	1920	1961	0	0	57	0	0	1587
25/Jul/10 06:24:00	1897	1925	1959	0	0	57	0	0	1576
25/Jul/10 06:24:10	1895	1932	1957	0	0	57	0	0	1567
25/Jul/10 06:24:20	1898	1935	1953	0	0	57	0	0	1552
25/Jul/10 06:24:30	1907	1935	1950	0	0	57	0	0	1529
25/Jul/10 06:24:40	1924	1935	1950	0	0	57	0	0	1511
25/Jul/10 06:24:50	1941	1934	1949	0	0	57	0	0	1487
25/Jul/10 06:25:00	1952	1935	1946	0	0	57	0	0	1474
25/Jul/10 06:25:10	1961	1936	1948	0	0	57	0	0	1450
25/Jul/10 06:25:20	1970	1938	1942	0	0	57	0	0	1427
25/Jul/10 06:25:30	1982	1940	1939	0	0	57	0	0	1393
25/Jul/10 06:25:40	2003	1937	1939	0	0	57	0	0	1352
25/Jul/10 06:25:50	2021	1938	1939	0	0	57	0	0	1295
25/Jul/10 06:26:00	2039	1934	1934	0	0	57	0	0	1163
25/Jul/10 06:26:10	2055	1938	1936	0	0	57	0	0	1104
25/Jul/10 06:26:20	2060	1938	1937	0	0	57	0	0	1009
25/Jul/10 06:26:30	2059	1937	1935	0	0	57	0	0	961
25/Jul/10 06:26:40	2059	1940	1931	0	0	57	0	0	861
25/Jul/10 06:26:50	2061	1943	1927	0	0	57	0	0	813
25/Jul/10 06:27:00	2063	1943	1924	0	0	57	0	0	755
25/Jul/10 06:27:10	2067	1942	1925	0	0	57	0	0	682
25/Jul/10 06:27:20	2070	1943	1924	0	0	57	0	0	624
25/Jul/10 06:27:30	2066	1941	1924	0	0	57	0	0	580
25/Jul/10 06:27:40	2060	1940	1920	0	0	57	0	0	541
25/Jul/10 06:27:50	2056	1939	1918	0	0	57	0	0	525
25/Jul/10 06:28:00	2049	1943	1917	0	0	57	0	0	508
25/Jul/10 06:28:10	2044	1948	1914	0	0	57	0	0	498
25/Jul/10 06:28:20	2041	1950	1914	0	0	57	0	0	492
25/Jul/10 06:28:30	2035	1949	1915	0	0	57	0	0	486
25/Jul/10 06:28:40	2030	1947	1917	0	0	57	0	0	477
25/Jul/10 06:28:50	2026	1947	1915	0	0	57	0	0	446
25/Jul/10 06:29:00	2024	1946	1912	0	0	57	0	0	352
25/Jul/10 06:29:10	2021	1941	1913	0	0	57	0	0	260
25/Jul/10 06:29:20	2020	1940	1913	0	0	57	0	0	146
25/Jul/10 06:29:30	2020	1937	1915	0	0	57	0	0	101
25/Jul/10 06:29:40	2016	1939	1919	0	0	57	0	0	66
25/Jul/10 06:29:50	2017	1943	1918	0	0	57	0	0	38

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:30:00	2008	1943	1920	0	0	57	0	0	23
25/Jul/10 06:30:10	2006	1942	1917	0	0	57	0	0	14
25/Jul/10 06:30:20	2004	1943	1922	0	0	57	0	0	6
25/Jul/10 06:30:30	2002	1947	1922	0	0	57	0	0	4
25/Jul/10 06:30:40	2000	1945	1922	0	0	57	0	0	0
25/Jul/10 06:30:50	1994	1952	1923	0	0	57	0	0	0
25/Jul/10 06:31:00	1990	1951	1923	0	0	57	0	0	0
25/Jul/10 06:31:10	1986	1953	1924	0	0	57	0	0	0
25/Jul/10 06:31:20	1983	1952	1922	0	0	57	0	0	0
25/Jul/10 06:31:30	1984	1951	1923	0	0	57	0	0	0
25/Jul/10 06:31:40	1982	1952	1920	0	0	57	0	0	0
25/Jul/10 06:31:50	1987	1954	1921	0	0	57	0	0	0
25/Jul/10 06:32:00	1989	1955	1917	0	0	57	0	0	0
25/Jul/10 06:32:10	1987	1951	1916	0	0	57	0	0	0
25/Jul/10 06:32:20	1987	1950	1918	0	0	57	0	0	0
25/Jul/10 06:32:30	1989	1955	1921	0	0	57	0	0	0
25/Jul/10 06:32:40	1987	1958	1916	0	0	57	0	0	0
25/Jul/10 06:32:50	1987	1958	1914	0	0	57	0	0	0
25/Jul/10 06:33:00	1985	1957	1916	0	0	57	0	0	0
25/Jul/10 06:33:10	1984	1959	1916	0	0	57	0	0	0
25/Jul/10 06:33:20	1983	1957	1916	0	0	57	0	0	0
25/Jul/10 06:33:30	1982	1959	1921	0	0	57	0	0	0
25/Jul/10 06:33:40	1981	1959	1918	0	0	57	0	0	0
25/Jul/10 06:33:50	1981	1961	1916	0	0	57	0	0	0
25/Jul/10 06:34:00	1984	1959	1919	0	0	57	0	0	0
25/Jul/10 06:34:10	1981	1958	1923	0	0	57	0	0	0
25/Jul/10 06:34:20	1975	1958	1922	0	0	57	0	0	0
25/Jul/10 06:34:30	1975	1957	1921	0	0	57	0	0	0
25/Jul/10 06:34:40	1977	1957	1917	0	0	57	0	0	0
25/Jul/10 06:34:50	1976	1957	1921	0	0	57	0	0	0
25/Jul/10 06:35:00	1977	1953	1924	0	0	57	0	0	0
25/Jul/10 06:35:10	1978	1956	1928	0	0	57	0	0	0
25/Jul/10 06:35:20	1979	1956	1927	0	0	57	0	0	0
25/Jul/10 06:35:30	1979	1951	1926	0	0	57	0	0	0
25/Jul/10 06:35:40	1977	1952	1924	0	0	57	0	0	0
25/Jul/10 06:35:50	1973	1950	1926	0	0	57	0	0	0
25/Jul/10 06:36:00	1973	1952	1929	0	0	57	0	0	0
25/Jul/10 06:36:10	1972	1950	1932	0	0	57	0	0	0
25/Jul/10 06:36:20	1973	1955	1929	0	0	57	0	0	0
25/Jul/10 06:36:30	1971	1955	1928	0	0	57	0	0	0
25/Jul/10 06:36:40	1971	1953	1931	0	0	57	0	0	0
25/Jul/10 06:36:50	1971	1953	1927	0	0	57	0	0	0
25/Jul/10 06:37:00	1973	1952	1930	0	0	57	0	0	0
25/Jul/10 06:37:10	1969	1952	1930	0	0	57	0	0	0
25/Jul/10 06:37:20	1966	1952	1932	0	0	57	0	0	0
25/Jul/10 06:37:30	1965	1952	1933	0	0	57	0	0	0
25/Jul/10 06:37:40	1963	1950	1935	0	0	57	0	0	0
25/Jul/10 06:37:50	1965	1955	1937	0	0	57	0	0	0
25/Jul/10 06:38:00	1966	1961	1940	0	0	57	0	0	0
25/Jul/10 06:38:10	1967	1964	1943	0	0	57	0	0	0
25/Jul/10 06:38:20	1966	1965	1938	0	0	57	0	0	0
25/Jul/10 06:38:30	1967	1964	1938	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:38:40	1959	1963	1934	0	0	57	0	0	0
25/Jul/10 06:38:50	1956	1964	1932	0	0	57	0	0	0
25/Jul/10 06:39:00	1958	1966	1935	0	0	57	0	0	0
25/Jul/10 06:39:10	1957	1967	1935	0	0	57	0	0	0
25/Jul/10 06:39:20	1955	1966	1932	0	0	57	0	0	0
25/Jul/10 06:39:30	1953	1966	1933	0	0	57	0	0	0
25/Jul/10 06:39:40	1951	1970	1938	0	0	57	0	0	0
25/Jul/10 06:39:50	1952	1969	1937	0	0	57	0	0	0
25/Jul/10 06:40:00	1950	1968	1937	0	0	57	0	0	0
25/Jul/10 06:40:10	1948	1970	1938	0	0	57	0	0	0
25/Jul/10 06:40:20	1948	1973	1937	0	0	57	0	0	0
25/Jul/10 06:40:30	1953	1971	1937	0	0	57	0	0	0
25/Jul/10 06:40:40	1955	1970	1935	0	0	57	0	0	0
25/Jul/10 06:40:50	1957	1971	1936	0	0	57	0	0	0
25/Jul/10 06:41:00	1958	1974	1933	0	0	57	0	0	0
25/Jul/10 06:41:10	1961	1976	1931	0	0	57	0	0	0
25/Jul/10 06:41:20	1959	1976	1931	0	0	57	0	0	0
25/Jul/10 06:41:30	1959	1978	1930	0	0	57	0	0	0
25/Jul/10 06:41:40	1958	1980	1931	0	0	57	0	0	0
25/Jul/10 06:41:50	1958	1981	1934	0	0	57	0	0	0
25/Jul/10 06:42:00	1960	1982	1932	0	0	57	0	0	0
25/Jul/10 06:42:10	1962	1984	1934	0	0	57	0	0	0
25/Jul/10 06:42:20	1960	1985	1935	0	0	57	0	0	0
25/Jul/10 06:42:30	1958	1987	1936	0	0	57	0	0	0
25/Jul/10 06:42:40	1955	1985	1938	0	0	57	0	0	0
25/Jul/10 06:42:50	1951	1985	1938	0	0	57	0	0	0
25/Jul/10 06:43:00	1954	1983	1935	0	0	57	0	0	0
25/Jul/10 06:43:10	1955	1985	1939	0	0	57	0	0	0
25/Jul/10 06:43:20	1956	1983	1942	0	0	57	0	0	0
25/Jul/10 06:43:30	1957	1985	1939	0	0	57	0	0	0
25/Jul/10 06:43:40	1958	1983	1941	0	0	57	0	0	0
25/Jul/10 06:43:50	1956	1986	1940	0	0	57	0	0	0
25/Jul/10 06:44:00	1953	1983	1942	0	0	57	0	0	0
25/Jul/10 06:44:10	1953	1977	1941	0	0	57	0	0	0
25/Jul/10 06:44:20	1953	1973	1941	0	0	57	0	0	0
25/Jul/10 06:44:30	1952	1971	1941	0	0	57	0	0	0
25/Jul/10 06:44:40	1949	1974	1942	0	0	57	0	0	0
25/Jul/10 06:44:50	1944	1975	1943	0	0	57	0	0	0
25/Jul/10 06:45:00	1942	1977	1942	0	0	57	0	0	0
25/Jul/10 06:45:10	1937	1982	1942	0	0	57	0	0	0
25/Jul/10 06:45:20	1935	1979	1942	0	0	57	0	0	0
25/Jul/10 06:45:30	1934	1979	1942	0	0	57	0	0	0
25/Jul/10 06:45:40	1934	1979	1943	0	0	57	0	0	0
25/Jul/10 06:45:50	1934	1980	1941	0	0	57	0	0	0
25/Jul/10 06:46:00	1932	1983	1939	0	0	57	0	0	0
25/Jul/10 06:46:10	1932	1980	1938	0	0	57	0	0	0
25/Jul/10 06:46:20	1935	1983	1937	0	0	57	0	0	0
25/Jul/10 06:46:30	1940	1977	1939	0	0	57	0	0	0
25/Jul/10 06:46:40	1940	1976	1938	0	0	57	0	0	0
25/Jul/10 06:46:50	1941	1976	1936	0	0	57	0	0	0
25/Jul/10 06:47:00	1942	1973	1936	0	0	57	0	0	0
25/Jul/10 06:47:10	1941	1967	1936	0	0	57	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:47:20	1940	1969	1934	0	0	57	0	0	0
25/Jul/10 06:47:30	1942	1971	1937	0	0	57	0	0	0
25/Jul/10 06:47:40	1944	1974	1934	0	0	57	0	0	0
25/Jul/10 06:47:50	1945	1972	1934	0	0	57	0	0	0
25/Jul/10 06:48:00	1944	1975	1931	0	0	57	0	0	0
25/Jul/10 06:48:10	1945	1974	1934	0	0	57	0	0	0
25/Jul/10 06:48:20	1941	1976	1936	0	0	57	0	0	0
25/Jul/10 06:48:30	1942	1974	1936	0	0	57	0	0	0
25/Jul/10 06:48:40	1939	1973	1936	0	0	57	0	0	0
25/Jul/10 06:48:50	1939	1969	1938	0	0	57	0	0	0
25/Jul/10 06:49:00	1940	1969	1940	0	0	57	0	0	0
25/Jul/10 06:49:10	1938	1967	1940	0	0	57	0	0	0
25/Jul/10 06:49:20	1937	1965	1939	0	0	57	0	0	0
25/Jul/10 06:49:30	1936	1961	1935	0	0	57	0	0	0
25/Jul/10 06:49:40	1939	1959	1934	0	0	57	0	0	0
25/Jul/10 06:49:50	1941	1957	1930	0	0	57	0	0	0
25/Jul/10 06:50:00	1940	1959	1932	0	0	57	0	0	0
25/Jul/10 06:50:10	1939	1962	1934	0	0	57	0	0	0
25/Jul/10 06:50:20	1938	1967	1935	0	0	57	0	0	0
25/Jul/10 06:50:30	1940	1972	1938	0	0	57	0	0	0
25/Jul/10 06:50:40	1942	1968	1932	0	0	57	0	0	0
25/Jul/10 06:50:50	1941	1967	1935	0	0	57	0	0	0
25/Jul/10 06:51:00	1940	1967	1937	0	0	57	0	0	0
25/Jul/10 06:51:10	1942	1965	1939	0	0	57	0	0	0
25/Jul/10 06:51:20	1941	1965	1941	0	0	57	0	0	0
25/Jul/10 06:51:30	1940	1960	1939	0	0	57	0	0	0
25/Jul/10 06:51:40	1939	1960	1939	0	0	57	0	0	0
25/Jul/10 06:51:50	1937	1964	1940	0	0	57	0	0	0
25/Jul/10 06:52:00	1937	1967	1940	0	0	57	0	0	0
25/Jul/10 06:52:10	1938	1966	1942	0	0	57	0	0	0
25/Jul/10 06:52:20	1939	1967	1940	0	0	57	0	0	0
25/Jul/10 06:52:30	1937	1963	1939	0	0	57	0	0	0
25/Jul/10 06:52:40	1937	1961	1938	0	0	57	0	0	0
25/Jul/10 06:52:50	1937	1961	1938	0	0	57	0	0	0
25/Jul/10 06:53:00	1936	1966	1939	0	0	57	0	0	0
25/Jul/10 06:53:10	1937	1968	1934	0	0	57	0	0	0
25/Jul/10 06:53:20	1935	1968	1936	0	0	57	0	0	0
25/Jul/10 06:53:30	1935	1967	1940	0	0	57	0	0	0
25/Jul/10 06:53:40	1934	1972	1940	0	0	57	0	0	0
25/Jul/10 06:53:50	1933	1976	1937	0	0	57	0	0	0
25/Jul/10 06:54:00	1934	1976	1936	0	0	57	0	0	0
25/Jul/10 06:54:10	1935	1974	1932	0	0	57	0	0	0
25/Jul/10 06:54:20	1937	1973	1934	0	0	57	0	0	0
25/Jul/10 06:54:30	1939	1973	1934	0	0	57	0	0	0
25/Jul/10 06:54:40	1938	1977	1936	0	0	57	0	0	0
25/Jul/10 06:54:50	1940	1976	1939	0	0	57	0	0	0
25/Jul/10 06:55:00	1938	1975	1939	0	0	57	0	0	0
25/Jul/10 06:55:10	1934	1978	1940	0	0	57	0	0	0
25/Jul/10 06:55:20	1934	1975	1941	0	0	57	0	0	0
25/Jul/10 06:55:30	1938	1971	1935	0	0	57	0	0	0
25/Jul/10 06:55:40	1939	1970	1935	0	0	57	0	0	0
25/Jul/10 06:55:50	1939	1974	1937	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 06:56:00	1938	1973	1939	0	0	57	0	0	0
25/Jul/10 06:56:10	1939	1968	1939	0	0	57	0	0	0
25/Jul/10 06:56:20	1939	1968	1934	0	0	57	0	0	0
25/Jul/10 06:56:30	1938	1966	1934	0	0	57	0	0	0
25/Jul/10 06:56:40	1934	1961	1935	0	0	57	0	0	0
25/Jul/10 06:56:50	1935	1967	1938	0	0	57	0	0	0
25/Jul/10 06:57:00	1938	1964	1935	0	0	57	0	0	0
25/Jul/10 06:57:10	1938	1966	1929	0	0	57	0	0	0
25/Jul/10 06:57:20	1937	1968	1928	0	0	57	0	0	0
25/Jul/10 06:57:30	1937	1970	1932	0	0	57	0	0	0
25/Jul/10 06:57:40	1933	1972	1935	0	0	57	0	0	0
25/Jul/10 06:57:50	1932	1974	1934	0	0	57	0	0	0
25/Jul/10 06:58:00	1932	1982	1936	0	0	57	0	0	0
25/Jul/10 06:58:10	1932	1984	1935	0	0	57	0	0	0
25/Jul/10 06:58:20	1934	1983	1934	0	0	57	0	0	0
25/Jul/10 06:58:30	1932	1986	1936	0	0	57	0	0	0
25/Jul/10 06:58:40	1933	1984	1939	0	0	57	0	0	0
25/Jul/10 06:58:50	1934	1984	1940	0	0	57	0	0	0
25/Jul/10 06:59:00	1933	1986	1942	0	0	57	0	0	0
25/Jul/10 06:59:10	1934	1984	1946	0	0	57	0	0	0
25/Jul/10 06:59:20	1931	1985	1945	0	0	57	0	0	0
25/Jul/10 06:59:30	1941	1982	1939	0	0	57	0	0	0
25/Jul/10 06:59:40	1960	1978	1943	0	0	57	0	0	0
25/Jul/10 06:59:50	1984	1974	1946	0	0	57	0	0	0
25/Jul/10 07:00:00	1994	1972	1947	0	0	57	0	0	0
25/Jul/10 07:00:10	2016	1969	1946	0	0	57	0	0	0
25/Jul/10 07:00:20	2027	1974	1946	0	0	57	0	0	0
25/Jul/10 07:00:30	2040	1971	1946	0	0	57	0	0	0
25/Jul/10 07:00:40	2058	1973	1943	0	0	57	0	0	0
25/Jul/10 07:00:50	2074	1974	1942	0	0	57	0	0	0
25/Jul/10 07:01:00	2082	1975	1945	0	0	57	0	0	0
25/Jul/10 07:01:10	2097	1971	1943	0	0	57	0	0	0
25/Jul/10 07:01:20	2101	1968	1945	0	0	57	0	0	0
25/Jul/10 07:01:30	2094	1968	1943	0	0	57	0	0	0
25/Jul/10 07:01:40	2087	1969	1944	0	0	57	0	0	0
25/Jul/10 07:01:50	2082	1974	1939	0	0	57	0	0	0
25/Jul/10 07:02:00	2079	1973	1939	0	0	57	0	0	0
25/Jul/10 07:02:10	2073	1978	1938	0	0	57	0	0	0
25/Jul/10 07:02:20	2071	1979	1936	0	0	57	0	0	0
25/Jul/10 07:02:30	2069	1977	1932	0	0	57	0	0	0
25/Jul/10 07:02:40	2066	1981	1928	0	0	57	0	0	0
25/Jul/10 07:02:50	2063	1980	1927	0	0	57	0	0	0
25/Jul/10 07:03:00	2060	1981	1928	0	0	57	0	0	0
25/Jul/10 07:03:10	2059	1979	1927	0	0	57	0	0	0
25/Jul/10 07:03:20	2060	1982	1930	0	0	57	0	0	0
25/Jul/10 07:03:30	2057	1986	1935	0	0	57	0	0	0
25/Jul/10 07:03:40	2058	1988	1932	0	0	57	0	0	0
25/Jul/10 07:03:50	2060	1990	1939	0	0	57	0	0	0
25/Jul/10 07:04:00	2058	1989	1939	0	0	57	0	0	0
25/Jul/10 07:04:10	2060	1991	1939	0	0	57	0	0	0
25/Jul/10 07:04:20	2056	1996	1939	0	0	57	0	0	0
25/Jul/10 07:04:30	2053	1995	1940	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:04:40	2051	1992	1941	0	0	57	0	0	0
25/Jul/10 07:04:50	2052	1990	1942	0	0	57	0	0	0
25/Jul/10 07:05:00	2048	1993	1942	0	0	57	0	0	0
25/Jul/10 07:05:10	2049	1991	1942	0	0	57	0	0	0
25/Jul/10 07:05:20	2047	1991	1942	0	0	57	0	0	0
25/Jul/10 07:05:30	2046	1990	1942	0	0	57	0	0	0
25/Jul/10 07:05:40	2043	1991	1942	0	0	57	0	0	0
25/Jul/10 07:05:50	2041	1994	1940	0	0	57	0	0	0
25/Jul/10 07:06:00	2038	1995	1942	0	0	57	0	0	0
25/Jul/10 07:06:10	2042	1992	1946	0	0	57	0	0	0
25/Jul/10 07:06:20	2038	1991	1946	0	0	57	0	0	0
25/Jul/10 07:06:30	2039	1990	1947	0	0	57	0	0	0
25/Jul/10 07:06:40	2037	1987	1941	0	0	57	0	0	0
25/Jul/10 07:06:50	2035	1986	1941	0	0	57	0	0	0
25/Jul/10 07:07:00	2030	1990	1935	0	0	57	0	0	0
25/Jul/10 07:07:10	2032	1991	1932	0	0	57	0	0	0
25/Jul/10 07:07:20	2033	1994	1930	0	0	57	0	0	0
25/Jul/10 07:07:30	2031	1996	1930	0	0	57	0	0	0
25/Jul/10 07:07:40	2032	1994	1930	0	0	57	0	0	0
25/Jul/10 07:07:50	2027	1993	1932	0	0	57	0	0	0
25/Jul/10 07:08:00	2024	1991	1934	0	0	57	0	0	0
25/Jul/10 07:08:10	2022	1993	1935	0	0	57	0	0	0
25/Jul/10 07:08:20	2019	1992	1934	0	0	57	0	0	0
25/Jul/10 07:08:30	2019	1993	1934	0	0	57	0	0	0
25/Jul/10 07:08:40	2022	1990	1935	0	0	57	0	0	0
25/Jul/10 07:08:50	2022	1989	1940	0	0	57	0	0	0
25/Jul/10 07:09:00	2020	1983	1942	0	0	57	0	0	0
25/Jul/10 07:09:10	2018	1984	1943	0	0	57	0	0	0
25/Jul/10 07:09:20	2016	1984	1943	0	0	57	0	0	0
25/Jul/10 07:09:30	2011	1991	1946	0	0	57	0	0	0
25/Jul/10 07:09:40	2009	1991	1947	0	0	57	0	0	0
25/Jul/10 07:09:50	2007	1990	1946	0	0	57	0	0	0
25/Jul/10 07:10:00	2006	1988	1948	0	0	57	0	0	0
25/Jul/10 07:10:10	2009	1987	1954	0	0	57	0	0	0
25/Jul/10 07:10:20	2008	1990	1957	0	0	57	0	0	0
25/Jul/10 07:10:30	2008	1988	1956	0	0	57	0	0	0
25/Jul/10 07:10:40	2005	1988	1954	0	0	57	0	0	0
25/Jul/10 07:10:50	1998	1990	1954	0	0	57	0	0	0
25/Jul/10 07:11:00	1999	1986	1958	0	0	57	0	0	0
25/Jul/10 07:11:10	1998	1986	1956	0	0	57	0	0	0
25/Jul/10 07:11:20	1998	1989	1952	0	0	57	0	0	0
25/Jul/10 07:11:30	1999	1990	1950	0	0	57	0	0	0
25/Jul/10 07:11:40	2001	1991	1955	0	0	57	0	0	0
25/Jul/10 07:11:50	2004	1992	1956	0	0	57	0	0	0
25/Jul/10 07:12:00	2001	1993	1957	0	0	57	0	0	0
25/Jul/10 07:12:10	1996	1992	1954	0	0	57	0	0	0
25/Jul/10 07:12:20	1995	1990	1956	0	0	57	0	0	0
25/Jul/10 07:12:30	1997	1991	1958	0	0	57	0	0	0
25/Jul/10 07:12:40	1999	1993	1958	0	0	57	0	0	0
25/Jul/10 07:12:50	1995	1996	1956	0	0	57	0	0	0
25/Jul/10 07:13:00	1996	1993	1956	0	0	57	0	0	0
25/Jul/10 07:13:10	1995	1996	1954	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:13:20	1995	1996	1956	0	0	57	0	0	0
25/Jul/10 07:13:30	1994	2001	1958	0	0	57	0	0	0
25/Jul/10 07:13:40	1997	2004	1959	0	0	57	0	0	0
25/Jul/10 07:13:50	2001	2005	1957	0	0	57	0	0	0
25/Jul/10 07:14:00	2004	2009	1958	0	0	57	0	0	0
25/Jul/10 07:14:10	2003	2007	1963	0	0	57	0	0	0
25/Jul/10 07:14:20	2002	1998	1962	0	0	57	0	0	0
25/Jul/10 07:14:30	1999	1998	1960	0	0	57	0	0	0
25/Jul/10 07:14:40	1997	2001	1958	0	0	57	0	0	0
25/Jul/10 07:14:50	1996	2003	1958	0	0	57	0	0	0
25/Jul/10 07:15:00	1996	2005	1962	0	0	57	0	0	0
25/Jul/10 07:15:10	1998	2007	1962	0	0	57	0	0	0
25/Jul/10 07:15:20	2000	2008	1965	0	0	57	0	0	0
25/Jul/10 07:15:30	2000	2010	1968	0	0	57	0	0	0
25/Jul/10 07:15:40	1996	2012	1968	0	0	57	0	0	0
25/Jul/10 07:15:50	1991	2015	1967	0	0	57	0	0	0
25/Jul/10 07:16:00	1989	2009	1966	0	0	57	0	0	0
25/Jul/10 07:16:10	1986	2005	1963	0	0	57	0	0	0
25/Jul/10 07:16:20	1991	2005	1961	0	0	57	0	0	0
25/Jul/10 07:16:30	1994	2003	1958	0	0	57	0	0	0
25/Jul/10 07:16:40	1996	2003	1962	0	0	57	0	0	0
25/Jul/10 07:16:50	1999	2005	1963	0	0	57	0	0	0
25/Jul/10 07:17:00	1997	2010	1962	0	0	57	0	0	0
25/Jul/10 07:17:10	1997	2012	1960	0	0	57	0	0	0
25/Jul/10 07:17:20	1995	2012	1962	0	0	57	0	0	0
25/Jul/10 07:17:30	1997	2009	1962	0	0	57	0	0	0
25/Jul/10 07:17:40	2000	2009	1964	0	0	57	0	0	0
25/Jul/10 07:17:50	2007	2009	1966	0	0	57	0	0	0
25/Jul/10 07:18:00	2009	2003	1965	0	0	57	0	0	0
25/Jul/10 07:18:10	2004	2007	1965	0	0	57	0	0	0
25/Jul/10 07:18:20	2004	2006	1963	0	0	57	0	0	0
25/Jul/10 07:18:30	2003	2006	1965	0	0	57	0	0	0
25/Jul/10 07:18:40	2000	2008	1963	0	0	57	0	0	0
25/Jul/10 07:18:50	2001	2008	1962	0	0	57	0	0	0
25/Jul/10 07:19:00	2001	2006	1964	0	0	57	0	0	0
25/Jul/10 07:19:10	2003	2009	1966	0	0	57	0	0	0
25/Jul/10 07:19:20	2002	2012	1967	0	0	57	0	0	0
25/Jul/10 07:19:30	1999	2014	1967	0	0	57	0	0	0
25/Jul/10 07:19:40	1997	2012	1966	0	0	57	0	0	0
25/Jul/10 07:19:50	1995	2012	1965	0	0	57	0	0	0
25/Jul/10 07:20:00	1995	2015	1964	0	0	57	0	0	0
25/Jul/10 07:20:10	1996	2018	1964	0	0	57	0	0	0
25/Jul/10 07:20:20	1993	2021	1969	0	0	57	0	0	0
25/Jul/10 07:20:30	1995	2019	1974	0	0	57	0	0	0
25/Jul/10 07:20:40	1997	2023	1980	0	0	57	0	0	0
25/Jul/10 07:20:50	1996	2022	1978	0	0	57	0	0	0
25/Jul/10 07:21:00	1992	2019	1978	0	0	57	0	0	0
25/Jul/10 07:21:10	1990	2014	1980	0	0	57	0	0	0
25/Jul/10 07:21:20	1987	2013	1978	0	0	57	0	0	0
25/Jul/10 07:21:30	1985	2009	1975	0	0	57	0	0	0
25/Jul/10 07:21:40	1986	2011	1977	0	0	57	0	0	0
25/Jul/10 07:21:50	1986	2016	1978	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:22:00	1986	2016	1975	0	0	57	0	0	0
25/Jul/10 07:22:10	1987	2014	1977	0	0	57	0	0	0
25/Jul/10 07:22:20	1984	2019	1978	0	0	57	0	0	0
25/Jul/10 07:22:30	1985	2018	1976	0	0	57	0	0	0
25/Jul/10 07:22:40	1981	2018	1975	0	0	57	0	0	0
25/Jul/10 07:22:50	1983	2015	1974	0	0	57	0	0	0
25/Jul/10 07:23:00	1987	2015	1971	0	0	57	0	0	0
25/Jul/10 07:23:10	1988	2015	1972	0	0	57	0	0	0
25/Jul/10 07:23:20	1991	2014	1977	0	0	57	0	0	0
25/Jul/10 07:23:30	1991	2014	1978	0	0	57	0	0	0
25/Jul/10 07:23:40	1993	2012	1976	0	0	57	0	0	0
25/Jul/10 07:23:50	1991	2011	1973	0	0	57	0	0	0
25/Jul/10 07:24:00	1991	2011	1972	0	0	57	0	0	0
25/Jul/10 07:24:10	1995	2007	1972	0	0	57	0	0	0
25/Jul/10 07:24:20	1991	2007	1973	0	0	57	0	0	0
25/Jul/10 07:24:30	1989	2009	1975	0	0	57	0	0	0
25/Jul/10 07:24:40	1988	2010	1978	0	0	57	0	0	0
25/Jul/10 07:24:50	1990	2012	1978	0	0	57	0	0	0
25/Jul/10 07:25:00	1992	2012	1978	0	0	57	0	0	0
25/Jul/10 07:25:10	1992	2014	1978	0	0	57	0	0	0
25/Jul/10 07:25:20	1993	2015	1978	0	0	57	0	0	0
25/Jul/10 07:25:30	1995	2015	1975	0	0	57	0	0	0
25/Jul/10 07:25:40	1994	2013	1974	0	0	57	0	0	0
25/Jul/10 07:25:50	1993	2015	1975	0	0	57	0	0	0
25/Jul/10 07:26:00	1989	2011	1974	0	0	57	0	0	0
25/Jul/10 07:26:10	1994	2012	1976	0	0	57	0	0	0
25/Jul/10 07:26:20	1995	2015	1980	0	0	57	0	0	0
25/Jul/10 07:26:30	1995	2016	1987	0	0	57	0	0	0
25/Jul/10 07:26:40	1996	2016	1987	0	0	57	0	0	0
25/Jul/10 07:26:50	1996	2022	1983	0	0	57	0	0	0
25/Jul/10 07:27:00	1992	2017	1982	0	0	57	0	0	0
25/Jul/10 07:27:10	1988	2018	1983	0	0	57	0	0	0
25/Jul/10 07:27:20	1988	2016	1987	0	0	57	0	0	0
25/Jul/10 07:27:30	1988	2012	1986	0	0	57	0	0	0
25/Jul/10 07:27:40	1992	2015	1985	0	0	57	0	0	0
25/Jul/10 07:27:50	1993	2011	1986	0	0	57	0	0	0
25/Jul/10 07:28:00	1993	2011	1985	0	0	57	0	0	0
25/Jul/10 07:28:10	1994	2009	1984	0	0	57	0	0	0
25/Jul/10 07:28:20	1994	2014	1985	0	0	57	0	0	0
25/Jul/10 07:28:30	1992	2011	1982	0	0	57	0	0	0
25/Jul/10 07:28:40	1988	2012	1983	0	0	57	0	0	0
25/Jul/10 07:28:50	1992	2012	1980	0	0	57	0	0	0
25/Jul/10 07:29:00	1994	2011	1980	0	0	57	0	0	0
25/Jul/10 07:29:10	1996	2011	1980	0	0	57	0	0	0
25/Jul/10 07:29:20	1997	2009	1984	0	0	57	0	0	0
25/Jul/10 07:29:30	1994	2003	1983	0	0	57	0	0	0
25/Jul/10 07:29:40	1987	2001	1987	0	0	57	0	0	0
25/Jul/10 07:29:50	1991	2006	1990	0	0	57	0	0	0
25/Jul/10 07:30:00	1994	2007	1992	0	0	57	0	0	0
25/Jul/10 07:30:10	1997	2003	1989	0	0	57	0	0	0
25/Jul/10 07:30:20	1996	2005	1990	0	0	57	0	0	0
25/Jul/10 07:30:30	2000	2003	1989	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:30:40	2003	2004	1985	0	0	57	0	0	0
25/Jul/10 07:30:50	2001	2004	1983	0	0	57	0	0	0
25/Jul/10 07:31:00	1999	2008	1980	0	0	57	0	0	0
25/Jul/10 07:31:10	1995	2011	1978	0	0	57	0	0	0
25/Jul/10 07:31:20	1996	2015	1974	0	0	57	0	0	0
25/Jul/10 07:31:30	1999	2014	1974	0	0	57	0	0	0
25/Jul/10 07:31:40	1996	2009	1972	0	0	57	0	0	0
25/Jul/10 07:31:50	1991	2011	1972	0	0	57	0	0	0
25/Jul/10 07:32:00	1987	2017	1973	0	0	57	0	0	0
25/Jul/10 07:32:10	1985	2015	1973	0	0	57	0	0	0
25/Jul/10 07:32:20	1983	2017	1971	0	0	57	0	0	0
25/Jul/10 07:32:30	1977	2018	1973	0	0	57	0	0	0
25/Jul/10 07:32:40	1973	2018	1974	0	0	57	0	0	0
25/Jul/10 07:32:50	1972	2017	1974	0	0	57	0	0	0
25/Jul/10 07:33:00	1972	2015	1972	0	0	57	0	0	0
25/Jul/10 07:33:10	1974	2015	1971	0	0	57	0	0	0
25/Jul/10 07:33:20	1976	2018	1973	0	0	57	0	0	0
25/Jul/10 07:33:30	1970	2018	1974	0	0	57	0	0	0
25/Jul/10 07:33:40	1972	2016	1972	0	0	57	0	0	0
25/Jul/10 07:33:50	1972	2011	1972	0	0	57	0	0	0
25/Jul/10 07:34:00	1974	2015	1973	0	0	57	0	0	0
25/Jul/10 07:34:10	1976	2011	1978	0	0	57	0	0	0
25/Jul/10 07:34:20	1980	2009	1977	0	0	57	0	0	0
25/Jul/10 07:34:30	1985	2010	1975	0	0	57	0	0	0
25/Jul/10 07:34:40	1989	2011	1978	0	0	57	0	0	0
25/Jul/10 07:34:50	1987	2011	1977	0	0	57	0	0	0
25/Jul/10 07:35:00	1987	2015	1979	0	0	57	0	0	0
25/Jul/10 07:35:10	1988	2014	1977	0	0	57	0	0	0
25/Jul/10 07:35:20	1990	2009	1976	0	0	57	0	0	0
25/Jul/10 07:35:30	1993	2011	1973	0	0	57	0	0	0
25/Jul/10 07:35:40	1995	2015	1973	0	0	57	0	0	0
25/Jul/10 07:35:50	1994	2017	1973	0	0	57	0	0	0
25/Jul/10 07:36:00	1994	2014	1975	0	0	57	0	0	0
25/Jul/10 07:36:10	1991	2014	1980	0	0	57	0	0	0
25/Jul/10 07:36:20	1992	2011	1977	0	0	57	0	0	0
25/Jul/10 07:36:30	1989	2010	1976	0	0	57	0	0	0
25/Jul/10 07:36:40	1991	2012	1980	0	0	57	0	0	0
25/Jul/10 07:36:50	1991	2014	1980	0	0	57	0	0	0
25/Jul/10 07:37:00	1992	2016	1979	0	0	57	0	0	0
25/Jul/10 07:37:10	1995	2018	1981	0	0	57	0	0	0
25/Jul/10 07:37:20	1992	2018	1983	0	0	57	0	0	0
25/Jul/10 07:37:30	1993	2015	1980	0	0	57	0	0	0
25/Jul/10 07:37:40	1995	2017	1978	0	0	57	0	0	0
25/Jul/10 07:37:50	1996	2019	1977	0	0	57	0	0	0
25/Jul/10 07:38:00	1997	2019	1977	0	0	57	0	0	0
25/Jul/10 07:38:10	1993	2023	1978	0	0	57	0	0	0
25/Jul/10 07:38:20	1996	2025	1981	0	0	57	0	0	0
25/Jul/10 07:38:30	1994	2021	1980	0	0	57	0	0	0
25/Jul/10 07:38:40	1994	2023	1979	0	0	57	0	0	0
25/Jul/10 07:38:50	1995	2021	1979	0	0	57	0	0	0
25/Jul/10 07:39:00	1994	2019	1979	0	0	57	0	0	0
25/Jul/10 07:39:10	1988	2022	1980	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:39:20	1987	2019	1980	0	0	57	0	0	0
25/Jul/10 07:39:30	1987	2019	1984	0	0	57	0	0	0
25/Jul/10 07:39:40	1982	2017	1983	0	0	57	0	0	0
25/Jul/10 07:39:50	1983	2016	1983	0	0	57	0	0	0
25/Jul/10 07:40:00	1984	2015	1979	0	0	57	0	0	0
25/Jul/10 07:40:10	1981	2016	1979	0	0	57	0	0	0
25/Jul/10 07:40:20	1983	2017	1980	0	0	57	0	0	0
25/Jul/10 07:40:30	1986	2018	1978	0	0	57	0	0	0
25/Jul/10 07:40:40	1987	2019	1979	0	0	57	0	0	0
25/Jul/10 07:40:50	1987	2019	1982	0	0	57	0	0	0
25/Jul/10 07:41:00	1989	2021	1985	0	0	57	0	0	0
25/Jul/10 07:41:10	1991	2022	1980	0	0	57	0	0	0
25/Jul/10 07:41:20	1988	2027	1980	0	0	57	0	0	0
25/Jul/10 07:41:30	1993	2021	1981	0	0	57	0	0	0
25/Jul/10 07:41:40	1994	2023	1981	0	0	57	0	0	0
25/Jul/10 07:41:50	1994	2022	1981	0	0	57	0	0	0
25/Jul/10 07:42:00	1999	2019	1982	0	0	57	0	0	0
25/Jul/10 07:42:10	2000	2021	1982	0	0	57	0	0	0
25/Jul/10 07:42:20	1996	2018	1987	0	0	57	0	0	0
25/Jul/10 07:42:30	1996	2014	1987	0	0	57	0	0	0
25/Jul/10 07:42:40	1993	2018	1984	0	0	57	0	0	0
25/Jul/10 07:42:50	1992	2019	1986	0	0	57	0	0	0
25/Jul/10 07:43:00	1994	2019	1986	0	0	57	0	0	0
25/Jul/10 07:43:10	1993	2022	1987	0	0	57	0	0	0
25/Jul/10 07:43:20	1991	2020	1987	0	0	57	0	0	0
25/Jul/10 07:43:30	1991	2021	1983	0	0	57	0	0	0
25/Jul/10 07:43:40	1989	2019	1982	0	0	57	0	0	0
25/Jul/10 07:43:50	1985	2022	1982	0	0	57	0	0	0
25/Jul/10 07:44:00	1982	2021	1982	0	0	57	0	0	0
25/Jul/10 07:44:10	1981	2016	1981	0	0	57	0	0	0
25/Jul/10 07:44:20	1979	2015	1981	0	0	57	0	0	0
25/Jul/10 07:44:30	1980	2015	1984	0	0	57	0	0	0
25/Jul/10 07:44:40	1982	2009	1983	0	0	57	0	0	0
25/Jul/10 07:44:50	1983	2015	1982	0	0	57	0	0	0
25/Jul/10 07:45:00	1984	2014	1983	0	0	57	0	0	0
25/Jul/10 07:45:10	1984	2014	1982	0	0	57	0	0	0
25/Jul/10 07:45:20	1984	2015	1981	0	0	57	0	0	0
25/Jul/10 07:45:30	1984	2011	1984	0	0	57	0	0	0
25/Jul/10 07:45:40	1985	2008	1987	0	0	57	0	0	0
25/Jul/10 07:45:50	1984	2012	1987	0	0	57	0	0	0
25/Jul/10 07:46:00	1986	2011	1987	0	0	57	0	0	0
25/Jul/10 07:46:10	1987	2009	1985	0	0	57	0	0	0
25/Jul/10 07:46:20	1988	2005	1983	0	0	57	0	0	0
25/Jul/10 07:46:30	1991	2008	1982	0	0	57	0	0	0
25/Jul/10 07:46:40	1989	2008	1982	0	0	57	0	0	0
25/Jul/10 07:46:50	1988	2007	1982	0	0	57	0	0	0
25/Jul/10 07:47:00	1991	2008	1985	0	0	57	0	0	0
25/Jul/10 07:47:10	1995	2009	1987	0	0	57	0	0	0
25/Jul/10 07:47:20	1996	2007	1984	0	0	57	0	0	0
25/Jul/10 07:47:30	1994	2009	1979	0	0	57	0	0	0
25/Jul/10 07:47:40	1992	2009	1978	0	0	57	0	0	0
25/Jul/10 07:47:50	1991	2013	1977	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:48:00	1989	2015	1975	0	0	57	0	0	0
25/Jul/10 07:48:10	1989	2015	1973	0	0	57	0	0	0
25/Jul/10 07:48:20	1982	2015	1978	0	0	57	0	0	0
25/Jul/10 07:48:30	1982	2018	1977	0	0	57	0	0	0
25/Jul/10 07:48:40	1982	2016	1982	0	0	57	0	0	0
25/Jul/10 07:48:50	1982	2013	1980	0	0	57	0	0	0
25/Jul/10 07:49:00	1982	2010	1975	0	0	57	0	0	0
25/Jul/10 07:49:10	1982	2012	1978	0	0	57	0	0	0
25/Jul/10 07:49:20	1984	2007	1979	0	0	57	0	0	0
25/Jul/10 07:49:30	1987	2010	1981	0	0	57	0	0	0
25/Jul/10 07:49:40	1987	2012	1985	0	0	57	0	0	0
25/Jul/10 07:49:50	1989	2016	1988	0	0	57	0	0	0
25/Jul/10 07:50:00	1990	2010	1986	0	0	57	0	0	0
25/Jul/10 07:50:10	1991	2015	1980	0	0	57	0	0	0
25/Jul/10 07:50:20	1986	2016	1979	0	0	57	0	0	0
25/Jul/10 07:50:30	1983	2017	1979	0	0	57	0	0	0
25/Jul/10 07:50:40	1986	2016	1979	0	0	57	0	0	0
25/Jul/10 07:50:50	1982	2014	1987	0	0	57	0	0	0
25/Jul/10 07:51:00	1983	2017	1987	0	0	57	0	0	0
25/Jul/10 07:51:10	1982	2019	1985	0	0	57	0	0	0
25/Jul/10 07:51:20	1982	2016	1987	0	0	57	0	0	0
25/Jul/10 07:51:30	1982	2017	1987	0	0	57	0	0	0
25/Jul/10 07:51:40	1986	2017	1989	0	0	57	0	0	0
25/Jul/10 07:51:50	1989	2017	1990	0	0	57	0	0	0
25/Jul/10 07:52:00	1991	2015	1993	0	0	57	0	0	0
25/Jul/10 07:52:10	1996	2014	1995	0	0	57	0	0	0
25/Jul/10 07:52:20	1999	2013	1991	0	0	57	0	0	0
25/Jul/10 07:52:30	1996	2012	1991	0	0	57	0	0	0
25/Jul/10 07:52:40	1996	2009	1991	0	0	57	0	0	0
25/Jul/10 07:52:50	1995	2012	1988	0	0	57	0	0	0
25/Jul/10 07:53:00	1993	2011	1986	0	0	57	0	0	0
25/Jul/10 07:53:10	1991	2014	1984	0	0	57	0	0	0
25/Jul/10 07:53:20	1993	2015	1987	0	0	57	0	0	0
25/Jul/10 07:53:30	1992	2014	1987	0	0	57	0	0	0
25/Jul/10 07:53:40	1989	2016	1987	0	0	57	0	0	0
25/Jul/10 07:53:50	1988	2015	1990	0	0	57	0	0	0
25/Jul/10 07:54:00	1988	2017	1987	0	0	57	0	0	0
25/Jul/10 07:54:10	1989	2017	1985	0	0	57	0	0	0
25/Jul/10 07:54:20	1990	2017	1987	0	0	57	0	0	0
25/Jul/10 07:54:30	1988	2015	1987	0	0	57	0	0	0
25/Jul/10 07:54:40	1991	2014	1988	0	0	57	0	0	0
25/Jul/10 07:54:50	1988	2012	1989	0	0	57	0	0	0
25/Jul/10 07:55:00	1987	2010	1988	0	0	57	0	0	0
25/Jul/10 07:55:10	1984	2011	1988	0	0	57	0	0	0
25/Jul/10 07:55:20	1981	2015	1988	0	0	57	0	0	0
25/Jul/10 07:55:30	1984	2015	1988	0	0	57	0	0	0
25/Jul/10 07:55:40	1986	2015	1987	0	0	57	0	0	0
25/Jul/10 07:55:50	1982	2016	1983	0	0	57	0	0	0
25/Jul/10 07:56:00	1980	2015	1982	0	0	57	0	0	0
25/Jul/10 07:56:10	1979	2016	1983	0	0	57	0	0	0
25/Jul/10 07:56:20	1980	2017	1984	0	0	57	0	0	0
25/Jul/10 07:56:30	1981	2017	1987	0	0	57	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 07:56:40	1983	2015	1983	0	0	57	0	0	0
25/Jul/10 07:56:50	1986	2017	1984	0	0	57	0	0	0
25/Jul/10 07:57:00	1991	2015	1981	0	0	57	0	0	0
25/Jul/10 07:57:10	1992	2016	1978	0	0	57	0	0	0
25/Jul/10 07:57:20	1988	2018	1977	0	0	57	0	0	0
25/Jul/10 07:57:30	1987	2022	1980	0	0	57	0	0	0
25/Jul/10 07:57:40	1989	2023	1981	0	0	57	0	0	0
25/Jul/10 07:57:50	1989	2024	1982	0	0	57	0	0	0
25/Jul/10 07:58:00	1985	2024	1983	0	0	57	0	0	0
25/Jul/10 07:58:10	1987	2031	1982	0	0	57	0	0	0
25/Jul/10 07:58:20	1989	2031	1981	0	0	57	0	0	0
25/Jul/10 07:58:30	1989	2031	1980	0	0	57	0	0	0
25/Jul/10 07:58:40	1989	2027	1979	0	0	57	0	0	0
25/Jul/10 07:58:50	1988	2024	1980	0	0	57	0	0	0
25/Jul/10 07:59:00	1990	2023	1982	0	0	57	0	0	0
25/Jul/10 07:59:10	1989	2022	1982	0	0	57	0	0	0
25/Jul/10 07:59:20	1987	2022	1980	0	0	57	0	0	0
25/Jul/10 07:59:30	1983	2017	1978	0	0	57	0	0	0
25/Jul/10 07:59:40	1985	2019	1976	0	0	57	0	0	0
25/Jul/10 07:59:50	1987	2018	1973	0	0	57	0	0	0
25/Jul/10 08:00:00	1987	2017	1977	0	0	57	0	0	0
25/Jul/10 08:00:10	1984	2015	1980	0	0	57	0	0	0
25/Jul/10 08:00:20	1983	2015	1980	0	0	57	0	0	0
25/Jul/10 08:00:30	1983	2019	1984	0	0	57	0	0	0
25/Jul/10 08:00:40	1981	2014	1987	0	0	57	0	0	0
25/Jul/10 08:00:50	1981	2015	1984	0	0	57	0	0	0
25/Jul/10 08:01:00	1983	2012	1988	0	0	57	0	0	0
25/Jul/10 08:01:10	1987	2015	1987	0	0	57	0	0	0
25/Jul/10 08:01:20	1989	2013	1990	0	0	57	0	0	0
25/Jul/10 08:01:30	1989	2010	1988	0	0	57	0	0	0
25/Jul/10 08:01:40	1991	2008	1984	0	0	57	0	0	0
25/Jul/10 08:01:50	1989	2012	1978	0	0	57	0	0	0
25/Jul/10 08:02:00	1989	2013	1976	0	0	57	0	0	0
25/Jul/10 08:02:10	1988	2015	1977	0	0	57	0	0	0
25/Jul/10 08:02:20	1987	2017	1977	0	0	57	0	0	0
25/Jul/10 08:02:30	1987	2016	1976	0	0	57	0	0	0
25/Jul/10 08:02:40	1986	2022	1979	0	0	57	0	0	0
25/Jul/10 08:02:50	1987	2024	1978	0	0	57	0	0	0
25/Jul/10 08:03:00	1988	2025	1978	0	0	57	0	0	0
25/Jul/10 08:03:10	1993	2023	1976	0	0	57	0	0	0
25/Jul/10 08:03:20	1995	2019	1976	0	0	57	0	0	0
25/Jul/10 08:03:30	1992	2020	1980	0	0	57	0	0	0
25/Jul/10 08:03:40	1996	2015	1981	0	0	57	0	0	0
25/Jul/10 08:03:50	1996	2018	1978	0	0	57	0	0	0
25/Jul/10 08:04:00	1995	2018	1978	0	0	57	0	0	0
25/Jul/10 08:04:10	1994	2015	1977	0	0	57	0	0	0
25/Jul/10 08:04:20	1992	2015	1975	0	0	57	0	0	0
25/Jul/10 08:04:30	1992	2014	1972	0	0	57	0	0	0
25/Jul/10 08:04:40	1990	2014	1971	0	0	57	0	0	0
25/Jul/10 08:04:50	1988	2010	1971	0	0	57	0	0	0
25/Jul/10 08:05:00	1982	2009	1971	0	0	57	0	0	0
25/Jul/10 08:05:10	1983	2010	1971	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:05:20	1982	2006	1973	0	0	57	0	0	0
25/Jul/10 08:05:30	1980	2012	1973	0	0	57	0	0	0
25/Jul/10 08:05:40	1977	2011	1974	0	0	57	0	0	0
25/Jul/10 08:05:50	1979	2010	1978	0	0	57	0	0	0
25/Jul/10 08:06:00	1982	2010	1977	0	0	57	0	0	0
25/Jul/10 08:06:10	1982	2014	1978	0	0	57	0	0	0
25/Jul/10 08:06:20	1978	2015	1979	0	0	57	0	0	0
25/Jul/10 08:06:30	1979	2014	1982	0	0	57	0	0	0
25/Jul/10 08:06:40	1975	2016	1980	0	0	57	0	0	0
25/Jul/10 08:06:50	1974	2017	1979	0	0	57	0	0	0
25/Jul/10 08:07:00	1974	2020	1978	0	0	57	0	0	0
25/Jul/10 08:07:10	1976	2015	1976	0	0	57	0	0	0
25/Jul/10 08:07:20	1981	2018	1978	0	0	57	0	0	0
25/Jul/10 08:07:30	1980	2021	1977	0	0	57	0	0	0
25/Jul/10 08:07:40	1979	2023	1980	0	0	57	0	0	0
25/Jul/10 08:07:50	1977	2022	1980	0	0	57	0	0	0
25/Jul/10 08:08:00	1977	2023	1978	0	0	57	0	0	0
25/Jul/10 08:08:10	1981	2025	1976	0	0	57	0	0	0
25/Jul/10 08:08:20	1982	2029	1982	0	0	57	0	0	0
25/Jul/10 08:08:30	1983	2031	1984	0	0	57	0	0	0
25/Jul/10 08:08:40	1985	2032	1985	0	0	57	0	0	0
25/Jul/10 08:08:50	1982	2031	1987	0	0	57	0	0	0
25/Jul/10 08:09:00	1981	2031	1989	0	0	57	0	0	0
25/Jul/10 08:09:10	1977	2034	1989	0	0	57	0	0	0
25/Jul/10 08:09:20	1984	2036	1987	0	0	57	0	0	0
25/Jul/10 08:09:30	1987	2029	1987	0	0	57	0	0	0
25/Jul/10 08:09:40	1989	2027	1987	0	0	57	0	0	0
25/Jul/10 08:09:50	1990	2023	1990	0	0	57	0	0	0
25/Jul/10 08:10:00	1988	2018	1987	0	0	57	0	0	0
25/Jul/10 08:10:10	1987	2022	1989	0	0	57	0	0	0
25/Jul/10 08:10:20	1989	2020	1989	0	0	57	0	0	0
25/Jul/10 08:10:30	1988	2017	1987	0	0	57	0	0	0
25/Jul/10 08:10:40	1987	2016	1987	0	0	57	0	0	0
25/Jul/10 08:10:50	1989	2016	1986	0	0	57	0	0	0
25/Jul/10 08:11:00	1988	2016	1987	0	0	57	0	0	0
25/Jul/10 08:11:10	1985	2017	1985	0	0	57	0	0	0
25/Jul/10 08:11:20	1983	2016	1984	0	0	57	0	0	0
25/Jul/10 08:11:30	1982	2015	1980	0	0	57	0	0	0
25/Jul/10 08:11:40	1982	2015	1979	0	0	57	0	0	0
25/Jul/10 08:11:50	1982	2015	1983	0	0	57	0	0	0
25/Jul/10 08:12:00	1981	2017	1981	0	0	57	0	0	0
25/Jul/10 08:12:10	1978	2018	1981	0	0	57	0	0	0
25/Jul/10 08:12:20	1976	2016	1984	0	0	57	0	0	0
25/Jul/10 08:12:30	1973	2015	1983	0	0	57	0	0	0
25/Jul/10 08:12:40	1971	2016	1988	0	0	57	0	0	0
25/Jul/10 08:12:50	1970	2016	1987	0	0	57	0	0	0
25/Jul/10 08:13:00	1969	2017	1988	0	0	57	0	0	0
25/Jul/10 08:13:10	1968	2016	1987	0	0	57	0	0	0
25/Jul/10 08:13:20	1966	2020	1986	0	0	57	0	0	0
25/Jul/10 08:13:30	1966	2023	1983	0	0	57	0	0	0
25/Jul/10 08:13:40	1968	2026	1987	0	0	57	0	0	0
25/Jul/10 08:13:50	1971	2025	1990	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:14:00	1970	2026	1989	0	0	57	0	0	0
25/Jul/10 08:14:10	1970	2024	1990	0	0	57	0	0	0
25/Jul/10 08:14:20	1969	2023	1990	0	0	57	0	0	0
25/Jul/10 08:14:30	1969	2021	1987	0	0	57	0	0	0
25/Jul/10 08:14:40	1967	2019	1988	0	0	57	0	0	0
25/Jul/10 08:14:50	1971	2018	1989	0	0	57	0	0	0
25/Jul/10 08:15:00	1973	2017	1989	0	0	57	0	0	0
25/Jul/10 08:15:10	1973	2018	1990	0	0	57	0	0	0
25/Jul/10 08:15:20	1973	2014	1991	0	0	57	0	0	0
25/Jul/10 08:15:30	1973	2015	1988	0	0	57	0	0	0
25/Jul/10 08:15:40	1972	2019	1987	0	0	57	0	0	0
25/Jul/10 08:15:50	1973	2022	1986	0	0	57	0	0	0
25/Jul/10 08:16:00	1974	2025	1983	0	0	57	0	0	0
25/Jul/10 08:16:10	1975	2027	1989	0	0	57	0	0	0
25/Jul/10 08:16:20	1975	2027	1990	0	0	57	0	0	0
25/Jul/10 08:16:30	1975	2026	1991	0	0	57	0	0	0
25/Jul/10 08:16:40	1977	2030	1994	0	0	57	0	0	0
25/Jul/10 08:16:50	1976	2031	1995	0	0	57	0	0	0
25/Jul/10 08:17:00	1976	2031	1995	0	0	57	0	0	0
25/Jul/10 08:17:10	1974	2027	1996	0	0	57	0	0	0
25/Jul/10 08:17:20	1977	2027	1995	0	0	57	0	0	0
25/Jul/10 08:17:30	1981	2022	1999	0	0	57	0	0	0
25/Jul/10 08:17:40	1977	2019	2000	0	0	57	0	0	0
25/Jul/10 08:17:50	1979	2023	2002	0	0	57	0	0	0
25/Jul/10 08:18:00	1982	2022	2001	0	0	57	0	0	0
25/Jul/10 08:18:10	1982	2024	2002	0	0	57	0	0	0
25/Jul/10 08:18:20	1983	2025	2001	0	0	57	0	0	0
25/Jul/10 08:18:30	1986	2026	1999	0	0	57	0	0	0
25/Jul/10 08:18:40	1992	2027	1996	0	0	57	0	0	0
25/Jul/10 08:18:50	1986	2031	1993	0	0	57	0	0	0
25/Jul/10 08:19:00	1990	2032	1990	0	0	57	0	0	0
25/Jul/10 08:19:10	1990	2037	1990	0	0	57	0	0	0
25/Jul/10 08:19:20	1990	2040	1985	0	0	57	0	0	0
25/Jul/10 08:19:30	1993	2042	1985	0	0	57	0	0	0
25/Jul/10 08:19:40	1995	2033	1987	0	0	57	0	0	0
25/Jul/10 08:19:50	1990	2028	1985	0	0	57	0	0	0
25/Jul/10 08:20:00	1990	2027	1983	0	0	57	0	0	0
25/Jul/10 08:20:10	1989	2019	1984	0	0	57	0	0	0
25/Jul/10 08:20:20	1990	2020	1978	0	0	57	0	0	0
25/Jul/10 08:20:30	1983	2016	1980	0	0	57	0	0	0
25/Jul/10 08:20:40	1986	2015	1979	0	0	57	0	0	0
25/Jul/10 08:20:50	1983	2017	1976	0	0	57	0	0	0
25/Jul/10 08:21:00	1986	2016	1979	0	0	57	0	0	0
25/Jul/10 08:21:10	1986	2023	1980	0	0	57	0	0	0
25/Jul/10 08:21:20	1981	2020	1979	0	0	57	0	0	0
25/Jul/10 08:21:30	1976	2021	1979	0	0	57	0	0	0
25/Jul/10 08:21:40	1981	2017	1977	0	0	57	0	0	0
25/Jul/10 08:21:50	1980	2015	1980	0	0	57	0	0	0
25/Jul/10 08:22:00	1981	2017	1978	0	0	57	0	0	0
25/Jul/10 08:22:10	1981	2016	1979	0	0	57	0	0	0
25/Jul/10 08:22:20	1985	2018	1977	0	0	57	0	0	0
25/Jul/10 08:22:30	1983	2019	1977	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:22:40	1986	2023	1975	0	0	57	0	0	0
25/Jul/10 08:22:50	1985	2022	1974	0	0	57	0	0	0
25/Jul/10 08:23:00	1983	2023	1974	0	0	57	0	0	0
25/Jul/10 08:23:10	1986	2025	1976	0	0	57	0	0	0
25/Jul/10 08:23:20	1991	2019	1973	0	0	57	0	0	0
25/Jul/10 08:23:30	1988	2018	1977	0	0	57	0	0	0
25/Jul/10 08:23:40	1986	2015	1979	0	0	57	0	0	0
25/Jul/10 08:23:50	1987	2016	1979	0	0	57	0	0	0
25/Jul/10 08:24:00	1987	2015	1979	0	0	57	0	0	0
25/Jul/10 08:24:10	1990	2014	1983	0	0	57	0	0	0
25/Jul/10 08:24:20	1988	2017	1980	0	0	57	0	0	0
25/Jul/10 08:24:30	1988	2015	1982	0	0	57	0	0	0
25/Jul/10 08:24:40	1987	2014	1981	0	0	57	0	0	0
25/Jul/10 08:24:50	1986	2016	1983	0	0	57	0	0	0
25/Jul/10 08:25:00	1987	2022	1982	0	0	57	0	0	0
25/Jul/10 08:25:10	1987	2018	1979	0	0	57	0	0	0
25/Jul/10 08:25:20	1980	2019	1980	0	0	57	0	0	0
25/Jul/10 08:25:30	1980	2018	1979	0	0	57	0	0	0
25/Jul/10 08:25:40	1976	2018	1982	0	0	57	0	0	0
25/Jul/10 08:25:50	1973	2022	1984	0	0	57	0	0	0
25/Jul/10 08:26:00	1973	2023	1985	0	0	57	0	0	0
25/Jul/10 08:26:10	1976	2021	1984	0	0	57	0	0	0
25/Jul/10 08:26:20	1976	2019	1986	0	0	57	0	0	0
25/Jul/10 08:26:30	1977	2019	1984	0	0	57	0	0	0
25/Jul/10 08:26:40	1977	2021	1983	0	0	57	0	0	0
25/Jul/10 08:26:50	1978	2028	1984	0	0	57	0	0	0
25/Jul/10 08:27:00	1978	2023	1980	0	0	57	0	0	0
25/Jul/10 08:27:10	1983	2022	1979	0	0	57	0	0	0
25/Jul/10 08:27:20	1986	2021	1982	0	0	57	0	0	0
25/Jul/10 08:27:30	1986	2018	1987	0	0	57	0	0	0
25/Jul/10 08:27:40	1988	2017	1988	0	0	57	0	0	0
25/Jul/10 08:27:50	1985	2018	1985	0	0	57	0	0	0
25/Jul/10 08:28:00	1984	2019	1985	0	0	57	0	0	0
25/Jul/10 08:28:10	1983	2022	1985	0	0	57	0	0	0
25/Jul/10 08:28:20	1987	2020	1989	0	0	57	0	0	0
25/Jul/10 08:28:30	1986	2022	1991	0	0	57	0	0	0
25/Jul/10 08:28:40	1981	2022	1990	0	0	57	0	0	0
25/Jul/10 08:28:50	1982	2028	1993	0	0	57	0	0	0
25/Jul/10 08:29:00	1980	2026	1994	0	0	57	0	0	0
25/Jul/10 08:29:10	1978	2023	1987	0	0	57	0	0	0
25/Jul/10 08:29:20	1979	2025	1985	0	0	57	0	0	0
25/Jul/10 08:29:30	1979	2020	1984	0	0	57	0	0	0
25/Jul/10 08:29:40	1982	2019	1983	0	0	57	0	0	0
25/Jul/10 08:29:50	1980	2017	1982	0	0	57	0	0	0
25/Jul/10 08:30:00	1982	2018	1983	0	0	57	0	0	0
25/Jul/10 08:30:10	1983	2016	1981	0	0	57	0	0	0
25/Jul/10 08:30:20	1983	2019	1983	0	0	57	0	0	0
25/Jul/10 08:30:30	1988	2013	1983	0	0	57	0	0	0
25/Jul/10 08:30:40	1982	2014	1983	0	0	57	0	0	0
25/Jul/10 08:30:50	1986	2013	1980	0	0	57	0	0	0
25/Jul/10 08:31:00	1988	2014	1977	0	0	57	0	0	0
25/Jul/10 08:31:10	1987	2012	1979	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:31:20	1991	2008	1977	0	0	57	0	0	0
25/Jul/10 08:31:30	1987	2006	1977	0	0	57	0	0	0
25/Jul/10 08:31:40	1992	2009	1979	0	0	57	0	0	0
25/Jul/10 08:31:50	1991	2013	1977	0	0	57	0	0	0
25/Jul/10 08:32:00	1989	2012	1982	0	0	57	0	0	0
25/Jul/10 08:32:10	1990	2018	1985	0	0	57	0	0	0
25/Jul/10 08:32:20	1988	2023	1983	0	0	57	0	0	0
25/Jul/10 08:32:30	1989	2022	1981	0	0	57	0	0	0
25/Jul/10 08:32:40	1986	2023	1984	0	0	57	0	0	0
25/Jul/10 08:32:50	1985	2025	1977	0	0	57	0	0	0
25/Jul/10 08:33:00	1985	2022	1972	0	0	57	0	0	0
25/Jul/10 08:33:10	1979	2018	1971	0	0	57	0	0	0
25/Jul/10 08:33:20	1982	2019	1971	0	0	57	0	0	0
25/Jul/10 08:33:30	1976	2016	1973	0	0	57	0	0	0
25/Jul/10 08:33:40	1971	2015	1974	0	0	57	0	0	0
25/Jul/10 08:33:50	1972	2014	1971	0	0	57	0	0	0
25/Jul/10 08:34:00	1971	2017	1969	0	0	57	0	0	0
25/Jul/10 08:34:10	1968	2021	1971	0	0	57	0	0	0
25/Jul/10 08:34:20	1971	2017	1968	0	0	57	0	0	0
25/Jul/10 08:34:30	1970	2018	1966	0	0	57	0	0	0
25/Jul/10 08:34:40	1969	2017	1970	0	0	57	0	0	0
25/Jul/10 08:34:50	1971	2017	1975	0	0	57	0	0	0
25/Jul/10 08:35:00	1976	2017	1974	0	0	57	0	0	0
25/Jul/10 08:35:10	1977	2021	1972	0	0	57	0	0	0
25/Jul/10 08:35:20	1978	2023	1976	0	0	57	0	0	0
25/Jul/10 08:35:30	1982	2022	1976	0	0	57	0	0	0
25/Jul/10 08:35:40	1983	2020	1976	0	0	57	0	0	0
25/Jul/10 08:35:50	1984	2018	1977	0	0	57	0	0	0
25/Jul/10 08:36:00	1988	2019	1976	0	0	57	0	0	0
25/Jul/10 08:36:10	1993	2029	1974	0	0	57	0	0	0
25/Jul/10 08:36:20	1992	2029	1975	0	0	57	0	0	0
25/Jul/10 08:36:30	1988	2024	1972	0	0	57	0	0	0
25/Jul/10 08:36:40	1986	2021	1972	0	0	57	0	0	0
25/Jul/10 08:36:50	1983	2022	1974	0	0	57	0	0	0
25/Jul/10 08:37:00	1981	2018	1976	0	0	57	0	0	0
25/Jul/10 08:37:10	1980	2016	1971	0	0	57	0	0	0
25/Jul/10 08:37:20	1981	2017	1972	0	0	57	0	0	0
25/Jul/10 08:37:30	1980	2018	1972	0	0	57	0	0	0
25/Jul/10 08:37:40	1980	2017	1970	0	0	57	0	0	0
25/Jul/10 08:37:50	1976	2015	1972	0	0	57	0	0	0
25/Jul/10 08:38:00	1973	2016	1975	0	0	57	0	0	0
25/Jul/10 08:38:10	1973	2016	1976	0	0	57	0	0	0
25/Jul/10 08:38:20	1974	2014	1978	0	0	57	0	0	0
25/Jul/10 08:38:30	1976	2013	1981	0	0	57	0	0	0
25/Jul/10 08:38:40	1976	2014	1986	0	0	57	0	0	0
25/Jul/10 08:38:50	1979	2016	1985	0	0	57	0	0	0
25/Jul/10 08:39:00	1979	2015	1986	0	0	57	0	0	0
25/Jul/10 08:39:10	1978	2012	1988	0	0	57	0	0	0
25/Jul/10 08:39:20	1977	2015	1987	0	0	57	0	0	0
25/Jul/10 08:39:30	1980	2015	1985	0	0	57	0	0	0
25/Jul/10 08:39:40	1982	2015	1983	0	0	57	0	0	0
25/Jul/10 08:39:50	1981	2015	1986	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:40:00	1982	2017	1988	0	0	57	0	0	0
25/Jul/10 08:40:10	1978	2014	1988	0	0	57	0	0	0
25/Jul/10 08:40:20	1977	2014	1984	0	0	57	0	0	0
25/Jul/10 08:40:30	1978	2019	1985	0	0	57	0	0	0
25/Jul/10 08:40:40	1980	2017	1980	0	0	57	0	0	0
25/Jul/10 08:40:50	1979	2018	1982	0	0	57	0	0	0
25/Jul/10 08:41:00	1976	2018	1984	0	0	57	0	0	0
25/Jul/10 08:41:10	1972	2016	1986	0	0	57	0	0	0
25/Jul/10 08:41:20	1973	2016	1982	0	0	57	0	0	0
25/Jul/10 08:41:30	1972	2016	1980	0	0	57	0	0	0
25/Jul/10 08:41:40	1971	2013	1981	0	0	57	0	0	0
25/Jul/10 08:41:50	1972	2013	1983	0	0	57	0	0	0
25/Jul/10 08:42:00	1973	2014	1984	0	0	57	0	0	0
25/Jul/10 08:42:10	1973	2011	1986	0	0	57	0	0	0
25/Jul/10 08:42:20	1976	2007	1984	0	0	57	0	0	0
25/Jul/10 08:42:30	1974	2009	1986	0	0	57	0	0	0
25/Jul/10 08:42:40	1973	2012	1985	0	0	57	0	0	0
25/Jul/10 08:42:50	1975	2012	1983	0	0	57	0	0	0
25/Jul/10 08:43:00	1975	2014	1980	0	0	57	0	0	0
25/Jul/10 08:43:10	1977	2010	1976	0	0	57	0	0	0
25/Jul/10 08:43:20	1978	2013	1975	0	0	57	0	0	0
25/Jul/10 08:43:30	1979	2017	1975	0	0	57	0	0	0
25/Jul/10 08:43:40	1981	2018	1976	0	0	57	0	0	0
25/Jul/10 08:43:50	1983	2016	1976	0	0	57	0	0	0
25/Jul/10 08:44:00	1984	2016	1978	0	0	57	0	0	0
25/Jul/10 08:44:10	1984	2020	1978	0	0	57	0	0	0
25/Jul/10 08:44:20	1986	2018	1977	0	0	57	0	0	0
25/Jul/10 08:44:30	1986	2018	1978	0	0	57	0	0	0
25/Jul/10 08:44:40	1987	2020	1976	0	0	57	0	0	0
25/Jul/10 08:44:50	1989	2024	1977	0	0	57	0	0	0
25/Jul/10 08:45:00	1988	2024	1979	0	0	57	0	0	0
25/Jul/10 08:45:10	1989	2028	1980	0	0	57	0	0	0
25/Jul/10 08:45:20	1986	2025	1984	0	0	57	0	0	0
25/Jul/10 08:45:30	1986	2023	1986	0	0	57	0	0	0
25/Jul/10 08:45:40	1986	2022	1987	0	0	57	0	0	0
25/Jul/10 08:45:50	1987	2020	1987	0	0	57	0	0	0
25/Jul/10 08:46:00	1988	2016	1985	0	0	57	0	0	0
25/Jul/10 08:46:10	1986	2020	1982	0	0	57	0	0	0
25/Jul/10 08:46:20	1989	2020	1980	0	0	57	0	0	0
25/Jul/10 08:46:30	1989	2018	1978	0	0	57	0	0	0
25/Jul/10 08:46:40	1988	2018	1979	0	0	57	0	0	0
25/Jul/10 08:46:50	1993	2021	1977	0	0	57	0	0	0
25/Jul/10 08:47:00	1992	2024	1975	0	0	57	0	0	0
25/Jul/10 08:47:10	1993	2024	1975	0	0	57	0	0	0
25/Jul/10 08:47:20	1995	2024	1978	0	0	57	0	0	0
25/Jul/10 08:47:30	1994	2025	1975	0	0	57	0	0	0
25/Jul/10 08:47:40	1990	2024	1974	0	0	57	0	0	0
25/Jul/10 08:47:50	1990	2027	1977	0	0	57	0	0	0
25/Jul/10 08:48:00	1989	2024	1975	0	0	57	0	0	0
25/Jul/10 08:48:10	1990	2021	1975	0	0	57	0	0	0
25/Jul/10 08:48:20	1992	2023	1973	0	0	57	0	0	0
25/Jul/10 08:48:30	1991	2021	1976	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:48:40	1986	2022	1979	0	0	57	0	0	0
25/Jul/10 08:48:50	1985	2022	1979	0	0	57	0	0	0
25/Jul/10 08:49:00	1986	2025	1977	0	0	57	0	0	0
25/Jul/10 08:49:10	1982	2023	1978	0	0	57	0	0	0
25/Jul/10 08:49:20	1983	2025	1980	0	0	57	0	0	0
25/Jul/10 08:49:30	1982	2027	1982	0	0	57	0	0	0
25/Jul/10 08:49:40	1981	2026	1983	0	0	57	0	0	0
25/Jul/10 08:49:50	1979	2029	1983	0	0	57	0	0	0
25/Jul/10 08:50:00	1977	2024	1986	0	0	57	0	0	0
25/Jul/10 08:50:10	1973	2028	1987	0	0	57	0	0	0
25/Jul/10 08:50:20	1970	2030	1987	0	0	57	0	0	0
25/Jul/10 08:50:30	1971	2031	1983	0	0	57	0	0	0
25/Jul/10 08:50:40	1969	2028	1981	0	0	57	0	0	0
25/Jul/10 08:50:50	1968	2028	1981	0	0	57	0	0	0
25/Jul/10 08:51:00	1974	2024	1979	0	0	57	0	0	0
25/Jul/10 08:51:10	1975	2021	1979	0	0	57	0	0	0
25/Jul/10 08:51:20	1974	2023	1980	0	0	57	0	0	0
25/Jul/10 08:51:30	1978	2028	1982	0	0	57	0	0	0
25/Jul/10 08:51:40	1984	2022	1980	0	0	57	0	0	0
25/Jul/10 08:51:50	1985	2020	1979	0	0	57	0	0	0
25/Jul/10 08:52:00	1988	2021	1986	0	0	57	0	0	0
25/Jul/10 08:52:10	1989	2021	1989	0	0	57	0	0	0
25/Jul/10 08:52:20	1989	2023	1990	0	0	57	0	0	0
25/Jul/10 08:52:30	1988	2016	1990	0	0	57	0	0	0
25/Jul/10 08:52:40	1987	2018	1990	0	0	57	0	0	0
25/Jul/10 08:52:50	1983	2016	1993	0	0	57	0	0	0
25/Jul/10 08:53:00	1981	2018	1994	0	0	57	0	0	0
25/Jul/10 08:53:10	1982	2019	1989	0	0	57	0	0	0
25/Jul/10 08:53:20	1978	2018	1987	0	0	57	0	0	0
25/Jul/10 08:53:30	1970	2020	1989	0	0	57	0	0	0
25/Jul/10 08:53:40	1968	2023	1988	0	0	57	0	0	0
25/Jul/10 08:53:50	1968	2018	1991	0	0	57	0	0	0
25/Jul/10 08:54:00	1969	2022	1991	0	0	57	0	0	0
25/Jul/10 08:54:10	1968	2021	1992	0	0	57	0	0	0
25/Jul/10 08:54:20	1966	2023	1996	0	0	57	0	0	0
25/Jul/10 08:54:30	1964	2022	1994	0	0	57	0	0	0
25/Jul/10 08:54:40	1968	2022	1994	0	0	57	0	0	0
25/Jul/10 08:54:50	1970	2018	1994	0	0	57	0	0	0
25/Jul/10 08:55:00	1972	2018	1994	0	0	57	0	0	0
25/Jul/10 08:55:10	1973	2019	1991	0	0	57	0	0	0
25/Jul/10 08:55:20	1977	2024	1991	0	0	57	0	0	0
25/Jul/10 08:55:30	1980	2021	1989	0	0	57	0	0	0
25/Jul/10 08:55:40	1982	2023	1990	0	0	57	0	0	0
25/Jul/10 08:55:50	1984	2017	1990	0	0	57	0	0	0
25/Jul/10 08:56:00	1985	2023	1988	0	0	57	0	0	0
25/Jul/10 08:56:10	1987	2024	1984	0	0	57	0	0	0
25/Jul/10 08:56:20	1988	2023	1981	0	0	57	0	0	0
25/Jul/10 08:56:30	1987	2021	1981	0	0	57	0	0	0
25/Jul/10 08:56:40	1988	2022	1981	0	0	57	0	0	0
25/Jul/10 08:56:50	1986	2021	1983	0	0	57	0	0	0
25/Jul/10 08:57:00	1986	2020	1986	0	0	57	0	0	0
25/Jul/10 08:57:10	1986	2022	1985	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 08:57:20	1984	2022	1987	0	0	57	0	0	0
25/Jul/10 08:57:30	1985	2020	1990	0	0	57	0	0	0
25/Jul/10 08:57:40	1984	2021	1988	0	0	57	0	0	0
25/Jul/10 08:57:50	1982	2022	1986	0	0	57	0	0	0
25/Jul/10 08:58:00	1981	2023	1984	0	0	57	0	0	0
25/Jul/10 08:58:10	1984	2025	1981	0	0	57	0	0	0
25/Jul/10 08:58:20	1983	2029	1982	0	0	57	0	0	0
25/Jul/10 08:58:30	1984	2031	1982	0	0	57	0	0	0
25/Jul/10 08:58:40	1984	2030	1981	0	0	57	0	0	0
25/Jul/10 08:58:50	1983	2030	1986	0	0	57	0	0	0
25/Jul/10 08:59:00	1980	2030	1982	0	0	57	0	0	0
25/Jul/10 08:59:10	1978	2028	1981	0	0	57	0	0	0
25/Jul/10 08:59:20	1976	2029	1981	0	0	57	0	0	0
25/Jul/10 08:59:30	1977	2031	1984	0	0	57	0	0	0
25/Jul/10 08:59:40	1977	2030	1983	0	0	57	0	0	0
25/Jul/10 08:59:50	1979	2035	1977	0	0	57	0	0	0
25/Jul/10 09:00:00	1979	2033	1976	0	0	57	0	0	0
25/Jul/10 09:00:10	1979	2032	1977	0	0	57	0	0	0
25/Jul/10 09:00:20	1981	2031	1974	0	0	57	0	0	0
25/Jul/10 09:00:30	1979	2035	1973	0	0	57	0	0	0
25/Jul/10 09:00:40	1982	2037	1973	0	0	57	0	0	0
25/Jul/10 09:00:50	1986	2038	1975	0	0	57	0	0	0
25/Jul/10 09:01:00	1989	2040	1977	0	0	57	0	0	0
25/Jul/10 09:01:10	1993	2042	1981	0	0	57	0	0	0
25/Jul/10 09:01:20	1993	2041	1985	0	0	57	0	0	0
25/Jul/10 09:01:30	1994	2037	1982	0	0	57	0	0	0
25/Jul/10 09:01:40	1991	2036	1979	0	0	57	0	0	0
25/Jul/10 09:01:50	1992	2032	1981	0	0	57	0	0	0
25/Jul/10 09:02:00	1993	2029	1984	0	0	57	0	0	0
25/Jul/10 09:02:10	1993	2022	1989	0	0	57	0	0	0
25/Jul/10 09:02:20	1995	2019	1990	0	0	57	0	0	0
25/Jul/10 09:02:30	1994	2021	1989	0	0	57	0	0	0
25/Jul/10 09:02:40	1994	2018	1988	0	0	57	0	0	0
25/Jul/10 09:02:50	1994	2017	1986	0	0	57	0	0	0
25/Jul/10 09:03:00	1995	2017	1983	0	0	57	0	0	0
25/Jul/10 09:03:10	1993	2017	1981	0	0	57	0	0	0
25/Jul/10 09:03:20	1992	2015	1979	0	0	57	0	0	0
25/Jul/10 09:03:30	1993	2019	1975	0	0	57	0	0	0
25/Jul/10 09:03:40	1991	2017	1975	0	0	57	0	0	0
25/Jul/10 09:03:50	1991	2021	1975	0	0	57	0	0	0
25/Jul/10 09:04:00	1990	2021	1974	0	0	57	0	0	0
25/Jul/10 09:04:10	1986	2019	1975	0	0	57	0	0	0
25/Jul/10 09:04:20	1984	2014	1978	0	0	57	0	0	0
25/Jul/10 09:04:30	1982	2011	1980	0	0	57	0	0	0
25/Jul/10 09:04:40	1984	2014	1981	0	0	57	0	0	0
25/Jul/10 09:04:50	1985	2015	1984	0	0	57	0	0	0
25/Jul/10 09:05:00	1987	2015	1987	0	0	57	0	0	0
25/Jul/10 09:05:10	1991	2014	1989	0	0	57	0	0	0
25/Jul/10 09:05:20	1991	2017	1990	0	0	57	0	0	0
25/Jul/10 09:05:30	1992	2018	1988	0	0	57	0	0	0
25/Jul/10 09:05:40	1994	2018	1989	0	0	57	0	0	0
25/Jul/10 09:05:50	1994	2008	1988	0	0	57	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:06:00	1993	2011	1989	0	0	57	0	0	0
25/Jul/10 09:06:10	1995	2012	1987	0	0	57	0	0	0
25/Jul/10 09:06:20	1997	2011	1988	0	0	57	0	0	0
25/Jul/10 09:06:30	1996	2010	1986	0	0	57	0	0	0
25/Jul/10 09:06:40	1997	2011	1988	0	0	57	0	0	0
25/Jul/10 09:06:50	1993	2013	1983	0	0	57	0	0	0
25/Jul/10 09:07:00	1989	2012	1978	0	0	57	0	0	0
25/Jul/10 09:07:10	1990	2010	1975	0	0	57	0	0	0
25/Jul/10 09:07:20	1990	2010	1978	0	0	57	0	0	0
25/Jul/10 09:07:30	1986	2011	1978	0	0	57	0	0	0
25/Jul/10 09:07:40	1983	2013	1978	0	0	57	0	0	0
25/Jul/10 09:07:50	1977	2015	1975	0	0	57	0	0	0
25/Jul/10 09:08:00	1981	2017	1976	0	0	57	0	0	0
25/Jul/10 09:08:10	1979	2018	1973	0	0	57	0	0	0
25/Jul/10 09:08:20	1977	2017	1978	0	0	57	0	0	0
25/Jul/10 09:08:30	1972	2015	1980	0	0	57	0	0	0
25/Jul/10 09:08:40	1972	2016	1982	0	0	57	0	0	0
25/Jul/10 09:08:50	1976	2016	1978	0	0	57	0	0	0
25/Jul/10 09:09:00	1976	2018	1981	0	0	57	0	0	0
25/Jul/10 09:09:10	1973	2017	1981	0	0	57	0	0	0
25/Jul/10 09:09:20	1973	2015	1983	0	0	57	0	0	0
25/Jul/10 09:09:30	1975	2013	1986	0	0	57	0	0	0
25/Jul/10 09:09:40	1977	2013	1986	0	0	57	0	0	0
25/Jul/10 09:09:50	1972	2012	1981	0	0	57	0	0	0
25/Jul/10 09:10:00	1970	2014	1984	0	0	57	0	0	0
25/Jul/10 09:10:10	1973	2016	1981	0	0	57	0	0	0
25/Jul/10 09:10:20	1974	2014	1979	0	0	57	0	0	0
25/Jul/10 09:10:30	1972	2014	1980	0	0	57	0	0	0
25/Jul/10 09:10:40	1975	2014	1978	0	0	57	0	0	0
25/Jul/10 09:10:50	1979	2015	1980	0	0	57	0	0	0
25/Jul/10 09:11:00	1981	2014	1980	0	0	57	0	0	0
25/Jul/10 09:11:10	1985	2009	1986	0	0	57	0	0	0
25/Jul/10 09:11:20	1982	2008	1987	0	0	57	0	0	0
25/Jul/10 09:11:30	1984	2015	1984	0	0	57	0	0	0
25/Jul/10 09:11:40	1987	2014	1986	0	0	57	0	0	0
25/Jul/10 09:11:50	1990	2014	1989	0	0	57	0	0	0
25/Jul/10 09:12:00	1992	2015	1983	0	0	57	0	0	0
25/Jul/10 09:12:10	1994	2016	1981	0	0	57	0	0	0
25/Jul/10 09:12:20	1996	2012	1982	0	0	57	0	0	0
25/Jul/10 09:12:30	1991	2010	1980	0	0	57	0	0	0
25/Jul/10 09:12:40	1991	2010	1982	0	0	57	0	0	0
25/Jul/10 09:12:50	1987	2008	1983	0	0	57	0	0	0
25/Jul/10 09:13:00	1986	2011	1981	0	0	57	0	0	0
25/Jul/10 09:13:10	1984	2013	1979	0	0	57	0	0	0
25/Jul/10 09:13:20	1982	2014	1979	0	0	57	0	0	0
25/Jul/10 09:13:30	1986	2010	1982	0	0	57	0	0	0
25/Jul/10 09:13:40	1987	2017	1983	0	0	57	0	0	0
25/Jul/10 09:13:50	1985	2023	1985	0	0	57	0	0	0
25/Jul/10 09:14:00	1985	2019	1986	0	0	57	0	0	0
25/Jul/10 09:14:10	1987	2019	1988	0	0	57	0	0	0
25/Jul/10 09:14:20	1988	2020	1989	0	0	57	0	0	0
25/Jul/10 09:14:30	1989	2022	1992	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:14:40	1992	2021	1989	0	0	57	0	0	0
25/Jul/10 09:14:50	1994	2021	1984	0	0	57	0	0	0
25/Jul/10 09:15:00	1995	2022	1985	0	0	57	0	0	0
25/Jul/10 09:15:10	1993	2024	1988	0	0	57	0	0	0
25/Jul/10 09:15:20	1991	2023	1989	0	0	57	0	0	0
25/Jul/10 09:15:30	1991	2022	1991	0	0	57	0	0	0
25/Jul/10 09:15:40	1987	2020	1993	0	0	57	0	0	0
25/Jul/10 09:15:50	1986	2021	1991	0	0	57	0	0	0
25/Jul/10 09:16:00	1987	2020	1988	0	0	57	0	0	0
25/Jul/10 09:16:10	1982	2021	1989	0	0	57	0	0	0
25/Jul/10 09:16:20	1984	2020	1990	0	0	57	0	0	0
25/Jul/10 09:16:30	1984	2022	1989	0	0	57	0	0	0
25/Jul/10 09:16:40	1982	2017	1991	0	0	57	0	0	0
25/Jul/10 09:16:50	1979	2018	1993	0	0	57	0	0	0
25/Jul/10 09:17:00	1982	2015	1992	0	0	57	0	0	0
25/Jul/10 09:17:10	1980	2016	1989	0	0	57	0	0	0
25/Jul/10 09:17:20	1978	2018	1990	0	0	57	0	0	0
25/Jul/10 09:17:30	1983	2022	1988	0	0	57	0	0	0
25/Jul/10 09:17:40	1981	2019	1991	0	0	57	0	0	0
25/Jul/10 09:17:50	1977	2016	1994	0	0	57	0	0	0
25/Jul/10 09:18:00	1978	2013	1992	0	0	57	0	0	0
25/Jul/10 09:18:10	1972	2012	1988	0	0	57	0	0	0
25/Jul/10 09:18:20	1970	2018	1991	0	0	57	0	0	0
25/Jul/10 09:18:30	1973	2020	1991	0	0	57	0	0	0
25/Jul/10 09:18:40	1974	2021	1992	0	0	57	0	0	0
25/Jul/10 09:18:50	1973	2016	1992	0	0	57	0	0	0
25/Jul/10 09:19:00	1976	2015	1987	0	0	57	0	0	0
25/Jul/10 09:19:10	1980	2011	1987	0	0	57	0	0	0
25/Jul/10 09:19:20	1980	2013	1987	0	0	57	0	0	0
25/Jul/10 09:19:30	1985	2015	1988	0	0	57	0	0	0
25/Jul/10 09:19:40	1987	2019	1987	0	0	57	0	0	0
25/Jul/10 09:19:50	1990	2018	1984	0	0	57	0	0	0
25/Jul/10 09:20:00	1990	2018	1986	0	0	57	0	0	0
25/Jul/10 09:20:10	1991	2023	1986	0	0	57	0	0	0
25/Jul/10 09:20:20	1990	2023	1985	0	0	57	0	0	0
25/Jul/10 09:20:30	1989	2025	1988	0	0	57	0	0	0
25/Jul/10 09:20:40	1986	2026	1988	0	0	57	0	0	0
25/Jul/10 09:20:50	1986	2024	1988	0	0	57	0	0	0
25/Jul/10 09:21:00	1985	2023	1991	0	0	57	0	0	0
25/Jul/10 09:21:10	1983	2025	1993	0	0	57	0	0	0
25/Jul/10 09:21:20	1980	2027	1993	0	0	57	0	0	0
25/Jul/10 09:21:30	1979	2025	1991	0	0	57	0	0	0
25/Jul/10 09:21:40	1981	2028	1990	0	0	57	0	0	0
25/Jul/10 09:21:50	1984	2027	1986	0	0	57	0	0	0
25/Jul/10 09:22:00	1983	2023	1986	0	0	57	0	0	0
25/Jul/10 09:22:10	1981	2025	1988	0	0	57	0	0	0
25/Jul/10 09:22:20	1979	2023	1992	0	0	57	0	0	0
25/Jul/10 09:22:30	1980	2024	1988	0	0	57	0	0	0
25/Jul/10 09:22:40	1983	2024	1986	0	0	57	0	0	0
25/Jul/10 09:22:50	1983	2025	1983	0	0	57	0	0	0
25/Jul/10 09:23:00	1984	2025	1984	0	0	57	0	0	0
25/Jul/10 09:23:10	1986	2026	1981	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:23:20	1984	2024	1980	0	0	57	0	0	0
25/Jul/10 09:23:30	1981	2025	1979	0	0	57	0	0	0
25/Jul/10 09:23:40	1981	2023	1981	0	0	57	0	0	0
25/Jul/10 09:23:50	1980	2024	1986	0	0	57	0	0	0
25/Jul/10 09:24:00	1983	2024	1985	0	0	57	0	0	0
25/Jul/10 09:24:10	1983	2023	1980	0	0	57	0	0	0
25/Jul/10 09:24:20	1986	2021	1979	0	0	57	0	0	0
25/Jul/10 09:24:30	1982	2023	1982	0	0	57	0	0	0
25/Jul/10 09:24:40	1980	2024	1981	0	0	57	0	0	0
25/Jul/10 09:24:50	1982	2027	1980	0	0	57	0	0	0
25/Jul/10 09:25:00	1983	2029	1982	0	0	57	0	0	0
25/Jul/10 09:25:10	1986	2031	1985	0	0	57	0	0	0
25/Jul/10 09:25:20	1987	2026	1984	0	0	57	0	0	0
25/Jul/10 09:25:30	1985	2029	1980	0	0	57	0	0	0
25/Jul/10 09:25:40	1985	2031	1978	0	0	57	0	0	0
25/Jul/10 09:25:50	1984	2028	1976	0	0	57	0	0	0
25/Jul/10 09:26:00	1988	2031	1977	0	0	57	0	0	0
25/Jul/10 09:26:10	1989	2030	1974	0	0	57	0	0	0
25/Jul/10 09:26:20	1990	2029	1970	0	0	57	0	0	0
25/Jul/10 09:26:30	1994	2027	1971	0	0	57	0	0	0
25/Jul/10 09:26:40	1994	2029	1973	0	0	57	0	0	0
25/Jul/10 09:26:50	1994	2029	1974	0	0	57	0	0	0
25/Jul/10 09:27:00	1988	2027	1973	0	0	57	0	0	0
25/Jul/10 09:27:10	1985	2023	1975	0	0	57	0	0	0
25/Jul/10 09:27:20	1984	2026	1980	0	0	57	0	0	0
25/Jul/10 09:27:30	1983	2023	1985	0	0	57	0	0	0
25/Jul/10 09:27:40	1979	2024	1987	0	0	57	0	0	0
25/Jul/10 09:27:50	1979	2024	1986	0	0	57	0	0	0
25/Jul/10 09:28:00	1976	2029	1981	0	0	57	0	0	0
25/Jul/10 09:28:10	1976	2024	1983	0	0	57	0	0	0
25/Jul/10 09:28:20	1973	2021	1985	0	0	57	0	0	0
25/Jul/10 09:28:30	1971	2018	1983	0	0	57	0	0	0
25/Jul/10 09:28:40	1972	2022	1983	0	0	57	0	0	0
25/Jul/10 09:28:50	1974	2021	1986	0	0	57	0	0	0
25/Jul/10 09:29:00	1977	2022	1987	0	0	57	0	0	0
25/Jul/10 09:29:10	1977	2025	1985	0	0	57	0	0	0
25/Jul/10 09:29:20	1981	2022	1988	0	0	57	0	0	0
25/Jul/10 09:29:30	1986	2019	1986	0	0	57	0	0	0
25/Jul/10 09:29:40	1987	2021	1984	0	0	57	0	0	0
25/Jul/10 09:29:50	1984	2021	1984	0	0	57	0	0	0
25/Jul/10 09:30:00	1984	2019	1982	0	0	57	0	0	0
25/Jul/10 09:30:10	1982	2017	1980	0	0	57	0	0	0
25/Jul/10 09:30:20	1981	2021	1976	0	0	57	0	0	0
25/Jul/10 09:30:30	1979	2019	1974	0	0	57	0	0	0
25/Jul/10 09:30:40	1979	2018	1979	0	0	57	0	0	0
25/Jul/10 09:30:50	1978	2021	1979	0	0	57	0	0	0
25/Jul/10 09:31:00	1980	2018	1980	0	0	57	0	0	0
25/Jul/10 09:31:10	1981	2015	1982	0	0	57	0	0	0
25/Jul/10 09:31:20	1980	2016	1984	0	0	57	0	0	0
25/Jul/10 09:31:30	1981	2015	1986	0	0	57	0	0	0
25/Jul/10 09:31:40	1985	2014	1982	0	0	57	0	0	0
25/Jul/10 09:31:50	1985	2015	1981	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:32:00	1987	2016	1985	0	0	57	0	0	0
25/Jul/10 09:32:10	1987	2019	1985	0	0	57	0	0	0
25/Jul/10 09:32:20	1989	2016	1986	0	0	57	0	0	0
25/Jul/10 09:32:30	1988	2017	1984	0	0	57	0	0	0
25/Jul/10 09:32:40	1991	2018	1982	0	0	57	0	0	0
25/Jul/10 09:32:50	1992	2018	1983	0	0	57	0	0	0
25/Jul/10 09:33:00	1987	2018	1980	0	0	57	0	0	0
25/Jul/10 09:33:10	1988	2023	1979	0	0	57	0	0	0
25/Jul/10 09:33:20	1986	2017	1977	0	0	57	0	0	0
25/Jul/10 09:33:30	1983	2019	1976	0	0	57	0	0	0
25/Jul/10 09:33:40	1981	2021	1979	0	0	57	0	0	0
25/Jul/10 09:33:50	1977	2018	1979	0	0	57	0	0	0
25/Jul/10 09:34:00	1981	2018	1976	0	0	57	0	0	0
25/Jul/10 09:34:10	1978	2018	1977	0	0	57	0	0	0
25/Jul/10 09:34:20	1977	2021	1978	0	0	57	0	0	0
25/Jul/10 09:34:30	1977	2025	1975	0	0	57	0	0	0
25/Jul/10 09:34:40	1978	2024	1975	0	0	57	0	0	0
25/Jul/10 09:34:50	1978	2026	1978	0	0	57	0	0	0
25/Jul/10 09:35:00	1976	2026	1979	0	0	57	0	0	0
25/Jul/10 09:35:10	1972	2024	1980	0	0	57	0	0	0
25/Jul/10 09:35:20	1972	2024	1982	0	0	57	0	0	0
25/Jul/10 09:35:30	1975	2024	1982	0	0	57	0	0	0
25/Jul/10 09:35:40	1976	2032	1987	0	0	57	0	0	0
25/Jul/10 09:35:50	1973	2034	1989	0	0	57	0	0	0
25/Jul/10 09:36:00	1975	2031	1993	0	0	57	0	0	0
25/Jul/10 09:36:10	1977	2030	1993	0	0	57	0	0	0
25/Jul/10 09:36:20	1973	2028	1994	0	0	57	0	0	0
25/Jul/10 09:36:30	1974	2033	1993	0	0	57	0	0	0
25/Jul/10 09:36:40	1973	2031	1990	0	0	57	0	0	0
25/Jul/10 09:36:50	1977	2030	1987	0	0	57	0	0	0
25/Jul/10 09:37:00	1978	2029	1982	0	0	57	0	0	0
25/Jul/10 09:37:10	1981	2027	1980	0	0	57	0	0	0
25/Jul/10 09:37:20	1984	2023	1981	0	0	57	0	0	0
25/Jul/10 09:37:30	1988	2023	1984	0	0	57	0	0	0
25/Jul/10 09:37:40	1989	2022	1983	0	0	57	0	0	0
25/Jul/10 09:37:50	1989	2019	1987	0	0	57	0	0	0
25/Jul/10 09:38:00	1991	2016	1988	0	0	57	0	0	0
25/Jul/10 09:38:10	1992	2017	1987	0	0	57	0	0	0
25/Jul/10 09:38:20	1993	2015	1985	0	0	57	0	0	0
25/Jul/10 09:38:30	1992	2016	1986	0	0	57	0	0	0
25/Jul/10 09:38:40	1989	2017	1983	0	0	57	0	0	0
25/Jul/10 09:38:50	1991	2018	1983	0	0	57	0	0	0
25/Jul/10 09:39:00	1988	2017	1985	0	0	57	0	0	0
25/Jul/10 09:39:10	1989	2017	1987	0	0	57	0	0	0
25/Jul/10 09:39:20	1986	2018	1989	0	0	57	0	0	0
25/Jul/10 09:39:30	1991	2023	1991	0	0	57	0	0	0
25/Jul/10 09:39:40	1995	2021	1992	0	0	57	0	0	0
25/Jul/10 09:39:50	1988	2019	1989	0	0	57	0	0	0
25/Jul/10 09:40:00	1989	2021	1988	0	0	57	0	0	0
25/Jul/10 09:40:10	1989	2023	1988	0	0	57	0	0	0
25/Jul/10 09:40:20	1991	2021	1991	0	0	57	0	0	0
25/Jul/10 09:40:30	1997	2019	1991	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:40:40	1997	2015	1991	0	0	57	0	0	0
25/Jul/10 09:40:50	2000	2023	1990	0	0	57	0	0	0
25/Jul/10 09:41:00	1999	2022	1989	0	0	57	0	0	0
25/Jul/10 09:41:10	1997	2018	1991	0	0	57	0	0	0
25/Jul/10 09:41:20	1994	2019	1987	0	0	57	0	0	0
25/Jul/10 09:41:30	1993	2023	1983	0	0	57	0	0	0
25/Jul/10 09:41:40	1995	2021	1982	0	0	57	0	0	0
25/Jul/10 09:41:50	1993	2021	1983	0	0	57	0	0	0
25/Jul/10 09:42:00	1991	2023	1980	0	0	57	0	0	0
25/Jul/10 09:42:10	1988	2019	1980	0	0	57	0	0	0
25/Jul/10 09:42:20	1986	2019	1979	0	0	57	0	0	0
25/Jul/10 09:42:30	1982	2015	1976	0	0	57	0	0	0
25/Jul/10 09:42:40	1981	2009	1976	0	0	57	0	0	0
25/Jul/10 09:42:50	1982	2012	1979	0	0	57	0	0	0
25/Jul/10 09:43:00	1981	2011	1980	0	0	57	0	0	0
25/Jul/10 09:43:10	1977	2014	1979	0	0	57	0	0	0
25/Jul/10 09:43:20	1977	2017	1983	0	0	57	0	0	0
25/Jul/10 09:43:30	1976	2022	1987	0	0	57	0	0	0
25/Jul/10 09:43:40	1975	2019	1987	0	0	57	0	0	0
25/Jul/10 09:43:50	1980	2022	1988	0	0	57	0	0	0
25/Jul/10 09:44:00	1982	2027	1989	0	0	57	0	0	0
25/Jul/10 09:44:10	1983	2023	1992	0	0	57	0	0	0
25/Jul/10 09:44:20	1987	2024	1993	0	0	57	0	0	0
25/Jul/10 09:44:30	1991	2022	1995	0	0	57	0	0	0
25/Jul/10 09:44:40	1991	2019	1995	0	0	57	0	0	0
25/Jul/10 09:44:50	1991	2022	1995	0	0	57	0	0	0
25/Jul/10 09:45:00	1994	2021	1994	0	0	57	0	0	0
25/Jul/10 09:45:10	1996	2017	1991	0	0	57	0	0	0
25/Jul/10 09:45:20	1995	2017	1989	0	0	57	0	0	0
25/Jul/10 09:45:30	1999	2016	1991	0	0	57	0	0	0
25/Jul/10 09:45:40	1992	2015	1994	0	0	57	0	0	0
25/Jul/10 09:45:50	1991	2015	1993	0	0	57	0	0	0
25/Jul/10 09:46:00	1990	2017	1990	0	0	57	0	0	0
25/Jul/10 09:46:10	1990	2021	1991	0	0	57	0	0	0
25/Jul/10 09:46:20	1987	2022	1992	0	0	57	0	0	0
25/Jul/10 09:46:30	1985	2019	1989	0	0	57	0	0	0
25/Jul/10 09:46:40	1984	2021	1987	0	0	57	0	0	0
25/Jul/10 09:46:50	1980	2022	1985	0	0	57	0	0	0
25/Jul/10 09:47:00	1975	2023	1986	0	0	57	0	0	0
25/Jul/10 09:47:10	1975	2022	1987	0	0	57	0	0	0
25/Jul/10 09:47:20	1974	2019	1985	0	0	57	0	0	0
25/Jul/10 09:47:30	1980	2019	1987	0	0	57	0	0	0
25/Jul/10 09:47:40	1981	2019	1985	0	0	57	0	0	0
25/Jul/10 09:47:50	1979	2019	1986	0	0	57	0	0	0
25/Jul/10 09:48:00	1976	2021	1985	0	0	57	0	0	0
25/Jul/10 09:48:10	1977	2022	1989	0	0	57	0	0	0
25/Jul/10 09:48:20	1976	2019	1993	0	0	57	0	0	0
25/Jul/10 09:48:30	1979	2021	1993	0	0	57	0	0	0
25/Jul/10 09:48:40	1983	2023	1996	0	0	57	0	0	0
25/Jul/10 09:48:50	1985	2023	1999	0	0	57	0	0	0
25/Jul/10 09:49:00	1982	2021	1998	0	0	57	0	0	0
25/Jul/10 09:49:10	1977	2022	1996	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:49:20	1975	2028	1993	0	0	57	0	0	0
25/Jul/10 09:49:30	1973	2028	1995	0	0	57	0	0	0
25/Jul/10 09:49:40	1976	2024	1992	0	0	57	0	0	0
25/Jul/10 09:49:50	1977	2022	1988	0	0	57	0	0	0
25/Jul/10 09:50:00	1978	2019	1988	0	0	57	0	0	0
25/Jul/10 09:50:10	1979	2017	1990	0	0	57	0	0	0
25/Jul/10 09:50:20	1981	2019	1988	0	0	57	0	0	0
25/Jul/10 09:50:30	1980	2022	1987	0	0	57	0	0	0
25/Jul/10 09:50:40	1981	2017	1982	0	0	57	0	0	0
25/Jul/10 09:50:50	1987	2018	1981	0	0	57	0	0	0
25/Jul/10 09:51:00	1989	2020	1983	0	0	57	0	0	0
25/Jul/10 09:51:10	1994	2022	1985	0	0	57	0	0	0
25/Jul/10 09:51:20	1996	2018	1986	0	0	57	0	0	0
25/Jul/10 09:51:30	1998	2015	1987	0	0	57	0	0	0
25/Jul/10 09:51:40	1997	2012	1987	0	0	57	0	0	0
25/Jul/10 09:51:50	1996	2017	1987	0	0	57	0	0	0
25/Jul/10 09:52:00	1997	2019	1989	0	0	57	0	0	0
25/Jul/10 09:52:10	1995	2019	1992	0	0	57	0	0	0
25/Jul/10 09:52:20	1993	2014	1984	0	0	57	0	0	0
25/Jul/10 09:52:30	1989	2015	1984	0	0	57	0	0	0
25/Jul/10 09:52:40	1990	2014	1985	0	0	57	0	0	0
25/Jul/10 09:52:50	1981	2014	1983	0	0	57	0	0	0
25/Jul/10 09:53:00	1976	2018	1986	0	0	57	0	0	0
25/Jul/10 09:53:10	1972	2021	1985	0	0	57	0	0	0
25/Jul/10 09:53:20	1969	2020	1982	0	0	57	0	0	0
25/Jul/10 09:53:30	1966	2017	1983	0	0	57	0	0	0
25/Jul/10 09:53:40	1965	2018	1984	0	0	57	0	0	0
25/Jul/10 09:53:50	1962	2019	1983	0	0	57	0	0	0
25/Jul/10 09:54:00	1965	2014	1982	0	0	57	0	0	0
25/Jul/10 09:54:10	1967	2022	1982	0	0	57	0	0	0
25/Jul/10 09:54:20	1968	2021	1980	0	0	57	0	0	0
25/Jul/10 09:54:30	1969	2017	1984	0	0	57	0	0	0
25/Jul/10 09:54:40	1967	2015	1978	0	0	57	0	0	0
25/Jul/10 09:54:50	1972	2019	1975	0	0	57	0	0	0
25/Jul/10 09:55:00	1974	2020	1975	0	0	57	0	0	0
25/Jul/10 09:55:10	1972	2022	1975	0	0	57	0	0	0
25/Jul/10 09:55:20	1978	2021	1980	0	0	57	0	0	0
25/Jul/10 09:55:30	1980	2025	1980	0	0	57	0	0	0
25/Jul/10 09:55:40	1982	2019	1978	0	0	57	0	0	0
25/Jul/10 09:55:50	1980	2023	1976	0	0	57	0	0	0
25/Jul/10 09:56:00	1979	2019	1978	0	0	57	0	0	0
25/Jul/10 09:56:10	1980	2022	1976	0	0	57	0	0	0
25/Jul/10 09:56:20	1979	2021	1976	0	0	57	0	0	0
25/Jul/10 09:56:30	1984	2022	1979	0	0	57	0	0	0
25/Jul/10 09:56:40	1982	2019	1980	0	0	57	0	0	0
25/Jul/10 09:56:50	1982	2019	1978	0	0	57	0	0	0
25/Jul/10 09:57:00	1983	2022	1979	0	0	57	0	0	0
25/Jul/10 09:57:10	1985	2024	1979	0	0	57	0	0	0
25/Jul/10 09:57:20	1983	2025	1980	0	0	57	0	0	0
25/Jul/10 09:57:30	1982	2024	1981	0	0	57	0	0	0
25/Jul/10 09:57:40	1982	2023	1982	0	0	57	0	0	0
25/Jul/10 09:57:50	1981	2025	1983	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 09:58:00	1985	2024	1982	0	0	57	0	0	0
25/Jul/10 09:58:10	1983	2024	1979	0	0	57	0	0	0
25/Jul/10 09:58:20	1982	2026	1981	0	0	57	0	0	0
25/Jul/10 09:58:30	1977	2023	1980	0	0	57	0	0	0
25/Jul/10 09:58:40	1977	2026	1979	0	0	57	0	0	0
25/Jul/10 09:58:50	1976	2025	1978	0	0	57	0	0	0
25/Jul/10 09:59:00	1972	2025	1977	0	0	57	0	0	0
25/Jul/10 09:59:10	1971	2027	1981	0	0	57	0	0	0
25/Jul/10 09:59:20	1969	2025	1982	0	0	57	0	0	0
25/Jul/10 09:59:30	1972	2028	1984	0	0	57	0	0	0
25/Jul/10 09:59:40	1971	2030	1984	0	0	57	0	0	0
25/Jul/10 09:59:50	1970	2027	1985	0	0	57	0	0	0
25/Jul/10 10:00:00	1971	2031	1988	0	0	57	0	0	0
25/Jul/10 10:00:10	1970	2028	1985	0	0	57	0	0	0
25/Jul/10 10:00:20	1974	2027	1987	0	0	57	0	0	0
25/Jul/10 10:00:30	1974	2029	1983	0	0	57	0	0	0
25/Jul/10 10:00:40	1974	2031	1984	0	0	57	0	0	0
25/Jul/10 10:00:50	1981	2026	1982	0	0	57	0	0	0
25/Jul/10 10:01:00	1979	2028	1982	0	0	57	0	0	0
25/Jul/10 10:01:10	1981	2027	1982	0	0	57	0	0	0
25/Jul/10 10:01:20	1979	2023	1980	0	0	57	0	0	0
25/Jul/10 10:01:30	1981	2032	1985	0	0	57	0	0	0
25/Jul/10 10:01:40	1978	2030	1984	0	0	57	0	0	0
25/Jul/10 10:01:50	1979	2025	1983	0	0	57	0	0	0
25/Jul/10 10:02:00	1980	2023	1983	0	0	57	0	0	0
25/Jul/10 10:02:10	1980	2021	1981	0	0	57	0	0	0
25/Jul/10 10:02:20	1980	2025	1981	0	0	57	0	0	0
25/Jul/10 10:02:30	1982	2022	1980	0	0	57	0	0	0
25/Jul/10 10:02:40	1982	2021	1982	0	0	57	0	0	0
25/Jul/10 10:02:50	1982	2024	1985	0	0	57	0	0	0
25/Jul/10 10:03:00	1983	2023	1987	0	0	57	0	0	0
25/Jul/10 10:03:10	1983	2025	1988	0	0	57	0	0	0
25/Jul/10 10:03:20	1985	2024	1982	0	0	57	0	0	0
25/Jul/10 10:03:30	1988	2023	1983	0	0	57	0	0	0
25/Jul/10 10:03:40	1989	2025	1987	0	0	57	0	0	0
25/Jul/10 10:03:50	1986	2024	1987	0	0	57	0	0	0
25/Jul/10 10:04:00	1988	2023	1988	0	0	57	0	0	0
25/Jul/10 10:04:10	1990	2019	1985	0	0	57	0	0	0
25/Jul/10 10:04:20	1989	2023	1984	0	0	57	0	0	0
25/Jul/10 10:04:30	1990	2018	1982	0	0	57	0	0	0
25/Jul/10 10:04:40	1990	2021	1984	0	0	57	0	0	0
25/Jul/10 10:04:50	1990	2025	1983	0	0	57	0	0	0
25/Jul/10 10:05:00	1989	2027	1987	0	0	57	0	0	0
25/Jul/10 10:05:10	1988	2025	1985	0	0	57	0	0	0
25/Jul/10 10:05:20	1988	2026	1987	0	0	57	0	0	0
25/Jul/10 10:05:30	1986	2026	1987	0	0	57	0	0	0
25/Jul/10 10:05:40	1987	2027	1990	0	0	57	0	0	0
25/Jul/10 10:05:50	1985	2025	1986	0	0	57	0	0	0
25/Jul/10 10:06:00	1986	2021	1985	0	0	57	0	0	0
25/Jul/10 10:06:10	1984	2022	1985	0	0	57	0	0	0
25/Jul/10 10:06:20	1982	2023	1983	0	0	57	0	0	0
25/Jul/10 10:06:30	1986	2025	1982	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:06:40	1985	2028	1983	0	0	57	0	0	0
25/Jul/10 10:06:50	1983	2027	1981	0	0	57	0	0	0
25/Jul/10 10:07:00	1984	2031	1979	0	0	57	0	0	0
25/Jul/10 10:07:10	1984	2032	1979	0	0	57	0	0	0
25/Jul/10 10:07:20	1982	2035	1980	0	0	57	0	0	0
25/Jul/10 10:07:30	1977	2033	1979	0	0	57	0	0	0
25/Jul/10 10:07:40	1977	2023	1978	0	0	57	0	0	0
25/Jul/10 10:07:50	1976	2023	1977	0	0	57	0	0	0
25/Jul/10 10:08:00	1972	2031	1978	0	0	57	0	0	0
25/Jul/10 10:08:10	1974	2023	1971	0	0	57	0	0	0
25/Jul/10 10:08:20	1968	2031	1973	0	0	57	0	0	0
25/Jul/10 10:08:30	1964	2032	1971	0	0	57	0	0	0
25/Jul/10 10:08:40	1967	2034	1972	0	0	57	0	0	0
25/Jul/10 10:08:50	1966	2035	1974	0	0	57	0	0	0
25/Jul/10 10:09:00	1967	2034	1974	0	0	57	0	0	0
25/Jul/10 10:09:10	1972	2031	1973	0	0	57	0	0	0
25/Jul/10 10:09:20	1977	2027	1976	0	0	57	0	0	0
25/Jul/10 10:09:30	1978	2031	1978	0	0	57	0	0	0
25/Jul/10 10:09:40	1982	2028	1979	0	0	57	0	0	0
25/Jul/10 10:09:50	1986	2023	1977	0	0	57	0	0	0
25/Jul/10 10:10:00	1986	2019	1978	0	0	57	0	0	1
25/Jul/10 10:10:10	1990	2023	1977	0	0	57	0	0	1
25/Jul/10 10:10:20	1993	2023	1979	0	0	57	0	0	1
25/Jul/10 10:10:30	1995	2025	1980	0	0	57	0	0	1
25/Jul/10 10:10:40	1995	2024	1982	0	0	57	0	0	1
25/Jul/10 10:10:50	1993	2023	1985	0	0	57	0	0	0
25/Jul/10 10:11:00	1990	2019	1988	0	0	57	0	0	0
25/Jul/10 10:11:10	1988	2025	1988	0	0	57	0	0	0
25/Jul/10 10:11:20	1987	2021	1987	0	0	57	0	0	0
25/Jul/10 10:11:30	1981	2019	1985	0	0	57	0	0	0
25/Jul/10 10:11:40	1980	2016	1987	0	0	57	0	0	0
25/Jul/10 10:11:50	1979	2014	1985	0	0	57	0	0	0
25/Jul/10 10:12:00	1978	2013	1985	0	0	57	0	0	0
25/Jul/10 10:12:10	1980	2014	1987	0	0	57	0	0	0
25/Jul/10 10:12:20	1979	2018	1989	0	0	57	0	0	0
25/Jul/10 10:12:30	1977	2018	1990	0	0	57	0	0	0
25/Jul/10 10:12:40	1975	2018	1988	0	0	57	0	0	0
25/Jul/10 10:12:50	1978	2015	1988	0	0	57	0	0	0
25/Jul/10 10:13:00	1979	2017	1985	0	0	57	0	0	0
25/Jul/10 10:13:10	1983	2017	1985	0	0	57	0	0	0
25/Jul/10 10:13:20	1989	2017	1980	0	0	57	0	0	0
25/Jul/10 10:13:30	1992	2018	1974	0	0	57	0	0	0
25/Jul/10 10:13:40	1994	2017	1976	0	0	57	0	0	1
25/Jul/10 10:13:50	1992	2017	1974	0	0	57	0	0	1
25/Jul/10 10:14:00	1990	2022	1974	0	0	57	0	0	1
25/Jul/10 10:14:10	1989	2019	1971	0	0	57	0	0	1
25/Jul/10 10:14:20	1990	2023	1969	0	0	57	0	0	1
25/Jul/10 10:14:30	1991	2022	1971	0	0	57	0	0	1
25/Jul/10 10:14:40	1992	2017	1970	0	0	57	0	0	1
25/Jul/10 10:14:50	1995	2022	1974	0	0	57	0	0	1
25/Jul/10 10:15:00	1991	2019	1973	0	0	57	0	0	1
25/Jul/10 10:15:10	1990	2022	1972	0	0	57	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:15:20	1984	2019	1973	0	0	57	0	0	1
25/Jul/10 10:15:30	1987	2015	1979	0	0	57	0	0	1
25/Jul/10 10:15:40	1989	2018	1984	0	0	57	0	0	1
25/Jul/10 10:15:50	1989	2022	2001	0	0	57	0	0	1
25/Jul/10 10:16:00	1991	2025	1997	0	0	57	0	0	1
25/Jul/10 10:16:10	1992	2023	1995	0	0	57	0	0	1
25/Jul/10 10:16:20	1990	2023	1995	0	0	57	0	0	0
25/Jul/10 10:16:30	1989	2027	1994	0	0	57	0	0	0
25/Jul/10 10:16:40	1984	2031	1995	0	0	57	0	0	0
25/Jul/10 10:16:50	1982	2025	1993	0	0	57	0	0	0
25/Jul/10 10:17:00	1986	2023	1989	0	0	57	0	0	0
25/Jul/10 10:17:10	1989	2020	1985	0	0	57	0	0	1
25/Jul/10 10:17:20	1988	2020	1983	0	0	57	0	0	1
25/Jul/10 10:17:30	1986	2021	1982	0	0	57	0	0	1
25/Jul/10 10:17:40	1987	2023	1982	0	0	57	0	0	1
25/Jul/10 10:17:50	1989	2020	1979	0	0	57	0	0	2
25/Jul/10 10:18:00	1990	2022	1981	0	0	57	0	0	0
25/Jul/10 10:18:10	1992	2016	1980	0	0	57	0	0	0
25/Jul/10 10:18:20	1995	2018	1977	0	0	57	0	0	1
25/Jul/10 10:18:30	1996	2019	1979	0	0	57	0	0	0
25/Jul/10 10:18:40	1992	2016	1984	0	0	57	0	0	1
25/Jul/10 10:18:50	1993	2017	1982	0	0	57	0	0	0
25/Jul/10 10:19:00	1991	2016	1984	0	0	57	0	0	0
25/Jul/10 10:19:10	1989	2022	1987	0	0	57	0	0	0
25/Jul/10 10:19:20	1991	2019	1990	0	0	57	0	0	0
25/Jul/10 10:19:30	1994	2015	1987	0	0	57	0	0	1
25/Jul/10 10:19:40	1991	2018	1984	0	0	57	0	0	1
25/Jul/10 10:19:50	1989	2020	1991	0	0	57	0	0	1
25/Jul/10 10:20:00	1984	2021	1993	0	0	57	0	0	0
25/Jul/10 10:20:10	1981	2025	1994	0	0	57	0	0	1
25/Jul/10 10:20:20	1984	2025	1988	0	0	57	0	0	1
25/Jul/10 10:20:30	1987	2023	1988	0	0	57	0	0	0
25/Jul/10 10:20:40	1985	2025	1987	0	0	57	0	0	0
25/Jul/10 10:20:50	1979	2027	1982	0	0	57	0	0	1
25/Jul/10 10:21:00	1980	2023	1982	0	0	57	0	0	1
25/Jul/10 10:21:10	1978	2022	1982	0	0	57	0	0	1
25/Jul/10 10:21:20	1974	2023	1981	0	0	57	0	0	1
25/Jul/10 10:21:30	1974	2019	1981	0	0	57	0	0	0
25/Jul/10 10:21:40	1976	2020	1979	0	0	57	0	0	1
25/Jul/10 10:21:50	1981	2018	1983	0	0	57	0	0	0
25/Jul/10 10:22:00	1980	2019	1983	0	0	57	0	0	1
25/Jul/10 10:22:10	1981	2019	1983	0	0	57	0	0	1
25/Jul/10 10:22:20	1981	2019	1984	0	0	57	0	0	0
25/Jul/10 10:22:30	1984	2018	1984	0	0	57	0	0	0
25/Jul/10 10:22:40	1985	2015	1987	0	0	57	0	0	1
25/Jul/10 10:22:50	1984	2013	1984	0	0	57	0	0	1
25/Jul/10 10:23:00	1987	2011	1980	0	0	57	0	0	0
25/Jul/10 10:23:10	1986	2009	1981	0	0	57	0	0	1
25/Jul/10 10:23:20	1990	2009	1982	0	0	57	0	0	0
25/Jul/10 10:23:30	1989	2010	1985	0	0	57	0	0	1
25/Jul/10 10:23:40	1986	2010	1983	0	0	57	0	0	1
25/Jul/10 10:23:50	1988	2009	1983	0	0	57	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:24:00	1983	2010	1982	0	0	57	0	0	0
25/Jul/10 10:24:10	1981	2015	1979	0	0	57	0	0	1
25/Jul/10 10:24:20	1980	2019	1977	0	0	57	0	0	2
25/Jul/10 10:24:30	1981	2019	1978	0	0	57	0	0	1
25/Jul/10 10:24:40	1980	2020	1982	0	0	57	0	0	2
25/Jul/10 10:24:50	1978	2016	1985	0	0	57	0	0	0
25/Jul/10 10:25:00	1973	2013	1982	0	0	57	0	0	1
25/Jul/10 10:25:10	1969	2015	1981	0	0	57	0	0	1
25/Jul/10 10:25:20	1967	2015	1979	0	0	57	0	0	0
25/Jul/10 10:25:30	1968	2013	1977	0	0	57	0	0	0
25/Jul/10 10:25:40	1965	2015	1973	0	0	57	0	0	0
25/Jul/10 10:25:50	1970	2011	1975	0	0	57	0	0	0
25/Jul/10 10:26:00	1974	2015	1977	0	0	57	0	0	1
25/Jul/10 10:26:10	1977	2016	1980	0	0	57	0	0	1
25/Jul/10 10:26:20	1977	2019	1978	0	0	57	0	0	1
25/Jul/10 10:26:30	1977	2018	1979	0	0	57	0	0	0
25/Jul/10 10:26:40	1977	2020	1982	0	0	57	0	0	1
25/Jul/10 10:26:50	1978	2021	1987	0	0	57	0	0	0
25/Jul/10 10:27:00	1981	2022	1983	0	0	57	0	0	1
25/Jul/10 10:27:10	1983	2021	1988	0	0	57	0	0	2
25/Jul/10 10:27:20	1983	2022	1987	0	0	57	0	0	0
25/Jul/10 10:27:30	1986	2019	1985	0	0	57	0	0	1
25/Jul/10 10:27:40	1987	2018	1988	0	0	57	0	0	2
25/Jul/10 10:27:50	1986	2018	1988	0	0	57	0	0	1
25/Jul/10 10:28:00	1987	2017	1989	0	0	57	0	0	1
25/Jul/10 10:28:10	1988	2016	1987	0	0	57	0	0	0
25/Jul/10 10:28:20	1989	2017	1985	0	0	57	0	0	2
25/Jul/10 10:28:30	1988	2016	1988	0	0	57	0	0	0
25/Jul/10 10:28:40	1990	2022	1987	0	0	57	0	0	1
25/Jul/10 10:28:50	1988	2022	1982	0	0	57	0	0	2
25/Jul/10 10:29:00	1991	2021	1983	0	0	57	0	0	2
25/Jul/10 10:29:10	1990	2022	1987	0	0	57	0	0	0
25/Jul/10 10:29:20	1988	2023	1988	0	0	57	0	0	0
25/Jul/10 10:29:30	1986	2025	1987	0	0	57	0	0	0
25/Jul/10 10:29:40	1983	2026	1986	0	0	57	0	0	0
25/Jul/10 10:29:50	1984	2031	1987	0	0	57	0	0	1
25/Jul/10 10:30:00	1986	2031	1983	0	0	57	0	0	1
25/Jul/10 10:30:10	1985	2027	1978	0	0	57	0	0	1
25/Jul/10 10:30:20	1985	2034	1979	0	0	57	0	0	2
25/Jul/10 10:30:30	1984	2032	1979	0	0	57	0	0	1
25/Jul/10 10:30:40	1985	2030	1981	0	0	57	0	0	0
25/Jul/10 10:30:50	1983	2029	1980	0	0	57	0	0	1
25/Jul/10 10:31:00	1981	2031	1980	0	0	57	0	0	0
25/Jul/10 10:31:10	1981	2030	1976	0	0	57	0	0	2
25/Jul/10 10:31:20	1982	2023	1975	0	0	57	0	0	1
25/Jul/10 10:31:30	1981	2022	1972	0	0	57	0	0	0
25/Jul/10 10:31:40	1979	2019	1974	0	0	57	0	0	1
25/Jul/10 10:31:50	1976	2021	1976	0	0	57	0	0	0
25/Jul/10 10:32:00	1975	2023	1973	0	0	57	0	0	1
25/Jul/10 10:32:10	1974	2023	1976	0	0	57	0	0	1
25/Jul/10 10:32:20	1973	2023	1976	0	0	57	0	0	0
25/Jul/10 10:32:30	1975	2019	1979	0	0	57	0	0	2

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:32:40	1974	2022	1984	0	0	57	0	0	1
25/Jul/10 10:32:50	1976	2017	1988	0	0	57	0	0	0
25/Jul/10 10:33:00	1972	2019	1987	0	0	57	0	0	1
25/Jul/10 10:33:10	1975	2015	1988	0	0	57	0	0	0
25/Jul/10 10:33:20	1977	2014	1987	0	0	57	0	0	0
25/Jul/10 10:33:30	1977	2013	1989	0	0	57	0	0	1
25/Jul/10 10:33:40	1978	2010	1989	0	0	57	0	0	1
25/Jul/10 10:33:50	1978	2007	1987	0	0	57	0	0	1
25/Jul/10 10:34:00	1981	2002	1985	0	0	57	0	0	0
25/Jul/10 10:34:10	1979	2006	1987	0	0	57	0	0	1
25/Jul/10 10:34:20	1980	2008	1987	0	0	57	0	0	2
25/Jul/10 10:34:30	1985	2014	1987	0	0	57	0	0	1
25/Jul/10 10:34:40	1986	2018	1985	0	0	57	0	0	1
25/Jul/10 10:34:50	1989	2017	1987	0	0	57	0	0	0
25/Jul/10 10:35:00	1989	2015	1986	0	0	57	0	0	0
25/Jul/10 10:35:10	1988	2018	1982	0	0	57	0	0	1
25/Jul/10 10:35:20	1991	2019	1980	0	0	57	0	0	2
25/Jul/10 10:35:30	1993	2022	1982	0	0	57	0	0	0
25/Jul/10 10:35:40	1995	2021	1980	0	0	57	0	0	1
25/Jul/10 10:35:50	1995	2025	1979	0	0	57	0	0	0
25/Jul/10 10:36:00	1995	2023	1982	0	0	57	0	0	0
25/Jul/10 10:36:10	1993	2028	1984	0	0	57	0	0	2
25/Jul/10 10:36:20	1992	2023	1986	0	0	57	0	0	0
25/Jul/10 10:36:30	1992	2026	1984	0	0	57	0	0	1
25/Jul/10 10:36:40	1988	2019	1983	0	0	57	0	0	0
25/Jul/10 10:36:50	1987	2022	1984	0	0	57	0	0	1
25/Jul/10 10:37:00	1986	2023	1983	0	0	57	0	0	1
25/Jul/10 10:37:10	1985	2018	1984	0	0	57	0	0	1
25/Jul/10 10:37:20	1986	2016	1984	0	0	57	0	0	0
25/Jul/10 10:37:30	1982	2014	1987	0	0	57	0	0	0
25/Jul/10 10:37:40	1982	2011	1985	0	0	57	0	0	0
25/Jul/10 10:37:50	1981	2008	1990	0	0	57	0	0	1
25/Jul/10 10:38:00	1980	2017	1988	0	0	57	0	0	1
25/Jul/10 10:38:10	1980	2018	1990	0	0	57	0	0	1
25/Jul/10 10:38:20	1977	2017	1988	0	0	57	0	0	0
25/Jul/10 10:38:30	1980	2016	1986	0	0	57	0	0	0
25/Jul/10 10:38:40	1981	2017	1983	0	0	57	0	0	1
25/Jul/10 10:38:50	1981	2013	1980	0	0	57	0	0	2
25/Jul/10 10:39:00	1981	2005	1984	0	0	57	0	0	0
25/Jul/10 10:39:10	1982	2001	1986	0	0	57	0	0	1
25/Jul/10 10:39:20	1986	2003	1987	0	0	57	0	0	0
25/Jul/10 10:39:30	1983	2000	1991	0	0	57	0	0	0
25/Jul/10 10:39:40	1986	2001	1989	0	0	57	0	0	1
25/Jul/10 10:39:50	1982	2001	1988	0	0	57	0	0	0
25/Jul/10 10:40:00	1986	2001	1986	0	0	57	0	0	1
25/Jul/10 10:40:10	1988	2004	1981	0	0	57	0	0	1
25/Jul/10 10:40:20	1986	2009	1987	0	0	57	0	0	0
25/Jul/10 10:40:30	1989	2007	1981	0	0	57	0	0	1
25/Jul/10 10:40:40	1986	2006	1980	0	0	57	0	0	0
25/Jul/10 10:40:50	1985	2006	1982	0	0	57	0	0	1
25/Jul/10 10:41:00	1984	2015	1984	0	0	57	0	0	0
25/Jul/10 10:41:10	1984	2016	1987	0	0	57	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:41:20	1982	2017	1989	0	0	57	0	0	1
25/Jul/10 10:41:30	1983	2019	1988	0	0	57	0	0	2
25/Jul/10 10:41:40	1985	2016	1987	0	0	57	0	0	0
25/Jul/10 10:41:50	1984	2013	1987	0	0	57	0	0	1
25/Jul/10 10:42:00	1982	2011	1983	0	0	57	0	0	1
25/Jul/10 10:42:10	1980	2009	1987	0	0	57	0	0	1
25/Jul/10 10:42:20	1976	2016	1986	0	0	57	0	0	0
25/Jul/10 10:42:30	1972	2011	1985	0	0	57	0	0	1
25/Jul/10 10:42:40	1975	2012	1984	0	0	57	0	0	1
25/Jul/10 10:42:50	1973	2010	1982	0	0	57	0	0	1
25/Jul/10 10:43:00	1971	2009	1979	0	0	57	0	0	0
25/Jul/10 10:43:10	1972	2017	1982	0	0	57	0	0	1
25/Jul/10 10:43:20	1972	2015	1983	0	0	57	0	0	1
25/Jul/10 10:43:30	1972	2016	1982	0	0	57	0	0	1
25/Jul/10 10:43:40	1972	2018	1981	0	0	57	0	0	2
25/Jul/10 10:43:50	1968	2020	1982	0	0	57	0	0	0
25/Jul/10 10:44:00	1970	2023	1982	0	0	57	0	0	1
25/Jul/10 10:44:10	1972	2017	1981	0	0	57	0	0	0
25/Jul/10 10:44:20	1975	2018	1981	0	0	57	0	0	1
25/Jul/10 10:44:30	1975	2018	1986	0	0	57	0	0	1
25/Jul/10 10:44:40	1972	2020	1987	0	0	57	0	0	0
25/Jul/10 10:44:50	1972	2023	1987	0	0	57	0	0	0
25/Jul/10 10:45:00	1971	2023	1984	0	0	57	0	0	1
25/Jul/10 10:45:10	1972	2023	1984	0	0	57	0	0	1
25/Jul/10 10:45:20	1976	2020	1985	0	0	57	0	0	0
25/Jul/10 10:45:30	1979	2018	1988	0	0	57	0	0	1
25/Jul/10 10:45:40	1978	2021	1982	0	0	57	0	0	2
25/Jul/10 10:45:50	1980	2021	1981	0	0	57	0	0	2
25/Jul/10 10:46:00	1979	2019	1983	0	0	57	0	0	1
25/Jul/10 10:46:10	1980	2018	1986	0	0	57	0	0	0
25/Jul/10 10:46:20	1978	2019	1989	0	0	57	0	0	0
25/Jul/10 10:46:30	1980	2017	1992	0	0	57	0	0	0
25/Jul/10 10:46:40	1982	2015	1989	0	0	57	0	0	1
25/Jul/10 10:46:50	1982	2016	1987	0	0	57	0	0	2
25/Jul/10 10:47:00	1983	2020	1984	0	0	57	0	0	0
25/Jul/10 10:47:10	1983	2020	1988	0	0	57	0	0	0
25/Jul/10 10:47:20	1981	2018	1989	0	0	57	0	0	2
25/Jul/10 10:47:30	1982	2018	1990	0	0	57	0	0	1
25/Jul/10 10:47:40	1980	2020	1992	0	0	57	0	0	0
25/Jul/10 10:47:50	1979	2023	1993	0	0	57	0	0	0
25/Jul/10 10:48:00	1980	2024	1993	0	0	57	0	0	0
25/Jul/10 10:48:10	1979	2024	1990	0	0	57	0	0	1
25/Jul/10 10:48:20	1981	2026	1991	0	0	57	0	0	1
25/Jul/10 10:48:30	1979	2026	1990	0	0	57	0	0	0
25/Jul/10 10:48:40	1978	2024	1992	0	0	57	0	0	0
25/Jul/10 10:48:50	1979	2022	1991	0	0	57	0	0	1
25/Jul/10 10:49:00	1976	2021	1988	0	0	57	0	0	1
25/Jul/10 10:49:10	1975	2018	1989	0	0	57	0	0	0
25/Jul/10 10:49:20	1978	2017	1985	0	0	57	0	0	1
25/Jul/10 10:49:30	1981	2012	1983	0	0	57	0	0	1
25/Jul/10 10:49:40	1982	2011	1985	0	0	57	0	0	0
25/Jul/10 10:49:50	1983	2012	1983	0	0	57	0	0	2

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:50:00	1983	2015	1981	0	0	57	0	0	1
25/Jul/10 10:50:10	1980	2015	1980	0	0	57	0	0	1
25/Jul/10 10:50:20	1981	2015	1983	0	0	57	0	0	0
25/Jul/10 10:50:30	1984	2015	1982	0	0	57	0	0	0
25/Jul/10 10:50:40	1986	2017	1978	0	0	57	0	0	1
25/Jul/10 10:50:50	1988	2018	1978	0	0	57	0	0	1
25/Jul/10 10:51:00	1988	2017	1979	0	0	57	0	0	1
25/Jul/10 10:51:10	1986	2020	1979	0	0	57	0	0	0
25/Jul/10 10:51:20	1983	2022	1979	0	0	57	0	0	1
25/Jul/10 10:51:30	1978	2024	1979	0	0	57	0	0	1
25/Jul/10 10:51:40	1980	2028	1979	0	0	57	0	0	0
25/Jul/10 10:51:50	1981	2026	1980	0	0	57	0	0	1
25/Jul/10 10:52:00	1981	2020	1982	0	0	57	0	0	2
25/Jul/10 10:52:10	1986	2020	1981	0	0	57	0	0	1
25/Jul/10 10:52:20	1984	2020	1980	0	0	57	0	0	1
25/Jul/10 10:52:30	1982	2026	1984	0	0	57	0	0	0
25/Jul/10 10:52:40	1976	2024	1981	0	0	57	0	0	1
25/Jul/10 10:52:50	1978	2019	1977	0	0	57	0	0	1
25/Jul/10 10:53:00	1980	2018	1979	0	0	57	0	0	2
25/Jul/10 10:53:10	1985	2017	1980	0	0	57	0	0	0
25/Jul/10 10:53:20	1987	2016	1979	0	0	57	0	0	1
25/Jul/10 10:53:30	1986	2020	1979	0	0	57	0	0	1
25/Jul/10 10:53:40	1983	2022	1975	0	0	57	0	0	0
25/Jul/10 10:53:50	1985	2022	1974	0	0	57	0	0	1
25/Jul/10 10:54:00	1982	2021	1973	0	0	57	0	0	0
25/Jul/10 10:54:10	1981	2022	1975	0	0	57	0	0	0
25/Jul/10 10:54:20	1982	2024	1976	0	0	57	0	0	1
25/Jul/10 10:54:30	1984	2024	1974	0	0	57	0	0	0
25/Jul/10 10:54:40	1986	2020	1976	0	0	57	0	0	1
25/Jul/10 10:54:50	1987	2022	1978	0	0	57	0	0	1
25/Jul/10 10:55:00	1981	2021	1977	0	0	57	0	0	2
25/Jul/10 10:55:10	1983	2024	1978	0	0	57	0	0	1
25/Jul/10 10:55:20	1981	2024	1977	0	0	57	0	0	0
25/Jul/10 10:55:30	1981	2019	1978	0	0	57	0	0	0
25/Jul/10 10:55:40	1981	2020	1977	0	0	57	0	0	1
25/Jul/10 10:55:50	1978	2022	1978	0	0	57	0	0	1
25/Jul/10 10:56:00	1974	2019	1976	0	0	57	0	0	1
25/Jul/10 10:56:10	1975	2018	1975	0	0	57	0	0	0
25/Jul/10 10:56:20	1975	2016	1979	0	0	57	0	0	1
25/Jul/10 10:56:30	1972	2020	1979	0	0	57	0	0	0
25/Jul/10 10:56:40	1968	2022	1976	0	0	57	0	0	1
25/Jul/10 10:56:50	1974	2021	1977	0	0	57	0	0	0
25/Jul/10 10:57:00	1973	2019	1974	0	0	57	0	0	1
25/Jul/10 10:57:10	1974	2017	1977	0	0	57	0	0	2
25/Jul/10 10:57:20	1976	2018	1983	0	0	57	0	0	0
25/Jul/10 10:57:30	1977	2024	1986	0	0	57	0	0	2
25/Jul/10 10:57:40	1977	2022	1983	0	0	57	0	0	0
25/Jul/10 10:57:50	1978	2019	1984	0	0	57	0	0	1
25/Jul/10 10:58:00	1976	2024	1981	0	0	57	0	0	0
25/Jul/10 10:58:10	1975	2025	1982	0	0	57	0	0	0
25/Jul/10 10:58:20	1977	2024	1979	0	0	57	0	0	1
25/Jul/10 10:58:30	1983	2023	1978	0	0	57	0	0	2

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 10:58:40	1981	2022	1979	0	0	57	0	0	0
25/Jul/10 10:58:50	1976	2019	1975	0	0	57	0	0	1
25/Jul/10 10:59:00	1978	2018	1976	0	0	57	0	0	0
25/Jul/10 10:59:10	1979	2024	1974	0	0	57	0	0	0
25/Jul/10 10:59:20	1977	2025	1976	0	0	57	0	0	1
25/Jul/10 10:59:30	1977	2026	1979	0	0	57	0	0	1
25/Jul/10 10:59:40	1976	2024	1980	0	0	57	0	0	0
25/Jul/10 10:59:50	1980	2023	1980	0	0	57	0	0	0
25/Jul/10 11:00:00	1981	2022	1980	0	0	57	0	0	1
25/Jul/10 11:00:10	1977	2022	1976	0	0	57	0	0	0
25/Jul/10 11:00:20	1974	2019	1975	0	0	57	0	0	0
25/Jul/10 11:00:30	1976	2016	1973	0	0	57	0	0	1
25/Jul/10 11:00:40	1976	2015	1977	0	0	57	0	0	1
25/Jul/10 11:00:50	1976	2016	1982	0	0	57	0	0	1
25/Jul/10 11:01:00	1979	2016	1983	0	0	57	0	0	0
25/Jul/10 11:01:10	1976	2018	1985	0	0	57	0	0	0
25/Jul/10 11:01:20	1980	2015	1983	0	0	57	0	0	1
25/Jul/10 11:01:30	1978	2013	1981	0	0	57	0	0	1
25/Jul/10 11:01:40	1976	2016	1981	0	0	57	0	0	1
25/Jul/10 11:01:50	1977	2017	1983	0	0	57	0	0	0
25/Jul/10 11:02:00	1976	2022	1986	0	0	57	0	0	1
25/Jul/10 11:02:10	1978	2024	1985	0	0	57	0	0	1
25/Jul/10 11:02:20	1980	2025	1983	0	0	57	0	0	0
25/Jul/10 11:02:30	1986	2026	1982	0	0	57	0	0	0
25/Jul/10 11:02:40	1987	2024	1980	0	0	57	0	0	1
25/Jul/10 11:02:50	1989	2021	1979	0	0	57	0	0	0
25/Jul/10 11:03:00	1990	2019	1977	0	0	57	0	0	0
25/Jul/10 11:03:10	1994	2016	1976	0	0	57	0	0	0
25/Jul/10 11:03:20	1996	2018	1979	0	0	57	0	0	0
25/Jul/10 11:03:30	2000	2017	1977	0	0	57	0	0	0
25/Jul/10 11:03:40	1995	2016	1975	0	0	57	0	0	1
25/Jul/10 11:03:50	1996	2010	1976	0	0	57	0	0	1
25/Jul/10 11:04:00	1995	2009	1978	0	0	57	0	0	1
25/Jul/10 11:04:10	1996	2013	1981	0	0	57	0	0	1
25/Jul/10 11:04:20	1996	2015	1977	0	0	57	0	0	0
25/Jul/10 11:04:30	1990	2014	1977	0	0	57	0	0	0
25/Jul/10 11:04:40	1986	2015	1977	0	0	57	0	0	0
25/Jul/10 11:04:50	1985	2012	1977	0	0	57	0	0	1
25/Jul/10 11:05:00	1982	2014	1978	0	0	57	0	0	1
25/Jul/10 11:05:10	1977	2013	1980	0	0	57	0	0	1
25/Jul/10 11:05:20	1976	2013	1980	0	0	57	0	0	0
25/Jul/10 11:05:30	1978	2011	1980	0	0	57	0	0	1
25/Jul/10 11:05:40	1978	2010	1982	0	0	57	0	0	0
25/Jul/10 11:05:50	1977	2010	1981	0	0	57	0	0	0
25/Jul/10 11:06:00	1971	2009	1981	0	0	57	0	0	0
25/Jul/10 11:06:10	1967	2015	1980	0	0	57	0	0	0
25/Jul/10 11:06:20	1967	2015	1980	0	0	57	0	0	1
25/Jul/10 11:06:30	1971	2017	1982	0	0	57	0	0	1
25/Jul/10 11:06:40	1971	2017	1978	0	0	57	0	0	1
25/Jul/10 11:06:50	1970	2020	1980	0	0	57	0	0	0
25/Jul/10 11:07:00	1972	2020	1980	0	0	57	0	0	0
25/Jul/10 11:07:10	1971	2017	1976	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:07:20	1973	2013	1977	0	0	57	0	0	1
25/Jul/10 11:07:30	1975	2010	1978	0	0	57	0	0	0
25/Jul/10 11:07:40	1975	2008	1980	0	0	57	0	0	0
25/Jul/10 11:07:50	1976	2013	1980	0	0	57	0	0	1
25/Jul/10 11:08:00	1978	2019	1980	0	0	57	0	0	1
25/Jul/10 11:08:10	1978	2017	1978	0	0	57	0	0	1
25/Jul/10 11:08:20	1976	2018	1976	0	0	57	0	0	0
25/Jul/10 11:08:30	1977	2020	1976	0	0	57	0	0	0
25/Jul/10 11:08:40	1977	2020	1973	0	0	57	0	0	0
25/Jul/10 11:08:50	1981	2021	1972	0	0	57	0	0	1
25/Jul/10 11:09:00	1981	2023	1974	0	0	57	0	0	1
25/Jul/10 11:09:10	1982	2022	1971	0	0	57	0	0	1
25/Jul/10 11:09:20	1982	2022	1972	0	0	57	0	0	1
25/Jul/10 11:09:30	1982	2018	1973	0	0	57	0	0	1
25/Jul/10 11:09:40	1981	2016	1977	0	0	57	0	0	0
25/Jul/10 11:09:50	1982	2016	1981	0	0	57	0	0	0
25/Jul/10 11:10:00	1981	2017	1984	0	0	57	0	0	1
25/Jul/10 11:10:10	1983	2017	1988	0	0	57	0	0	1
25/Jul/10 11:10:20	1981	2019	1988	0	0	57	0	0	1
25/Jul/10 11:10:30	1978	2016	1989	0	0	57	0	0	0
25/Jul/10 11:10:40	1977	2015	1986	0	0	57	0	0	1
25/Jul/10 11:10:50	1975	2016	1989	0	0	57	0	0	0
25/Jul/10 11:11:00	1975	2015	1988	0	0	57	0	0	0
25/Jul/10 11:11:10	1972	2017	1986	0	0	57	0	0	1
25/Jul/10 11:11:20	1976	2017	1988	0	0	57	0	0	1
25/Jul/10 11:11:30	1978	2015	1988	0	0	57	0	0	0
25/Jul/10 11:11:40	1977	2016	1991	0	0	57	0	0	0
25/Jul/10 11:11:50	1977	2018	1990	0	0	57	0	0	1
25/Jul/10 11:12:00	1982	2018	1989	0	0	57	0	0	1
25/Jul/10 11:12:10	1981	2021	1992	0	0	57	0	0	1
25/Jul/10 11:12:20	1982	2022	1991	0	0	57	0	0	0
25/Jul/10 11:12:30	1984	2023	1992	0	0	57	0	0	1
25/Jul/10 11:12:40	1986	2022	1992	0	0	57	0	0	1
25/Jul/10 11:12:50	1989	2021	1990	0	0	57	0	0	0
25/Jul/10 11:13:00	1990	2018	1989	0	0	57	0	0	0
25/Jul/10 11:13:10	1983	2017	1988	0	0	57	0	0	0
25/Jul/10 11:13:20	1985	2016	1992	0	0	57	0	0	0
25/Jul/10 11:13:30	1978	2012	1990	0	0	57	0	0	0
25/Jul/10 11:13:40	1978	2013	1989	0	0	57	0	0	0
25/Jul/10 11:13:50	1977	2011	1994	0	0	57	0	0	0
25/Jul/10 11:14:00	1980	2013	1997	0	0	57	0	0	0
25/Jul/10 11:14:10	1977	2014	1997	0	0	57	0	0	0
25/Jul/10 11:14:20	1977	2008	1998	0	0	57	0	0	0
25/Jul/10 11:14:30	1976	2006	1998	0	0	57	0	0	0
25/Jul/10 11:14:40	1977	2011	1998	0	0	57	0	0	0
25/Jul/10 11:14:50	1976	2017	1995	0	0	57	0	0	0
25/Jul/10 11:15:00	1978	2020	1997	0	0	57	0	0	0
25/Jul/10 11:15:10	1980	2019	1997	0	0	57	0	0	0
25/Jul/10 11:15:20	1985	2015	1997	0	0	57	0	0	0
25/Jul/10 11:15:30	1988	2013	1994	0	0	57	0	0	0
25/Jul/10 11:15:40	1987	2011	1991	0	0	57	0	0	0
25/Jul/10 11:15:50	1986	2010	1992	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:16:00	1986	2015	1993	0	0	57	0	0	0
25/Jul/10 11:16:10	1988	2017	1995	0	0	57	0	0	0
25/Jul/10 11:16:20	1987	2018	1991	0	0	57	0	0	0
25/Jul/10 11:16:30	1982	2018	1990	0	0	57	0	0	0
25/Jul/10 11:16:40	1983	2020	1991	0	0	57	0	0	0
25/Jul/10 11:16:50	1989	2021	1991	0	0	57	0	0	0
25/Jul/10 11:17:00	1987	2020	1992	0	0	57	0	0	0
25/Jul/10 11:17:10	1987	2020	1989	0	0	57	0	0	0
25/Jul/10 11:17:20	1989	2020	1989	0	0	57	0	0	0
25/Jul/10 11:17:30	1992	2014	1989	0	0	57	0	0	0
25/Jul/10 11:17:40	1989	2013	1989	0	0	57	0	0	0
25/Jul/10 11:17:50	1987	2011	1988	0	0	57	0	0	0
25/Jul/10 11:18:00	1986	2011	1986	0	0	57	0	0	0
25/Jul/10 11:18:10	1985	2017	1985	0	0	57	0	0	0
25/Jul/10 11:18:20	1984	2018	1985	0	0	57	0	0	0
25/Jul/10 11:18:30	1985	2019	1983	0	0	57	0	0	0
25/Jul/10 11:18:40	1977	2020	1982	0	0	57	0	0	0
25/Jul/10 11:18:50	1978	2022	1981	0	0	57	0	0	0
25/Jul/10 11:19:00	1980	2022	1979	0	0	57	0	0	0
25/Jul/10 11:19:10	1973	2023	1982	0	0	57	0	0	0
25/Jul/10 11:19:20	1974	2023	1981	0	0	57	0	0	0
25/Jul/10 11:19:30	1970	2019	1985	0	0	57	0	0	0
25/Jul/10 11:19:40	1973	2014	1983	0	0	57	0	0	0
25/Jul/10 11:19:50	1973	2015	1983	0	0	57	0	0	0
25/Jul/10 11:20:00	1975	2013	1984	0	0	57	0	0	0
25/Jul/10 11:20:10	1980	2013	1981	0	0	57	0	0	0
25/Jul/10 11:20:20	1975	2013	1986	0	0	57	0	0	0
25/Jul/10 11:20:30	1980	2013	1981	0	0	57	0	0	0
25/Jul/10 11:20:40	1979	2010	1986	0	0	57	0	0	0
25/Jul/10 11:20:50	1978	2013	1986	0	0	57	0	0	0
25/Jul/10 11:21:00	1980	2012	1988	0	0	57	0	0	0
25/Jul/10 11:21:10	1976	2011	1985	0	0	57	0	0	0
25/Jul/10 11:21:20	1981	2009	1984	0	0	57	0	0	0
25/Jul/10 11:21:30	1980	2014	1981	0	0	57	0	0	0
25/Jul/10 11:21:40	1979	2015	1980	0	0	57	0	0	0
25/Jul/10 11:21:50	1982	2018	1983	0	0	57	0	0	0
25/Jul/10 11:22:00	1985	2017	1979	0	0	57	0	0	0
25/Jul/10 11:22:10	1986	2015	1979	0	0	57	0	0	0
25/Jul/10 11:22:20	1987	2015	1979	0	0	57	0	0	0
25/Jul/10 11:22:30	1991	2016	1977	0	0	57	0	0	0
25/Jul/10 11:22:40	1987	2015	1980	0	0	57	0	0	0
25/Jul/10 11:22:50	1990	2015	1978	0	0	57	0	0	0
25/Jul/10 11:23:00	1995	2016	1978	0	0	57	0	0	0
25/Jul/10 11:23:10	1997	2021	1979	0	0	57	0	0	0
25/Jul/10 11:23:20	1997	2022	1980	0	0	57	0	0	0
25/Jul/10 11:23:30	1998	2027	1979	0	0	57	0	0	0
25/Jul/10 11:23:40	1996	2026	1978	0	0	57	0	0	0
25/Jul/10 11:23:50	1998	2026	1977	0	0	57	0	0	0
25/Jul/10 11:24:00	1995	2026	1979	0	0	57	0	0	0
25/Jul/10 11:24:10	1994	2028	1974	0	0	57	0	0	0
25/Jul/10 11:24:20	1988	2025	1972	0	0	57	0	0	0
25/Jul/10 11:24:30	1990	2023	1971	0	0	57	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:24:40	1989	2022	1970	0	0	57	0	0	0
25/Jul/10 11:24:50	1984	2019	1967	0	0	57	0	0	0
25/Jul/10 11:25:00	1980	2022	1967	0	0	57	0	0	0
25/Jul/10 11:25:10	1981	2023	1968	0	0	57	0	0	0
25/Jul/10 11:25:20	1984	2021	1972	0	0	57	0	0	0
25/Jul/10 11:25:30	1986	2022	1975	0	0	57	0	0	0
25/Jul/10 11:25:40	1984	2022	1978	0	0	57	0	0	0
25/Jul/10 11:25:50	1982	2019	1975	0	0	57	0	0	0
25/Jul/10 11:26:00	1982	2017	1975	0	0	57	0	0	0
25/Jul/10 11:26:10	1981	2018	1977	0	0	57	0	0	0
25/Jul/10 11:26:20	1982	2016	1979	0	0	57	0	0	0
25/Jul/10 11:26:30	1982	2019	1980	0	0	57	0	0	0
25/Jul/10 11:26:40	1982	2016	1982	0	0	57	0	0	0
25/Jul/10 11:26:50	1982	2017	1984	0	0	57	0	0	0
25/Jul/10 11:27:00	1982	2015	1987	0	0	57	0	0	0
25/Jul/10 11:27:10	1978	2015	1988	0	0	57	0	0	0
25/Jul/10 11:27:20	1973	2017	1987	0	0	57	0	0	0
25/Jul/10 11:27:30	1972	2018	1988	0	0	57	0	0	0
25/Jul/10 11:27:40	1971	2019	1991	0	0	57	0	0	0
25/Jul/10 11:27:50	1972	2016	1993	0	0	57	0	0	0
25/Jul/10 11:28:00	1970	2018	1994	0	0	57	0	0	0
25/Jul/10 11:28:10	1968	2018	1993	0	0	57	0	0	0
25/Jul/10 11:28:20	1969	2019	1991	0	0	57	0	0	0
25/Jul/10 11:28:30	1970	2021	1990	0	0	57	0	0	0
25/Jul/10 11:28:40	1972	2018	1989	0	0	57	0	0	0
25/Jul/10 11:28:50	1973	2014	1991	0	0	57	0	0	0
25/Jul/10 11:29:00	1975	2016	1994	0	0	57	0	0	0
25/Jul/10 11:29:10	1975	2015	1994	0	0	57	0	0	0
25/Jul/10 11:29:20	1972	2022	1994	0	0	57	0	0	0
25/Jul/10 11:29:30	1972	2022	1991	0	0	57	0	0	0
25/Jul/10 11:29:40	1971	2020	1987	0	0	57	0	0	0
25/Jul/10 11:29:50	1976	2018	1982	0	0	57	0	0	0
25/Jul/10 11:30:00	1974	2019	1984	0	0	57	0	0	0
25/Jul/10 11:30:10	1974	2023	1983	0	0	57	0	0	0
25/Jul/10 11:30:20	1974	2024	1982	0	0	57	0	0	0
25/Jul/10 11:30:30	1973	2025	1981	0	0	57	0	0	0
25/Jul/10 11:30:40	1970	2028	1982	0	0	57	0	0	0
25/Jul/10 11:30:50	1971	2026	1980	0	0	57	0	0	0
25/Jul/10 11:31:00	1977	2025	1985	0	0	57	0	0	0
25/Jul/10 11:31:10	1980	2027	1975	0	0	57	0	0	0
25/Jul/10 11:31:20	1978	2027	1979	0	0	57	0	0	0
25/Jul/10 11:31:30	1979	2026	1978	0	0	57	0	0	0
25/Jul/10 11:31:40	1980	2030	1977	0	0	57	0	0	0
25/Jul/10 11:31:50	1981	2030	1977	0	0	57	0	0	0
25/Jul/10 11:32:00	1981	2035	1979	0	0	57	0	0	0
25/Jul/10 11:32:10	1983	2026	1978	0	0	57	0	0	0
25/Jul/10 11:32:20	1982	2026	1977	0	0	57	0	0	0
25/Jul/10 11:32:30	1984	2031	1978	0	0	57	0	0	0
25/Jul/10 11:32:40	1989	2030	1980	0	0	57	0	0	0
25/Jul/10 11:32:50	1986	2030	1980	0	0	57	0	0	0
25/Jul/10 11:33:00	1986	2031	1985	0	0	57	0	0	0
25/Jul/10 11:33:10	1991	2032	1987	0	0	57	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:33:20	1991	2033	1982	0	0	57	0	0	0
25/Jul/10 11:33:30	1994	2030	1984	0	0	57	0	0	0
25/Jul/10 11:33:40	1996	2030	1982	0	0	57	0	0	0
25/Jul/10 11:33:50	1996	2026	1983	0	0	57	0	0	0
25/Jul/10 11:34:00	1995	2027	1985	0	0	57	0	0	0
25/Jul/10 11:34:10	2000	2025	1983	0	0	57	0	0	0
25/Jul/10 11:34:20	1996	2029	1984	0	0	57	0	0	0
25/Jul/10 11:34:30	1991	2030	1984	0	0	57	0	0	0
25/Jul/10 11:34:40	1992	2028	1985	0	0	57	0	0	0
25/Jul/10 11:34:50	1990	2022	1988	0	0	57	0	0	0
25/Jul/10 11:35:00	1986	2018	1981	0	0	57	0	0	0
25/Jul/10 11:35:10	1982	2015	1980	0	0	57	0	0	0
25/Jul/10 11:35:20	1981	2018	1978	0	0	57	0	0	0
25/Jul/10 11:35:30	1979	2021	1979	0	0	57	0	0	0
25/Jul/10 11:35:40	1977	2023	1979	0	0	57	0	0	0
25/Jul/10 11:35:50	1974	2027	1979	0	0	57	0	0	0
25/Jul/10 11:36:00	1974	2025	1977	0	0	57	0	0	0
25/Jul/10 11:36:10	1975	2023	1975	0	0	57	0	0	0
25/Jul/10 11:36:20	1976	2025	1976	0	0	57	0	0	0
25/Jul/10 11:36:30	1976	2023	1975	0	0	57	0	0	0
25/Jul/10 11:36:40	1978	2021	1975	0	0	57	0	0	0
25/Jul/10 11:36:50	1980	2022	1978	0	0	57	0	0	0
25/Jul/10 11:37:00	1981	2018	1973	0	0	57	0	0	0
25/Jul/10 11:37:10	1980	2017	1977	0	0	57	0	0	0
25/Jul/10 11:37:20	1980	2014	1977	0	0	57	0	0	0
25/Jul/10 11:37:30	1985	2013	1978	0	0	57	0	0	0
25/Jul/10 11:37:40	1983	2015	1979	0	0	57	0	0	0
25/Jul/10 11:37:50	1985	2014	1983	0	0	57	0	0	0
25/Jul/10 11:38:00	1988	2014	1983	0	0	57	0	0	0
25/Jul/10 11:38:10	1987	2009	1983	0	0	57	0	0	0
25/Jul/10 11:38:20	1985	2009	1983	0	0	57	0	0	0
25/Jul/10 11:38:30	1982	2008	1985	0	0	57	0	0	0
25/Jul/10 11:38:40	1980	2015	1984	0	0	57	0	0	0
25/Jul/10 11:38:50	1984	2016	1981	0	0	57	0	0	0
25/Jul/10 11:39:00	1983	2012	1983	0	0	57	0	0	0
25/Jul/10 11:39:10	1984	2012	1981	0	0	57	0	0	0
25/Jul/10 11:39:20	1983	2011	1981	0	0	56	0	0	0
25/Jul/10 11:39:30	1986	2015	1981	0	0	54	0	0	0
25/Jul/10 11:39:40	1983	2016	1982	0	0	52	0	0	0
25/Jul/10 11:39:50	1983	2016	1982	0	0	50	0	0	0
25/Jul/10 11:40:00	1982	2017	1981	0	0	48	0	0	0
25/Jul/10 11:40:10	1981	2016	1979	0	0	45	0	0	0
25/Jul/10 11:40:20	1981	2015	1982	0	0	43	0	0	0
25/Jul/10 11:40:30	1981	2014	1984	0	0	41	0	0	0
25/Jul/10 11:40:40	1977	2012	1982	0	0	39	0	0	0
25/Jul/10 11:40:50	1978	2010	1983	0	0	37	0	0	0
25/Jul/10 11:41:00	1974	2013	1986	0	0	35	0	0	0
25/Jul/10 11:41:10	1970	2014	1990	0	0	33	0	0	0
25/Jul/10 11:41:20	1970	2015	1988	0	0	31	0	0	0
25/Jul/10 11:41:30	1972	2018	1992	0	0	29	0	0	0
25/Jul/10 11:41:40	1970	2016	1990	0	0	27	0	0	0
25/Jul/10 11:41:50	1970	2016	1987	0	0	25	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:42:00	1970	2014	1986	0	0	23	0	0	0
25/Jul/10 11:42:10	1973	2012	1992	0	0	21	0	0	0
25/Jul/10 11:42:20	1972	2017	1990	0	0	19	0	0	0
25/Jul/10 11:42:30	1971	2021	1985	0	0	16	0	0	0
25/Jul/10 11:42:40	1970	2019	1980	0	0	14	0	0	0
25/Jul/10 11:42:50	1974	2020	1977	0	0	12	0	0	0
25/Jul/10 11:43:00	1977	2021	1979	0	0	10	0	0	0
25/Jul/10 11:43:10	1981	2021	1980	0	0	8	0	0	0
25/Jul/10 11:43:20	1977	2020	1978	0	0	6	0	0	0
25/Jul/10 11:43:30	1976	2021	1979	0	0	4	0	0	0
25/Jul/10 11:43:40	1972	2024	1977	0	0	2	0	0	0
25/Jul/10 11:43:50	1973	2024	1975	0	0	0	0	0	0
25/Jul/10 11:44:00	1977	2027	1976	0	0	0	0	0	0
25/Jul/10 11:44:10	1977	2024	1977	0	0	0	0	0	0
25/Jul/10 11:44:20	1981	2026	1975	0	0	0	0	0	0
25/Jul/10 11:44:30	1985	2029	1979	0	0	0	0	0	0
25/Jul/10 11:44:40	1984	2028	1980	0	0	0	0	0	0
25/Jul/10 11:44:50	1979	2024	1979	0	0	0	0	0	0
25/Jul/10 11:45:00	1979	2022	1979	0	0	0	0	0	0
25/Jul/10 11:45:10	1980	2022	1977	0	0	0	0	0	0
25/Jul/10 11:45:20	1983	2022	1977	0	0	0	0	0	0
25/Jul/10 11:45:30	1985	2027	1978	0	0	0	0	0	0
25/Jul/10 11:45:40	1987	2025	1978	0	0	0	0	0	0
25/Jul/10 11:45:50	1989	2022	1972	0	0	0	0	0	0
25/Jul/10 11:46:00	1985	2020	1975	0	0	0	0	0	0
25/Jul/10 11:46:10	1983	2020	1978	0	0	0	0	0	0
25/Jul/10 11:46:20	1982	2023	1977	0	0	0	0	0	0
25/Jul/10 11:46:30	1982	2021	1980	0	0	0	0	0	0
25/Jul/10 11:46:40	1981	2018	1978	0	0	0	0	0	0
25/Jul/10 11:46:50	1980	2022	1979	0	0	0	0	0	0
25/Jul/10 11:47:00	1985	2020	1979	0	0	0	0	0	0
25/Jul/10 11:47:10	1987	2018	1982	0	0	0	0	0	0
25/Jul/10 11:47:20	1985	2021	1981	0	0	0	0	0	0
25/Jul/10 11:47:30	1982	2015	1981	0	0	0	0	0	0
25/Jul/10 11:47:40	1981	2012	1981	0	0	0	0	0	0
25/Jul/10 11:47:50	1982	2008	1982	0	0	0	0	0	0
25/Jul/10 11:48:00	1982	2012	1979	0	0	0	0	0	0
25/Jul/10 11:48:10	1982	2011	1982	0	0	0	0	0	0
25/Jul/10 11:48:20	1982	2015	1980	0	0	0	0	0	0
25/Jul/10 11:48:30	1984	2019	1979	0	0	0	0	0	0
25/Jul/10 11:48:40	1984	2018	1981	0	0	0	0	0	0
25/Jul/10 11:48:50	1979	2019	1979	0	0	0	0	0	0
25/Jul/10 11:49:00	1976	2016	1978	0	0	0	0	0	0
25/Jul/10 11:49:10	1972	2019	1978	0	0	0	0	0	0
25/Jul/10 11:49:20	1978	2016	1981	0	0	0	0	0	0
25/Jul/10 11:49:30	1980	2021	1982	0	0	0	0	0	0
25/Jul/10 11:49:40	1981	2018	1985	0	0	0	0	0	0
25/Jul/10 11:49:50	1979	2016	1985	0	0	0	0	0	0
25/Jul/10 11:50:00	1979	2021	1984	0	0	0	0	0	0
25/Jul/10 11:50:10	1984	2018	1980	0	0	0	0	0	0
25/Jul/10 11:50:20	1986	2021	1979	0	0	0	0	0	0
25/Jul/10 11:50:30	1985	2021	1980	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:50:40	1985	2018	1984	0	0	0	0	0	0
25/Jul/10 11:50:50	1985	2022	1986	0	0	0	0	0	0
25/Jul/10 11:51:00	1987	2022	1988	0	0	0	0	0	0
25/Jul/10 11:51:10	1982	2019	1987	0	0	0	0	0	0
25/Jul/10 11:51:20	1977	2016	1984	0	0	0	0	0	0
25/Jul/10 11:51:30	1979	2015	1983	0	0	0	0	0	0
25/Jul/10 11:51:40	1977	2009	1985	0	0	0	0	0	0
25/Jul/10 11:51:50	1980	2014	1982	0	0	0	0	0	0
25/Jul/10 11:52:00	1975	2013	1980	0	0	0	0	0	0
25/Jul/10 11:52:10	1973	2011	1979	0	0	0	0	0	0
25/Jul/10 11:52:20	1976	2012	1979	0	0	0	0	0	0
25/Jul/10 11:52:30	1972	2012	1979	0	0	0	0	0	0
25/Jul/10 11:52:40	1971	2014	1984	0	0	0	0	0	0
25/Jul/10 11:52:50	1969	2012	1987	0	0	0	0	0	0
25/Jul/10 11:53:00	1970	2008	1987	0	0	0	0	0	0
25/Jul/10 11:53:10	1973	2011	1984	0	0	0	0	0	0
25/Jul/10 11:53:20	1971	2010	1983	0	0	0	0	0	0
25/Jul/10 11:53:30	1977	2014	1984	0	0	0	0	0	0
25/Jul/10 11:53:40	1975	2013	1983	0	0	0	0	0	0
25/Jul/10 11:53:50	1977	2011	1982	0	0	0	0	0	0
25/Jul/10 11:54:00	1977	2015	1979	0	0	0	0	0	0
25/Jul/10 11:54:10	1975	2018	1979	0	0	0	0	0	0
25/Jul/10 11:54:20	1977	2013	1984	0	0	0	0	0	0
25/Jul/10 11:54:30	1980	2010	1991	0	0	0	0	0	0
25/Jul/10 11:54:40	1983	2009	1992	0	0	0	0	0	0
25/Jul/10 11:54:50	1986	2008	1991	0	0	0	0	0	0
25/Jul/10 11:55:00	1987	2008	1989	0	0	0	0	0	0
25/Jul/10 11:55:10	1989	2009	1992	0	0	0	0	0	0
25/Jul/10 11:55:20	1986	2010	1992	0	0	0	0	0	0
25/Jul/10 11:55:30	1986	2011	1991	0	0	0	0	0	0
25/Jul/10 11:55:40	1986	2018	1993	0	0	0	0	0	0
25/Jul/10 11:55:50	1985	2016	1990	0	0	0	0	0	0
25/Jul/10 11:56:00	1987	2019	1989	0	0	0	0	0	0
25/Jul/10 11:56:10	1990	2014	1987	0	0	0	0	0	0
25/Jul/10 11:56:20	1991	2009	1988	0	0	0	0	0	0
25/Jul/10 11:56:30	1993	2005	1986	0	0	0	0	0	0
25/Jul/10 11:56:40	1991	2002	1982	0	0	0	0	0	0
25/Jul/10 11:56:50	1990	2003	1980	0	0	0	0	0	0
25/Jul/10 11:57:00	1993	2007	1980	0	0	0	0	0	0
25/Jul/10 11:57:10	1996	2005	1978	0	0	0	0	0	0
25/Jul/10 11:57:20	1997	2006	1977	0	0	0	0	0	0
25/Jul/10 11:57:30	1995	2007	1979	0	0	0	0	0	0
25/Jul/10 11:57:40	1994	2008	1979	0	0	0	0	0	0
25/Jul/10 11:57:50	1992	2010	1974	0	0	0	0	0	0
25/Jul/10 11:58:00	1990	2014	1974	0	0	0	0	0	0
25/Jul/10 11:58:10	1988	2019	1971	0	0	0	0	0	0
25/Jul/10 11:58:20	1985	2021	1971	0	0	0	0	0	0
25/Jul/10 11:58:30	1986	2020	1970	0	0	0	0	0	0
25/Jul/10 11:58:40	1984	2028	1971	0	0	0	0	0	0
25/Jul/10 11:58:50	1982	2029	1972	0	0	0	0	0	0
25/Jul/10 11:59:00	1979	2029	1973	0	0	0	0	0	0
25/Jul/10 11:59:10	1979	2023	1974	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 11:59:20	1981	2023	1976	0	0	0	0	0	0
25/Jul/10 11:59:30	1983	2023	1976	0	0	0	0	0	0
25/Jul/10 11:59:40	1982	2029	1975	0	0	0	0	0	0
25/Jul/10 11:59:50	1983	2032	1978	0	0	0	0	0	0
25/Jul/10 12:00:00	1984	2031	1977	0	0	0	0	0	0
25/Jul/10 12:00:10	1982	2033	1980	0	0	0	0	0	0
25/Jul/10 12:00:20	1987	2033	1979	0	0	0	0	0	0
25/Jul/10 12:00:30	1986	2029	1979	0	0	0	0	0	0
25/Jul/10 12:00:40	1984	2029	1980	0	0	0	0	0	0
25/Jul/10 12:00:50	1983	2022	1980	0	0	0	0	0	0
25/Jul/10 12:01:00	1981	2022	1978	0	0	0	0	0	0
25/Jul/10 12:01:10	1980	2021	1978	0	0	0	0	0	0
25/Jul/10 12:01:20	1978	2016	1973	0	0	0	0	0	0
25/Jul/10 12:01:30	1981	2015	1972	0	0	0	0	0	0
25/Jul/10 12:01:40	1978	2016	1969	0	0	0	0	0	0
25/Jul/10 12:01:50	1976	2015	1973	0	0	0	0	0	0
25/Jul/10 12:02:00	1974	2016	1973	0	0	0	0	0	0
25/Jul/10 12:02:10	1971	2016	1976	0	0	0	0	0	0
25/Jul/10 12:02:20	1972	2015	1978	0	0	0	0	0	0
25/Jul/10 12:02:30	1974	2016	1975	0	0	0	0	0	0
25/Jul/10 12:02:40	1972	2015	1976	0	0	0	0	0	0
25/Jul/10 12:02:50	1975	2017	1975	0	0	0	0	0	0
25/Jul/10 12:03:00	1975	2017	1977	0	0	0	0	0	0
25/Jul/10 12:03:10	1972	2015	1977	0	0	0	0	0	0
25/Jul/10 12:03:20	1971	2018	1979	0	0	0	0	0	0
25/Jul/10 12:03:30	1974	2018	1980	0	0	0	0	0	0
25/Jul/10 12:03:40	1973	2022	1979	0	0	0	0	0	0
25/Jul/10 12:03:50	1977	2022	1979	0	0	0	0	0	0
25/Jul/10 12:04:00	1983	2022	1980	0	0	0	0	0	0
25/Jul/10 12:04:10	1981	2023	1979	0	0	0	0	0	0
25/Jul/10 12:04:20	1981	2026	1978	0	0	0	0	0	0
25/Jul/10 12:04:30	1980	2022	1974	0	0	0	0	0	0
25/Jul/10 12:04:40	1976	2022	1975	0	0	0	0	0	0
25/Jul/10 12:04:50	1975	2018	1978	0	0	0	0	0	0
25/Jul/10 12:05:00	1977	2016	1975	0	0	0	0	0	0
25/Jul/10 12:05:10	1980	2019	1977	0	0	0	0	0	0
25/Jul/10 12:05:20	1978	2014	1976	0	0	0	0	0	0
25/Jul/10 12:05:30	1982	2016	1975	0	0	0	0	0	0
25/Jul/10 12:05:40	1976	2023	1978	0	0	0	0	0	0
25/Jul/10 12:05:50	1973	2023	1975	0	0	0	0	0	0
25/Jul/10 12:06:00	1972	2020	1978	0	0	0	0	0	0
25/Jul/10 12:06:10	1971	2019	1975	0	0	0	0	0	0
25/Jul/10 12:06:20	1973	2017	1971	0	0	0	0	0	0
25/Jul/10 12:06:30	1976	2021	1972	0	0	0	0	0	0
25/Jul/10 12:06:40	1977	2024	1969	0	0	0	0	0	0
25/Jul/10 12:06:50	1975	2024	1973	0	0	0	0	0	0
25/Jul/10 12:07:00	1977	2030	1974	0	0	0	0	0	0
25/Jul/10 12:07:10	1976	2025	1975	0	0	0	0	0	0
25/Jul/10 12:07:20	1977	2030	1972	0	0	0	0	0	0
25/Jul/10 12:07:30	1982	2026	1972	0	0	0	0	0	0
25/Jul/10 12:07:40	1987	2020	1974	0	0	0	0	0	0
25/Jul/10 12:07:50	1987	2022	1976	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 12:08:00	1990	2022	1976	0	0	0	0	0	0
25/Jul/10 12:08:10	1992	2022	1975	0	0	0	0	0	0
25/Jul/10 12:08:20	1993	2022	1974	0	0	0	0	0	0
25/Jul/10 12:08:30	1992	2018	1973	0	0	0	0	0	0
25/Jul/10 12:08:40	1989	2014	1971	0	0	0	0	0	0
25/Jul/10 12:08:50	1987	2012	1973	0	0	0	0	0	0
25/Jul/10 12:09:00	1988	2009	1971	0	0	0	0	0	0
25/Jul/10 12:09:10	1985	2009	1972	0	0	0	0	0	0
25/Jul/10 12:09:20	1981	2006	1973	0	0	0	0	0	0
25/Jul/10 12:09:30	1977	2007	1974	0	0	0	0	0	0
25/Jul/10 12:09:40	1978	2008	1975	0	0	0	0	0	0
25/Jul/10 12:09:50	1976	2015	1976	0	0	0	0	0	0
25/Jul/10 12:10:00	1977	2015	1977	0	0	0	0	0	0
25/Jul/10 12:10:10	1976	2017	1980	0	0	0	0	0	0
25/Jul/10 12:10:20	1978	2019	1982	0	0	0	0	0	0
25/Jul/10 12:10:30	1980	2021	1984	0	0	0	0	0	0
25/Jul/10 12:10:40	1976	2020	1980	0	0	0	0	0	0
25/Jul/10 12:10:50	1977	2021	1982	0	0	0	0	0	0
25/Jul/10 12:11:00	1980	2024	1981	0	0	0	0	0	0
25/Jul/10 12:11:10	1976	2021	1981	0	0	0	0	0	0
25/Jul/10 12:11:20	1980	2027	1982	0	0	0	0	0	0
25/Jul/10 12:11:30	1980	2028	1981	0	0	0	0	0	0
25/Jul/10 12:11:40	1982	2025	1976	0	0	0	0	0	0
25/Jul/10 12:11:50	1983	2025	1977	0	0	0	0	0	0
25/Jul/10 12:12:00	1983	2031	1976	0	0	0	0	0	0
25/Jul/10 12:12:10	1981	2031	1975	0	0	0	0	0	0
25/Jul/10 12:12:20	1980	2030	1972	0	0	0	0	0	0
25/Jul/10 12:12:30	1982	2029	1970	0	0	0	0	0	0
25/Jul/10 12:12:40	1981	2026	1968	0	0	0	0	0	0
25/Jul/10 12:12:50	1982	2026	1970	0	0	0	0	0	0
25/Jul/10 12:13:00	1983	2030	1975	0	0	0	0	0	0
25/Jul/10 12:13:10	1982	2031	1975	0	0	0	0	0	0
25/Jul/10 12:13:20	1983	2030	1976	0	0	0	0	0	0
25/Jul/10 12:13:30	1983	2031	1975	0	0	0	0	0	0
25/Jul/10 12:13:40	1986	2030	1973	0	0	0	0	0	0
25/Jul/10 12:13:50	1986	2030	1974	0	0	0	0	0	0
25/Jul/10 12:14:00	1988	2024	1974	0	0	0	0	0	0
25/Jul/10 12:14:10	1990	2023	1976	0	0	0	0	0	0
25/Jul/10 12:14:20	1990	2026	1974	0	0	0	0	0	0
25/Jul/10 12:14:30	1994	2031	1973	0	0	0	0	0	0
25/Jul/10 12:14:40	1994	2027	1973	0	0	0	0	0	0
25/Jul/10 12:14:50	1995	2025	1974	0	0	0	0	0	0
25/Jul/10 12:15:00	1993	2022	1976	0	0	0	0	0	0
25/Jul/10 12:15:10	1992	2017	1975	0	0	0	0	0	0
25/Jul/10 12:15:20	1991	2018	1975	0	0	0	0	0	0
25/Jul/10 12:15:30	1989	2022	1977	0	0	0	0	0	0
25/Jul/10 12:15:40	1986	2016	1977	0	0	0	0	0	0
25/Jul/10 12:15:50	1986	2015	1975	0	0	0	0	0	0
25/Jul/10 12:16:00	1987	2016	1975	0	0	0	0	0	0
25/Jul/10 12:16:10	1986	2015	1971	0	0	0	0	0	0
25/Jul/10 12:16:20	1985	2018	1972	0	0	0	0	0	0
25/Jul/10 12:16:30	1983	2017	1973	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 12:16:40	1982	2016	1978	0	0	0	0	0	0
25/Jul/10 12:16:50	1983	2017	1972	0	0	0	0	0	0
25/Jul/10 12:17:00	1983	2014	1972	0	0	0	0	0	0
25/Jul/10 12:17:10	1985	2013	1972	0	0	0	0	0	0
25/Jul/10 12:17:20	1986	2011	1972	0	0	0	0	0	0
25/Jul/10 12:17:30	1984	2010	1969	0	0	0	0	0	0
25/Jul/10 12:17:40	1985	2015	1971	0	0	0	0	0	0
25/Jul/10 12:17:50	1985	2014	1973	0	0	0	0	0	0
25/Jul/10 12:18:00	1980	2014	1974	0	0	0	0	0	0
25/Jul/10 12:18:10	1977	2015	1973	0	0	0	0	0	0
25/Jul/10 12:18:20	1983	2009	1974	0	0	0	0	0	0
25/Jul/10 12:18:30	1984	2011	1975	0	0	0	0	0	0
25/Jul/10 12:18:40	1981	2013	1975	0	0	0	0	0	0
25/Jul/10 12:18:50	1982	2016	1973	0	0	0	0	0	0
25/Jul/10 12:19:00	1986	2011	1971	0	0	0	0	0	0
25/Jul/10 12:19:10	1990	2011	1971	0	0	0	0	0	0
25/Jul/10 12:19:20	1990	2014	1971	0	0	0	0	0	0
25/Jul/10 12:19:30	1992	2014	1969	0	0	0	0	0	0
25/Jul/10 12:19:40	1992	2017	1966	0	0	0	0	0	0
25/Jul/10 12:19:50	1994	2018	1968	0	0	0	0	0	0
25/Jul/10 12:20:00	1992	2019	1966	0	0	0	0	0	0
25/Jul/10 12:20:10	1988	2018	1967	0	0	0	0	0	0
25/Jul/10 12:20:20	1984	2017	1967	0	0	0	0	0	0
25/Jul/10 12:20:30	1986	2016	1970	0	0	0	0	0	0
25/Jul/10 12:20:40	1982	2014	1967	0	0	0	0	0	0
25/Jul/10 12:20:50	1979	2014	1967	0	0	0	0	0	0
25/Jul/10 12:21:00	1978	2009	1967	0	0	0	0	0	0
25/Jul/10 12:21:10	1977	2015	1970	0	0	0	0	0	0
25/Jul/10 12:21:20	1973	2013	1971	0	0	0	0	0	0
25/Jul/10 12:21:30	1973	2015	1975	0	0	0	0	0	0
25/Jul/10 12:21:40	1974	2014	1973	0	0	0	0	0	0
25/Jul/10 12:21:50	1976	2014	1976	0	0	0	0	0	0
25/Jul/10 12:22:00	1974	2010	1976	0	0	0	0	0	0
25/Jul/10 12:22:10	1976	2015	1974	0	0	0	0	0	0
25/Jul/10 12:22:20	1973	2012	1971	0	0	0	0	0	0
25/Jul/10 12:22:30	1973	2014	1975	0	0	0	0	0	0
25/Jul/10 12:22:40	1971	2015	1976	0	0	0	0	0	0
25/Jul/10 12:22:50	1969	2015	1978	0	0	0	0	0	0
25/Jul/10 12:23:00	1967	2015	1974	0	0	0	0	0	0
25/Jul/10 12:23:10	1973	2013	1971	0	0	0	0	0	0
25/Jul/10 12:23:20	1977	2015	1972	0	0	0	0	0	0
25/Jul/10 12:23:30	1982	2018	1974	0	0	0	0	0	0
25/Jul/10 12:23:40	1983	2016	1977	0	0	0	0	0	0
25/Jul/10 12:23:50	1982	2015	1975	0	0	0	0	0	0
25/Jul/10 12:24:00	1985	2017	1976	0	0	0	0	0	0
25/Jul/10 12:24:10	1986	2016	1979	0	0	0	0	0	0
25/Jul/10 12:24:20	1986	2014	1978	0	0	0	0	0	0
25/Jul/10 12:24:30	1990	2014	1976	0	0	0	0	0	0
25/Jul/10 12:24:40	1984	2010	1974	0	0	0	0	0	0
25/Jul/10 12:24:50	1987	2009	1976	0	0	0	0	0	0
25/Jul/10 12:25:00	1986	2010	1978	0	0	0	0	0	0
25/Jul/10 12:25:10	1985	2010	1975	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 12:25:20	1983	2011	1973	0	0	0	0	0	0
25/Jul/10 12:25:30	1985	2009	1977	0	0	0	0	0	0
25/Jul/10 12:25:40	1982	2009	1974	0	0	0	0	0	0
25/Jul/10 12:25:50	1986	2015	1974	0	0	0	0	0	0
25/Jul/10 12:26:00	1985	2016	1973	0	0	0	0	0	0
25/Jul/10 12:26:10	1986	2016	1972	0	0	0	0	0	0
25/Jul/10 12:26:20	1989	2017	1972	0	0	0	0	0	0
25/Jul/10 12:26:30	1994	2016	1974	0	0	0	0	0	0
25/Jul/10 12:26:40	1993	2017	1973	0	0	0	0	0	0
25/Jul/10 12:26:50	1993	2018	1972	0	0	0	0	0	0
25/Jul/10 12:27:00	1997	2017	1971	0	0	0	0	0	0
25/Jul/10 12:27:10	1999	2015	1968	0	0	0	0	0	0
25/Jul/10 12:27:20	1999	2015	1971	0	0	0	0	0	0
25/Jul/10 12:27:30	2000	2016	1970	0	0	0	0	0	0
25/Jul/10 12:27:40	1992	2020	1966	0	0	0	0	0	0
25/Jul/10 12:27:50	1986	2017	1968	0	0	0	0	0	0
25/Jul/10 12:28:00	1986	2018	1969	0	0	0	0	0	0
25/Jul/10 12:28:10	1982	2020	1968	0	0	0	0	0	0
25/Jul/10 12:28:20	1981	2022	1971	0	0	0	0	0	0
25/Jul/10 12:28:30	1981	2021	1972	0	0	0	0	0	0
25/Jul/10 12:28:40	1980	2018	1974	0	0	0	0	0	0
25/Jul/10 12:28:50	1975	2017	1972	0	0	0	0	0	0
25/Jul/10 12:29:00	1971	2016	1967	0	0	0	0	0	0
25/Jul/10 12:29:10	1969	2020	1970	0	0	0	0	0	0
25/Jul/10 12:29:20	1969	2014	1968	0	0	0	0	0	0
25/Jul/10 12:29:30	1968	2016	1968	0	0	0	0	0	0
25/Jul/10 12:29:40	1968	2018	1967	0	0	0	0	0	0
25/Jul/10 12:29:50	1969	2015	1969	0	0	0	0	0	0
25/Jul/10 12:30:00	1971	2016	1968	0	0	0	0	0	0
25/Jul/10 12:30:10	1969	2016	1973	0	0	0	0	0	0
25/Jul/10 12:30:20	1967	2016	1969	0	0	0	0	0	0
25/Jul/10 12:30:30	1967	2023	1971	0	0	0	0	0	0
25/Jul/10 12:30:40	1968	2021	1973	0	0	0	0	0	0
25/Jul/10 12:30:50	1970	2020	1974	0	0	0	0	0	0
25/Jul/10 12:31:00	1974	2023	1974	0	0	0	0	0	0
25/Jul/10 12:31:10	1978	2020	1974	0	0	0	0	0	0
25/Jul/10 12:31:20	1981	2019	1975	0	0	0	0	0	0
25/Jul/10 12:31:30	1983	2020	1976	0	0	0	0	0	0
25/Jul/10 12:31:40	1983	2013	1974	0	0	0	0	0	0
25/Jul/10 12:31:50	1981	2010	1974	0	0	0	0	0	0
25/Jul/10 12:32:00	1982	2016	1975	0	0	0	0	0	0
25/Jul/10 12:32:10	1983	2018	1975	0	0	0	0	0	0
25/Jul/10 12:32:20	1981	2018	1975	0	0	0	0	0	0
25/Jul/10 12:32:30	1979	2018	1973	0	0	0	0	0	0
25/Jul/10 12:32:40	1977	2021	1969	0	0	0	0	0	0
25/Jul/10 12:32:50	1978	2020	1971	0	0	0	0	0	0
25/Jul/10 12:33:00	1980	2022	1971	0	0	0	0	0	0
25/Jul/10 12:33:10	1977	2026	1968	0	0	0	0	0	0
25/Jul/10 12:33:20	1980	2027	1967	0	0	0	0	0	0
25/Jul/10 12:33:30	1980	2029	1972	0	0	0	0	0	0
25/Jul/10 12:33:40	1981	2029	1975	0	0	0	0	0	0
25/Jul/10 12:33:50	1980	2029	1978	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 12:34:00	1982	2031	1974	0	0	0	0	0	0
25/Jul/10 12:34:10	1984	2026	1975	0	0	0	0	0	0
25/Jul/10 12:34:20	1984	2027	1974	0	0	0	0	0	0
25/Jul/10 12:34:30	1983	2024	1971	0	0	0	0	0	0
25/Jul/10 12:34:40	1981	2020	1971	0	0	0	0	0	0
25/Jul/10 12:34:50	1978	2018	1969	0	0	0	0	0	0
25/Jul/10 12:35:00	1977	2015	1967	0	0	0	0	0	0
25/Jul/10 12:35:10	1977	2018	1967	0	0	0	0	0	0
25/Jul/10 12:35:20	1977	2018	1972	0	0	0	0	0	0
25/Jul/10 12:35:30	1976	2016	1975	0	0	0	0	0	0
25/Jul/10 12:35:40	1975	2017	1975	0	0	0	0	0	0
25/Jul/10 12:35:50	1971	2014	1973	0	0	0	0	0	0
25/Jul/10 12:36:00	1968	2014	1972	0	0	0	0	0	0
25/Jul/10 12:36:10	1970	2011	1968	0	0	0	0	0	0
25/Jul/10 12:36:20	1972	2012	1969	0	0	0	0	0	0
25/Jul/10 12:36:30	1975	2015	1966	0	0	0	0	0	0
25/Jul/10 12:36:40	1976	2016	1964	0	0	0	0	0	0
25/Jul/10 12:36:50	1979	2012	1969	0	0	0	0	0	0
25/Jul/10 12:37:00	1979	2012	1967	0	0	0	0	0	0
25/Jul/10 12:37:10	1975	2016	1967	0	0	0	0	0	0
25/Jul/10 12:37:20	1977	2017	1967	0	0	0	0	0	0
25/Jul/10 12:37:30	1974	2014	1969	0	0	0	0	0	0
25/Jul/10 12:37:40	1978	2008	1971	0	0	0	0	0	0
25/Jul/10 12:37:50	1977	2010	1972	0	0	0	0	0	0
25/Jul/10 12:38:00	1974	2012	1967	0	0	0	0	0	0
25/Jul/10 12:38:10	1976	2013	1968	0	0	0	0	0	0
25/Jul/10 12:38:20	1977	2012	1971	0	0	0	0	0	0
25/Jul/10 12:38:30	1981	2013	1971	0	0	0	0	0	0
25/Jul/10 12:38:40	1977	2008	1972	0	0	0	0	0	0
25/Jul/10 12:38:50	1976	2004	1975	0	0	0	0	0	0
25/Jul/10 12:39:00	1979	2005	1977	0	0	0	0	0	0
25/Jul/10 12:39:10	1982	2009	1973	0	0	0	0	0	0
25/Jul/10 12:39:20	1978	2012	1969	0	0	0	0	0	0
25/Jul/10 12:39:30	1975	2015	1966	0	0	0	0	0	0
25/Jul/10 12:39:40	1974	2014	1971	0	0	0	0	0	0
25/Jul/10 12:39:50	1975	2012	1972	0	0	0	0	0	0
25/Jul/10 12:40:00	1970	2011	1972	0	0	0	0	0	0
25/Jul/10 12:40:10	1970	2015	1975	0	0	0	0	0	0
25/Jul/10 12:40:20	1970	2015	1974	0	0	0	0	0	0
25/Jul/10 12:40:30	1971	2018	1972	0	0	0	0	0	0
25/Jul/10 12:40:40	1972	2016	1971	0	0	0	0	0	0
25/Jul/10 12:40:50	1970	2020	1969	0	0	0	0	0	0
25/Jul/10 12:41:00	1969	2022	1970	0	0	0	0	0	0
25/Jul/10 12:41:10	1973	2021	1968	0	0	0	0	0	0
25/Jul/10 12:41:20	1977	2017	1968	0	0	0	0	0	0
25/Jul/10 12:41:30	1974	2016	1967	0	0	0	0	0	0
25/Jul/10 12:41:40	1975	2017	1967	0	0	0	0	0	0
25/Jul/10 12:41:50	1975	2013	1971	0	0	0	0	0	0
25/Jul/10 12:42:00	1974	2011	1971	0	0	0	0	0	0
25/Jul/10 12:42:10	1974	2014	1971	0	0	0	0	0	0
25/Jul/10 12:42:20	1975	2014	1966	0	0	0	0	0	0
25/Jul/10 12:42:30	1973	2015	1964	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 12:42:40	1971	2016	1964	0	0	0	0	0	0
25/Jul/10 12:42:50	1972	2016	1961	0	0	0	0	0	0
25/Jul/10 12:43:00	1971	2022	1962	0	0	0	0	0	0
25/Jul/10 12:43:10	1968	2019	1962	0	0	0	0	0	0
25/Jul/10 12:43:20	1970	2017	1963	0	0	0	0	0	0
25/Jul/10 12:43:30	1969	2018	1963	0	0	0	0	0	0
25/Jul/10 12:43:40	1969	2019	1964	0	0	0	0	0	0
25/Jul/10 12:43:50	1967	2016	1962	0	0	0	0	0	0
25/Jul/10 12:44:00	1968	2017	1960	0	0	0	0	0	0
25/Jul/10 12:44:10	1967	2019	1960	0	0	0	0	0	0
25/Jul/10 12:44:20	1968	2018	1961	0	0	0	0	0	0
25/Jul/10 12:44:30	1969	2016	1962	0	0	0	0	0	0
25/Jul/10 12:44:40	1971	2014	1962	0	0	0	0	0	0
25/Jul/10 12:44:50	1974	2012	1960	0	0	0	0	0	0
25/Jul/10 12:45:00	1974	2007	1960	0	0	0	0	0	0
25/Jul/10 12:45:10	1975	2006	1962	0	0	0	0	0	0
25/Jul/10 12:45:20	1977	2007	1963	0	0	0	0	0	0
25/Jul/10 12:45:30	1979	2010	1964	0	0	0	0	0	0
25/Jul/10 12:45:40	1980	2008	1966	0	0	0	0	0	0
25/Jul/10 12:45:50	1979	2010	1967	0	0	0	0	0	0
25/Jul/10 12:46:00	1979	2005	1968	0	0	0	0	0	0
25/Jul/10 12:46:10	1982	2010	1972	0	0	0	0	0	0
25/Jul/10 12:46:20	1983	2012	1973	0	0	0	0	0	0
25/Jul/10 12:46:30	1981	2009	1973	0	0	0	0	0	0
25/Jul/10 12:46:40	1980	2005	1976	0	0	0	0	0	0
25/Jul/10 12:46:50	1980	2003	1979	0	0	0	0	0	0
25/Jul/10 12:47:00	1979	2007	1980	0	0	0	0	0	0
25/Jul/10 12:47:10	1980	2007	1979	0	0	0	0	0	0
25/Jul/10 12:47:20	1981	2007	1979	0	0	0	0	0	0
25/Jul/10 12:47:30	1981	2015	1977	0	0	0	0	0	0
25/Jul/10 12:47:40	1979	2020	1975	0	0	0	0	0	0
25/Jul/10 12:47:50	1981	2018	1979	0	0	0	0	0	0
25/Jul/10 12:48:00	1979	2019	1981	0	0	0	0	0	0
25/Jul/10 12:48:10	1976	2018	1979	0	0	0	0	0	0
25/Jul/10 12:48:20	1975	2017	1979	0	0	0	0	0	0
25/Jul/10 12:48:30	1975	2017	1977	0	0	0	0	0	0
25/Jul/10 12:48:40	1976	2015	1975	0	0	0	0	0	0
25/Jul/10 12:48:50	1975	2022	1972	0	0	0	0	0	0
25/Jul/10 12:49:00	1976	2018	1967	0	0	0	0	0	0
25/Jul/10 12:49:10	1976	2017	1968	0	0	0	0	0	0
25/Jul/10 12:49:20	1977	2014	1971	0	0	0	0	0	0
25/Jul/10 12:49:30	1976	2018	1965	0	0	0	0	0	0
25/Jul/10 12:49:40	1976	2022	1958	0	0	0	0	0	0
25/Jul/10 12:49:50	1977	2023	1960	0	0	0	0	0	0
25/Jul/10 12:50:00	1977	2019	1962	0	0	0	0	0	0
25/Jul/10 12:50:10	1977	2014	1958	0	0	0	0	0	0
25/Jul/10 12:50:20	1977	2011	1956	0	0	0	0	0	0
25/Jul/10 12:50:30	1973	2008	1953	0	0	0	0	0	0
25/Jul/10 12:50:40	1970	2003	1958	0	0	0	0	0	0
25/Jul/10 12:50:50	1967	2005	1956	0	0	0	0	0	0
25/Jul/10 12:51:00	1966	2005	1954	0	0	0	0	0	0
25/Jul/10 12:51:10	1963	2009	1955	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 12:51:20	1964	2010	1956	0	0	0	0	0	0
25/Jul/10 12:51:30	1962	2011	1958	0	0	0	0	0	0
25/Jul/10 12:51:40	1964	2012	1962	0	0	0	0	0	0
25/Jul/10 12:51:50	1965	2015	1966	0	0	0	0	0	0
25/Jul/10 12:52:00	1965	2013	1969	0	0	0	0	0	0
25/Jul/10 12:52:10	1962	2015	1969	0	0	0	0	0	0
25/Jul/10 12:52:20	1966	2016	1972	0	0	0	0	0	0
25/Jul/10 12:52:30	1971	2016	1972	0	0	0	0	0	0
25/Jul/10 12:52:40	1976	2018	1969	0	0	0	0	0	0
25/Jul/10 12:52:50	1979	2018	1969	0	0	0	0	0	0
25/Jul/10 12:53:00	1981	2016	1966	0	0	0	0	0	0
25/Jul/10 12:53:10	1979	2019	1969	0	0	0	0	0	0
25/Jul/10 12:53:20	1980	2010	1963	0	0	0	0	0	0
25/Jul/10 12:53:30	1978	2010	1962	0	0	0	0	0	0
25/Jul/10 12:53:40	1980	2007	1966	0	0	0	0	0	0
25/Jul/10 12:53:50	1980	2007	1971	0	0	0	0	0	0
25/Jul/10 12:54:00	1983	2012	1971	0	0	0	0	0	0
25/Jul/10 12:54:10	1981	2013	1966	0	0	0	0	0	0
25/Jul/10 12:54:20	1978	2009	1964	0	0	0	0	0	0
25/Jul/10 12:54:30	1975	2010	1966	0	0	0	0	0	0
25/Jul/10 12:54:40	1971	2012	1973	0	0	0	0	0	0
25/Jul/10 12:54:50	1972	2010	1973	0	0	0	0	0	0
25/Jul/10 12:55:00	1971	2007	1975	0	0	0	0	0	0
25/Jul/10 12:55:10	1968	2009	1971	0	0	0	0	0	0
25/Jul/10 12:55:20	1972	2011	1974	0	0	0	0	0	0
25/Jul/10 12:55:30	1970	2007	1974	0	0	0	0	0	0
25/Jul/10 12:55:40	1969	2010	1973	0	0	0	0	0	0
25/Jul/10 12:55:50	1964	2011	1974	0	0	0	0	0	0
25/Jul/10 12:56:00	1967	2014	1977	0	0	0	0	0	0
25/Jul/10 12:56:10	1970	2014	1972	0	0	0	0	0	0
25/Jul/10 12:56:20	1968	2016	1973	0	0	0	0	0	0
25/Jul/10 12:56:30	1969	2010	1973	0	0	0	0	0	0
25/Jul/10 12:56:40	1967	2001	1968	0	0	0	0	0	0
25/Jul/10 12:56:50	1967	1999	1967	0	0	0	0	0	0
25/Jul/10 12:57:00	1966	2000	1968	0	0	0	0	0	0
25/Jul/10 12:57:10	1966	2000	1968	0	0	0	0	0	0
25/Jul/10 12:57:20	1967	2001	1968	0	0	0	0	0	0
25/Jul/10 12:57:30	1972	2000	1965	0	0	0	0	0	0
25/Jul/10 12:57:40	1976	1999	1962	0	0	0	0	0	0
25/Jul/10 12:57:50	1973	2001	1966	0	0	0	0	0	0
25/Jul/10 12:58:00	1971	2004	1966	0	0	0	0	0	0
25/Jul/10 12:58:10	1974	2002	1962	0	0	0	0	0	0
25/Jul/10 12:58:20	1972	2003	1962	0	0	0	0	0	0
25/Jul/10 12:58:30	1975	2005	1964	0	0	0	0	0	0
25/Jul/10 12:58:40	1976	2004	1963	0	0	0	0	0	0
25/Jul/10 12:58:50	1972	2000	1961	0	0	0	0	0	0
25/Jul/10 12:59:00	1970	1999	1960	0	0	0	0	0	0
25/Jul/10 12:59:10	1967	1999	1962	0	0	0	0	0	0
25/Jul/10 12:59:20	1964	1998	1966	0	0	0	0	0	0
25/Jul/10 12:59:30	1963	1998	1965	0	0	0	0	0	0
25/Jul/10 12:59:40	1962	1999	1964	0	0	0	0	0	0
25/Jul/10 12:59:50	1962	1993	1964	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:00:00	1962	1997	1969	0	0	0	0	0	0
25/Jul/10 13:00:10	1965	1996	1969	0	0	0	0	0	0
25/Jul/10 13:00:20	1963	1993	1974	0	0	0	0	0	0
25/Jul/10 13:00:30	1961	1999	1971	0	0	0	0	0	0
25/Jul/10 13:00:40	1968	1999	1964	0	0	0	0	0	0
25/Jul/10 13:00:50	1971	2001	1962	0	0	0	0	0	0
25/Jul/10 13:01:00	1971	1998	1964	0	0	0	0	0	0
25/Jul/10 13:01:10	1971	1997	1966	0	0	0	0	0	0
25/Jul/10 13:01:20	1974	2002	1969	0	0	0	0	0	0
25/Jul/10 13:01:30	1973	2005	1968	0	0	0	0	0	0
25/Jul/10 13:01:40	1973	2011	1969	0	0	0	0	0	0
25/Jul/10 13:01:50	1977	2016	1972	0	0	0	0	0	0
25/Jul/10 13:02:00	1977	2018	1971	0	0	0	0	0	0
25/Jul/10 13:02:10	1977	2020	1971	0	0	0	0	0	0
25/Jul/10 13:02:20	1979	2015	1974	0	0	0	0	0	0
25/Jul/10 13:02:30	1977	2015	1971	0	0	0	0	0	0
25/Jul/10 13:02:40	1976	2008	1968	0	0	0	0	0	0
25/Jul/10 13:02:50	1975	2009	1971	0	0	0	0	0	0
25/Jul/10 13:03:00	1978	2004	1971	0	0	0	0	0	0
25/Jul/10 13:03:10	1972	1999	1973	0	0	0	0	0	0
25/Jul/10 13:03:20	1973	1999	1972	0	0	0	0	0	0
25/Jul/10 13:03:30	1970	1996	1971	0	0	0	0	0	0
25/Jul/10 13:03:40	1971	1999	1974	0	0	0	0	0	0
25/Jul/10 13:03:50	1973	1999	1971	0	0	0	0	0	0
25/Jul/10 13:04:00	1975	2003	1968	0	0	0	0	0	0
25/Jul/10 13:04:10	1972	2005	1968	0	0	0	0	0	0
25/Jul/10 13:04:20	1975	2009	1971	0	0	0	0	0	0
25/Jul/10 13:04:30	1974	2016	1970	0	0	0	0	0	0
25/Jul/10 13:04:40	1971	2019	1971	0	0	0	0	0	0
25/Jul/10 13:04:50	1969	2019	1972	0	0	0	0	0	0
25/Jul/10 13:05:00	1973	2022	1973	0	0	0	0	0	0
25/Jul/10 13:05:10	1976	2020	1972	0	0	0	0	0	0
25/Jul/10 13:05:20	1977	2020	1971	0	0	0	0	0	0
25/Jul/10 13:05:30	1977	2017	1969	0	0	0	0	0	0
25/Jul/10 13:05:40	1978	2016	1969	0	0	0	0	0	0
25/Jul/10 13:05:50	1978	2020	1973	0	0	0	0	0	0
25/Jul/10 13:06:00	1978	2020	1971	0	0	0	0	0	0
25/Jul/10 13:06:10	1975	2022	1974	0	0	0	0	0	0
25/Jul/10 13:06:20	1974	2023	1971	0	0	0	0	0	0
25/Jul/10 13:06:30	1978	2028	1967	0	0	0	0	0	0
25/Jul/10 13:06:40	1976	2026	1962	0	0	0	0	0	0
25/Jul/10 13:06:50	1975	2025	1960	0	0	0	0	0	0
25/Jul/10 13:07:00	1973	2028	1962	0	0	0	0	0	0
25/Jul/10 13:07:10	1972	2025	1962	0	0	0	0	0	0
25/Jul/10 13:07:20	1971	2020	1961	0	0	0	0	0	0
25/Jul/10 13:07:30	1968	2020	1962	0	0	0	0	0	0
25/Jul/10 13:07:40	1966	2016	1963	0	0	0	0	0	0
25/Jul/10 13:07:50	1964	2015	1965	0	0	0	0	0	0
25/Jul/10 13:08:00	1968	2012	1968	0	0	0	0	0	0
25/Jul/10 13:08:10	1970	2014	1966	0	0	0	0	0	0
25/Jul/10 13:08:20	1970	2015	1964	0	0	0	0	0	0
25/Jul/10 13:08:30	1973	2016	1962	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:08:40	1977	2011	1963	0	0	0	0	0	0
25/Jul/10 13:08:50	1977	2011	1965	0	0	0	0	0	0
25/Jul/10 13:09:00	1980	2013	1966	0	0	0	0	0	0
25/Jul/10 13:09:10	1977	2017	1963	0	0	0	0	0	0
25/Jul/10 13:09:20	1979	2015	1960	0	0	0	0	0	0
25/Jul/10 13:09:30	1983	2012	1961	0	0	0	0	0	0
25/Jul/10 13:09:40	1986	2011	1958	0	0	0	0	0	0
25/Jul/10 13:09:50	1987	2015	1960	0	0	0	0	0	0
25/Jul/10 13:10:00	1986	2014	1959	0	0	0	0	0	0
25/Jul/10 13:10:10	1985	2013	1959	0	0	0	0	0	0
25/Jul/10 13:10:20	1985	2011	1959	0	0	0	0	0	0
25/Jul/10 13:10:30	1984	2009	1962	0	0	0	0	0	0
25/Jul/10 13:10:40	1985	2007	1962	0	0	0	0	0	0
25/Jul/10 13:10:50	1980	2006	1966	0	0	0	0	0	0
25/Jul/10 13:11:00	1976	2008	1964	0	0	0	0	0	0
25/Jul/10 13:11:10	1977	2013	1960	0	0	0	0	0	0
25/Jul/10 13:11:20	1974	2008	1957	0	0	0	0	0	0
25/Jul/10 13:11:30	1973	2005	1954	0	0	0	0	0	0
25/Jul/10 13:11:40	1972	2008	1956	0	0	0	0	0	0
25/Jul/10 13:11:50	1969	2011	1957	0	0	0	0	0	0
25/Jul/10 13:12:00	1967	2011	1962	0	0	0	0	0	0
25/Jul/10 13:12:10	1968	2011	1962	0	0	0	0	0	0
25/Jul/10 13:12:20	1965	2016	1962	0	0	0	0	0	0
25/Jul/10 13:12:30	1962	2018	1959	0	0	0	0	0	0
25/Jul/10 13:12:40	1963	2018	1958	0	0	0	0	0	0
25/Jul/10 13:12:50	1968	2016	1958	0	0	0	0	0	0
25/Jul/10 13:13:00	1968	2014	1958	0	0	0	0	0	0
25/Jul/10 13:13:10	1966	2010	1962	0	0	0	0	0	0
25/Jul/10 13:13:20	1965	2006	1960	0	0	0	0	0	0
25/Jul/10 13:13:30	1966	2006	1961	0	0	0	0	0	0
25/Jul/10 13:13:40	1968	2009	1961	0	0	0	0	0	0
25/Jul/10 13:13:50	1969	2013	1966	0	0	0	0	0	0
25/Jul/10 13:14:00	1973	2018	1967	0	0	0	0	0	0
25/Jul/10 13:14:10	1972	2019	1969	0	0	0	0	0	0
25/Jul/10 13:14:20	1976	2023	1967	0	0	0	0	0	0
25/Jul/10 13:14:30	1973	2021	1968	0	0	0	0	0	0
25/Jul/10 13:14:40	1970	2021	1968	0	0	0	0	0	0
25/Jul/10 13:14:50	1970	2018	1970	0	0	0	0	0	0
25/Jul/10 13:15:00	1973	2016	1968	0	0	0	0	0	0
25/Jul/10 13:15:10	1975	2017	1965	0	0	0	0	0	0
25/Jul/10 13:15:20	1977	2018	1970	0	0	0	0	0	0
25/Jul/10 13:15:30	1980	2020	1971	0	0	0	0	0	0
25/Jul/10 13:15:40	1978	2019	1974	0	0	0	0	0	0
25/Jul/10 13:15:50	1977	2021	1974	0	0	0	0	0	0
25/Jul/10 13:16:00	1975	2026	1974	0	0	0	0	0	0
25/Jul/10 13:16:10	1971	2024	1973	0	0	0	0	0	0
25/Jul/10 13:16:20	1973	2022	1973	0	0	0	0	0	0
25/Jul/10 13:16:30	1974	2020	1971	0	0	0	0	0	0
25/Jul/10 13:16:40	1977	2016	1970	0	0	0	0	0	0
25/Jul/10 13:16:50	1973	2016	1968	0	0	0	0	0	0
25/Jul/10 13:17:00	1972	2018	1962	0	0	0	0	0	0
25/Jul/10 13:17:10	1971	2019	1962	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:17:20	1969	2022	1960	0	0	0	0	0	0
25/Jul/10 13:17:30	1967	2022	1961	0	0	0	0	0	0
25/Jul/10 13:17:40	1967	2018	1957	0	0	0	0	0	0
25/Jul/10 13:17:50	1969	2020	1958	0	0	0	0	0	0
25/Jul/10 13:18:00	1976	2022	1957	0	0	0	0	0	0
25/Jul/10 13:18:10	1973	2022	1957	0	0	0	0	0	0
25/Jul/10 13:18:20	1976	2018	1958	0	0	0	0	0	0
25/Jul/10 13:18:30	1977	2015	1957	0	0	0	0	0	0
25/Jul/10 13:18:40	1981	2017	1956	0	0	0	0	0	0
25/Jul/10 13:18:50	1983	2015	1958	0	0	0	0	0	0
25/Jul/10 13:19:00	1985	2017	1959	0	0	0	0	0	0
25/Jul/10 13:19:10	1982	2015	1962	0	0	0	0	0	0
25/Jul/10 13:19:20	1981	2014	1962	0	0	0	0	0	0
25/Jul/10 13:19:30	1982	2018	1962	0	0	0	0	0	0
25/Jul/10 13:19:40	1982	2018	1963	0	0	0	0	0	0
25/Jul/10 13:19:50	1982	2018	1963	0	0	0	0	0	0
25/Jul/10 13:20:00	1977	2018	1968	0	0	0	0	0	0
25/Jul/10 13:20:10	1976	2016	1963	0	0	0	0	0	0
25/Jul/10 13:20:20	1975	2016	1965	0	0	0	0	0	0
25/Jul/10 13:20:30	1973	2017	1964	0	0	0	0	0	0
25/Jul/10 13:20:40	1973	2012	1962	0	0	0	0	0	0
25/Jul/10 13:20:50	1972	2004	1966	0	0	0	0	0	0
25/Jul/10 13:21:00	1969	2008	1962	0	0	0	0	0	0
25/Jul/10 13:21:10	1971	2010	1963	0	0	0	0	0	0
25/Jul/10 13:21:20	1974	2007	1962	0	0	0	0	0	0
25/Jul/10 13:21:30	1976	2008	1962	0	0	0	0	0	0
25/Jul/10 13:21:40	1974	2010	1960	0	0	0	0	0	0
25/Jul/10 13:21:50	1976	2013	1963	0	0	0	0	0	0
25/Jul/10 13:22:00	1977	2010	1965	0	0	0	0	0	0
25/Jul/10 13:22:10	1976	2013	1962	0	0	0	0	0	0
25/Jul/10 13:22:20	1973	2011	1960	0	0	0	0	0	0
25/Jul/10 13:22:30	1971	2010	1958	0	0	0	0	0	0
25/Jul/10 13:22:40	1970	2008	1958	0	0	0	0	0	0
25/Jul/10 13:22:50	1969	2007	1960	0	0	0	0	0	0
25/Jul/10 13:23:00	1973	2005	1964	0	0	0	0	0	0
25/Jul/10 13:23:10	1972	2006	1964	0	0	0	0	0	0
25/Jul/10 13:23:20	1969	2007	1963	0	0	0	0	0	0
25/Jul/10 13:23:30	1963	2006	1962	0	0	0	0	0	0
25/Jul/10 13:23:40	1966	2002	1961	0	0	0	0	0	0
25/Jul/10 13:23:50	1963	2001	1959	0	0	0	0	0	0
25/Jul/10 13:24:00	1964	2005	1963	0	0	0	0	0	0
25/Jul/10 13:24:10	1967	2002	1964	0	0	0	0	0	0
25/Jul/10 13:24:20	1970	2003	1964	0	0	0	0	0	0
25/Jul/10 13:24:30	1972	1998	1962	0	0	0	0	0	0
25/Jul/10 13:24:40	1971	2003	1962	0	0	0	0	0	0
25/Jul/10 13:24:50	1969	2008	1961	0	0	0	0	0	0
25/Jul/10 13:25:00	1968	2014	1964	0	0	0	0	0	0
25/Jul/10 13:25:10	1969	2011	1965	0	0	0	0	0	0
25/Jul/10 13:25:20	1975	2012	1962	0	0	0	0	0	0
25/Jul/10 13:25:30	1975	2011	1959	0	0	0	0	0	0
25/Jul/10 13:25:40	1976	2010	1957	0	0	0	0	0	0
25/Jul/10 13:25:50	1976	2007	1957	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:26:00	1974	2007	1959	0	0	0	0	0	0
25/Jul/10 13:26:10	1976	2006	1961	0	0	0	0	0	0
25/Jul/10 13:26:20	1976	2007	1958	0	0	0	0	0	0
25/Jul/10 13:26:30	1978	2009	1957	0	0	0	0	0	0
25/Jul/10 13:26:40	1981	2014	1955	0	0	0	0	0	0
25/Jul/10 13:26:50	1982	2010	1955	0	0	0	0	0	0
25/Jul/10 13:27:00	1981	2005	1955	0	0	0	0	0	0
25/Jul/10 13:27:10	1980	2004	1958	0	0	0	0	0	0
25/Jul/10 13:27:20	1977	2005	1957	0	0	0	0	0	0
25/Jul/10 13:27:30	1980	2005	1959	0	0	0	0	0	0
25/Jul/10 13:27:40	1978	2007	1957	0	0	0	0	0	0
25/Jul/10 13:27:50	1980	2006	1955	0	0	0	0	0	0
25/Jul/10 13:28:00	1980	2006	1955	0	0	0	0	0	0
25/Jul/10 13:28:10	1976	2006	1959	0	0	0	0	0	0
25/Jul/10 13:28:20	1974	2008	1962	0	0	0	0	0	0
25/Jul/10 13:28:30	1972	2014	1964	0	0	0	0	0	0
25/Jul/10 13:28:40	1973	2014	1961	0	0	0	0	0	0
25/Jul/10 13:28:50	1974	2012	1957	0	0	0	0	0	0
25/Jul/10 13:29:00	1975	2010	1961	0	0	0	0	0	0
25/Jul/10 13:29:10	1982	2008	1960	0	0	0	0	0	0
25/Jul/10 13:29:20	1980	2008	1963	0	0	0	0	0	0
25/Jul/10 13:29:30	1981	2006	1966	0	0	0	0	0	0
25/Jul/10 13:29:40	1974	2009	1966	0	0	0	0	0	0
25/Jul/10 13:29:50	1975	2013	1966	0	0	0	0	0	0
25/Jul/10 13:30:00	1975	2009	1964	0	0	0	0	0	0
25/Jul/10 13:30:10	1972	2006	1964	0	0	0	0	0	0
25/Jul/10 13:30:20	1969	2002	1964	0	0	0	0	0	0
25/Jul/10 13:30:30	1969	2002	1963	0	0	0	0	0	0
25/Jul/10 13:30:40	1966	2006	1965	0	0	0	0	0	0
25/Jul/10 13:30:50	1964	2013	1964	0	0	0	0	0	0
25/Jul/10 13:31:00	1963	2017	1966	0	0	0	0	0	0
25/Jul/10 13:31:10	1963	2016	1969	0	0	0	0	0	0
25/Jul/10 13:31:20	1962	2010	1973	0	0	0	0	0	0
25/Jul/10 13:31:30	1961	2008	1970	0	0	0	0	0	0
25/Jul/10 13:31:40	1960	2014	1967	0	0	0	0	0	0
25/Jul/10 13:31:50	1959	2008	1964	0	0	0	0	0	0
25/Jul/10 13:32:00	1963	2004	1964	0	0	0	0	0	0
25/Jul/10 13:32:10	1967	2002	1965	0	0	0	0	0	0
25/Jul/10 13:32:20	1971	2009	1968	0	0	0	0	0	0
25/Jul/10 13:32:30	1972	2004	1967	0	0	0	0	0	0
25/Jul/10 13:32:40	1974	2006	1967	0	0	0	0	0	0
25/Jul/10 13:32:50	1976	2005	1969	0	0	0	0	0	0
25/Jul/10 13:33:00	1978	2004	1967	0	0	0	0	0	0
25/Jul/10 13:33:10	1980	2002	1963	0	0	0	0	0	0
25/Jul/10 13:33:20	1986	1999	1963	0	0	0	0	0	0
25/Jul/10 13:33:30	1989	2002	1964	0	0	0	0	0	0
25/Jul/10 13:33:40	1986	2004	1964	0	0	0	0	0	0
25/Jul/10 13:33:50	1985	2006	1967	0	0	0	0	0	0
25/Jul/10 13:34:00	1984	2004	1970	0	0	0	0	0	0
25/Jul/10 13:34:10	1981	2006	1972	0	0	0	0	0	0
25/Jul/10 13:34:20	1980	2007	1971	0	0	0	0	0	0
25/Jul/10 13:34:30	1977	2009	1971	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:34:40	1973	2010	1972	0	0	0	0	0	0
25/Jul/10 13:34:50	1968	2014	1970	0	0	0	0	0	0
25/Jul/10 13:35:00	1967	2015	1967	0	0	0	0	0	0
25/Jul/10 13:35:10	1967	2012	1965	0	0	0	0	0	0
25/Jul/10 13:35:20	1968	2019	1961	0	0	0	0	0	0
25/Jul/10 13:35:30	1967	2018	1960	0	0	0	0	0	0
25/Jul/10 13:35:40	1970	2012	1959	0	0	0	0	0	0
25/Jul/10 13:35:50	1969	2009	1958	0	0	0	0	0	0
25/Jul/10 13:36:00	1970	2009	1957	0	0	0	0	0	0
25/Jul/10 13:36:10	1969	2011	1959	0	0	0	0	0	0
25/Jul/10 13:36:20	1967	2013	1958	0	0	0	0	0	0
25/Jul/10 13:36:30	1969	2015	1958	0	0	0	0	0	0
25/Jul/10 13:36:40	1970	2016	1961	0	0	0	0	0	0
25/Jul/10 13:36:50	1969	2016	1963	0	0	0	0	0	0
25/Jul/10 13:37:00	1967	2018	1965	0	0	0	0	0	0
25/Jul/10 13:37:10	1966	2022	1965	0	0	0	0	0	0
25/Jul/10 13:37:20	1970	2021	1965	0	0	0	0	0	0
25/Jul/10 13:37:30	1970	2016	1967	0	0	0	0	0	0
25/Jul/10 13:37:40	1970	2013	1963	0	0	0	0	0	0
25/Jul/10 13:37:50	1970	2013	1960	0	0	0	0	0	0
25/Jul/10 13:38:00	1968	2017	1962	0	0	0	0	0	0
25/Jul/10 13:38:10	1969	2013	1966	0	0	0	0	0	0
25/Jul/10 13:38:20	1969	2014	1968	0	0	0	0	0	0
25/Jul/10 13:38:30	1970	2014	1967	0	0	0	0	0	0
25/Jul/10 13:38:40	1970	2013	1971	0	0	0	0	0	0
25/Jul/10 13:38:50	1968	2016	1972	0	0	0	0	0	0
25/Jul/10 13:39:00	1966	2020	1972	0	0	0	0	0	0
25/Jul/10 13:39:10	1965	2018	1972	0	0	0	0	0	0
25/Jul/10 13:39:20	1964	2017	1972	0	0	0	0	0	0
25/Jul/10 13:39:30	1961	2016	1970	0	0	0	0	0	0
25/Jul/10 13:39:40	1958	2016	1967	0	0	0	0	0	0
25/Jul/10 13:39:50	1960	2017	1964	0	0	0	0	0	0
25/Jul/10 13:40:00	1963	2017	1961	0	0	0	0	0	0
25/Jul/10 13:40:10	1963	2015	1962	0	0	0	0	0	0
25/Jul/10 13:40:20	1966	2015	1963	0	0	0	0	0	0
25/Jul/10 13:40:30	1966	2014	1966	0	0	0	0	0	0
25/Jul/10 13:40:40	1967	2012	1962	0	0	0	0	0	0
25/Jul/10 13:40:50	1970	2009	1959	0	0	0	0	0	0
25/Jul/10 13:41:00	1968	2012	1957	0	0	0	0	0	0
25/Jul/10 13:41:10	1970	2013	1959	0	0	0	0	0	0
25/Jul/10 13:41:20	1973	2012	1962	0	0	0	0	0	0
25/Jul/10 13:41:30	1972	2011	1965	0	0	0	0	0	0
25/Jul/10 13:41:40	1974	2012	1966	0	0	0	0	0	0
25/Jul/10 13:41:50	1977	2014	1966	0	0	0	0	0	0
25/Jul/10 13:42:00	1979	2011	1966	0	0	0	0	0	0
25/Jul/10 13:42:10	1980	2008	1966	0	0	0	0	0	0
25/Jul/10 13:42:20	1982	2006	1965	0	0	0	0	0	0
25/Jul/10 13:42:30	1986	2008	1965	0	0	0	0	0	0
25/Jul/10 13:42:40	1984	2013	1971	0	0	0	0	0	0
25/Jul/10 13:42:50	1984	2014	1973	0	0	0	0	0	0
25/Jul/10 13:43:00	1984	2013	1976	0	0	0	0	0	0
25/Jul/10 13:43:10	1982	2010	1978	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:43:20	1986	2008	1977	0	0	0	0	0	0
25/Jul/10 13:43:30	1985	2007	1974	0	0	0	0	0	0
25/Jul/10 13:43:40	1982	2009	1974	0	0	0	0	0	0
25/Jul/10 13:43:50	1980	2013	1970	0	0	0	0	0	0
25/Jul/10 13:44:00	1978	2011	1968	0	0	0	0	0	0
25/Jul/10 13:44:10	1979	2012	1970	0	0	0	0	0	0
25/Jul/10 13:44:20	1977	2015	1974	0	0	0	0	0	0
25/Jul/10 13:44:30	1975	2014	1974	0	0	0	0	0	0
25/Jul/10 13:44:40	1977	2007	1974	0	0	0	0	0	0
25/Jul/10 13:44:50	1977	2007	1970	0	0	0	0	0	0
25/Jul/10 13:45:00	1974	2006	1971	0	0	0	0	0	0
25/Jul/10 13:45:10	1972	2008	1971	0	0	0	0	0	0
25/Jul/10 13:45:20	1970	2011	1968	0	0	0	0	0	0
25/Jul/10 13:45:30	1971	2013	1966	0	0	0	0	0	0
25/Jul/10 13:45:40	1972	2010	1963	0	0	0	0	0	0
25/Jul/10 13:45:50	1973	2015	1961	0	0	0	0	0	0
25/Jul/10 13:46:00	1968	2012	1961	0	0	0	0	0	0
25/Jul/10 13:46:10	1967	2010	1962	0	0	0	0	0	0
25/Jul/10 13:46:20	1969	2015	1964	0	0	0	0	0	0
25/Jul/10 13:46:30	1971	2015	1964	0	0	0	0	0	0
25/Jul/10 13:46:40	1974	2017	1964	0	0	0	0	0	0
25/Jul/10 13:46:50	1971	2017	1965	0	0	0	0	0	0
25/Jul/10 13:47:00	1974	2017	1966	0	0	0	0	0	0
25/Jul/10 13:47:10	1975	2018	1966	0	0	0	0	0	0
25/Jul/10 13:47:20	1977	2016	1967	0	0	0	0	0	0
25/Jul/10 13:47:30	1976	2017	1965	0	0	0	0	0	0
25/Jul/10 13:47:40	1979	2018	1969	0	0	0	0	0	0
25/Jul/10 13:47:50	1983	2016	1971	0	0	0	0	0	0
25/Jul/10 13:48:00	1984	2017	1971	0	0	0	0	0	0
25/Jul/10 13:48:10	1984	2018	1973	0	0	0	0	0	0
25/Jul/10 13:48:20	1979	2019	1974	0	0	0	0	0	0
25/Jul/10 13:48:30	1976	2016	1978	0	0	0	0	0	0
25/Jul/10 13:48:40	1977	2015	1976	0	0	0	0	0	0
25/Jul/10 13:48:50	1978	2016	1973	0	0	0	0	0	0
25/Jul/10 13:49:00	1977	2017	1970	0	0	0	0	0	0
25/Jul/10 13:49:10	1977	2020	1966	0	0	0	0	0	0
25/Jul/10 13:49:20	1976	2017	1963	0	0	0	0	0	0
25/Jul/10 13:49:30	1975	2020	1961	0	0	0	0	0	0
25/Jul/10 13:49:40	1973	2016	1960	0	0	0	0	0	0
25/Jul/10 13:49:50	1975	2012	1960	0	0	0	0	0	0
25/Jul/10 13:50:00	1975	2014	1957	0	0	0	0	0	0
25/Jul/10 13:50:10	1976	2017	1954	0	0	0	0	0	0
25/Jul/10 13:50:20	1974	2017	1952	0	0	0	0	0	0
25/Jul/10 13:50:30	1977	2016	1956	0	0	0	0	0	0
25/Jul/10 13:50:40	1976	2010	1955	0	0	0	0	0	0
25/Jul/10 13:50:50	1975	2011	1956	0	0	0	0	0	0
25/Jul/10 13:51:00	1975	2008	1962	0	0	0	0	0	0
25/Jul/10 13:51:10	1976	2006	1963	0	0	0	0	0	0
25/Jul/10 13:51:20	1976	2010	1965	0	0	0	0	0	0
25/Jul/10 13:51:30	1977	2008	1962	0	0	0	0	0	0
25/Jul/10 13:51:40	1977	2014	1962	0	0	0	0	0	0
25/Jul/10 13:51:50	1973	2010	1957	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 13:52:00	1971	2010	1957	0	0	0	0	0	0
25/Jul/10 13:52:10	1972	2007	1956	0	0	0	0	0	0
25/Jul/10 13:52:20	1969	2005	1960	0	0	0	0	0	0
25/Jul/10 13:52:30	1971	2003	1960	0	0	0	0	0	0
25/Jul/10 13:52:40	1969	2006	1963	0	0	0	0	0	0
25/Jul/10 13:52:50	1968	2009	1963	0	0	0	0	0	0
25/Jul/10 13:53:00	1967	2010	1963	0	0	0	0	0	0
25/Jul/10 13:53:10	1966	2011	1967	0	0	0	0	0	0
25/Jul/10 13:53:20	1963	2011	1966	0	0	0	0	0	0
25/Jul/10 13:53:30	1963	2015	1961	0	0	0	0	0	0
25/Jul/10 13:53:40	1967	2019	1963	0	0	0	0	0	0
25/Jul/10 13:53:50	1973	2019	1967	0	0	0	0	0	0
25/Jul/10 13:54:00	1972	2016	1970	0	0	0	0	0	0
25/Jul/10 13:54:10	1973	2015	1969	0	0	0	0	0	0
25/Jul/10 13:54:20	1974	2012	1972	0	0	0	0	0	0
25/Jul/10 13:54:30	1968	2012	1970	0	0	0	0	0	0
25/Jul/10 13:54:40	1968	2016	1970	0	0	0	0	0	0
25/Jul/10 13:54:50	1968	2021	1964	0	0	0	0	0	0
25/Jul/10 13:55:00	1968	2023	1968	0	0	0	0	0	0
25/Jul/10 13:55:10	1968	2020	1970	0	0	0	0	0	0
25/Jul/10 13:55:20	1965	2017	1970	0	0	0	0	0	0
25/Jul/10 13:55:30	1961	2010	1972	0	0	0	0	0	0
25/Jul/10 13:55:40	1957	2012	1972	0	0	0	0	0	0
25/Jul/10 13:55:50	1958	2012	1972	0	0	0	0	0	0
25/Jul/10 13:56:00	1955	2015	1972	0	0	0	0	0	0
25/Jul/10 13:56:10	1955	2014	1969	0	0	0	0	0	0
25/Jul/10 13:56:20	1958	2015	1973	0	0	0	0	0	0
25/Jul/10 13:56:30	1960	2013	1974	0	0	0	0	0	0
25/Jul/10 13:56:40	1958	2009	1972	0	0	0	0	0	0
25/Jul/10 13:56:50	1957	2008	1971	0	0	0	0	0	0
25/Jul/10 13:57:00	1960	2008	1969	0	0	0	0	0	0
25/Jul/10 13:57:10	1965	2008	1966	0	0	0	0	0	0
25/Jul/10 13:57:20	1965	2007	1968	0	0	0	0	0	0
25/Jul/10 13:57:30	1966	2009	1969	0	0	0	0	0	0
25/Jul/10 13:57:40	1968	2012	1969	0	0	0	0	0	0
25/Jul/10 13:57:50	1971	2011	1967	0	0	0	0	0	0
25/Jul/10 13:58:00	1974	2015	1967	0	0	0	0	0	0
25/Jul/10 13:58:10	1977	2011	1966	0	0	0	0	0	0
25/Jul/10 13:58:20	1981	2017	1968	0	0	0	0	0	0
25/Jul/10 13:58:30	1981	2017	1970	0	0	0	0	0	0
25/Jul/10 13:58:40	1978	2018	1966	0	0	0	0	0	0
25/Jul/10 13:58:50	1975	2017	1969	0	0	0	0	0	0
25/Jul/10 13:59:00	1974	2015	1970	0	0	0	0	0	0
25/Jul/10 13:59:10	1975	2014	1966	0	0	0	0	0	0
25/Jul/10 13:59:20	1978	2016	1965	0	0	0	0	0	0
25/Jul/10 13:59:30	1980	2013	1962	0	0	0	0	0	0
25/Jul/10 13:59:40	1976	2010	1964	0	0	0	0	0	0
25/Jul/10 13:59:50	1973	2012	1966	0	0	0	0	0	0
25/Jul/10 14:00:00	1968	2010	1966	0	0	0	0	0	0
25/Jul/10 14:00:10	1965	2007	1969	0	0	0	0	0	0
25/Jul/10 14:00:20	1967	2009	1969	0	0	0	0	0	0
25/Jul/10 14:00:30	1968	2013	1972	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:00:40	1969	2012	1971	0	0	0	0	0	0
25/Jul/10 14:00:50	1968	2008	1972	0	0	0	0	0	0
25/Jul/10 14:01:00	1970	2009	1971	0	0	0	0	0	0
25/Jul/10 14:01:10	1969	2006	1969	0	0	0	0	0	0
25/Jul/10 14:01:20	1969	2009	1970	0	0	0	0	0	0
25/Jul/10 14:01:30	1967	2012	1969	0	0	0	0	0	0
25/Jul/10 14:01:40	1967	2009	1964	0	0	0	0	0	0
25/Jul/10 14:01:50	1971	2010	1964	0	0	0	0	0	0
25/Jul/10 14:02:00	1971	2008	1968	0	0	0	0	0	0
25/Jul/10 14:02:10	1966	2008	1971	0	0	0	0	0	0
25/Jul/10 14:02:20	1967	2012	1969	0	0	0	0	0	0
25/Jul/10 14:02:30	1967	2014	1968	0	0	0	0	0	0
25/Jul/10 14:02:40	1966	2009	1964	0	0	0	0	0	0
25/Jul/10 14:02:50	1967	2004	1964	0	0	0	0	0	0
25/Jul/10 14:03:00	1969	2015	1963	0	0	0	0	0	0
25/Jul/10 14:03:10	1967	2015	1958	0	0	0	0	0	0
25/Jul/10 14:03:20	1967	2013	1959	0	0	0	0	0	0
25/Jul/10 14:03:30	1966	2011	1964	0	0	0	0	0	0
25/Jul/10 14:03:40	1966	2014	1962	0	0	0	0	0	0
25/Jul/10 14:03:50	1966	2009	1968	0	0	0	0	0	0
25/Jul/10 14:04:00	1967	2008	1969	0	0	0	0	0	0
25/Jul/10 14:04:10	1968	2008	1967	0	0	0	0	0	0
25/Jul/10 14:04:20	1966	2012	1969	0	0	0	0	0	0
25/Jul/10 14:04:30	1964	2013	1971	0	0	0	0	0	0
25/Jul/10 14:04:40	1964	2010	1971	0	0	0	0	0	0
25/Jul/10 14:04:50	1960	2012	1970	0	0	0	0	0	0
25/Jul/10 14:05:00	1962	2013	1968	0	0	0	0	0	0
25/Jul/10 14:05:10	1964	2016	1969	0	0	0	0	0	0
25/Jul/10 14:05:20	1965	2014	1968	0	0	0	0	0	0
25/Jul/10 14:05:30	1968	2014	1969	0	0	0	0	0	0
25/Jul/10 14:05:40	1971	2013	1964	0	0	0	0	0	0
25/Jul/10 14:05:50	1972	2014	1963	0	0	0	0	0	0
25/Jul/10 14:06:00	1972	2011	1963	0	0	0	0	0	0
25/Jul/10 14:06:10	1972	2012	1964	0	0	0	0	0	0
25/Jul/10 14:06:20	1975	2013	1964	0	0	0	0	0	0
25/Jul/10 14:06:30	1970	2016	1959	0	0	0	0	0	0
25/Jul/10 14:06:40	1973	2018	1963	0	0	0	0	0	0
25/Jul/10 14:06:50	1972	2019	1961	0	0	0	0	0	0
25/Jul/10 14:07:00	1972	2019	1965	0	0	0	0	0	0
25/Jul/10 14:07:10	1974	2022	1964	0	0	0	0	0	0
25/Jul/10 14:07:20	1974	2019	1963	0	0	0	0	0	0
25/Jul/10 14:07:30	1975	2015	1962	0	0	0	0	0	0
25/Jul/10 14:07:40	1976	2017	1964	0	0	0	0	0	0
25/Jul/10 14:07:50	1974	2019	1966	0	0	0	0	0	0
25/Jul/10 14:08:00	1976	2016	1968	0	0	0	0	0	0
25/Jul/10 14:08:10	1977	2018	1966	0	0	0	0	0	0
25/Jul/10 14:08:20	1978	2018	1967	0	0	0	0	0	0
25/Jul/10 14:08:30	1977	2018	1964	0	0	0	0	0	0
25/Jul/10 14:08:40	1977	2017	1965	0	0	0	0	0	0
25/Jul/10 14:08:50	1974	2017	1964	0	0	0	0	0	0
25/Jul/10 14:09:00	1973	2016	1963	0	0	0	0	0	0
25/Jul/10 14:09:10	1968	2014	1964	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:09:20	1969	2011	1966	0	0	0	0	0	0
25/Jul/10 14:09:30	1970	2010	1966	0	0	0	0	0	0
25/Jul/10 14:09:40	1974	2010	1966	0	0	0	0	0	0
25/Jul/10 14:09:50	1975	2011	1966	0	0	0	0	0	0
25/Jul/10 14:10:00	1978	2011	1966	0	0	0	0	0	0
25/Jul/10 14:10:10	1979	2014	1966	0	0	0	0	0	0
25/Jul/10 14:10:20	1980	2010	1966	0	0	0	0	0	0
25/Jul/10 14:10:30	1981	2007	1965	0	0	0	0	0	0
25/Jul/10 14:10:40	1982	2009	1959	0	0	0	0	0	0
25/Jul/10 14:10:50	1983	2011	1958	0	0	0	0	0	0
25/Jul/10 14:11:00	1985	2010	1959	0	0	0	0	0	0
25/Jul/10 14:11:10	1985	2011	1957	0	0	0	0	0	0
25/Jul/10 14:11:20	1987	2005	1958	0	0	0	0	0	0
25/Jul/10 14:11:30	1983	2006	1957	0	0	0	0	0	0
25/Jul/10 14:11:40	1980	2006	1955	0	0	0	0	0	0
25/Jul/10 14:11:50	1977	2010	1955	0	0	0	0	0	0
25/Jul/10 14:12:00	1977	2006	1954	0	0	0	0	0	0
25/Jul/10 14:12:10	1976	2008	1954	0	0	0	0	0	0
25/Jul/10 14:12:20	1976	2005	1953	0	0	0	0	0	0
25/Jul/10 14:12:30	1975	2005	1952	0	0	0	0	0	0
25/Jul/10 14:12:40	1975	2007	1957	0	0	0	0	0	0
25/Jul/10 14:12:50	1976	2005	1960	0	0	0	0	0	0
25/Jul/10 14:13:00	1974	2006	1963	0	0	0	0	0	0
25/Jul/10 14:13:10	1970	2003	1961	0	0	0	0	0	0
25/Jul/10 14:13:20	1973	2001	1958	0	0	0	0	0	0
25/Jul/10 14:13:30	1977	1999	1957	0	0	0	0	0	0
25/Jul/10 14:13:40	1979	1998	1955	0	0	0	0	0	0
25/Jul/10 14:13:50	1980	2001	1952	0	0	0	0	0	0
25/Jul/10 14:14:00	1979	2000	1954	0	0	0	0	0	0
25/Jul/10 14:14:10	1977	2001	1959	0	0	0	0	0	0
25/Jul/10 14:14:20	1980	2003	1959	0	0	0	0	0	0
25/Jul/10 14:14:30	1979	2002	1958	0	0	0	0	0	0
25/Jul/10 14:14:40	1977	2000	1963	0	0	0	0	0	0
25/Jul/10 14:14:50	1979	2009	1962	0	0	0	0	0	0
25/Jul/10 14:15:00	1979	2008	1958	0	0	0	0	0	0
25/Jul/10 14:15:10	1976	2011	1959	0	0	0	0	0	0
25/Jul/10 14:15:20	1974	2009	1961	0	0	0	0	0	0
25/Jul/10 14:15:30	1972	2009	1957	0	0	0	0	0	0
25/Jul/10 14:15:40	1971	2008	1960	0	0	0	0	0	0
25/Jul/10 14:15:50	1972	2004	1959	0	0	0	0	0	0
25/Jul/10 14:16:00	1974	2000	1957	0	0	0	0	0	0
25/Jul/10 14:16:10	1975	2000	1959	0	0	0	0	0	0
25/Jul/10 14:16:20	1976	2002	1961	0	0	0	0	0	0
25/Jul/10 14:16:30	1975	2000	1961	0	0	0	0	0	0
25/Jul/10 14:16:40	1970	1999	1960	0	0	0	0	0	0
25/Jul/10 14:16:50	1970	2004	1961	0	0	0	0	0	0
25/Jul/10 14:17:00	1972	2006	1960	0	0	0	0	0	0
25/Jul/10 14:17:10	1970	2006	1958	0	0	0	0	0	0
25/Jul/10 14:17:20	1967	2004	1959	0	0	0	0	0	0
25/Jul/10 14:17:30	1968	2005	1960	0	0	0	0	0	0
25/Jul/10 14:17:40	1967	2002	1958	0	0	0	0	0	0
25/Jul/10 14:17:50	1966	2002	1958	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:18:00	1965	2002	1956	0	0	0	0	0	0
25/Jul/10 14:18:10	1964	2003	1957	0	0	0	0	0	0
25/Jul/10 14:18:20	1966	2005	1956	0	0	0	0	0	0
25/Jul/10 14:18:30	1964	2012	1957	0	0	0	0	0	0
25/Jul/10 14:18:40	1963	2010	1958	0	0	0	0	0	0
25/Jul/10 14:18:50	1963	2014	1955	0	0	0	0	0	0
25/Jul/10 14:19:00	1966	2012	1957	0	0	0	0	0	0
25/Jul/10 14:19:10	1964	2013	1956	0	0	0	0	0	0
25/Jul/10 14:19:20	1966	2015	1957	0	0	0	0	0	0
25/Jul/10 14:19:30	1963	2016	1958	0	0	0	0	0	0
25/Jul/10 14:19:40	1963	2016	1959	0	0	0	0	0	0
25/Jul/10 14:19:50	1961	2012	1960	0	0	0	0	0	0
25/Jul/10 14:20:00	1963	2013	1964	0	0	0	0	0	0
25/Jul/10 14:20:10	1960	2017	1964	0	0	0	0	0	0
25/Jul/10 14:20:20	1963	2013	1966	0	0	0	0	0	0
25/Jul/10 14:20:30	1967	2013	1968	0	0	0	0	0	0
25/Jul/10 14:20:40	1967	2013	1972	0	0	0	0	0	0
25/Jul/10 14:20:50	1968	2008	1971	0	0	0	0	0	0
25/Jul/10 14:21:00	1967	2009	1968	0	0	0	0	0	0
25/Jul/10 14:21:10	1966	2010	1969	0	0	0	0	0	0
25/Jul/10 14:21:20	1972	2014	1966	0	0	0	0	0	0
25/Jul/10 14:21:30	1976	2009	1961	0	0	0	0	0	0
25/Jul/10 14:21:40	1974	2009	1962	0	0	0	0	0	0
25/Jul/10 14:21:50	1975	2006	1959	0	0	0	0	0	0
25/Jul/10 14:22:00	1978	2004	1957	0	0	0	0	0	0
25/Jul/10 14:22:10	1971	2006	1961	0	0	0	0	0	1
25/Jul/10 14:22:20	1973	2011	1963	0	0	0	0	0	1
25/Jul/10 14:22:30	1974	2010	1964	0	0	0	0	0	1
25/Jul/10 14:22:40	1974	2010	1964	0	0	0	0	0	1
25/Jul/10 14:22:50	1976	2005	1963	0	0	0	0	0	1
25/Jul/10 14:23:00	1978	2006	1962	0	0	0	0	0	1
25/Jul/10 14:23:10	1974	2004	1963	0	0	0	0	0	1
25/Jul/10 14:23:20	1970	2005	1966	0	0	0	0	0	1
25/Jul/10 14:23:30	1973	2005	1963	0	0	0	0	0	1
25/Jul/10 14:23:40	1972	2002	1963	0	0	0	0	0	1
25/Jul/10 14:23:50	1967	2000	1962	0	0	0	0	0	1
25/Jul/10 14:24:00	1969	2008	1960	0	0	0	0	0	1
25/Jul/10 14:24:10	1971	2004	1963	0	0	0	0	0	1
25/Jul/10 14:24:20	1970	2006	1961	0	0	0	0	0	1
25/Jul/10 14:24:30	1973	2005	1960	0	0	0	0	0	1
25/Jul/10 14:24:40	1968	2006	1959	0	0	0	0	0	1
25/Jul/10 14:24:50	1962	2003	1958	0	0	0	0	0	1
25/Jul/10 14:25:00	1962	2004	1962	0	0	0	0	0	1
25/Jul/10 14:25:10	1966	2005	1960	0	0	0	0	0	1
25/Jul/10 14:25:20	1964	2001	1957	0	0	0	0	0	1
25/Jul/10 14:25:30	1969	1998	1954	0	0	0	0	0	1
25/Jul/10 14:25:40	1972	1999	1954	0	0	0	0	0	1
25/Jul/10 14:25:50	1974	2001	1956	0	0	0	0	0	1
25/Jul/10 14:26:00	1973	2005	1955	0	0	0	0	0	1
25/Jul/10 14:26:10	1969	2002	1958	0	0	0	0	0	1
25/Jul/10 14:26:20	1969	2003	1958	0	0	0	0	0	1
25/Jul/10 14:26:30	1971	2003	1958	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:26:40	1979	2004	1962	0	0	0	0	0	1
25/Jul/10 14:26:50	1978	2006	1966	0	0	0	0	0	1
25/Jul/10 14:27:00	1976	2007	1965	0	0	0	0	0	1
25/Jul/10 14:27:10	1977	2010	1965	0	0	0	0	0	1
25/Jul/10 14:27:20	1974	2011	1968	0	0	0	0	0	1
25/Jul/10 14:27:30	1972	2014	1970	0	0	0	0	0	1
25/Jul/10 14:27:40	1972	2010	1974	0	0	0	0	0	1
25/Jul/10 14:27:50	1971	2010	1979	0	0	0	0	0	1
25/Jul/10 14:28:00	1975	2014	1977	0	0	0	0	0	1
25/Jul/10 14:28:10	1972	2017	1977	0	0	0	0	0	1
25/Jul/10 14:28:20	1971	2016	1977	0	0	0	0	0	1
25/Jul/10 14:28:30	1967	2016	1974	0	0	0	0	0	1
25/Jul/10 14:28:40	1967	2018	1974	0	0	0	0	0	1
25/Jul/10 14:28:50	1968	2016	1976	0	0	0	0	0	1
25/Jul/10 14:29:00	1967	2017	1975	0	0	0	0	0	1
25/Jul/10 14:29:10	1970	2022	1977	0	0	0	0	0	1
25/Jul/10 14:29:20	1975	2019	1973	0	0	0	0	0	1
25/Jul/10 14:29:30	1975	2016	1972	0	0	0	0	0	1
25/Jul/10 14:29:40	1977	2014	1974	0	0	0	0	0	1
25/Jul/10 14:29:50	1981	2016	1966	0	0	0	0	0	1
25/Jul/10 14:30:00	1982	2014	1963	0	0	0	0	0	1
25/Jul/10 14:30:10	1982	2013	1958	0	0	0	0	0	1
25/Jul/10 14:30:20	1987	2016	1960	0	0	0	0	0	1
25/Jul/10 14:30:30	1986	2015	1965	0	0	0	0	0	1
25/Jul/10 14:30:40	1985	2016	1960	0	0	0	0	0	1
25/Jul/10 14:30:50	1983	2022	1956	0	0	0	0	0	1
25/Jul/10 14:31:00	1987	2022	1956	0	0	0	0	0	1
25/Jul/10 14:31:10	1986	2020	1960	0	0	0	0	0	1
25/Jul/10 14:31:20	1984	2018	1961	0	0	0	0	0	1
25/Jul/10 14:31:30	1983	2015	1956	0	0	0	0	0	1
25/Jul/10 14:31:40	1980	2013	1956	0	0	0	0	0	1
25/Jul/10 14:31:50	1980	2010	1958	0	0	0	0	0	1
25/Jul/10 14:32:00	1981	2008	1958	0	0	0	0	0	1
25/Jul/10 14:32:10	1979	2003	1958	0	0	0	0	0	1
25/Jul/10 14:32:20	1981	2002	1958	0	0	0	0	0	1
25/Jul/10 14:32:30	1982	2004	1956	0	0	0	0	0	1
25/Jul/10 14:32:40	1984	2008	1956	0	0	0	0	0	1
25/Jul/10 14:32:50	1982	2012	1957	0	0	0	0	0	1
25/Jul/10 14:33:00	1978	2014	1957	0	0	0	0	0	1
25/Jul/10 14:33:10	1976	2013	1958	0	0	0	0	0	1
25/Jul/10 14:33:20	1976	2010	1961	0	0	0	0	0	1
25/Jul/10 14:33:30	1975	2009	1957	0	0	0	0	0	1
25/Jul/10 14:33:40	1975	2012	1956	0	0	0	0	0	1
25/Jul/10 14:33:50	1977	2007	1955	0	0	0	0	0	1
25/Jul/10 14:34:00	1980	2006	1955	0	0	0	0	0	1
25/Jul/10 14:34:10	1978	2007	1954	0	0	0	0	0	1
25/Jul/10 14:34:20	1979	2005	1957	0	0	0	0	0	1
25/Jul/10 14:34:30	1977	2000	1961	0	0	0	0	0	1
25/Jul/10 14:34:40	1979	2000	1957	0	0	0	0	0	1
25/Jul/10 14:34:50	1982	1998	1953	0	0	0	0	0	1
25/Jul/10 14:35:00	1985	1999	1953	0	0	0	0	0	0
25/Jul/10 14:35:10	1983	1999	1956	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:35:20	1986	1998	1958	0	0	0	0	0	0
25/Jul/10 14:35:30	1984	1999	1960	0	0	0	0	0	1
25/Jul/10 14:35:40	1982	1998	1962	0	0	0	0	0	1
25/Jul/10 14:35:50	1976	1996	1963	0	0	0	0	0	1
25/Jul/10 14:36:00	1975	1998	1961	0	0	0	0	0	0
25/Jul/10 14:36:10	1976	2000	1963	0	0	0	0	0	0
25/Jul/10 14:36:20	1975	2001	1965	0	0	0	0	0	0
25/Jul/10 14:36:30	1976	2004	1964	0	0	0	0	0	0
25/Jul/10 14:36:40	1978	2006	1959	0	0	0	0	0	1
25/Jul/10 14:36:50	1975	2003	1959	0	0	0	0	0	1
25/Jul/10 14:37:00	1977	2004	1959	0	0	0	0	0	1
25/Jul/10 14:37:10	1976	2005	1961	0	0	0	0	0	1
25/Jul/10 14:37:20	1980	2004	1962	0	0	0	0	0	0
25/Jul/10 14:37:30	1983	2008	1964	0	0	0	0	0	0
25/Jul/10 14:37:40	1982	2008	1966	0	0	0	0	0	0
25/Jul/10 14:37:50	1979	2009	1964	0	0	0	0	0	0
25/Jul/10 14:38:00	1976	2008	1964	0	0	0	0	0	1
25/Jul/10 14:38:10	1977	2010	1962	0	0	0	0	0	1
25/Jul/10 14:38:20	1977	2016	1964	0	0	0	0	0	1
25/Jul/10 14:38:30	1972	2018	1963	0	0	0	0	0	1
25/Jul/10 14:38:40	1976	2020	1960	0	0	0	0	0	1
25/Jul/10 14:38:50	1978	2020	1958	0	0	0	0	0	0
25/Jul/10 14:39:00	1977	2020	1959	0	0	0	0	0	0
25/Jul/10 14:39:10	1975	2022	1962	0	0	0	0	0	0
25/Jul/10 14:39:20	1972	2024	1963	0	0	0	0	0	0
25/Jul/10 14:39:30	1974	2025	1964	0	0	0	0	0	1
25/Jul/10 14:39:40	1975	2023	1964	0	0	0	0	0	1
25/Jul/10 14:39:50	1973	2022	1968	0	0	0	0	0	1
25/Jul/10 14:40:00	1970	2020	1967	0	0	0	0	0	1
25/Jul/10 14:40:10	1968	2021	1964	0	0	0	0	0	1
25/Jul/10 14:40:20	1970	2018	1963	0	0	0	0	0	0
25/Jul/10 14:40:30	1967	2016	1958	0	0	0	0	0	0
25/Jul/10 14:40:40	1966	2018	1957	0	0	0	0	0	0
25/Jul/10 14:40:50	1964	2015	1958	0	0	0	0	0	1
25/Jul/10 14:41:00	1966	2014	1959	0	0	0	0	0	1
25/Jul/10 14:41:10	1966	2017	1958	0	0	0	0	0	1
25/Jul/10 14:41:20	1963	2012	1960	0	0	0	0	0	1
25/Jul/10 14:41:30	1965	2009	1961	0	0	0	0	0	1
25/Jul/10 14:41:40	1969	2012	1963	0	0	0	0	0	0
25/Jul/10 14:41:50	1972	2013	1962	0	0	0	0	0	0
25/Jul/10 14:42:00	1972	2014	1959	0	0	0	0	0	1
25/Jul/10 14:42:10	1974	2013	1955	0	0	0	0	0	1
25/Jul/10 14:42:20	1974	2011	1958	0	0	0	0	0	1
25/Jul/10 14:42:30	1975	2017	1959	0	0	0	0	0	0
25/Jul/10 14:42:40	1973	2018	1959	0	0	0	0	0	1
25/Jul/10 14:42:50	1972	2008	1956	0	0	0	0	0	0
25/Jul/10 14:43:00	1971	2007	1957	0	0	0	0	0	0
25/Jul/10 14:43:10	1970	2012	1956	0	0	0	0	0	1
25/Jul/10 14:43:20	1969	2013	1958	0	0	0	0	0	0
25/Jul/10 14:43:30	1970	2014	1960	0	0	0	0	0	0
25/Jul/10 14:43:40	1972	2018	1960	0	0	0	0	0	0
25/Jul/10 14:43:50	1972	2019	1961	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:44:00	1968	2015	1963	0	0	0	0	0	0
25/Jul/10 14:44:10	1966	2017	1966	0	0	0	0	0	1
25/Jul/10 14:44:20	1961	2017	1965	0	0	0	0	0	1
25/Jul/10 14:44:30	1962	2014	1970	0	0	0	0	0	1
25/Jul/10 14:44:40	1961	2013	1972	0	0	0	0	0	1
25/Jul/10 14:44:50	1964	2017	1977	0	0	0	0	0	0
25/Jul/10 14:45:00	1968	2015	1976	0	0	0	0	0	1
25/Jul/10 14:45:10	1967	2013	1973	0	0	0	0	0	1
25/Jul/10 14:45:20	1968	2013	1970	0	0	0	0	0	1
25/Jul/10 14:45:30	1966	2012	1965	0	0	0	0	0	0
25/Jul/10 14:45:40	1967	2011	1963	0	0	0	0	0	0
25/Jul/10 14:45:50	1969	2010	1960	0	0	0	0	0	1
25/Jul/10 14:46:00	1971	2011	1958	0	0	0	0	0	1
25/Jul/10 14:46:10	1976	2011	1959	0	0	0	0	0	1
25/Jul/10 14:46:20	1977	2012	1960	0	0	0	0	0	2
25/Jul/10 14:46:30	1976	2015	1961	0	0	0	0	0	2
25/Jul/10 14:46:40	1976	2014	1963	0	0	0	0	0	0
25/Jul/10 14:46:50	1980	2017	1964	0	0	0	0	0	1
25/Jul/10 14:47:00	1978	2019	1967	0	0	0	0	0	0
25/Jul/10 14:47:10	1976	2014	1966	0	0	0	0	0	1
25/Jul/10 14:47:20	1978	2008	1966	0	0	0	0	0	0
25/Jul/10 14:47:30	1981	2008	1965	0	0	0	0	0	0
25/Jul/10 14:47:40	1979	2008	1965	0	0	0	0	0	0
25/Jul/10 14:47:50	1980	2014	1960	0	0	0	0	0	0
25/Jul/10 14:48:00	1980	2007	1957	0	0	0	0	0	1
25/Jul/10 14:48:10	1981	2009	1956	0	0	0	0	0	1
25/Jul/10 14:48:20	1981	2015	1957	0	0	0	0	0	1
25/Jul/10 14:48:30	1980	2014	1962	0	0	0	0	0	1
25/Jul/10 14:48:40	1974	2015	1960	0	0	0	0	0	1
25/Jul/10 14:48:50	1977	2016	1960	0	0	0	0	0	1
25/Jul/10 14:49:00	1975	2013	1961	0	0	0	0	0	0
25/Jul/10 14:49:10	1970	2014	1958	0	0	0	0	0	1
25/Jul/10 14:49:20	1967	2016	1957	0	0	0	0	0	0
25/Jul/10 14:49:30	1968	2017	1956	0	0	0	0	0	1
25/Jul/10 14:49:40	1965	2019	1954	0	0	0	0	0	1
25/Jul/10 14:49:50	1964	2016	1952	0	0	0	0	0	2
25/Jul/10 14:50:00	1962	2018	1955	0	0	0	0	0	0
25/Jul/10 14:50:10	1962	2016	1958	0	0	0	0	0	1
25/Jul/10 14:50:20	1961	2018	1958	0	0	0	0	0	1
25/Jul/10 14:50:30	1962	2016	1955	0	0	0	0	0	2
25/Jul/10 14:50:40	1964	2014	1961	0	0	0	0	0	1
25/Jul/10 14:50:50	1963	2008	1963	0	0	0	0	0	0
25/Jul/10 14:51:00	1968	2011	1962	0	0	0	0	0	1
25/Jul/10 14:51:10	1967	2008	1964	0	0	0	0	0	1
25/Jul/10 14:51:20	1968	2010	1968	0	0	0	0	0	0
25/Jul/10 14:51:30	1973	2015	1968	0	0	0	0	0	0
25/Jul/10 14:51:40	1972	2013	1966	0	0	0	0	0	1
25/Jul/10 14:51:50	1976	2013	1962	0	0	0	0	0	1
25/Jul/10 14:52:00	1978	2010	1959	0	0	0	0	0	1
25/Jul/10 14:52:10	1982	2006	1958	0	0	0	0	0	1
25/Jul/10 14:52:20	1982	2004	1958	0	0	0	0	0	1
25/Jul/10 14:52:30	1983	2005	1958	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 14:52:40	1983	2004	1956	0	0	0	0	0	0
25/Jul/10 14:52:50	1987	2003	1959	0	0	0	0	0	1
25/Jul/10 14:53:00	1988	2002	1962	0	0	0	0	0	1
25/Jul/10 14:53:10	1987	1999	1960	0	0	0	0	0	0
25/Jul/10 14:53:20	1988	1998	1960	0	0	0	0	0	1
25/Jul/10 14:53:30	1990	1999	1962	0	0	0	0	0	1
25/Jul/10 14:53:40	1985	1998	1958	0	0	0	0	0	0
25/Jul/10 14:53:50	1986	1999	1957	0	0	0	0	0	1
25/Jul/10 14:54:00	1985	2000	1964	0	0	0	0	0	0
25/Jul/10 14:54:10	1985	2001	1968	0	0	0	0	0	0
25/Jul/10 14:54:20	1986	2003	1966	0	0	0	0	0	1
25/Jul/10 14:54:30	1983	2000	1965	0	0	0	0	0	1
25/Jul/10 14:54:40	1980	2001	1965	0	0	0	0	0	1
25/Jul/10 14:54:50	1976	2001	1971	0	0	0	0	0	0
25/Jul/10 14:55:00	1973	1999	1971	0	0	0	0	0	0
25/Jul/10 14:55:10	1969	2000	1969	0	0	0	0	0	1
25/Jul/10 14:55:20	1968	2008	1971	0	0	0	0	0	0
25/Jul/10 14:55:30	1969	2014	1971	0	0	0	0	0	1
25/Jul/10 14:55:40	1967	2015	1971	0	0	0	0	0	1
25/Jul/10 14:55:50	1968	2015	1968	0	0	0	0	0	0
25/Jul/10 14:56:00	1966	2010	1964	0	0	0	0	0	0
25/Jul/10 14:56:10	1963	2006	1962	0	0	0	0	0	1
25/Jul/10 14:56:20	1966	2002	1957	0	0	0	0	0	1
25/Jul/10 14:56:30	1966	1999	1959	0	0	0	0	0	1
25/Jul/10 14:56:40	1965	2000	1963	0	0	0	0	0	0
25/Jul/10 14:56:50	1969	2000	1967	0	0	0	0	0	0
25/Jul/10 14:57:00	1968	2003	1964	0	0	0	0	0	1
25/Jul/10 14:57:10	1971	2001	1963	0	0	0	0	0	1
25/Jul/10 14:57:20	1970	2005	1966	0	0	0	0	0	0
25/Jul/10 14:57:30	1974	2007	1966	0	0	0	0	0	1
25/Jul/10 14:57:40	1976	2005	1964	0	0	0	0	0	0
25/Jul/10 14:57:50	1975	2009	1960	0	0	0	0	0	0
25/Jul/10 14:58:00	1977	2005	1959	0	0	0	0	0	0
25/Jul/10 14:58:10	1971	2005	1958	0	0	0	0	0	1
25/Jul/10 14:58:20	1975	2006	1957	0	0	0	0	0	1
25/Jul/10 14:58:30	1979	2014	1955	0	0	0	0	0	1
25/Jul/10 14:58:40	1981	2014	1957	0	0	0	0	0	0
25/Jul/10 14:58:50	1982	2016	1956	0	0	0	0	0	0
25/Jul/10 14:59:00	1980	2016	1956	0	0	0	0	0	1
25/Jul/10 14:59:10	1981	2018	1959	0	0	0	0	0	0
25/Jul/10 14:59:20	1980	2021	1960	0	0	0	0	0	1
25/Jul/10 14:59:30	1978	2018	1961	0	0	0	0	0	0
25/Jul/10 14:59:40	1979	2020	1962	0	0	0	0	0	1
25/Jul/10 14:59:50	1976	2017	1962	0	0	0	0	0	0
25/Jul/10 15:00:00	1979	2014	1962	0	0	0	0	0	1
25/Jul/10 15:00:10	1983	2011	1962	0	0	0	0	0	1
25/Jul/10 15:00:20	1980	2017	1962	0	0	0	0	0	0
25/Jul/10 15:00:30	1977	2019	1962	0	0	0	0	0	0
25/Jul/10 15:00:40	1979	2021	1963	0	0	0	0	0	0
25/Jul/10 15:00:50	1981	2023	1960	0	0	0	0	0	0
25/Jul/10 15:01:00	1982	2025	1955	0	0	0	0	0	0
25/Jul/10 15:01:10	1980	2019	1955	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:01:20	1974	2019	1954	0	0	0	0	0	1
25/Jul/10 15:01:30	1971	2017	1953	0	0	0	0	0	1
25/Jul/10 15:01:40	1971	2019	1955	0	0	0	0	0	1
25/Jul/10 15:01:50	1962	2018	1956	0	0	0	0	0	1
25/Jul/10 15:02:00	1961	2015	1954	0	0	0	0	0	0
25/Jul/10 15:02:10	1962	2016	1954	0	0	0	0	0	0
25/Jul/10 15:02:20	1963	2019	1958	0	0	0	0	0	1
25/Jul/10 15:02:30	1963	2021	1957	0	0	0	0	0	1
25/Jul/10 15:02:40	1962	2022	1956	0	0	0	0	0	2
25/Jul/10 15:02:50	1964	2019	1958	0	0	0	0	0	2
25/Jul/10 15:03:00	1970	2016	1962	0	0	0	0	0	0
25/Jul/10 15:03:10	1971	2015	1964	0	0	0	0	0	1
25/Jul/10 15:03:20	1976	2018	1963	0	0	0	0	0	0
25/Jul/10 15:03:30	1983	2018	1964	0	0	0	0	0	0
25/Jul/10 15:03:40	1988	2021	1962	0	0	0	0	0	1
25/Jul/10 15:03:50	1987	2019	1962	0	0	0	0	0	1
25/Jul/10 15:04:00	1983	2020	1957	0	0	0	0	0	1
25/Jul/10 15:04:10	1985	2022	1956	0	0	0	0	0	2
25/Jul/10 15:04:20	1985	2019	1957	0	0	0	0	0	2
25/Jul/10 15:04:30	1983	2011	1958	0	0	0	0	0	0
25/Jul/10 15:04:40	1979	2012	1959	0	0	0	0	0	1
25/Jul/10 15:04:50	1977	2011	1960	0	0	0	0	0	0
25/Jul/10 15:05:00	1971	2010	1958	0	0	0	0	0	0
25/Jul/10 15:05:10	1970	2005	1956	0	0	0	0	0	1
25/Jul/10 15:05:20	1966	2001	1960	0	0	0	0	0	1
25/Jul/10 15:05:30	1968	2007	1960	0	0	0	0	0	2
25/Jul/10 15:05:40	1972	2010	1960	0	0	0	0	0	0
25/Jul/10 15:05:50	1974	2015	1960	0	0	0	0	0	0
25/Jul/10 15:06:00	1973	2014	1964	0	0	0	0	0	1
25/Jul/10 15:06:10	1976	2016	1962	0	0	0	0	0	1
25/Jul/10 15:06:20	1974	2015	1961	0	0	0	0	0	0
25/Jul/10 15:06:30	1975	2014	1961	0	0	0	0	0	1
25/Jul/10 15:06:40	1974	2014	1960	0	0	0	0	0	0
25/Jul/10 15:06:50	1974	2015	1958	0	0	0	0	0	1
25/Jul/10 15:07:00	1977	2010	1956	0	0	0	0	0	1
25/Jul/10 15:07:10	1978	2012	1956	0	0	0	0	0	0
25/Jul/10 15:07:20	1976	2018	1958	0	0	0	0	0	1
25/Jul/10 15:07:30	1975	2016	1958	0	0	0	0	0	0
25/Jul/10 15:07:40	1974	2014	1959	0	0	0	0	0	0
25/Jul/10 15:07:50	1975	2016	1962	0	0	0	0	0	1
25/Jul/10 15:08:00	1968	2017	1958	0	0	0	0	0	0
25/Jul/10 15:08:10	1969	2015	1958	0	0	0	0	0	2
25/Jul/10 15:08:20	1973	2014	1960	0	0	0	0	0	1
25/Jul/10 15:08:30	1975	2019	1958	0	0	0	0	0	1
25/Jul/10 15:08:40	1976	2015	1955	0	0	0	0	0	0
25/Jul/10 15:08:50	1976	2010	1955	0	0	0	0	0	0
25/Jul/10 15:09:00	1976	2015	1960	0	0	0	0	0	0
25/Jul/10 15:09:10	1975	2013	1961	0	0	0	0	0	1
25/Jul/10 15:09:20	1975	2014	1960	0	0	0	0	0	1
25/Jul/10 15:09:30	1975	2019	1962	0	0	0	0	0	0
25/Jul/10 15:09:40	1977	2021	1964	0	0	0	0	0	0
25/Jul/10 15:09:50	1977	2018	1962	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:10:00	1978	2019	1967	0	0	0	0	0	1
25/Jul/10 15:10:10	1974	2020	1971	0	0	0	0	0	0
25/Jul/10 15:10:20	1970	2017	1967	0	0	0	0	0	0
25/Jul/10 15:10:30	1970	2015	1964	0	0	0	0	0	1
25/Jul/10 15:10:40	1972	2017	1964	0	0	0	0	0	0
25/Jul/10 15:10:50	1974	2017	1966	0	0	0	0	0	2
25/Jul/10 15:11:00	1978	2019	1961	0	0	0	0	0	0
25/Jul/10 15:11:10	1975	2014	1959	0	0	0	0	0	1
25/Jul/10 15:11:20	1974	2016	1962	0	0	0	0	0	1
25/Jul/10 15:11:30	1974	2010	1962	0	0	0	0	0	0
25/Jul/10 15:11:40	1972	2006	1960	0	0	0	0	0	1
25/Jul/10 15:11:50	1965	2005	1962	0	0	0	0	0	2
25/Jul/10 15:12:00	1964	2011	1963	0	0	0	0	0	0
25/Jul/10 15:12:10	1967	2011	1963	0	0	0	0	0	1
25/Jul/10 15:12:20	1966	2009	1958	0	0	0	0	0	2
25/Jul/10 15:12:30	1962	2009	1960	0	0	0	0	0	0
25/Jul/10 15:12:40	1957	2003	1959	0	0	0	0	0	0
25/Jul/10 15:12:50	1951	2005	1960	0	0	0	0	0	1
25/Jul/10 15:13:00	1954	2006	1960	0	0	0	0	0	0
25/Jul/10 15:13:10	1955	1999	1962	0	0	0	0	0	1
25/Jul/10 15:13:20	1952	1998	1962	0	0	0	0	0	1
25/Jul/10 15:13:30	1954	1993	1964	0	0	0	0	0	0
25/Jul/10 15:13:40	1958	1991	1965	0	0	0	0	0	1
25/Jul/10 15:13:50	1965	1996	1963	0	0	0	0	0	2
25/Jul/10 15:14:00	1967	1998	1962	0	0	0	0	0	1
25/Jul/10 15:14:10	1969	1998	1960	0	0	0	0	0	0
25/Jul/10 15:14:20	1973	1996	1962	0	0	0	0	0	0
25/Jul/10 15:14:30	1977	1993	1961	0	0	0	0	0	1
25/Jul/10 15:14:40	1983	1995	1960	0	0	0	0	0	1
25/Jul/10 15:14:50	1982	1991	1962	0	0	0	0	0	1
25/Jul/10 15:15:00	1981	1990	1960	0	0	0	0	0	0
25/Jul/10 15:15:10	1982	1991	1964	0	0	0	0	0	1
25/Jul/10 15:15:20	1984	1990	1963	0	0	0	0	0	0
25/Jul/10 15:15:30	1982	1996	1964	0	0	0	0	0	1
25/Jul/10 15:15:40	1978	1996	1964	0	0	0	0	0	1
25/Jul/10 15:15:50	1976	2003	1964	0	0	0	0	0	0
25/Jul/10 15:16:00	1978	2005	1962	0	0	0	0	0	1
25/Jul/10 15:16:10	1975	2001	1962	0	0	0	0	0	2
25/Jul/10 15:16:20	1974	2006	1960	0	0	0	0	0	0
25/Jul/10 15:16:30	1970	2006	1958	0	0	0	0	0	0
25/Jul/10 15:16:40	1972	2007	1958	0	0	0	0	0	0
25/Jul/10 15:16:50	1970	2007	1958	0	0	0	0	0	1
25/Jul/10 15:17:00	1972	2001	1958	0	0	0	0	0	1
25/Jul/10 15:17:10	1971	2006	1962	0	0	0	0	0	0
25/Jul/10 15:17:20	1972	2005	1962	0	0	0	0	0	1
25/Jul/10 15:17:30	1973	2006	1960	0	0	0	0	0	1
25/Jul/10 15:17:40	1974	2006	1963	0	0	0	0	0	1
25/Jul/10 15:17:50	1968	2001	1966	0	0	0	0	0	0
25/Jul/10 15:18:00	1968	1999	1966	0	0	0	0	0	0
25/Jul/10 15:18:10	1970	2003	1964	0	0	0	0	0	0
25/Jul/10 15:18:20	1971	2003	1967	0	0	0	0	0	1
25/Jul/10 15:18:30	1973	2005	1964	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:18:40	1972	2006	1963	0	0	0	0	0	1
25/Jul/10 15:18:50	1971	2008	1964	0	0	0	0	0	0
25/Jul/10 15:19:00	1970	2010	1964	0	0	0	0	0	1
25/Jul/10 15:19:10	1969	2010	1966	0	0	0	0	0	1
25/Jul/10 15:19:20	1969	2012	1960	0	0	0	0	0	2
25/Jul/10 15:19:30	1968	2016	1958	0	0	0	0	0	0
25/Jul/10 15:19:40	1970	2017	1955	0	0	0	0	0	0
25/Jul/10 15:19:50	1970	2017	1955	0	0	0	0	0	0
25/Jul/10 15:20:00	1969	2016	1956	0	0	0	0	0	1
25/Jul/10 15:20:10	1969	2009	1956	0	0	0	0	0	0
25/Jul/10 15:20:20	1972	2007	1958	0	0	0	0	0	0
25/Jul/10 15:20:30	1974	2001	1957	0	0	0	0	0	0
25/Jul/10 15:20:40	1974	2001	1957	0	0	0	0	0	1
25/Jul/10 15:20:50	1972	2006	1957	0	0	0	0	0	1
25/Jul/10 15:21:00	1972	2006	1958	0	0	0	0	0	1
25/Jul/10 15:21:10	1970	2003	1957	0	0	0	0	0	1
25/Jul/10 15:21:20	1971	2006	1958	0	0	0	0	0	0
25/Jul/10 15:21:30	1973	2006	1963	0	0	0	0	0	1
25/Jul/10 15:21:40	1974	2006	1964	0	0	0	0	0	1
25/Jul/10 15:21:50	1974	2010	1965	0	0	0	0	0	1
25/Jul/10 15:22:00	1971	2007	1965	0	0	0	0	0	2
25/Jul/10 15:22:10	1972	2006	1968	0	0	0	0	0	2
25/Jul/10 15:22:20	1972	2005	1972	0	0	0	0	0	0
25/Jul/10 15:22:30	1975	2002	1972	0	0	0	0	0	1
25/Jul/10 15:22:40	1981	2003	1971	0	0	0	0	0	0
25/Jul/10 15:22:50	1983	2001	1970	0	0	0	0	0	0
25/Jul/10 15:23:00	1985	1999	1969	0	0	0	0	0	0
25/Jul/10 15:23:10	1984	2006	1967	0	0	0	0	0	0
25/Jul/10 15:23:20	1982	2002	1968	0	0	0	0	0	0
25/Jul/10 15:23:30	1980	2005	1968	0	0	0	0	0	1
25/Jul/10 15:23:40	1974	2001	1968	0	0	0	0	0	1
25/Jul/10 15:23:50	1974	2006	1969	0	0	0	0	0	1
25/Jul/10 15:24:00	1970	2003	1970	0	0	0	0	0	1
25/Jul/10 15:24:10	1966	2007	1971	0	0	0	0	0	1
25/Jul/10 15:24:20	1962	2002	1970	0	0	0	0	0	1
25/Jul/10 15:24:30	1959	2001	1969	0	0	0	0	0	1
25/Jul/10 15:24:40	1954	2004	1964	0	0	0	0	0	1
25/Jul/10 15:24:50	1956	2007	1961	0	0	0	0	0	2
25/Jul/10 15:25:00	1956	2005	1960	0	0	0	0	0	2
25/Jul/10 15:25:10	1963	2009	1962	0	0	0	0	0	2
25/Jul/10 15:25:20	1967	2006	1958	0	0	0	0	0	2
25/Jul/10 15:25:30	1969	2005	1958	0	0	0	0	0	0
25/Jul/10 15:25:40	1969	2005	1959	0	0	0	0	0	0
25/Jul/10 15:25:50	1972	2006	1960	0	0	0	0	0	2
25/Jul/10 15:26:00	1975	2009	1960	0	0	0	0	0	1
25/Jul/10 15:26:10	1976	2011	1959	0	0	0	0	0	0
25/Jul/10 15:26:20	1976	2014	1953	0	0	0	0	0	1
25/Jul/10 15:26:30	1976	2012	1954	0	0	0	0	0	0
25/Jul/10 15:26:40	1975	2013	1954	0	0	0	0	0	1
25/Jul/10 15:26:50	1974	2012	1955	0	0	0	0	0	0
25/Jul/10 15:27:00	1973	2014	1954	0	0	0	0	0	1
25/Jul/10 15:27:10	1969	2010	1958	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:27:20	1969	2007	1961	0	0	0	0	0	0
25/Jul/10 15:27:30	1968	2011	1963	0	0	0	0	0	1
25/Jul/10 15:27:40	1967	2006	1960	0	0	0	0	0	1
25/Jul/10 15:27:50	1965	2010	1957	0	0	0	0	0	1
25/Jul/10 15:28:00	1967	2007	1958	0	0	0	0	0	1
25/Jul/10 15:28:10	1968	2005	1960	0	0	0	0	0	2
25/Jul/10 15:28:20	1968	2006	1959	0	0	0	0	0	2
25/Jul/10 15:28:30	1971	2009	1960	0	0	0	0	0	0
25/Jul/10 15:28:40	1969	2007	1962	0	0	0	0	0	0
25/Jul/10 15:28:50	1969	2014	1959	0	0	0	0	0	0
25/Jul/10 15:29:00	1969	2011	1958	0	0	0	0	0	0
25/Jul/10 15:29:10	1966	2007	1962	0	0	0	0	0	0
25/Jul/10 15:29:20	1967	2013	1959	0	0	0	0	0	0
25/Jul/10 15:29:30	1964	2015	1959	0	0	0	0	0	1
25/Jul/10 15:29:40	1963	2011	1960	0	0	0	0	0	1
25/Jul/10 15:29:50	1967	2009	1965	0	0	0	0	0	1
25/Jul/10 15:30:00	1967	2009	1965	0	0	0	0	0	1
25/Jul/10 15:30:10	1967	2012	1965	0	0	0	0	0	0
25/Jul/10 15:30:20	1969	2008	1965	0	0	0	0	0	0
25/Jul/10 15:30:30	1968	2004	1966	0	0	0	0	0	0
25/Jul/10 15:30:40	1969	2007	1963	0	0	0	0	0	0
25/Jul/10 15:30:50	1972	2006	1966	0	0	0	0	0	1
25/Jul/10 15:31:00	1973	2003	1967	0	0	0	0	0	1
25/Jul/10 15:31:10	1974	2004	1964	0	0	0	0	0	1
25/Jul/10 15:31:20	1976	2005	1964	0	0	0	0	0	1
25/Jul/10 15:31:30	1981	2007	1967	0	0	0	0	0	0
25/Jul/10 15:31:40	1975	2004	1966	0	0	0	0	0	0
25/Jul/10 15:31:50	1972	2004	1966	0	0	0	0	0	0
25/Jul/10 15:32:00	1970	2006	1965	0	0	0	0	0	0
25/Jul/10 15:32:10	1967	2005	1964	0	0	0	0	0	0
25/Jul/10 15:32:20	1965	2004	1962	0	0	0	0	0	0
25/Jul/10 15:32:30	1968	2007	1961	0	0	0	0	0	0
25/Jul/10 15:32:40	1970	2002	1964	0	0	0	0	0	0
25/Jul/10 15:32:50	1972	1999	1965	0	0	0	0	0	0
25/Jul/10 15:33:00	1974	2004	1968	0	0	0	0	0	0
25/Jul/10 15:33:10	1975	2005	1963	0	0	0	0	0	0
25/Jul/10 15:33:20	1972	2006	1963	0	0	0	0	0	0
25/Jul/10 15:33:30	1976	2003	1968	0	0	0	0	0	0
25/Jul/10 15:33:40	1976	2002	1965	0	0	0	0	0	0
25/Jul/10 15:33:50	1977	2004	1966	0	0	0	0	0	0
25/Jul/10 15:34:00	1978	2002	1967	0	0	0	0	0	0
25/Jul/10 15:34:10	1978	2003	1969	0	0	0	0	0	0
25/Jul/10 15:34:20	1971	2002	1965	0	0	0	0	0	0
25/Jul/10 15:34:30	1971	2000	1962	0	0	0	0	0	0
25/Jul/10 15:34:40	1972	2000	1965	0	0	0	0	0	0
25/Jul/10 15:34:50	1973	2003	1964	0	0	0	0	0	0
25/Jul/10 15:35:00	1972	2001	1965	0	0	0	0	0	0
25/Jul/10 15:35:10	1974	1999	1967	0	0	0	0	0	0
25/Jul/10 15:35:20	1977	1997	1967	0	0	0	0	0	0
25/Jul/10 15:35:30	1976	1994	1964	0	0	0	0	0	0
25/Jul/10 15:35:40	1975	1997	1963	0	0	0	0	0	0
25/Jul/10 15:35:50	1973	1995	1962	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:36:00	1971	1998	1964	0	0	0	0	0	0
25/Jul/10 15:36:10	1976	1999	1964	0	0	0	0	0	0
25/Jul/10 15:36:20	1975	1998	1964	0	0	0	0	0	0
25/Jul/10 15:36:30	1974	1997	1964	0	0	0	0	0	0
25/Jul/10 15:36:40	1972	1996	1964	0	0	0	0	0	0
25/Jul/10 15:36:50	1973	1998	1963	0	0	0	0	0	0
25/Jul/10 15:37:00	1970	2000	1964	0	0	0	0	0	0
25/Jul/10 15:37:10	1963	2000	1961	0	0	0	0	0	0
25/Jul/10 15:37:20	1964	2004	1960	0	0	0	0	0	0
25/Jul/10 15:37:30	1967	2009	1958	0	0	0	0	0	0
25/Jul/10 15:37:40	1964	2006	1958	0	0	0	0	0	0
25/Jul/10 15:37:50	1966	2008	1961	0	0	0	0	0	0
25/Jul/10 15:38:00	1966	2008	1962	0	0	0	0	0	0
25/Jul/10 15:38:10	1968	2005	1966	0	0	0	0	0	0
25/Jul/10 15:38:20	1967	2009	1964	0	0	0	0	0	0
25/Jul/10 15:38:30	1965	2016	1964	0	0	0	0	0	0
25/Jul/10 15:38:40	1962	2015	1963	0	0	0	0	0	0
25/Jul/10 15:38:50	1963	2014	1962	0	0	0	0	0	0
25/Jul/10 15:39:00	1965	2016	1960	0	0	0	0	0	0
25/Jul/10 15:39:10	1964	2016	1959	0	0	0	0	0	0
25/Jul/10 15:39:20	1963	2012	1959	0	0	0	0	0	0
25/Jul/10 15:39:30	1964	2013	1958	0	0	0	0	0	0
25/Jul/10 15:39:40	1966	2013	1957	0	0	0	0	0	0
25/Jul/10 15:39:50	1960	2015	1956	0	0	0	0	0	0
25/Jul/10 15:40:00	1959	2015	1958	0	0	0	0	0	0
25/Jul/10 15:40:10	1958	2016	1957	0	0	0	0	0	0
25/Jul/10 15:40:20	1958	2018	1963	0	0	0	0	0	0
25/Jul/10 15:40:30	1963	2016	1965	0	0	0	0	0	0
25/Jul/10 15:40:40	1961	2017	1966	0	0	0	0	0	0
25/Jul/10 15:40:50	1961	2017	1967	0	0	0	0	0	0
25/Jul/10 15:41:00	1961	2021	1967	0	0	0	0	0	0
25/Jul/10 15:41:10	1960	2018	1968	0	0	0	0	0	0
25/Jul/10 15:41:20	1962	2018	1967	0	0	0	0	0	0
25/Jul/10 15:41:30	1960	2018	1968	0	0	0	0	0	0
25/Jul/10 15:41:40	1965	2019	1969	0	0	0	0	0	0
25/Jul/10 15:41:50	1966	2013	1968	0	0	0	0	0	0
25/Jul/10 15:42:00	1968	2008	1964	0	0	0	0	0	0
25/Jul/10 15:42:10	1972	2008	1959	0	0	0	0	0	0
25/Jul/10 15:42:20	1971	2005	1960	0	0	0	0	0	0
25/Jul/10 15:42:30	1975	2011	1963	0	0	0	0	0	0
25/Jul/10 15:42:40	1974	2008	1965	0	0	0	0	0	0
25/Jul/10 15:42:50	1972	2002	1963	0	0	0	0	0	0
25/Jul/10 15:43:00	1975	2004	1958	0	0	0	0	0	0
25/Jul/10 15:43:10	1972	2005	1963	0	0	0	0	0	0
25/Jul/10 15:43:20	1973	2006	1962	0	0	0	0	0	0
25/Jul/10 15:43:30	1974	2002	1960	0	0	0	0	0	0
25/Jul/10 15:43:40	1977	2005	1957	0	0	0	0	0	0
25/Jul/10 15:43:50	1975	2004	1957	0	0	0	0	0	0
25/Jul/10 15:44:00	1970	2004	1958	0	0	0	0	0	0
25/Jul/10 15:44:10	1967	2008	1958	0	0	0	0	0	0
25/Jul/10 15:44:20	1968	2016	1959	0	0	0	0	0	0
25/Jul/10 15:44:30	1967	2015	1959	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:44:40	1970	2017	1961	0	0	0	0	0	0
25/Jul/10 15:44:50	1968	2014	1963	0	0	0	0	0	0
25/Jul/10 15:45:00	1974	2011	1964	0	0	0	0	0	0
25/Jul/10 15:45:10	1976	2014	1964	0	0	0	0	0	0
25/Jul/10 15:45:20	1976	2011	1967	0	0	0	0	0	0
25/Jul/10 15:45:30	1975	2007	1964	0	0	0	0	0	0
25/Jul/10 15:45:40	1977	2006	1969	0	0	0	0	0	0
25/Jul/10 15:45:50	1983	2005	1970	0	0	0	0	0	0
25/Jul/10 15:46:00	1984	2010	1964	0	0	0	0	0	0
25/Jul/10 15:46:10	1985	2012	1967	0	0	0	0	0	0
25/Jul/10 15:46:20	1988	2011	1967	0	0	0	0	0	0
25/Jul/10 15:46:30	1989	2013	1967	0	0	0	0	0	0
25/Jul/10 15:46:40	1989	2014	1965	0	0	0	0	0	0
25/Jul/10 15:46:50	1986	2012	1960	0	0	0	0	0	0
25/Jul/10 15:47:00	1982	2016	1957	0	0	0	0	0	0
25/Jul/10 15:47:10	1986	2018	1955	0	0	0	0	0	0
25/Jul/10 15:47:20	1982	2017	1957	0	0	0	0	0	0
25/Jul/10 15:47:30	1979	2019	1959	0	0	0	0	0	0
25/Jul/10 15:47:40	1980	2022	1959	0	0	0	0	0	0
25/Jul/10 15:47:50	1981	2022	1958	0	0	0	0	0	0
25/Jul/10 15:48:00	1979	2019	1958	0	0	0	0	0	0
25/Jul/10 15:48:10	1976	2017	1959	0	0	0	0	0	0
25/Jul/10 15:48:20	1971	2017	1959	0	0	0	0	0	0
25/Jul/10 15:48:30	1972	2015	1961	0	0	0	0	0	0
25/Jul/10 15:48:40	1974	2017	1963	0	0	0	0	0	0
25/Jul/10 15:48:50	1974	2021	1961	0	0	0	0	0	0
25/Jul/10 15:49:00	1970	2021	1961	0	0	0	0	0	0
25/Jul/10 15:49:10	1975	2020	1960	0	0	0	0	0	0
25/Jul/10 15:49:20	1977	2024	1957	0	0	0	0	0	0
25/Jul/10 15:49:30	1975	2024	1958	0	0	0	0	0	0
25/Jul/10 15:49:40	1975	2021	1959	0	0	0	0	0	0
25/Jul/10 15:49:50	1973	2026	1959	0	0	0	0	0	0
25/Jul/10 15:50:00	1974	2023	1960	0	0	0	0	0	0
25/Jul/10 15:50:10	1977	2020	1956	0	0	0	0	0	0
25/Jul/10 15:50:20	1977	2021	1951	0	0	0	0	0	0
25/Jul/10 15:50:30	1976	2020	1949	0	0	0	0	0	0
25/Jul/10 15:50:40	1979	2020	1951	0	0	0	0	0	0
25/Jul/10 15:50:50	1981	2018	1954	0	0	0	0	0	0
25/Jul/10 15:51:00	1978	2021	1954	0	0	0	0	0	0
25/Jul/10 15:51:10	1978	2017	1955	0	0	0	0	0	0
25/Jul/10 15:51:20	1980	2013	1956	0	0	0	0	0	0
25/Jul/10 15:51:30	1977	2011	1961	0	0	0	0	0	0
25/Jul/10 15:51:40	1977	2015	1963	0	0	0	0	0	0
25/Jul/10 15:51:50	1977	2017	1965	0	0	0	0	0	0
25/Jul/10 15:52:00	1979	2018	1965	0	0	0	0	0	0
25/Jul/10 15:52:10	1978	2018	1968	0	0	0	0	0	0
25/Jul/10 15:52:20	1976	2007	1969	0	0	0	0	0	0
25/Jul/10 15:52:30	1975	2009	1968	0	0	0	0	0	0
25/Jul/10 15:52:40	1977	2011	1965	0	0	0	0	0	0
25/Jul/10 15:52:50	1978	2006	1964	0	0	0	0	0	0
25/Jul/10 15:53:00	1977	2004	1961	0	0	0	0	0	0
25/Jul/10 15:53:10	1976	2008	1963	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 15:53:20	1970	2005	1967	0	0	0	0	0	0
25/Jul/10 15:53:30	1964	2003	1967	0	0	0	0	0	0
25/Jul/10 15:53:40	1967	2006	1966	0	0	0	0	0	0
25/Jul/10 15:53:50	1966	2007	1964	0	0	0	0	0	0
25/Jul/10 15:54:00	1967	2006	1960	0	0	0	0	0	0
25/Jul/10 15:54:10	1972	2003	1960	0	0	0	0	0	0
25/Jul/10 15:54:20	1971	2002	1963	0	0	0	0	0	0
25/Jul/10 15:54:30	1968	2002	1963	0	0	0	0	0	0
25/Jul/10 15:54:40	1965	2002	1961	0	0	0	0	0	0
25/Jul/10 15:54:50	1963	2006	1965	0	0	0	0	0	0
25/Jul/10 15:55:00	1963	2013	1966	0	0	0	0	0	0
25/Jul/10 15:55:10	1966	2013	1969	0	0	0	0	0	0
25/Jul/10 15:55:20	1974	2008	1965	0	0	0	0	0	0
25/Jul/10 15:55:30	1978	2008	1964	0	0	0	0	0	0
25/Jul/10 15:55:40	1954	2005	1965	0	0	0	0	0	0
25/Jul/10 15:55:50	1893	2004	1966	0	0	0	0	0	0
25/Jul/10 15:56:00	1841	2001	1963	0	0	0	0	0	0
25/Jul/10 15:56:10	1792	2001	1961	0	0	0	0	0	0
25/Jul/10 15:56:20	1746	2000	1962	0	0	0	0	0	0
25/Jul/10 15:56:30	1663	1997	1961	0	0	0	0	0	0
25/Jul/10 15:56:40	1518	1998	1960	0	0	0	0	0	0
25/Jul/10 15:56:50	1324	1997	1958	0	0	0	0	0	0
25/Jul/10 15:57:00	1146	1999	1953	0	0	0	0	0	0
25/Jul/10 15:57:10	987	1999	1953	0	0	0	0	0	0
25/Jul/10 15:57:20	782	1998	1906	0	0	0	0	0	0
25/Jul/10 15:57:30	629	1996	1203	0	0	0	0	0	0
25/Jul/10 15:57:40	471	1999	713	0	0	0	0	0	0
25/Jul/10 15:57:50	349	2001	900	0	0	0	0	0	0
25/Jul/10 15:58:00	219	2005	917	0	0	0	0	0	0
25/Jul/10 15:58:10	122	2001	973	0	0	0	0	0	0
25/Jul/10 15:58:20	0	1998	1407	0	0	0	0	0	0
25/Jul/10 15:58:30	0	1983	1551	0	0	0	0	0	0
25/Jul/10 15:58:40	0	2138	1595	0	0	0	0	0	0
25/Jul/10 15:58:50	0	2038	1725	0	0	0	0	0	0
25/Jul/10 15:59:00	0	1938	1822	0	0	0	0	0	0
25/Jul/10 15:59:10	0	1838	1779	0	0	0	0	0	0
25/Jul/10 15:59:20	0	1727	1683	0	0	0	0	0	0
25/Jul/10 15:59:30	0	1578	1201	0	0	0	0	0	0
25/Jul/10 15:59:40	0	1492	1107	0	0	0	0	0	0
25/Jul/10 15:59:50	0	1415	808	0	0	0	0	0	0
25/Jul/10 16:00:00	0	1296	368	0	0	0	0	0	0
25/Jul/10 16:00:10	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:00:20	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:00:30	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:00:40	0	1263	0	0	0	0	0	0	0
25/Jul/10 16:00:50	0	1263	0	0	0	0	0	0	0
25/Jul/10 16:01:00	0	1263	0	0	0	0	0	0	0
25/Jul/10 16:01:10	0	1263	0	0	0	0	0	0	0
25/Jul/10 16:01:20	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:01:30	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:01:40	0	1263	0	0	0	0	0	0	0
25/Jul/10 16:01:50	0	1264	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:02:00	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:02:10	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:02:20	0	1264	0	0	0	0	0	0	0
25/Jul/10 16:02:30	0	1115	0	0	0	0	0	0	0
25/Jul/10 16:02:40	0	484	0	0	0	0	0	0	0
25/Jul/10 16:02:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:03:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:03:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:03:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:03:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:04:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:04:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:04:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:04:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:04:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:05:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:05:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:05:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:05:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:05:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:06:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:06:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:06:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:06:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:06:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:06:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:07:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:07:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:07:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:07:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:07:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:07:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:08:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:08:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:08:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:09:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:09:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:09:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:09:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:09:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:10:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:10:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:10:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:10:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:10:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:11:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:11:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:11:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:11:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:11:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:11:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:12:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:12:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:12:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:12:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:12:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:12:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:13:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:13:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:13:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:13:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:13:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:13:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:14:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:14:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:14:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:14:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:14:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:14:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:15:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:15:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:15:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:15:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:15:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:15:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:16:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:16:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:16:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:16:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:16:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:16:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:17:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:17:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:17:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:17:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:17:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:17:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:18:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:18:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:18:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:18:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:18:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:18:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:19:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:19:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:19:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:19:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:19:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:19:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:20:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:20:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:20:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:20:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:20:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:20:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:21:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:21:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:21:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:21:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:21:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:21:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:22:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:22:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:22:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:22:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:22:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:23:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:23:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:23:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:23:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:23:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:23:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:24:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:24:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:24:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:24:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:24:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:24:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:25:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:25:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:25:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:25:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:25:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:25:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:26:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:26:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:26:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:26:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:27:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:27:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:27:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:27:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:27:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:27:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:28:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:28:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:28:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:28:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:28:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:29:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:29:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:29:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:29:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:29:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:29:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:30:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:30:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:30:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:30:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:30:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:30:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:31:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:31:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:31:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:31:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:31:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:31:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:32:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:32:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:32:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:32:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:32:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:32:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:33:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:33:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:33:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:33:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:33:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:33:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:34:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:34:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:34:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:34:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:34:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:34:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:35:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:35:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:35:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:35:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:36:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:36:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:36:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:36:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:37:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:37:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:37:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:37:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:38:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:38:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:38:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:38:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:38:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:38:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:39:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:39:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:39:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:39:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:39:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:39:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:40:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:40:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:40:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:40:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:40:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:40:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:41:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:41:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:41:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:41:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:41:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:41:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:42:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:42:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:42:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:43:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:43:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:43:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:43:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:43:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:44:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:44:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:44:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:44:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:44:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:44:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:45:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:45:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:45:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:45:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:45:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:45:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:46:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:46:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:46:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:46:30	0	2	0	0	0	0	0	0	0
25/Jul/10 16:46:40	0	2	0	0	0	0	0	0	0
25/Jul/10 16:46:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:47:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:47:10	0	2	0	0	0	0	0	0	0
25/Jul/10 16:47:20	0	2	0	0	0	0	0	0	0
25/Jul/10 16:47:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:47:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:47:50	0	1	0	0	0	0	0	0	0
25/Jul/10 16:48:00	0	1	0	0	0	0	0	0	0
25/Jul/10 16:48:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:48:20	0	1	0	0	0	0	0	0	0
25/Jul/10 16:48:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:48:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:48:50	0	1	0	0	0	0	0	0	1
25/Jul/10 16:49:00	0	1	0	0	0	0	0	0	1
25/Jul/10 16:49:10	0	1	0	0	0	0	0	0	1
25/Jul/10 16:49:20	0	1	0	0	0	0	0	0	1
25/Jul/10 16:49:30	0	1	0	0	0	0	0	0	1
25/Jul/10 16:49:40	0	1	0	0	0	0	0	0	1
25/Jul/10 16:49:50	0	1	0	0	0	0	0	0	1
25/Jul/10 16:50:00	0	2	0	0	0	0	0	0	1
25/Jul/10 16:50:10	0	2	0	0	0	0	0	0	1
25/Jul/10 16:50:20	0	2	0	0	0	0	0	0	1
25/Jul/10 16:50:30	0	2	0	0	0	0	0	0	1
25/Jul/10 16:50:40	0	2	0	0	0	0	0	0	1
25/Jul/10 16:50:50	0	2	0	0	0	0	0	0	1
25/Jul/10 16:51:00	0	2	0	0	0	0	0	0	1
25/Jul/10 16:51:10	0	2	0	0	0	0	0	0	1
25/Jul/10 16:51:20	0	2	0	0	0	0	0	0	1
25/Jul/10 16:51:30	0	2	0	0	0	0	0	0	1
25/Jul/10 16:51:40	0	2	0	0	0	0	0	0	1
25/Jul/10 16:51:50	0	2	0	0	0	0	0	0	1
25/Jul/10 16:52:00	0	2	0	0	0	0	0	0	1
25/Jul/10 16:52:10	0	2	0	0	0	0	0	0	1
25/Jul/10 16:52:20	0	2	0	0	0	0	0	0	1
25/Jul/10 16:52:30	0	2	0	0	0	0	0	0	1
25/Jul/10 16:52:40	0	1	0	0	0	0	0	0	1
25/Jul/10 16:52:50	0	1	0	0	0	0	0	0	1
25/Jul/10 16:53:00	0	1	0	0	0	0	0	0	1
25/Jul/10 16:53:10	0	1	0	0	0	0	0	0	1
25/Jul/10 16:53:20	0	1	0	0	0	0	0	0	1
25/Jul/10 16:53:30	0	1	0	0	0	0	0	0	1
25/Jul/10 16:53:40	0	1	0	0	0	0	0	0	1
25/Jul/10 16:53:50	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 16:54:00	0	2	0	0	0	0	0	0	1
25/Jul/10 16:54:10	0	2	0	0	0	0	0	0	1
25/Jul/10 16:54:20	0	2	0	0	0	0	0	0	1
25/Jul/10 16:54:30	0	2	0	0	0	0	0	0	1
25/Jul/10 16:54:40	0	2	0	0	0	0	0	0	1
25/Jul/10 16:54:50	0	2	0	0	0	0	0	0	1
25/Jul/10 16:55:00	0	1	0	0	0	0	0	0	1
25/Jul/10 16:55:10	0	1	0	0	0	0	0	0	1
25/Jul/10 16:55:20	0	1	0	0	0	0	0	0	1
25/Jul/10 16:55:30	0	1	0	0	0	0	0	0	1
25/Jul/10 16:55:40	0	1	0	0	0	0	0	0	1
25/Jul/10 16:55:50	0	1	0	0	0	0	0	0	1
25/Jul/10 16:56:00	0	1	0	0	0	0	0	0	1
25/Jul/10 16:56:10	0	1	0	0	0	0	0	0	1
25/Jul/10 16:56:20	0	1	0	0	0	0	0	0	1
25/Jul/10 16:56:30	0	1	0	0	0	0	0	0	1
25/Jul/10 16:56:40	0	2	0	0	0	0	0	0	1
25/Jul/10 16:56:50	0	2	0	0	0	0	0	0	1
25/Jul/10 16:57:00	0	2	0	0	0	0	0	0	1
25/Jul/10 16:57:10	0	2	0	0	0	0	0	0	1
25/Jul/10 16:57:20	0	2	0	0	0	0	0	0	1
25/Jul/10 16:57:30	0	2	0	0	0	0	0	0	1
25/Jul/10 16:57:40	0	2	0	0	0	0	0	0	1
25/Jul/10 16:57:50	0	2	0	0	0	0	0	0	1
25/Jul/10 16:58:00	0	2	0	0	0	0	0	0	1
25/Jul/10 16:58:10	0	1	0	0	0	0	0	0	1
25/Jul/10 16:58:20	0	2	0	0	0	0	0	0	1
25/Jul/10 16:58:30	0	1	0	0	0	0	0	0	0
25/Jul/10 16:58:40	0	1	0	0	0	0	0	0	0
25/Jul/10 16:58:50	0	2	0	0	0	0	0	0	0
25/Jul/10 16:59:00	0	2	0	0	0	0	0	0	0
25/Jul/10 16:59:10	0	1	0	0	0	0	0	0	0
25/Jul/10 16:59:20	0	1	0	0	0	0	0	0	1
25/Jul/10 16:59:30	0	1	0	0	0	0	0	0	1
25/Jul/10 16:59:40	0	2	0	0	0	0	0	0	1
25/Jul/10 16:59:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:00:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:00:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:00:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:00:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:00:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:00:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:01:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:01:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:01:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:01:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:01:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:01:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:02:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:02:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:02:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:02:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:02:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:02:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:03:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:03:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:03:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:03:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:03:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:03:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:04:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:04:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:04:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:04:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:04:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:04:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:05:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:05:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:05:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:05:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:06:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:06:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:06:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:06:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:06:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:06:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:07:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:07:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:07:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:07:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:07:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:07:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:08:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:08:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:08:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:09:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:09:10	0	2	0	0	0	0	0	0	2
25/Jul/10 17:09:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:09:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:09:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:09:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:10:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:10:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:10:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:10:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:10:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:11:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:11:10	0	2	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:11:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:11:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:11:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:11:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:12:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:12:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:12:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:12:30	0	1	0	0	0	0	0	0	2
25/Jul/10 17:12:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:12:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:13:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:13:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:13:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:13:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:13:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:13:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:14:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:14:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:14:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:14:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:14:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:14:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:15:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:15:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:15:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:15:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:15:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:15:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:16:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:16:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:16:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:16:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:16:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:16:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:17:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:17:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:17:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:17:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:17:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:17:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:18:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:18:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:18:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:18:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:18:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:18:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:19:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:19:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:19:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:19:30	0	2	0	0	0	0	0	0	2
25/Jul/10 17:19:40	0	2	0	0	0	0	0	0	2
25/Jul/10 17:19:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:20:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:20:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:20:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:20:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:20:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:20:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:21:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:21:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:21:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:21:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:21:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:21:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:22:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:22:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:22:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:22:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:22:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:22:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:23:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:23:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:23:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:23:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:23:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:23:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:24:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:24:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:24:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:24:30	0	1	0	0	0	0	0	0	2
25/Jul/10 17:24:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:24:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:25:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:25:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:25:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:25:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:25:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:25:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:26:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:26:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:26:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:26:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:27:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:27:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:27:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:27:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:27:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:27:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:28:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:28:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:28:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:28:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:28:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:29:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:29:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:29:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:29:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:29:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:29:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:30:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:30:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:30:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:30:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:30:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:30:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:31:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:31:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:31:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:31:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:31:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:31:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:32:00	0	1	0	0	0	0	0	0	2
25/Jul/10 17:32:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:32:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:32:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:32:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:32:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:33:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:33:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:33:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:33:30	0	1	0	0	0	0	0	0	2
25/Jul/10 17:33:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:33:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:34:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:34:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:34:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:34:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:34:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:34:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:35:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:35:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:35:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:35:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:35:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:35:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:36:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:36:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:36:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:36:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:36:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:37:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:37:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:37:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:37:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:37:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:38:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:38:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:38:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:38:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:38:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:38:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:39:00	0	2	0	0	0	0	0	0	0
25/Jul/10 17:39:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:39:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:39:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:39:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:39:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:40:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:40:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:40:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:40:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:41:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:41:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:41:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:41:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:41:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:42:00	0	1	0	0	0	0	0	0	2
25/Jul/10 17:42:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:42:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:42:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:42:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:43:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:43:10	0	1	0	0	0	0	0	0	2
25/Jul/10 17:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:43:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:43:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:43:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:44:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:44:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:44:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:44:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:44:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:44:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:45:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:45:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:45:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:45:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:45:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:45:50	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:46:00	0	2	0	0	0	0	0	0	2
25/Jul/10 17:46:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:46:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:46:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:46:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:46:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:47:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:47:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:47:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:47:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:47:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:47:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:48:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:48:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:48:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:48:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:48:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:48:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:49:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:49:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:49:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:49:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:49:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:49:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:50:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:50:10	0	2	0	0	0	0	0	0	2
25/Jul/10 17:50:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:50:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:50:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:50:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:51:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:51:10	0	2	0	0	0	0	0	0	0
25/Jul/10 17:51:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:51:30	0	2	0	0	0	0	0	0	2
25/Jul/10 17:51:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:51:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:52:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:52:10	0	1	0	0	0	0	0	0	2
25/Jul/10 17:52:20	0	1	0	0	0	0	0	0	1
25/Jul/10 17:52:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:52:40	0	2	0	0	0	0	0	0	0
25/Jul/10 17:52:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:53:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:53:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:53:20	0	2	0	0	0	0	0	0	1
25/Jul/10 17:53:30	0	1	0	0	0	0	0	0	0
25/Jul/10 17:53:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:53:50	0	1	0	0	0	0	0	0	2
25/Jul/10 17:54:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:54:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:54:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:54:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 17:54:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:54:50	0	2	0	0	0	0	0	0	0
25/Jul/10 17:55:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:55:10	0	1	0	0	0	0	0	0	1
25/Jul/10 17:55:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:55:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:55:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:55:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:56:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:56:10	0	1	0	0	0	0	0	0	2
25/Jul/10 17:56:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:56:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:56:40	0	1	0	0	0	0	0	0	0
25/Jul/10 17:56:50	0	1	0	0	0	0	0	0	1
25/Jul/10 17:57:00	0	1	0	0	0	0	0	0	0
25/Jul/10 17:57:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:57:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:57:30	0	2	0	0	0	0	0	0	0
25/Jul/10 17:57:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:57:50	0	2	0	0	0	0	0	0	1
25/Jul/10 17:58:00	0	2	0	0	0	0	0	0	1
25/Jul/10 17:58:10	0	2	0	0	0	0	0	0	1
25/Jul/10 17:58:20	0	2	0	0	0	0	0	0	0
25/Jul/10 17:58:30	0	2	0	0	0	0	0	0	1
25/Jul/10 17:58:40	0	2	0	0	0	0	0	0	1
25/Jul/10 17:58:50	0	1	0	0	0	0	0	0	0
25/Jul/10 17:59:00	0	1	0	0	0	0	0	0	1
25/Jul/10 17:59:10	0	1	0	0	0	0	0	0	0
25/Jul/10 17:59:20	0	1	0	0	0	0	0	0	0
25/Jul/10 17:59:30	0	1	0	0	0	0	0	0	1
25/Jul/10 17:59:40	0	1	0	0	0	0	0	0	1
25/Jul/10 17:59:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:00:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:00:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:00:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:00:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:00:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:00:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:01:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:01:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:01:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:01:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:01:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:01:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:02:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:02:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:02:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:02:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:02:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:02:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:03:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:03:10	0	2	0	0	0	0	0	0	2

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:03:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:03:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:04:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:04:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:04:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:04:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:04:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:05:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:05:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:05:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:05:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:05:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:06:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:06:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:06:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:06:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:06:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:06:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:07:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:07:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:07:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:07:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:07:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:07:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:08:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:08:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:08:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:08:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:08:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:08:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:09:00	0	2	0	0	0	0	0	0	2
25/Jul/10 18:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:09:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:09:30	0	1	0	0	0	0	0	0	2
25/Jul/10 18:09:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:09:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:10:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:10:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:10:30	0	1	0	0	0	0	0	0	2
25/Jul/10 18:10:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:10:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:11:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:11:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:11:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:11:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:11:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:11:50	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:12:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:12:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:12:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:12:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:12:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:12:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:13:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:13:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:13:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:13:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:13:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:13:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:14:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:14:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:14:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:14:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:14:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:14:50	0	2	0	0	0	0	0	0	2
25/Jul/10 18:15:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:15:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:15:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:15:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:15:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:15:50	0	1	0	0	0	0	0	0	2
25/Jul/10 18:16:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:16:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:16:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:16:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:16:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:16:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:17:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:17:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:17:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:17:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:17:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:17:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:18:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:18:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:18:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:18:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:18:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:18:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:19:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:19:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:19:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:19:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:19:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:19:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:20:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:20:10	0	2	0	0	0	0	0	0	2
25/Jul/10 18:20:20	0	2	0	0	0	0	0	0	2
25/Jul/10 18:20:30	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:20:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:20:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:21:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:21:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:21:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:21:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:21:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:21:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:22:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:22:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:22:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:22:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:22:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:23:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:23:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:23:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:23:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:23:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:23:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:24:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:24:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:24:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:24:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:24:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:24:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:25:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:25:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:25:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:25:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:25:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:25:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:26:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:26:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:26:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:26:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:27:00	0	1	0	0	0	0	0	0	2
25/Jul/10 18:27:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:27:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:27:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:27:40	0	1	0	0	0	0	0	0	2
25/Jul/10 18:27:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:28:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:28:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:28:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:28:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:28:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:29:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:29:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:29:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:29:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:29:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:29:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:30:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:30:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:30:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:30:30	0	2	0	0	0	0	0	0	2
25/Jul/10 18:30:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:30:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:31:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:31:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:31:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:31:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:31:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:31:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:32:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:32:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:32:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:32:30	0	2	0	0	0	0	0	0	2
25/Jul/10 18:32:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:32:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:33:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:33:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:33:20	0	2	0	0	0	0	0	0	2
25/Jul/10 18:33:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:33:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:33:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:34:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:34:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:34:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:34:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:34:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:34:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:35:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:35:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:35:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:35:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:36:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:36:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:36:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:36:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:37:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:37:30	0	2	0	0	0	0	0	0	2
25/Jul/10 18:37:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:37:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:38:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:38:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:38:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:38:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:38:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:38:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:39:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:39:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:39:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:39:30	0	2	0	0	0	0	0	0	2
25/Jul/10 18:39:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:39:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:40:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:40:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:40:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:40:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:41:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:41:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:41:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:41:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:41:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:42:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:42:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:42:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:42:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:43:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:43:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:43:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:43:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:44:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:44:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:44:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:44:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:44:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:44:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:45:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:45:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:45:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:45:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:45:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:45:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:46:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:46:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:46:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:46:30	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:46:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:46:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:47:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:47:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:47:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:47:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:47:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:47:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:48:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:48:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:48:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:48:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:48:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:48:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:49:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:49:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:49:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:49:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:49:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:49:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:50:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:50:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:50:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:50:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:50:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:50:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:51:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:51:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:51:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:51:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:51:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:51:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:52:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:52:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:52:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:52:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:52:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:52:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:53:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:53:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:53:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:53:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:53:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:53:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:54:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:54:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:54:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:54:30	0	2	0	0	0	0	0	0	1
25/Jul/10 18:54:40	0	2	0	0	0	0	0	0	0
25/Jul/10 18:54:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:55:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:55:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 18:55:20	0	2	0	0	0	0	0	0	1
25/Jul/10 18:55:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:55:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:55:50	0	2	0	0	0	0	0	0	0
25/Jul/10 18:56:00	0	2	0	0	0	0	0	0	0
25/Jul/10 18:56:10	0	2	0	0	0	0	0	0	0
25/Jul/10 18:56:20	0	2	0	0	0	0	0	0	0
25/Jul/10 18:56:30	0	2	0	0	0	0	0	0	0
25/Jul/10 18:56:40	0	2	0	0	0	0	0	0	1
25/Jul/10 18:56:50	0	2	0	0	0	0	0	0	1
25/Jul/10 18:57:00	0	2	0	0	0	0	0	0	1
25/Jul/10 18:57:10	0	2	0	0	0	0	0	0	1
25/Jul/10 18:57:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:57:30	0	1	0	0	0	0	0	0	0
25/Jul/10 18:57:40	0	1	0	0	0	0	0	0	0
25/Jul/10 18:57:50	0	1	0	0	0	0	0	0	0
25/Jul/10 18:58:00	0	1	0	0	0	0	0	0	0
25/Jul/10 18:58:10	0	1	0	0	0	0	0	0	0
25/Jul/10 18:58:20	0	1	0	0	0	0	0	0	0
25/Jul/10 18:58:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:58:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:58:50	0	1	0	0	0	0	0	0	1
25/Jul/10 18:59:00	0	1	0	0	0	0	0	0	1
25/Jul/10 18:59:10	0	1	0	0	0	0	0	0	1
25/Jul/10 18:59:20	0	1	0	0	0	0	0	0	1
25/Jul/10 18:59:30	0	1	0	0	0	0	0	0	1
25/Jul/10 18:59:40	0	1	0	0	0	0	0	0	1
25/Jul/10 18:59:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:00:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:00:10	0	1	0	0	0	0	0	0	1
25/Jul/10 19:00:20	0	1	0	0	0	0	0	0	1
25/Jul/10 19:00:30	0	1	0	0	0	0	0	0	1
25/Jul/10 19:00:40	0	1	0	0	0	0	0	0	1
25/Jul/10 19:00:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:01:00	0	1	0	0	0	0	0	0	1
25/Jul/10 19:01:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:01:20	0	1	0	0	0	0	0	0	1
25/Jul/10 19:01:30	0	1	0	0	0	0	0	0	1
25/Jul/10 19:01:40	0	1	0	0	0	0	0	0	1
25/Jul/10 19:01:50	0	1	0	0	0	0	0	0	2
25/Jul/10 19:02:00	0	1	0	0	0	0	0	0	2
25/Jul/10 19:02:10	0	1	0	0	0	0	0	0	1
25/Jul/10 19:02:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:02:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:02:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:02:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:03:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:03:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:03:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:03:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:04:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:04:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:04:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:04:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:04:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:05:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:05:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:05:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:05:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:06:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:06:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:06:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:06:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:06:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:06:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:07:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:07:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:07:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:07:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:07:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:07:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:08:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:08:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:08:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:09:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:09:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:09:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:09:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:09:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:10:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:10:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:10:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:10:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:10:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:10:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:11:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:11:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:11:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:11:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:11:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:11:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:12:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:12:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:12:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:12:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:12:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:12:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:13:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:13:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:13:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:13:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:13:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:13:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:14:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:14:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:14:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:14:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:14:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:14:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:15:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:15:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:15:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:15:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:15:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:15:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:16:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:16:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:16:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:16:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:16:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:16:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:17:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:17:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:17:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:17:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:17:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:17:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:18:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:18:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:18:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:18:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:18:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:18:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:19:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:19:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:19:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:19:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:19:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:19:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:20:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:20:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:20:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:20:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:20:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:20:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:21:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:21:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:21:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:21:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:21:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:21:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:22:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:22:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:22:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:22:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:22:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:23:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:23:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:23:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:23:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:23:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:23:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:24:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:24:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:24:20	0	2	0	0	0	0	0	0	0
25/Jul/10 19:24:30	0	2	0	0	0	0	0	0	0
25/Jul/10 19:24:40	0	2	0	0	0	0	0	0	0
25/Jul/10 19:24:50	0	2	0	0	0	0	0	0	0
25/Jul/10 19:25:00	0	2	0	0	0	0	0	0	0
25/Jul/10 19:25:10	0	2	0	0	0	0	0	0	0
25/Jul/10 19:25:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:25:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:25:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:25:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:26:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:26:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:26:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:26:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:27:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:27:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:27:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:27:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:27:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:27:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:28:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:28:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:28:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:28:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:28:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:29:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:29:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:29:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:29:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:29:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:29:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:30:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:30:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:30:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:30:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:30:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:30:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:31:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:31:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:31:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:31:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:31:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:31:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:32:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:32:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:32:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:32:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:32:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:32:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:33:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:33:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:33:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:33:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:33:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:33:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:34:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:34:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:34:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:34:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:34:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:34:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:35:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:35:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:35:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:35:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:36:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:36:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:36:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:36:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:37:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:37:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:37:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:37:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:38:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:38:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:38:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:38:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:38:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:38:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:39:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:39:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:39:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:39:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:39:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:39:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:40:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:40:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:40:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:40:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:41:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:41:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:41:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:41:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:41:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:42:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:42:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:42:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:43:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:43:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:43:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:43:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:44:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:44:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:44:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:44:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:44:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:44:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:45:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:45:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:45:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:45:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:45:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:45:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:46:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:46:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:46:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:46:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:46:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:46:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:47:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:47:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:47:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:47:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:47:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:47:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:48:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:48:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:48:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:48:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:48:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:48:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:49:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:49:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:49:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:49:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:49:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:49:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:50:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:50:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:50:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:50:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:50:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:50:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:51:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:51:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:51:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:51:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:51:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:51:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:52:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:52:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:52:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:52:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:52:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:52:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:53:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:53:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:53:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:53:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:53:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:53:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:54:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:54:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:54:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:54:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:54:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:54:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:55:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:55:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:55:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:55:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:55:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:55:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 19:56:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:56:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:56:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:56:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:56:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:56:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:57:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:57:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:57:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:57:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:57:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:57:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:58:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:58:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:58:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:58:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:58:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:58:50	0	1	0	0	0	0	0	0	0
25/Jul/10 19:59:00	0	1	0	0	0	0	0	0	0
25/Jul/10 19:59:10	0	1	0	0	0	0	0	0	0
25/Jul/10 19:59:20	0	1	0	0	0	0	0	0	0
25/Jul/10 19:59:30	0	1	0	0	0	0	0	0	0
25/Jul/10 19:59:40	0	1	0	0	0	0	0	0	0
25/Jul/10 19:59:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:00:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:00:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:00:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:00:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:00:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:00:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:01:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:01:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:01:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:01:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:01:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:01:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:02:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:02:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:02:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:02:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:02:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:02:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:03:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:03:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:03:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:03:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:04:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:04:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:04:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:04:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:04:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:05:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:05:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:05:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:05:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:06:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:06:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:06:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:06:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:06:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:06:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:07:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:07:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:07:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:07:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:07:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:07:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:08:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:08:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:08:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:09:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:09:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:09:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:09:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:09:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:10:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:10:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:10:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:10:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:10:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:11:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:11:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:11:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:11:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:11:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:11:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:12:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:12:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:12:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:12:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:12:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:12:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:13:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:13:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:13:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:13:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:13:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:13:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:14:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:14:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:14:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:14:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:14:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:14:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:15:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:15:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:15:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:15:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:15:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:15:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:16:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:16:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:16:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:16:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:16:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:16:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:17:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:17:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:17:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:17:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:17:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:17:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:18:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:18:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:18:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:18:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:18:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:18:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:19:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:19:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:19:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:19:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:19:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:19:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:20:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:20:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:20:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:20:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:20:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:20:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:21:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:21:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:21:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:21:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:21:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:21:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:22:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:22:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:22:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:22:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:22:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:23:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:23:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:23:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:23:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:23:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:23:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:24:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:24:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:24:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:24:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:24:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:24:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:25:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:25:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:25:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:25:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:25:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:25:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:26:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:26:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:26:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:26:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:27:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:27:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:27:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:27:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:27:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:27:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:28:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:28:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:28:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:28:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:28:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:29:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:29:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:29:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:29:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:29:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:29:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:30:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:30:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:30:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:30:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:30:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:30:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:31:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:31:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:31:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:31:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:31:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:31:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:32:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:32:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:32:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:32:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:32:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:32:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:33:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:33:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:33:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:33:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:33:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:33:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:34:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:34:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:34:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:34:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:34:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:34:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:35:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:35:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:35:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:35:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:36:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:36:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:36:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:36:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:37:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:37:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:37:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:37:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:38:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:38:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:38:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:38:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:38:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:38:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:39:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:39:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:39:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:39:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:39:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:39:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:40:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:40:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:40:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:40:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:41:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:41:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:41:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:41:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:41:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:42:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:42:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:42:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:43:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:43:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:43:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:43:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:44:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:44:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:44:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:44:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:44:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:44:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:45:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:45:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:45:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:45:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:45:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:45:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:46:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:46:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:46:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:46:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:46:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:46:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:47:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:47:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:47:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:47:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:47:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:47:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:48:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:48:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:48:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:48:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:48:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:48:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:49:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:49:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:49:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:49:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:49:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:49:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:50:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:50:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:50:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:50:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:50:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:50:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:51:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:51:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:51:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:51:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:51:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:51:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:52:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:52:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:52:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:52:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:52:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:52:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:53:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:53:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:53:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:53:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:53:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:53:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:54:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:54:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:54:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:54:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:54:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:54:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:55:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:55:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:55:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:55:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:55:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:55:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:56:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:56:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:56:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:56:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 20:56:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:56:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:57:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:57:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:57:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:57:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:57:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:57:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:58:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:58:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:58:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:58:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:58:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:58:50	0	1	0	0	0	0	0	0	0
25/Jul/10 20:59:00	0	1	0	0	0	0	0	0	0
25/Jul/10 20:59:10	0	1	0	0	0	0	0	0	0
25/Jul/10 20:59:20	0	1	0	0	0	0	0	0	0
25/Jul/10 20:59:30	0	1	0	0	0	0	0	0	0
25/Jul/10 20:59:40	0	1	0	0	0	0	0	0	0
25/Jul/10 20:59:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:00:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:00:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:00:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:00:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:00:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:00:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:01:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:01:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:01:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:01:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:01:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:01:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:02:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:02:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:02:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:02:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:02:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:02:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:03:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:03:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:03:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:03:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:04:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:04:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:04:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:04:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:04:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:05:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:05:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:05:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:05:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:06:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:06:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:06:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:06:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:06:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:06:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:07:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:07:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:07:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:07:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:07:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:07:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:08:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:08:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:08:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:09:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:09:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:09:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:09:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:09:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:10:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:10:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:10:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:10:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:10:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:11:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:11:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:11:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:11:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:11:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:11:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:12:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:12:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:12:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:12:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:12:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:12:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:13:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:13:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:13:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:13:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:13:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:13:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:14:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:14:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:14:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:14:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:14:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:14:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:15:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:15:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:15:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:15:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:15:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:15:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:16:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:16:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:16:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:16:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:16:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:16:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:17:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:17:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:17:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:17:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:17:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:17:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:18:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:18:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:18:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:18:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:18:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:18:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:19:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:19:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:19:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:19:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:19:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:19:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:20:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:20:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:20:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:20:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:20:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:20:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:21:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:21:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:21:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:21:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:21:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:21:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:22:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:22:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:22:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:22:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:22:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:23:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:23:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:23:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:23:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:23:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:23:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:24:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:24:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:24:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:24:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:24:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:24:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:25:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:25:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:25:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:25:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:25:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:25:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:26:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:26:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:26:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:26:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:26:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:26:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:27:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:27:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:27:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:27:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:27:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:27:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:28:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:28:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:28:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:28:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:28:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:28:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:29:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:29:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:29:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:29:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:29:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:29:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:30:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:30:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:30:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:30:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:30:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:30:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:31:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:31:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:31:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:31:30	0	2	0	0	0	0	0	0	0
25/Jul/10 21:31:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:31:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:32:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:32:10	0	2	0	0	0	0	0	0	0
25/Jul/10 21:32:20	0	2	0	0	0	0	0	0	0
25/Jul/10 21:32:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:32:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:32:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:33:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:33:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:33:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:33:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:33:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:33:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:34:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:34:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:34:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:34:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:34:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:34:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:35:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:35:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:35:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:35:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:36:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:36:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:36:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:36:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:37:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:37:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:37:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:37:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:38:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:38:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:38:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:38:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:38:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:38:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:39:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:39:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:39:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:39:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:39:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:39:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:40:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:40:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:40:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:40:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:41:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:41:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:41:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:41:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:41:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:42:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:42:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:42:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:43:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 21:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 21:43:30	0	1	0	0	0	0	0	0	0
25/Jul/10 21:43:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:43:50	0	1	0	0	0	0	0	0	0
25/Jul/10 21:44:00	0	1	0	0	0	0	0	0	0
25/Jul/10 21:44:10	0	1	0	0	0	0	0	0	1
25/Jul/10 21:44:20	0	1	0	0	0	0	0	0	1
25/Jul/10 21:44:30	0	1	0	0	0	0	0	0	1
25/Jul/10 21:44:40	0	1	0	0	0	0	0	0	1
25/Jul/10 21:44:50	0	1	0	0	0	0	0	0	1
25/Jul/10 21:45:00	0	1	0	0	0	0	0	0	1
25/Jul/10 21:45:10	0	1	0	0	0	0	0	0	1
25/Jul/10 21:45:20	0	1	0	0	0	0	0	0	1
25/Jul/10 21:45:30	0	1	0	0	0	0	0	0	1
25/Jul/10 21:45:40	0	1	0	0	0	0	0	0	1
25/Jul/10 21:45:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:46:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:46:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:46:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:46:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:46:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:46:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:47:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:47:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:47:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:47:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:47:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:47:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:48:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:48:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:48:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:48:30	0	2	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:48:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:48:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:49:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:49:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:49:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:49:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:49:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:49:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:50:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:50:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:50:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:50:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:50:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:50:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:51:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:51:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:51:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:51:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:51:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:51:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:52:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:52:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:52:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:52:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:52:40	0	2	0	0	0	0	0	0	1
25/Jul/10 21:52:50	0	2	0	0	0	0	0	0	1
25/Jul/10 21:53:00	0	2	0	0	0	0	0	0	1
25/Jul/10 21:53:10	0	2	0	0	0	0	0	0	1
25/Jul/10 21:53:20	0	2	0	0	0	0	0	0	1
25/Jul/10 21:53:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:53:40	0	2	0	0	0	0	0	0	2
25/Jul/10 21:53:50	0	2	0	0	0	0	0	0	2
25/Jul/10 21:54:00	0	2	0	0	0	0	0	0	2
25/Jul/10 21:54:10	0	2	0	0	0	0	0	0	2
25/Jul/10 21:54:20	0	2	0	0	0	0	0	0	2
25/Jul/10 21:54:30	0	2	0	0	0	0	0	0	2
25/Jul/10 21:54:40	0	2	0	0	0	0	0	0	2
25/Jul/10 21:54:50	0	2	0	0	0	0	0	0	2
25/Jul/10 21:55:00	0	2	0	0	0	0	0	0	2
25/Jul/10 21:55:10	0	2	0	0	0	0	0	0	2
25/Jul/10 21:55:20	0	2	0	0	0	0	0	0	2
25/Jul/10 21:55:30	0	2	0	0	0	0	0	0	2
25/Jul/10 21:55:40	0	2	0	0	0	0	0	0	2
25/Jul/10 21:55:50	0	2	0	0	0	0	0	0	2
25/Jul/10 21:56:00	0	2	0	0	0	0	0	0	2
25/Jul/10 21:56:10	0	2	0	0	0	0	0	0	2
25/Jul/10 21:56:20	0	2	0	0	0	0	0	0	2
25/Jul/10 21:56:30	0	2	0	0	0	0	0	0	2
25/Jul/10 21:56:40	0	2	0	0	0	0	0	0	2
25/Jul/10 21:56:50	0	2	0	0	0	0	0	0	2
25/Jul/10 21:57:00	0	2	0	0	0	0	0	0	2
25/Jul/10 21:57:10	0	2	0	0	0	0	0	0	2

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 21:57:20	0	2	0	0	0	0	0	0	2
25/Jul/10 21:57:30	0	2	0	0	0	0	0	0	2
25/Jul/10 21:57:40	0	2	0	0	0	0	0	0	2
25/Jul/10 21:57:50	0	2	0	0	0	0	0	0	2
25/Jul/10 21:58:00	0	2	0	0	0	0	0	0	2
25/Jul/10 21:58:10	0	2	0	0	0	0	0	0	2
25/Jul/10 21:58:20	0	2	0	0	0	0	0	0	2
25/Jul/10 21:58:30	0	2	0	0	0	0	0	0	1
25/Jul/10 21:58:40	0	2	0	0	0	0	0	0	0
25/Jul/10 21:58:50	0	2	0	0	0	0	0	0	0
25/Jul/10 21:59:00	0	2	0	0	0	0	0	0	0
25/Jul/10 21:59:10	0	1	0	0	0	0	0	0	1
25/Jul/10 21:59:20	0	1	0	0	0	0	0	0	1
25/Jul/10 21:59:30	0	1	0	0	0	0	0	0	1
25/Jul/10 21:59:40	0	1	0	0	0	0	0	0	0
25/Jul/10 21:59:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:00:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:00:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:00:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:00:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:00:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:00:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:01:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:01:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:01:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:01:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:01:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:01:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:02:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:02:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:02:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:02:30	0	1	0	0	0	0	0	0	2
25/Jul/10 22:02:40	0	1	0	0	0	0	0	0	2
25/Jul/10 22:02:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:03:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:03:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:03:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:03:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:04:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:04:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:04:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:04:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:04:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:05:00	0	1	0	0	0	0	0	0	2
25/Jul/10 22:05:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:05:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:05:50	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:06:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:06:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:06:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:06:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:06:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:06:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:07:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:07:10	0	1	0	0	0	0	0	0	2
25/Jul/10 22:07:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:07:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:07:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:07:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:08:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:08:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:08:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:09:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:09:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:09:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:09:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:09:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:10:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:10:10	0	1	0	0	0	0	0	0	2
25/Jul/10 22:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:10:30	0	1	0	0	0	0	0	0	2
25/Jul/10 22:10:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:10:50	0	1	0	0	0	0	0	0	2
25/Jul/10 22:11:00	0	1	0	0	0	0	0	0	2
25/Jul/10 22:11:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:11:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:11:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:11:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:11:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:12:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:12:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:12:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:12:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:12:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:12:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:13:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:13:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:13:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:13:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:13:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:13:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:14:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:14:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:14:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:14:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:14:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:14:50	0	1	0	0	0	0	0	0	2
25/Jul/10 22:15:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:15:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:15:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:15:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:15:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:15:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:16:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:16:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:16:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:16:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:16:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:16:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:17:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:17:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:17:20	0	1	0	0	0	0	0	0	2
25/Jul/10 22:17:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:17:40	0	1	0	0	0	0	0	0	2
25/Jul/10 22:17:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:18:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:18:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:18:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:18:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:18:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:18:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:19:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:19:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:19:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:19:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:19:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:19:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:20:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:20:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:20:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:20:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:20:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:20:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:21:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:21:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:21:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:21:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:21:40	0	1	0	0	0	0	0	0	2
25/Jul/10 22:21:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:22:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:22:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:22:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:22:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:22:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:23:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:23:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:23:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:23:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:23:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:23:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:24:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:24:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:24:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:24:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:24:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:24:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:25:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:25:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:25:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:25:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:25:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:25:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:26:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:26:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:26:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:26:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:27:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:27:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:27:20	0	1	0	0	0	0	0	0	1
25/Jul/10 22:27:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:27:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:27:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:28:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:28:10	0	1	0	0	0	0	0	0	1
25/Jul/10 22:28:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:28:30	0	1	0	0	0	0	0	0	1
25/Jul/10 22:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:28:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:29:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:29:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:29:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:29:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:29:40	0	1	0	0	0	0	0	0	1
25/Jul/10 22:29:50	0	1	0	0	0	0	0	0	1
25/Jul/10 22:30:00	0	1	0	0	0	0	0	0	1
25/Jul/10 22:30:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:30:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:30:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:30:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:30:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:31:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:31:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:31:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:31:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:31:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:31:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:32:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:32:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:32:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:32:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:32:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:32:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:33:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:33:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:33:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:33:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:33:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:33:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:34:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:34:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:34:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:34:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:34:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:34:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:35:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:35:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:35:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:35:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:36:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:36:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:36:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:36:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:37:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:37:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:37:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:37:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:38:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:38:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:38:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:38:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:38:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:38:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:39:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:39:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:39:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:39:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:39:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:39:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:40:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:40:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:40:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:40:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:41:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:41:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:41:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:41:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:41:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:42:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:42:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:42:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:43:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:43:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:43:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:43:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:44:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:44:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:44:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:44:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:44:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:44:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:45:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:45:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:45:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:45:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:45:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:45:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:46:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:46:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:46:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:46:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:46:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:46:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:47:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:47:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:47:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:47:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:47:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:47:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:48:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:48:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:48:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:48:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:48:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:48:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:49:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:49:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:49:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:49:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:49:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:49:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:50:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:50:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:50:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:50:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:50:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:50:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:51:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:51:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:51:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:51:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:51:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:51:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:52:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:52:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:52:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:52:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:52:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:52:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:53:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:53:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:53:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:53:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:53:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:53:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:54:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:54:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:54:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:54:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:54:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:54:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:55:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:55:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:55:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:55:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:55:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:55:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:56:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:56:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:56:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:56:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:56:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:56:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:57:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:57:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:57:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:57:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:57:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:57:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 22:58:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:58:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:58:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:58:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:58:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:58:50	0	1	0	0	0	0	0	0	0
25/Jul/10 22:59:00	0	1	0	0	0	0	0	0	0
25/Jul/10 22:59:10	0	1	0	0	0	0	0	0	0
25/Jul/10 22:59:20	0	1	0	0	0	0	0	0	0
25/Jul/10 22:59:30	0	1	0	0	0	0	0	0	0
25/Jul/10 22:59:40	0	1	0	0	0	0	0	0	0
25/Jul/10 22:59:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:00:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:00:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:00:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:00:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:00:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:00:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:01:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:01:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:01:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:01:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:01:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:01:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:02:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:02:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:02:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:02:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:02:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:02:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:03:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:03:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:03:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:03:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:03:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:03:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:04:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:04:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:04:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:04:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:04:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:04:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:05:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:05:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:05:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:05:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:05:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:05:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:06:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:06:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:06:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:06:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:06:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:06:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:07:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:07:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:07:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:07:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:07:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:07:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:08:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:08:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:08:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:08:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:08:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:08:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:09:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:09:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:09:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:09:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:09:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:09:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:10:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:10:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:10:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:10:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:10:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:10:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:11:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:11:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:11:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:11:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:11:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:11:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:12:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:12:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:12:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:12:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:12:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:12:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:13:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:13:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:13:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:13:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:13:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:13:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:14:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:14:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:14:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:14:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:14:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:14:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:15:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:15:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:15:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:15:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:15:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:15:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:16:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:16:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:16:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:16:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:16:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:16:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:17:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:17:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:17:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:17:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:17:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:17:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:18:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:18:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:18:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:18:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:18:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:18:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:19:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:19:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:19:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:19:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:19:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:19:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:20:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:20:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:20:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:20:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:20:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:20:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:21:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:21:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:21:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:21:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:21:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:21:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:22:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:22:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:22:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:22:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:22:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:22:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:23:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:23:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:23:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:23:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:23:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:23:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:24:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:24:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:24:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:24:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:24:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:24:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:25:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:25:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:25:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:25:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:25:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:25:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:26:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:26:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:26:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:26:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:26:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:26:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:27:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:27:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:27:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:27:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:27:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:27:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:28:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:28:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:28:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:28:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:28:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:28:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:29:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:29:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:29:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:29:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:29:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:29:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:30:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:30:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:30:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:30:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:30:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:30:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:31:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:31:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:31:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:31:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:31:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:31:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:32:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:32:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:32:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:32:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:32:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:32:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:33:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:33:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:33:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:33:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:33:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:33:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:34:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:34:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:34:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:34:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:34:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:34:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:35:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:35:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:35:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:35:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:35:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:35:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:36:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:36:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:36:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:36:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:36:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:36:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:37:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:37:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:37:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:37:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:37:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:37:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:38:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:38:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:38:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:38:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:38:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:38:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:39:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:39:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:39:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:39:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:39:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:39:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:40:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:40:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:40:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:40:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:40:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:40:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:41:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:41:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:41:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:41:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:41:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:41:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:42:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:42:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:42:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:42:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:42:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:42:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:43:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:43:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:43:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:43:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:43:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:43:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:44:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:44:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:44:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:44:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:44:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:44:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:45:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:45:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:45:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:45:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:45:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:45:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:46:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:46:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:46:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:46:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:46:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:46:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:47:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:47:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:47:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:47:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:47:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:47:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:48:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:48:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:48:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:48:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:48:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:48:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:49:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:49:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:49:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:49:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:49:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:49:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:50:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:50:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:50:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:50:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:50:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:50:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:51:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:51:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:51:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:51:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:51:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:51:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:52:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:52:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:52:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:52:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:52:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:52:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:53:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:53:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:53:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:53:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:53:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:53:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:54:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:54:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:54:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:54:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:54:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:54:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:55:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:55:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:55:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:55:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:55:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:55:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:56:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:56:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:56:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:56:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:56:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:56:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:57:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:57:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:57:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:57:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:57:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:57:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:58:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:58:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:58:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:58:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
25/Jul/10 23:58:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:58:50	0	1	0	0	0	0	0	0	0
25/Jul/10 23:59:00	0	1	0	0	0	0	0	0	0
25/Jul/10 23:59:10	0	1	0	0	0	0	0	0	0
25/Jul/10 23:59:20	0	1	0	0	0	0	0	0	0
25/Jul/10 23:59:30	0	1	0	0	0	0	0	0	0
25/Jul/10 23:59:40	0	1	0	0	0	0	0	0	0
25/Jul/10 23:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:07:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:15:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:24:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:33:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:41:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:50:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 00:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 00:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 00:59:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 00:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 00:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 00:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 00:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:07:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 01:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:16:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 01:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:25:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 01:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:33:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 01:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 01:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 01:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 01:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 01:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 01:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 01:39:40	0	1	0	1	0	0	0	0	0
26/Jul/10 01:39:50	0	1	0	1	0	0	0	0	0
26/Jul/10 01:40:00	0	1	0	1	0	0	0	0	0
26/Jul/10 01:40:10	0	1	0	2	0	0	0	0	0
26/Jul/10 01:40:20	0	1	0	2	0	0	0	0	0
26/Jul/10 01:40:30	1	1	0	2	0	0	0	0	0
26/Jul/10 01:40:40	1	1	0	3	0	0	0	0	0
26/Jul/10 01:40:50	1	1	0	3	0	0	0	0	0
26/Jul/10 01:41:00	1	1	0	3	0	0	0	0	0
26/Jul/10 01:41:10	2	1	0	3	0	0	0	0	0
26/Jul/10 01:41:20	2	1	0	4	0	0	0	0	0
26/Jul/10 01:41:30	2	1	0	4	0	0	0	0	0
26/Jul/10 01:41:40	2	1	0	4	0	0	0	0	0
26/Jul/10 01:41:50	3	1	0	5	0	0	0	0	0
26/Jul/10 01:42:00	3	1	0	5	0	0	0	0	0
26/Jul/10 01:42:10	3	1	0	5	0	0	0	0	0
26/Jul/10 01:42:20	3	1	0	5	0	0	0	0	0
26/Jul/10 01:42:30	4	1	0	6	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 01:42:40	4	1	0	6	0	0	0	0	0
26/Jul/10 01:42:50	4	1	0	6	0	0	0	0	0
26/Jul/10 01:43:00	4	1	0	7	0	0	0	0	0
26/Jul/10 01:43:10	5	1	0	7	0	0	0	0	0
26/Jul/10 01:43:20	5	1	0	7	0	0	0	0	0
26/Jul/10 01:43:30	5	1	0	7	0	0	0	0	0
26/Jul/10 01:43:40	5	1	0	8	0	0	0	0	0
26/Jul/10 01:43:50	5	1	0	8	0	0	0	0	0
26/Jul/10 01:44:00	6	1	0	8	0	0	0	0	0
26/Jul/10 01:44:10	6	1	0	9	0	0	0	0	0
26/Jul/10 01:44:20	6	1	0	9	0	0	0	0	0
26/Jul/10 01:44:30	6	1	0	9	0	0	0	0	0
26/Jul/10 01:44:40	7	1	0	9	0	0	0	0	0
26/Jul/10 01:44:50	7	1	0	10	0	0	0	0	0
26/Jul/10 01:45:00	7	1	0	10	0	0	0	0	0
26/Jul/10 01:45:10	7	1	0	10	0	0	0	0	0
26/Jul/10 01:45:20	8	1	0	11	0	0	0	0	0
26/Jul/10 01:45:30	8	1	0	11	0	0	0	0	0
26/Jul/10 01:45:40	8	1	0	11	0	0	0	0	0
26/Jul/10 01:45:50	8	1	0	12	0	0	0	0	0
26/Jul/10 01:46:00	9	1	0	12	0	0	0	0	0
26/Jul/10 01:46:10	9	1	0	12	0	0	0	0	0
26/Jul/10 01:46:20	9	1	0	12	0	0	0	0	0
26/Jul/10 01:46:30	9	1	0	13	0	0	0	0	0
26/Jul/10 01:46:40	10	1	0	13	0	0	0	0	0
26/Jul/10 01:46:50	10	1	0	13	0	0	0	0	0
26/Jul/10 01:47:00	10	1	0	14	0	0	0	0	0
26/Jul/10 01:47:10	10	1	0	14	0	0	0	0	0
26/Jul/10 01:47:20	11	1	0	14	0	0	0	0	0
26/Jul/10 01:47:30	11	1	0	14	0	0	0	0	0
26/Jul/10 01:47:40	11	1	0	15	0	0	0	0	0
26/Jul/10 01:47:50	11	1	0	15	0	0	0	0	0
26/Jul/10 01:48:00	12	1	0	15	0	0	0	0	0
26/Jul/10 01:48:10	12	1	0	16	0	0	0	0	0
26/Jul/10 01:48:20	12	1	0	16	0	0	0	0	0
26/Jul/10 01:48:30	12	1	0	16	0	0	0	0	0
26/Jul/10 01:48:40	12	1	0	16	0	0	0	0	0
26/Jul/10 01:48:50	13	1	0	17	0	0	0	0	0
26/Jul/10 01:49:00	13	1	0	17	0	0	0	0	0
26/Jul/10 01:49:10	13	1	0	17	0	0	0	0	0
26/Jul/10 01:49:20	13	1	0	18	0	0	0	0	0
26/Jul/10 01:49:30	14	1	0	18	0	0	0	0	0
26/Jul/10 01:49:40	14	1	0	18	0	0	0	0	0
26/Jul/10 01:49:50	14	1	0	18	0	0	0	0	0
26/Jul/10 01:50:00	14	1	0	19	0	0	0	0	0
26/Jul/10 01:50:10	15	1	0	19	0	0	0	0	0
26/Jul/10 01:50:20	15	1	0	19	0	0	0	0	0
26/Jul/10 01:50:30	15	1	0	20	0	0	0	0	0
26/Jul/10 01:50:40	15	1	0	20	0	0	0	0	0
26/Jul/10 01:50:50	16	1	0	20	0	0	0	0	0
26/Jul/10 01:51:00	16	1	0	21	0	0	0	0	0
26/Jul/10 01:51:10	16	1	0	21	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 01:51:20	16	1	0	21	0	0	0	0	0
26/Jul/10 01:51:30	17	1	0	21	0	0	0	0	0
26/Jul/10 01:51:40	17	1	0	22	0	0	0	0	0
26/Jul/10 01:51:50	17	1	0	22	0	0	0	0	0
26/Jul/10 01:52:00	17	1	0	22	0	0	0	0	0
26/Jul/10 01:52:10	18	1	0	23	0	0	0	0	0
26/Jul/10 01:52:20	18	1	0	23	0	0	0	0	0
26/Jul/10 01:52:30	18	1	0	23	0	0	0	0	0
26/Jul/10 01:52:40	18	1	0	23	0	0	0	0	0
26/Jul/10 01:52:50	19	1	0	24	0	0	0	0	0
26/Jul/10 01:53:00	19	1	0	24	0	0	0	0	0
26/Jul/10 01:53:10	19	1	0	24	0	0	0	0	0
26/Jul/10 01:53:20	19	1	0	25	0	0	0	0	0
26/Jul/10 01:53:30	19	1	0	25	0	0	0	0	0
26/Jul/10 01:53:40	20	1	0	25	0	0	0	0	0
26/Jul/10 01:53:50	20	1	0	25	0	0	0	0	0
26/Jul/10 01:54:00	20	1	0	26	0	0	0	0	0
26/Jul/10 01:54:10	20	1	0	26	0	0	0	0	0
26/Jul/10 01:54:20	21	1	0	26	0	0	0	0	0
26/Jul/10 01:54:30	21	1	0	27	0	0	0	0	0
26/Jul/10 01:54:40	21	1	0	27	0	0	0	0	0
26/Jul/10 01:54:50	21	1	0	27	0	0	0	0	0
26/Jul/10 01:55:00	22	1	0	27	0	0	0	0	0
26/Jul/10 01:55:10	22	1	0	28	0	0	0	0	0
26/Jul/10 01:55:20	22	1	0	28	0	0	0	0	0
26/Jul/10 01:55:30	22	1	0	28	0	0	0	0	0
26/Jul/10 01:55:40	23	1	0	29	0	0	0	0	0
26/Jul/10 01:55:50	23	1	0	29	0	0	0	0	0
26/Jul/10 01:56:00	23	1	0	29	0	0	0	0	0
26/Jul/10 01:56:10	23	1	0	30	0	0	0	0	0
26/Jul/10 01:56:20	24	1	0	30	0	0	0	0	0
26/Jul/10 01:56:30	24	1	0	30	0	0	0	0	0
26/Jul/10 01:56:40	24	1	0	30	0	0	0	0	0
26/Jul/10 01:56:50	24	1	0	31	0	0	0	0	0
26/Jul/10 01:57:00	25	1	0	31	0	0	0	0	0
26/Jul/10 01:57:10	25	1	0	31	0	0	0	0	0
26/Jul/10 01:57:20	25	1	0	32	0	0	0	0	0
26/Jul/10 01:57:30	25	1	0	32	0	0	0	0	0
26/Jul/10 01:57:40	26	1	0	32	0	0	0	0	0
26/Jul/10 01:57:50	26	1	0	32	0	0	0	0	0
26/Jul/10 01:58:00	26	1	0	33	0	0	0	0	0
26/Jul/10 01:58:10	26	2	0	33	0	0	0	0	0
26/Jul/10 01:58:20	26	2	0	33	0	0	0	0	0
26/Jul/10 01:58:30	27	2	0	34	0	0	0	0	0
26/Jul/10 01:58:40	27	3	0	34	0	0	0	0	0
26/Jul/10 01:58:50	27	3	0	34	0	0	0	0	0
26/Jul/10 01:59:00	27	4	0	34	0	0	0	0	0
26/Jul/10 01:59:10	28	4	0	35	0	0	0	0	0
26/Jul/10 01:59:20	28	4	0	35	0	0	0	0	0
26/Jul/10 01:59:30	28	5	0	35	0	0	0	0	0
26/Jul/10 01:59:40	28	5	0	36	0	0	0	0	0
26/Jul/10 01:59:50	29	6	0	36	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:00:00	29	6	0	36	0	0	0	0	0
26/Jul/10 02:00:10	29	6	0	36	0	0	0	0	0
26/Jul/10 02:00:20	29	7	0	37	0	0	0	0	0
26/Jul/10 02:00:30	30	7	0	37	0	0	0	0	0
26/Jul/10 02:00:40	30	8	0	37	0	0	0	0	0
26/Jul/10 02:00:50	30	8	0	38	0	0	0	0	0
26/Jul/10 02:01:00	30	8	0	38	0	0	0	0	0
26/Jul/10 02:01:10	31	9	0	36	0	0	0	0	0
26/Jul/10 02:01:20	31	9	0	24	0	0	0	0	0
26/Jul/10 02:01:30	31	10	0	51	0	0	0	0	0
26/Jul/10 02:01:40	31	10	0	94	0	0	0	0	0
26/Jul/10 02:01:50	32	10	0	117	0	0	0	0	0
26/Jul/10 02:02:00	32	11	0	135	0	0	0	0	0
26/Jul/10 02:02:10	32	11	0	148	0	0	0	0	0
26/Jul/10 02:02:20	32	12	0	159	0	0	0	0	0
26/Jul/10 02:02:30	33	12	0	163	0	0	0	0	0
26/Jul/10 02:02:40	33	12	0	169	0	0	0	0	0
26/Jul/10 02:02:50	33	13	0	168	0	0	0	0	0
26/Jul/10 02:03:00	33	13	0	169	0	0	0	0	0
26/Jul/10 02:03:10	33	13	0	168	0	0	0	0	0
26/Jul/10 02:03:20	34	14	0	168	0	0	0	0	0
26/Jul/10 02:03:30	34	14	0	168	0	0	0	0	0
26/Jul/10 02:03:40	34	15	0	169	0	0	0	0	0
26/Jul/10 02:03:50	34	15	0	168	0	0	0	0	0
26/Jul/10 02:04:00	35	15	0	170	0	0	0	0	0
26/Jul/10 02:04:10	35	16	0	174	0	0	0	0	0
26/Jul/10 02:04:20	35	16	0	180	0	0	0	0	0
26/Jul/10 02:04:30	35	17	0	188	0	0	0	0	0
26/Jul/10 02:04:40	36	17	0	201	0	0	0	0	0
26/Jul/10 02:04:50	36	17	0	210	0	0	0	0	0
26/Jul/10 02:05:00	77	18	0	241	0	0	0	0	0
26/Jul/10 02:05:10	187	18	0	285	0	0	0	0	0
26/Jul/10 02:05:20	252	19	0	328	0	0	0	0	0
26/Jul/10 02:05:30	348	19	0	366	0	0	0	0	0
26/Jul/10 02:05:40	423	19	0	400	0	0	0	0	0
26/Jul/10 02:05:50	489	20	0	426	0	0	0	0	0
26/Jul/10 02:06:00	653	20	0	446	0	0	0	0	0
26/Jul/10 02:06:10	894	21	0	453	0	0	0	0	0
26/Jul/10 02:06:20	1032	21	0	458	0	0	0	0	0
26/Jul/10 02:06:30	1233	21	0	457	0	0	0	0	0
26/Jul/10 02:06:40	1383	22	0	456	0	0	0	0	0
26/Jul/10 02:06:50	1480	22	0	449	0	0	0	0	0
26/Jul/10 02:07:00	1575	23	0	430	0	0	0	0	0
26/Jul/10 02:07:10	1636	23	0	430	0	0	0	0	0
26/Jul/10 02:07:20	1670	23	0	414	0	0	0	0	0
26/Jul/10 02:07:30	1722	24	0	412	0	0	0	0	0
26/Jul/10 02:07:40	1758	24	0	414	0	0	0	0	0
26/Jul/10 02:07:50	1740	24	0	416	0	0	0	0	0
26/Jul/10 02:08:00	1662	25	0	423	0	0	0	0	0
26/Jul/10 02:08:10	1562	25	0	442	0	0	0	0	0
26/Jul/10 02:08:20	1516	26	0	500	0	0	0	0	0
26/Jul/10 02:08:30	1428	26	0	560	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:08:40	1370	26	0	617	0	0	0	0	0
26/Jul/10 02:08:50	1367	27	0	666	0	0	0	0	0
26/Jul/10 02:09:00	1409	27	0	699	0	0	0	0	0
26/Jul/10 02:09:10	1466	28	0	718	0	0	0	0	0
26/Jul/10 02:09:20	1493	28	0	727	0	0	0	0	0
26/Jul/10 02:09:30	1538	28	0	723	0	0	0	0	0
26/Jul/10 02:09:40	1578	29	0	719	0	0	0	0	0
26/Jul/10 02:09:50	1615	29	0	710	0	0	0	0	0
26/Jul/10 02:10:00	1681	30	0	690	0	0	0	0	0
26/Jul/10 02:10:10	1758	30	0	677	0	0	0	0	0
26/Jul/10 02:10:20	1790	30	0	658	0	0	0	0	0
26/Jul/10 02:10:30	1853	31	0	637	0	0	0	0	0
26/Jul/10 02:10:40	1862	31	0	622	0	0	0	0	0
26/Jul/10 02:10:50	1843	32	0	613	0	0	0	0	0
26/Jul/10 02:11:00	1833	32	0	615	0	0	0	0	0
26/Jul/10 02:11:10	1866	32	0	620	0	0	0	0	0
26/Jul/10 02:11:20	1879	33	0	625	0	0	0	0	0
26/Jul/10 02:11:30	1931	33	0	649	0	0	0	0	0
26/Jul/10 02:11:40	1966	34	0	691	0	0	0	0	0
26/Jul/10 02:11:50	2000	34	0	732	0	0	0	0	0
26/Jul/10 02:12:00	2031	34	0	766	0	0	0	0	0
26/Jul/10 02:12:10	2076	35	0	791	0	0	0	0	0
26/Jul/10 02:12:20	2099	35	0	805	0	0	0	0	0
26/Jul/10 02:12:30	2137	35	0	812	0	0	0	0	0
26/Jul/10 02:12:40	2169	36	0	808	0	0	0	0	0
26/Jul/10 02:12:50	2177	36	0	802	0	0	0	0	0
26/Jul/10 02:13:00	2170	37	0	785	0	0	0	0	0
26/Jul/10 02:13:10	2136	37	0	772	0	0	0	0	0
26/Jul/10 02:13:20	2105	37	0	753	0	0	0	0	0
26/Jul/10 02:13:30	2070	38	0	730	0	0	0	0	0
26/Jul/10 02:13:40	2056	38	0	718	0	0	0	0	0
26/Jul/10 02:13:50	2008	39	0	701	0	0	0	0	0
26/Jul/10 02:14:00	1985	39	0	700	0	0	0	0	0
26/Jul/10 02:14:10	1951	39	0	687	0	0	0	0	0
26/Jul/10 02:14:20	1938	40	0	689	0	0	0	0	0
26/Jul/10 02:14:30	1932	40	0	700	0	0	0	0	0
26/Jul/10 02:14:40	1930	41	0	710	0	0	0	0	0
26/Jul/10 02:14:50	1930	41	0	724	0	0	0	0	0
26/Jul/10 02:15:00	1933	41	0	739	0	0	0	0	0
26/Jul/10 02:15:10	1937	42	0	753	0	0	0	0	0
26/Jul/10 02:15:20	1944	42	0	766	0	0	0	0	0
26/Jul/10 02:15:30	1951	43	0	774	0	0	0	0	0
26/Jul/10 02:15:40	1957	43	0	769	0	0	0	0	0
26/Jul/10 02:15:50	1963	43	0	745	0	0	0	0	0
26/Jul/10 02:16:00	1962	44	0	724	0	0	0	0	0
26/Jul/10 02:16:10	1956	44	0	707	0	0	0	0	0
26/Jul/10 02:16:20	1947	44	0	691	0	0	0	0	0
26/Jul/10 02:16:30	1943	45	0	679	0	0	0	0	0
26/Jul/10 02:16:40	1940	45	0	665	0	0	0	0	0
26/Jul/10 02:16:50	1938	46	0	665	0	0	0	0	0
26/Jul/10 02:17:00	1934	46	0	660	0	0	0	0	0
26/Jul/10 02:17:10	1927	46	0	650	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:17:20	1925	47	0	656	0	0	0	0	0
26/Jul/10 02:17:30	1924	47	0	662	0	0	0	0	0
26/Jul/10 02:17:40	1921	48	0	663	0	0	0	0	0
26/Jul/10 02:17:50	1918	48	0	671	0	0	0	0	0
26/Jul/10 02:18:00	1914	48	0	673	0	0	0	0	0
26/Jul/10 02:18:10	1911	49	0	684	0	0	0	0	0
26/Jul/10 02:18:20	1902	49	0	684	0	0	0	0	0
26/Jul/10 02:18:30	1899	50	0	682	0	0	0	0	0
26/Jul/10 02:18:40	1898	50	0	681	0	0	0	0	0
26/Jul/10 02:18:50	1899	50	0	678	0	0	0	0	0
26/Jul/10 02:19:00	1900	51	0	673	0	0	0	0	0
26/Jul/10 02:19:10	1899	51	0	660	0	0	0	0	0
26/Jul/10 02:19:20	1895	52	0	657	0	0	0	0	0
26/Jul/10 02:19:30	1892	52	0	646	0	0	0	0	0
26/Jul/10 02:19:40	1886	52	0	645	0	0	0	0	0
26/Jul/10 02:19:50	1885	53	0	636	0	0	0	0	0
26/Jul/10 02:20:00	1884	53	0	628	0	0	0	0	0
26/Jul/10 02:20:10	1884	54	0	628	0	0	0	0	0
26/Jul/10 02:20:20	1885	54	0	629	0	0	0	0	0
26/Jul/10 02:20:30	1881	54	0	630	0	0	0	0	0
26/Jul/10 02:20:40	1877	55	0	631	0	0	0	0	0
26/Jul/10 02:20:50	1872	55	0	666	0	0	0	0	0
26/Jul/10 02:21:00	1867	55	0	713	0	0	0	0	0
26/Jul/10 02:21:10	1863	56	0	753	0	0	0	0	0
26/Jul/10 02:21:20	1859	56	0	784	0	0	0	0	0
26/Jul/10 02:21:30	1860	57	0	805	0	0	0	0	0
26/Jul/10 02:21:40	1854	57	0	807	0	0	0	0	0
26/Jul/10 02:21:50	1848	57	0	806	0	0	0	0	0
26/Jul/10 02:22:00	1843	58	0	796	0	0	0	0	0
26/Jul/10 02:22:10	1837	58	0	777	0	0	0	0	0
26/Jul/10 02:22:20	1834	59	0	761	0	0	0	0	0
26/Jul/10 02:22:30	1835	59	0	741	0	0	0	0	0
26/Jul/10 02:22:40	1832	59	0	727	0	0	0	0	0
26/Jul/10 02:22:50	1830	60	0	713	0	0	0	0	0
26/Jul/10 02:23:00	1827	60	0	703	0	0	0	0	0
26/Jul/10 02:23:10	1825	61	0	706	0	0	0	0	0
26/Jul/10 02:23:20	1823	61	0	708	0	0	0	0	0
26/Jul/10 02:23:30	1822	61	0	709	0	0	0	0	0
26/Jul/10 02:23:40	1823	62	0	692	0	0	0	0	0
26/Jul/10 02:23:50	1822	62	0	668	0	0	0	0	0
26/Jul/10 02:24:00	1823	63	0	658	0	0	0	0	0
26/Jul/10 02:24:10	1820	63	0	651	0	0	0	0	0
26/Jul/10 02:24:20	1816	63	0	643	0	0	0	0	0
26/Jul/10 02:24:30	1814	64	0	630	0	0	0	0	0
26/Jul/10 02:24:40	1812	64	0	611	0	0	0	0	0
26/Jul/10 02:24:50	1812	65	0	572	0	0	0	0	0
26/Jul/10 02:25:00	1813	65	0	523	0	0	0	0	0
26/Jul/10 02:25:10	1807	65	0	485	0	0	0	0	0
26/Jul/10 02:25:20	1804	66	0	458	0	0	0	0	0
26/Jul/10 02:25:30	1800	66	0	440	0	0	0	0	0
26/Jul/10 02:25:40	1799	66	0	427	0	0	0	0	0
26/Jul/10 02:25:50	1799	67	0	423	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:26:00	1798	67	0	424	0	0	0	0	0
26/Jul/10 02:26:10	1798	68	0	423	0	0	0	0	0
26/Jul/10 02:26:20	1794	68	0	406	0	0	0	0	0
26/Jul/10 02:26:30	1711	68	0	405	0	0	0	0	0
26/Jul/10 02:26:40	1623	69	0	401	0	0	0	0	0
26/Jul/10 02:26:50	1529	69	0	383	0	0	0	0	0
26/Jul/10 02:27:00	1468	70	0	381	0	0	0	0	0
26/Jul/10 02:27:10	1416	70	0	364	0	0	0	0	0
26/Jul/10 02:27:20	1379	69	0	355	0	0	0	0	0
26/Jul/10 02:27:30	1344	456	0	334	0	0	0	0	0
26/Jul/10 02:27:40	1303	778	0	316	0	0	0	0	0
26/Jul/10 02:27:50	1262	796	0	294	0	0	0	0	0
26/Jul/10 02:28:00	1201	266	0	273	0	0	0	0	0
26/Jul/10 02:28:10	1160	18	0	256	0	0	0	0	0
26/Jul/10 02:28:20	1196	52	0	240	0	0	0	0	0
26/Jul/10 02:28:30	1268	19	0	220	0	0	0	0	0
26/Jul/10 02:28:40	1323	3	0	208	0	0	0	0	0
26/Jul/10 02:28:50	1369	9	0	199	0	0	0	0	0
26/Jul/10 02:29:00	1387	14	0	188	0	0	0	0	0
26/Jul/10 02:29:10	1396	19	0	183	0	0	0	0	0
26/Jul/10 02:29:20	1408	24	0	176	0	0	0	0	0
26/Jul/10 02:29:30	1410	29	0	169	0	0	0	0	0
26/Jul/10 02:29:40	1427	34	0	168	0	0	0	0	0
26/Jul/10 02:29:50	1447	40	0	169	0	0	0	0	0
26/Jul/10 02:30:00	1466	45	0	168	0	0	0	0	0
26/Jul/10 02:30:10	1480	50	0	169	0	0	0	0	0
26/Jul/10 02:30:20	1476	55	0	168	0	0	0	0	0
26/Jul/10 02:30:30	1473	60	0	163	0	0	0	0	0
26/Jul/10 02:30:40	1472	33	0	150	0	0	0	0	0
26/Jul/10 02:30:50	1474	1	0	149	0	0	0	0	0
26/Jul/10 02:31:00	1478	2	0	150	0	0	0	0	0
26/Jul/10 02:31:10	1485	3	0	148	0	0	0	0	0
26/Jul/10 02:31:20	1489	3	0	148	0	0	0	0	0
26/Jul/10 02:31:30	1495	4	0	136	0	0	0	0	0
26/Jul/10 02:31:40	1509	5	0	137	0	0	0	0	0
26/Jul/10 02:31:50	1545	5	0	124	0	0	0	0	0
26/Jul/10 02:32:00	1586	6	0	120	0	0	0	0	0
26/Jul/10 02:32:10	1638	7	0	108	0	0	0	0	0
26/Jul/10 02:32:20	1688	7	0	106	0	0	0	0	0
26/Jul/10 02:32:30	1736	8	0	105	0	0	0	0	0
26/Jul/10 02:32:40	1778	9	0	101	0	0	0	0	0
26/Jul/10 02:32:50	1822	9	0	94	0	0	0	0	0
26/Jul/10 02:33:00	1852	10	0	93	0	0	0	0	0
26/Jul/10 02:33:10	1892	11	0	74	0	0	0	0	0
26/Jul/10 02:33:20	1918	11	0	72	0	0	0	0	0
26/Jul/10 02:33:30	1934	12	0	73	0	0	0	0	0
26/Jul/10 02:33:40	1926	13	0	73	0	0	0	0	0
26/Jul/10 02:33:50	1907	13	0	72	0	0	0	0	0
26/Jul/10 02:34:00	1891	14	0	72	0	0	0	0	0
26/Jul/10 02:34:10	1862	15	0	73	0	0	0	0	0
26/Jul/10 02:34:20	1842	15	0	73	0	0	0	0	0
26/Jul/10 02:34:30	1820	16	0	73	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:34:40	1802	17	0	72	0	0	0	0	0
26/Jul/10 02:34:50	1788	17	0	73	0	0	0	0	0
26/Jul/10 02:35:00	1779	18	0	72	0	0	0	0	0
26/Jul/10 02:35:10	1774	19	0	72	0	0	0	0	0
26/Jul/10 02:35:20	1771	19	0	72	0	0	0	0	0
26/Jul/10 02:35:30	1774	20	0	68	0	0	0	0	0
26/Jul/10 02:35:40	1773	21	0	55	0	0	0	0	0
26/Jul/10 02:35:50	1773	22	0	49	0	0	0	0	0
26/Jul/10 02:36:00	1774	22	0	49	0	0	0	0	0
26/Jul/10 02:36:10	1772	23	0	50	0	0	0	0	0
26/Jul/10 02:36:20	1773	24	0	50	0	0	0	0	0
26/Jul/10 02:36:30	1767	24	0	48	0	0	0	0	0
26/Jul/10 02:36:40	1766	25	0	33	0	0	0	0	0
26/Jul/10 02:36:50	1765	26	0	29	0	0	0	0	0
26/Jul/10 02:37:00	1766	26	0	29	0	0	0	0	0
26/Jul/10 02:37:10	1772	27	0	29	0	0	0	0	0
26/Jul/10 02:37:20	1789	28	0	28	0	0	0	0	0
26/Jul/10 02:37:30	1801	28	0	29	0	0	0	0	0
26/Jul/10 02:37:40	1816	29	0	29	0	0	0	0	0
26/Jul/10 02:37:50	1829	30	0	29	0	0	0	0	0
26/Jul/10 02:38:00	1841	30	0	29	0	0	0	0	0
26/Jul/10 02:38:10	1852	31	0	30	0	0	0	0	0
26/Jul/10 02:38:20	1867	32	0	30	0	0	0	0	0
26/Jul/10 02:38:30	1877	32	0	36	0	0	0	0	0
26/Jul/10 02:38:40	1891	33	0	43	0	0	0	0	0
26/Jul/10 02:38:50	1901	34	0	42	0	0	0	0	0
26/Jul/10 02:39:00	1903	34	0	42	0	0	0	0	0
26/Jul/10 02:39:10	1896	35	0	42	0	0	0	0	0
26/Jul/10 02:39:20	1891	36	0	42	0	0	0	0	0
26/Jul/10 02:39:30	1884	36	0	40	0	0	0	0	0
26/Jul/10 02:39:40	1879	37	0	37	0	0	0	0	0
26/Jul/10 02:39:50	1875	38	0	26	0	0	0	0	0
26/Jul/10 02:40:00	1872	38	0	22	0	0	0	0	0
26/Jul/10 02:40:10	1866	39	0	22	0	0	0	0	0
26/Jul/10 02:40:20	1863	40	0	22	0	0	0	0	0
26/Jul/10 02:40:30	1859	40	0	22	0	0	0	0	0
26/Jul/10 02:40:40	1855	41	0	17	0	0	0	0	0
26/Jul/10 02:40:50	1851	42	0	12	0	0	0	0	0
26/Jul/10 02:41:00	1848	42	0	13	0	0	0	0	0
26/Jul/10 02:41:10	1843	43	0	13	0	0	0	0	0
26/Jul/10 02:41:20	1841	44	0	12	0	0	0	0	0
26/Jul/10 02:41:30	1840	44	0	12	0	0	0	0	0
26/Jul/10 02:41:40	1839	45	0	11	0	0	0	0	0
26/Jul/10 02:41:50	1835	46	0	11	0	0	0	0	0
26/Jul/10 02:42:00	1834	46	0	12	0	0	0	0	0
26/Jul/10 02:42:10	1827	47	0	15	0	0	0	0	0
26/Jul/10 02:42:20	1827	48	0	22	0	0	0	0	0
26/Jul/10 02:42:30	1825	48	0	25	0	0	0	0	0
26/Jul/10 02:42:40	1822	49	0	24	0	0	0	0	0
26/Jul/10 02:42:50	1817	50	0	24	0	0	0	0	0
26/Jul/10 02:43:00	1818	50	0	24	0	0	0	0	0
26/Jul/10 02:43:10	1818	51	0	24	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:43:20	1817	52	0	24	0	0	0	0	0
26/Jul/10 02:43:30	1813	52	0	23	0	0	0	0	0
26/Jul/10 02:43:40	1810	53	0	23	0	0	0	0	0
26/Jul/10 02:43:50	1811	54	0	23	0	0	0	0	0
26/Jul/10 02:44:00	1810	54	0	22	0	0	0	0	0
26/Jul/10 02:44:10	1806	55	0	16	0	0	0	0	0
26/Jul/10 02:44:20	1804	56	0	13	0	0	0	0	0
26/Jul/10 02:44:30	1803	56	0	12	0	0	0	0	0
26/Jul/10 02:44:40	1803	57	0	12	0	0	0	0	0
26/Jul/10 02:44:50	1802	58	0	12	0	0	0	0	0
26/Jul/10 02:45:00	1800	59	0	12	0	0	0	0	0
26/Jul/10 02:45:10	1795	59	0	12	0	0	0	0	0
26/Jul/10 02:45:20	1796	60	0	12	0	0	0	0	0
26/Jul/10 02:45:30	1799	61	0	12	0	0	0	0	0
26/Jul/10 02:45:40	1799	61	0	12	0	0	0	0	0
26/Jul/10 02:45:50	1795	62	0	12	0	0	0	0	0
26/Jul/10 02:46:00	1797	63	0	12	0	0	0	0	0
26/Jul/10 02:46:10	1801	63	0	12	0	0	0	0	0
26/Jul/10 02:46:20	1801	64	0	12	0	0	0	0	0
26/Jul/10 02:46:30	1801	65	0	12	0	0	0	0	0
26/Jul/10 02:46:40	1801	65	0	12	0	0	0	0	0
26/Jul/10 02:46:50	1798	66	0	12	0	0	0	0	0
26/Jul/10 02:47:00	1797	67	0	11	0	0	0	0	0
26/Jul/10 02:47:10	1794	67	0	12	0	0	0	0	0
26/Jul/10 02:47:20	1795	68	0	12	0	0	0	0	0
26/Jul/10 02:47:30	1795	69	0	12	0	0	0	0	0
26/Jul/10 02:47:40	1794	69	0	12	0	0	0	0	0
26/Jul/10 02:47:50	1795	70	0	12	0	0	0	0	0
26/Jul/10 02:48:00	1795	71	0	12	0	0	0	0	0
26/Jul/10 02:48:10	1799	71	0	12	0	0	0	0	0
26/Jul/10 02:48:20	1801	72	0	12	0	0	0	0	0
26/Jul/10 02:48:30	1802	73	0	12	0	0	0	0	0
26/Jul/10 02:48:40	1803	73	0	11	0	0	0	0	0
26/Jul/10 02:48:50	1810	74	0	11	0	0	0	0	0
26/Jul/10 02:49:00	1812	75	0	11	0	0	0	0	0
26/Jul/10 02:49:10	1813	75	0	12	0	0	0	0	0
26/Jul/10 02:49:20	1814	76	0	11	0	0	0	0	0
26/Jul/10 02:49:30	1816	77	0	12	0	0	0	0	0
26/Jul/10 02:49:40	1817	77	0	11	0	0	0	0	0
26/Jul/10 02:49:50	1816	78	0	11	0	0	0	0	0
26/Jul/10 02:50:00	1814	79	0	12	0	0	0	0	0
26/Jul/10 02:50:10	1808	79	0	12	0	0	0	0	0
26/Jul/10 02:50:20	1808	80	0	12	0	0	0	0	0
26/Jul/10 02:50:30	1810	81	0	12	0	0	0	0	0
26/Jul/10 02:50:40	1808	81	0	12	0	0	0	0	0
26/Jul/10 02:50:50	1811	82	0	12	0	0	0	0	0
26/Jul/10 02:51:00	1810	83	0	12	0	0	0	0	0
26/Jul/10 02:51:10	1809	83	0	11	0	0	0	0	0
26/Jul/10 02:51:20	1809	84	0	11	0	0	0	0	0
26/Jul/10 02:51:30	1807	85	0	11	0	0	0	0	0
26/Jul/10 02:51:40	1806	85	0	12	0	0	0	0	0
26/Jul/10 02:51:50	1809	86	0	12	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 02:52:00	1812	87	0	12	0	0	0	0	0
26/Jul/10 02:52:10	1813	87	0	12	0	0	0	0	0
26/Jul/10 02:52:20	1812	88	0	11	0	0	0	0	0
26/Jul/10 02:52:30	1813	89	0	12	0	0	0	0	0
26/Jul/10 02:52:40	1811	89	0	11	0	0	0	0	0
26/Jul/10 02:52:50	1809	90	0	12	0	0	0	0	0
26/Jul/10 02:53:00	1808	91	0	12	0	0	0	0	0
26/Jul/10 02:53:10	1809	91	0	12	0	0	0	0	0
26/Jul/10 02:53:20	1811	92	0	12	0	0	0	0	0
26/Jul/10 02:53:30	1808	93	0	12	0	0	0	0	0
26/Jul/10 02:53:40	1808	93	0	12	0	0	0	0	0
26/Jul/10 02:53:50	1807	94	0	12	0	0	0	0	0
26/Jul/10 02:54:00	1806	95	0	12	0	0	0	0	0
26/Jul/10 02:54:10	1808	96	0	11	0	0	0	0	0
26/Jul/10 02:54:20	1808	96	0	11	0	0	0	0	0
26/Jul/10 02:54:30	1807	97	0	11	0	0	0	0	0
26/Jul/10 02:54:40	1809	98	0	12	0	0	0	0	0
26/Jul/10 02:54:50	1812	98	0	12	0	0	0	0	0
26/Jul/10 02:55:00	1813	99	0	12	0	0	0	0	0
26/Jul/10 02:55:10	1809	100	0	11	0	0	0	0	0
26/Jul/10 02:55:20	1808	100	0	11	0	0	0	0	0
26/Jul/10 02:55:30	1803	101	0	12	0	0	0	0	0
26/Jul/10 02:55:40	1802	102	0	11	0	0	0	0	0
26/Jul/10 02:55:50	1804	102	0	12	0	0	0	0	0
26/Jul/10 02:56:00	1803	103	0	11	0	0	0	0	0
26/Jul/10 02:56:10	1803	104	0	12	0	0	0	0	0
26/Jul/10 02:56:20	1802	104	0	11	0	0	0	0	0
26/Jul/10 02:56:30	1800	105	0	11	0	0	0	0	0
26/Jul/10 02:56:40	1799	106	0	11	0	0	0	0	0
26/Jul/10 02:56:50	1798	106	0	11	0	0	0	0	0
26/Jul/10 02:57:00	1797	107	0	11	0	0	0	0	0
26/Jul/10 02:57:10	1801	108	0	11	0	0	0	0	0
26/Jul/10 02:57:20	1805	108	0	11	0	0	0	0	0
26/Jul/10 02:57:30	1807	109	0	11	0	0	0	0	0
26/Jul/10 02:57:40	1804	110	0	11	0	0	0	0	0
26/Jul/10 02:57:50	1804	110	0	11	0	0	0	0	0
26/Jul/10 02:58:00	1806	111	0	12	0	0	0	0	0
26/Jul/10 02:58:10	1809	112	0	12	0	0	0	0	0
26/Jul/10 02:58:20	1811	112	0	11	0	0	0	0	0
26/Jul/10 02:58:30	1812	113	0	11	0	0	0	0	0
26/Jul/10 02:58:40	1810	114	0	12	0	0	0	0	0
26/Jul/10 02:58:50	1812	114	0	12	0	0	0	0	0
26/Jul/10 02:59:00	1813	115	0	12	0	0	0	0	0
26/Jul/10 02:59:10	1814	116	0	11	0	0	0	0	0
26/Jul/10 02:59:20	1813	116	0	11	0	0	0	0	0
26/Jul/10 02:59:30	1814	117	0	11	0	0	0	0	0
26/Jul/10 02:59:40	1812	118	0	11	0	0	0	0	0
26/Jul/10 02:59:50	1811	118	0	11	0	0	0	0	0
26/Jul/10 03:00:00	1808	119	0	11	0	0	0	0	0
26/Jul/10 03:00:10	1806	120	0	11	0	0	0	0	0
26/Jul/10 03:00:20	1807	120	0	11	0	0	0	0	0
26/Jul/10 03:00:30	1792	121	0	11	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:00:40	1736	122	0	11	0	0	0	0	0
26/Jul/10 03:00:50	1674	122	0	11	0	0	0	0	0
26/Jul/10 03:01:00	1627	123	0	11	0	0	0	0	0
26/Jul/10 03:01:10	1427	124	0	11	0	0	0	0	0
26/Jul/10 03:01:20	1245	124	0	11	0	0	0	0	0
26/Jul/10 03:01:30	1094	125	0	11	0	0	0	0	0
26/Jul/10 03:01:40	920	126	0	11	0	0	0	0	0
26/Jul/10 03:01:50	759	126	0	11	0	0	0	0	0
26/Jul/10 03:02:00	633	127	0	11	0	0	0	0	0
26/Jul/10 03:02:10	440	128	0	11	0	0	0	0	0
26/Jul/10 03:02:20	270	128	0	11	0	0	0	0	0
26/Jul/10 03:02:30	166	129	0	11	0	0	0	0	0
26/Jul/10 03:02:40	59	130	0	11	0	0	0	0	0
26/Jul/10 03:02:50	0	130	0	11	0	0	0	0	0
26/Jul/10 03:03:00	0	131	0	11	0	0	0	0	0
26/Jul/10 03:03:10	0	132	0	11	0	0	0	0	0
26/Jul/10 03:03:20	0	132	0	11	0	0	0	0	0
26/Jul/10 03:03:30	0	133	0	11	0	0	0	0	0
26/Jul/10 03:03:40	0	134	0	11	0	0	0	0	0
26/Jul/10 03:03:50	0	135	0	11	0	0	0	0	0
26/Jul/10 03:04:00	0	135	0	11	0	0	0	0	0
26/Jul/10 03:04:10	0	136	0	11	0	0	0	0	0
26/Jul/10 03:04:20	0	137	0	11	0	0	0	0	0
26/Jul/10 03:04:30	0	355	0	11	0	0	0	0	0
26/Jul/10 03:04:40	0	859	0	11	0	0	0	0	0
26/Jul/10 03:04:50	0	878	0	11	0	0	0	0	0
26/Jul/10 03:05:00	0	431	0	11	0	0	0	0	0
26/Jul/10 03:05:10	0	51	0	11	0	0	0	0	0
26/Jul/10 03:05:20	0	60	0	11	0	0	0	0	0
26/Jul/10 03:05:30	0	89	0	11	0	0	0	0	0
26/Jul/10 03:05:40	0	145	0	11	0	0	0	0	0
26/Jul/10 03:05:50	0	181	0	11	0	0	0	0	0
26/Jul/10 03:06:00	0	191	0	11	0	0	0	0	0
26/Jul/10 03:06:10	0	195	0	11	0	0	0	0	0
26/Jul/10 03:06:20	0	196	0	11	0	0	0	0	0
26/Jul/10 03:06:30	0	196	0	11	0	0	0	0	0
26/Jul/10 03:06:40	0	196	0	11	0	0	0	0	0
26/Jul/10 03:06:50	0	196	0	11	0	0	0	0	0
26/Jul/10 03:07:00	0	196	0	11	0	0	0	0	0
26/Jul/10 03:07:10	0	196	0	11	0	0	0	0	0
26/Jul/10 03:07:20	0	196	0	11	0	0	0	0	0
26/Jul/10 03:07:30	0	196	0	11	0	0	0	0	0
26/Jul/10 03:07:40	0	196	0	11	0	0	0	0	0
26/Jul/10 03:07:50	0	196	0	11	0	0	0	0	0
26/Jul/10 03:08:00	0	196	0	11	0	0	0	0	0
26/Jul/10 03:08:10	0	196	0	11	0	0	0	0	0
26/Jul/10 03:08:20	0	196	0	11	0	0	0	0	0
26/Jul/10 03:08:30	0	196	0	11	0	0	0	0	0
26/Jul/10 03:08:40	0	196	0	11	0	0	0	0	0
26/Jul/10 03:08:50	0	196	0	11	0	0	0	0	0
26/Jul/10 03:09:00	0	196	0	11	0	0	0	0	0
26/Jul/10 03:09:10	0	196	0	8	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:09:20	0	196	0	7	0	0	0	0	0
26/Jul/10 03:09:30	0	196	0	6	0	0	0	0	0
26/Jul/10 03:09:40	0	196	0	5	0	0	0	0	0
26/Jul/10 03:09:50	0	196	0	4	0	0	0	0	0
26/Jul/10 03:10:00	0	196	0	3	0	0	0	0	0
26/Jul/10 03:10:10	0	196	0	3	0	0	0	0	0
26/Jul/10 03:10:20	0	196	0	2	0	0	0	0	0
26/Jul/10 03:10:30	0	196	0	2	0	0	0	0	0
26/Jul/10 03:10:40	0	196	0	2	0	0	0	0	0
26/Jul/10 03:10:50	0	196	0	2	0	0	0	0	0
26/Jul/10 03:11:00	0	196	0	1	0	0	0	0	0
26/Jul/10 03:11:10	0	196	0	1	0	0	0	0	0
26/Jul/10 03:11:20	0	196	0	1	0	0	0	0	0
26/Jul/10 03:11:30	0	196	0	1	0	0	0	0	0
26/Jul/10 03:11:40	0	196	0	1	0	0	0	0	0
26/Jul/10 03:11:50	0	196	0	1	0	0	0	0	0
26/Jul/10 03:12:00	0	196	0	1	0	0	0	0	0
26/Jul/10 03:12:10	0	196	0	1	0	0	0	0	0
26/Jul/10 03:12:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:12:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:12:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:12:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:13:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:13:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:13:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:13:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:13:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:13:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:14:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:14:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:14:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:14:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:14:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:14:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:15:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:15:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:15:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:15:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:15:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:15:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:16:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:16:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:16:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:16:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:16:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:16:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:17:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:17:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:17:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:17:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:17:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:17:50	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:18:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:18:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:18:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:18:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:18:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:18:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:19:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:19:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:19:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:19:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:19:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:19:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:20:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:20:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:20:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:20:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:20:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:20:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:21:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:21:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:21:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:21:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:21:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:21:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:22:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:22:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:22:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:22:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:22:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:22:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:23:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:23:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:23:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:23:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:23:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:23:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:24:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:24:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:24:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:24:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:24:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:24:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:25:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:25:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:25:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:25:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:25:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:25:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:26:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:26:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:26:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:26:30	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:26:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:26:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:27:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:27:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:27:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:27:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:27:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:27:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:28:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:28:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:28:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:28:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:28:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:28:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:29:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:29:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:29:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:29:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:29:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:29:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:30:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:30:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:30:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:30:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:30:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:30:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:31:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:31:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:31:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:31:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:31:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:31:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:32:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:32:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:32:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:32:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:32:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:32:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:33:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:33:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:33:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:33:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:33:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:33:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:34:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:34:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:34:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:34:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:34:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:34:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:35:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:35:10	0	196	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:35:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:35:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:35:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:35:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:36:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:36:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:36:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:36:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:36:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:36:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:37:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:37:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:37:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:37:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:37:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:37:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:38:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:38:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:38:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:38:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:38:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:38:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:39:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:39:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:39:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:39:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:39:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:39:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:40:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:40:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:40:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:40:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:40:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:40:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:41:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:41:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:41:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:41:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:41:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:41:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:42:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:42:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:42:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:42:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:42:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:42:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:43:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:43:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:43:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:43:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:43:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:43:50	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:44:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:44:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:44:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:44:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:44:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:44:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:45:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:45:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:45:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:45:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:45:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:45:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:46:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:46:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:46:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:46:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:46:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:46:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:47:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:47:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:47:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:47:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:47:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:47:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:48:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:48:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:48:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:48:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:48:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:48:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:49:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:49:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:49:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:49:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:49:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:49:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:50:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:50:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:50:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:50:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:50:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:50:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:51:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:51:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:51:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:51:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:51:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:51:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:52:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:52:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:52:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:52:30	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 03:52:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:52:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:53:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:53:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:53:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:53:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:53:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:53:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:54:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:54:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:54:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:54:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:54:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:54:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:55:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:55:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:55:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:55:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:55:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:55:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:56:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:56:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:56:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:56:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:56:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:56:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:57:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:57:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:57:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:57:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:57:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:57:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:58:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:58:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:58:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:58:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:58:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:58:50	0	196	0	0	0	0	0	0	0
26/Jul/10 03:59:00	0	196	0	0	0	0	0	0	0
26/Jul/10 03:59:10	0	196	0	0	0	0	0	0	0
26/Jul/10 03:59:20	0	196	0	0	0	0	0	0	0
26/Jul/10 03:59:30	0	196	0	0	0	0	0	0	0
26/Jul/10 03:59:40	0	196	0	0	0	0	0	0	0
26/Jul/10 03:59:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:00:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:00:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:00:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:00:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:00:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:00:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:01:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:01:10	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:01:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:01:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:01:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:01:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:02:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:02:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:02:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:02:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:02:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:02:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:03:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:03:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:03:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:03:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:03:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:03:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:04:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:04:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:04:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:04:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:04:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:04:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:05:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:05:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:05:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:05:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:05:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:05:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:06:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:06:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:06:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:06:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:06:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:06:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:07:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:07:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:07:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:07:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:07:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:07:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:08:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:08:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:08:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:08:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:08:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:08:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:09:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:09:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:09:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:09:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:09:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:09:50	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:10:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:10:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:10:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:10:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:10:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:10:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:11:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:11:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:11:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:11:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:11:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:11:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:12:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:12:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:12:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:12:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:12:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:12:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:13:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:13:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:13:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:13:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:13:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:13:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:14:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:14:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:14:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:14:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:14:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:14:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:15:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:15:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:15:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:15:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:15:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:15:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:16:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:16:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:16:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:16:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:16:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:16:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:17:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:17:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:17:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:17:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:17:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:17:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:18:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:18:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:18:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:18:30	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:18:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:18:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:19:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:19:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:19:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:19:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:19:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:19:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:20:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:20:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:20:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:20:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:20:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:20:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:21:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:21:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:21:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:21:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:21:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:21:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:22:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:22:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:22:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:22:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:22:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:22:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:23:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:23:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:23:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:23:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:23:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:23:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:24:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:24:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:24:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:24:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:24:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:24:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:25:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:25:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:25:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:25:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:25:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:25:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:26:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:26:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:26:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:26:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:26:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:26:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:27:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:27:10	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:27:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:27:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:27:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:27:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:28:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:28:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:28:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:28:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:28:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:28:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:29:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:29:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:29:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:29:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:29:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:29:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:30:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:30:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:30:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:30:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:30:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:30:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:31:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:31:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:31:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:31:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:31:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:31:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:32:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:32:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:32:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:32:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:32:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:32:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:33:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:33:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:33:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:33:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:33:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:33:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:34:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:34:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:34:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:34:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:34:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:34:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:35:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:35:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:35:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:35:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:35:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:35:50	0	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:36:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:36:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:36:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:36:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:36:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:36:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:37:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:37:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:37:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:37:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:37:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:37:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:38:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:38:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:38:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:38:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:38:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:38:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:39:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:39:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:39:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:39:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:39:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:39:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:40:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:40:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:40:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:40:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:40:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:40:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:41:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:41:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:41:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:41:30	0	196	0	0	0	0	0	0	0
26/Jul/10 04:41:40	0	196	0	0	0	0	0	0	0
26/Jul/10 04:41:50	0	196	0	0	0	0	0	0	0
26/Jul/10 04:42:00	0	196	0	0	0	0	0	0	0
26/Jul/10 04:42:10	0	196	0	0	0	0	0	0	0
26/Jul/10 04:42:20	0	196	0	0	0	0	0	0	0
26/Jul/10 04:42:30	1	196	0	0	0	0	0	0	0
26/Jul/10 04:42:40	1	196	0	0	0	0	0	0	0
26/Jul/10 04:42:50	1	196	0	0	0	0	0	0	0
26/Jul/10 04:43:00	1	196	0	0	0	0	0	0	0
26/Jul/10 04:43:10	1	196	0	0	0	0	0	0	0
26/Jul/10 04:43:20	1	196	0	0	0	0	0	0	0
26/Jul/10 04:43:30	2	196	0	0	0	0	0	0	0
26/Jul/10 04:43:40	2	196	0	0	0	0	0	0	0
26/Jul/10 04:43:50	2	196	0	0	0	0	0	0	0
26/Jul/10 04:44:00	2	196	0	0	0	0	0	0	0
26/Jul/10 04:44:10	2	196	0	0	0	0	0	0	0
26/Jul/10 04:44:20	3	196	0	0	0	0	0	0	0
26/Jul/10 04:44:30	3	196	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:44:40	3	196	0	0	0	0	0	0	0
26/Jul/10 04:44:50	3	196	0	0	0	0	0	0	0
26/Jul/10 04:45:00	3	196	0	0	0	0	0	0	0
26/Jul/10 04:45:10	3	196	0	0	0	0	0	0	0
26/Jul/10 04:45:20	4	196	0	0	0	0	0	0	0
26/Jul/10 04:45:30	4	196	0	0	0	0	0	0	0
26/Jul/10 04:45:40	4	196	0	0	0	0	0	0	0
26/Jul/10 04:45:50	4	196	0	0	0	0	0	0	0
26/Jul/10 04:46:00	4	196	0	0	0	0	0	0	0
26/Jul/10 04:46:10	4	196	0	0	0	0	0	0	0
26/Jul/10 04:46:20	5	196	0	0	0	0	0	0	0
26/Jul/10 04:46:30	5	196	0	0	0	0	0	0	0
26/Jul/10 04:46:40	5	196	0	0	0	0	0	0	0
26/Jul/10 04:46:50	5	196	0	0	0	0	0	0	0
26/Jul/10 04:47:00	5	196	0	0	0	0	0	0	0
26/Jul/10 04:47:10	6	196	0	0	0	0	0	0	0
26/Jul/10 04:47:20	6	196	0	0	0	0	0	0	0
26/Jul/10 04:47:30	6	196	0	0	0	0	0	0	0
26/Jul/10 04:47:40	6	196	0	0	0	0	0	0	0
26/Jul/10 04:47:50	6	196	0	0	0	0	0	0	0
26/Jul/10 04:48:00	6	196	0	0	0	0	0	0	0
26/Jul/10 04:48:10	7	196	0	0	0	0	0	0	0
26/Jul/10 04:48:20	7	196	0	0	0	0	0	0	0
26/Jul/10 04:48:30	7	196	0	0	0	0	0	0	0
26/Jul/10 04:48:40	7	196	0	0	0	0	0	0	0
26/Jul/10 04:48:50	7	196	0	0	0	0	0	0	0
26/Jul/10 04:49:00	7	196	0	0	0	0	0	0	0
26/Jul/10 04:49:10	8	196	0	0	0	0	0	0	0
26/Jul/10 04:49:20	8	196	0	0	0	0	0	0	0
26/Jul/10 04:49:30	8	196	0	0	0	0	0	0	0
26/Jul/10 04:49:40	8	196	0	0	0	0	0	0	0
26/Jul/10 04:49:50	8	196	0	0	0	0	0	0	0
26/Jul/10 04:50:00	9	196	0	0	0	0	0	0	0
26/Jul/10 04:50:10	9	196	0	0	0	0	0	0	0
26/Jul/10 04:50:20	9	196	0	0	0	0	0	0	0
26/Jul/10 04:50:30	9	196	0	0	0	0	0	0	0
26/Jul/10 04:50:40	9	196	0	0	0	0	0	0	0
26/Jul/10 04:50:50	9	196	0	0	0	0	0	0	0
26/Jul/10 04:51:00	10	196	0	0	0	0	0	0	0
26/Jul/10 04:51:10	10	196	0	0	0	0	0	0	0
26/Jul/10 04:51:20	10	196	0	0	0	0	0	0	0
26/Jul/10 04:51:30	10	196	0	0	0	0	0	0	0
26/Jul/10 04:51:40	10	196	0	0	0	0	0	0	0
26/Jul/10 04:51:50	10	196	0	0	0	0	0	0	0
26/Jul/10 04:52:00	11	196	0	0	0	0	0	0	0
26/Jul/10 04:52:10	11	196	0	0	0	0	0	0	0
26/Jul/10 04:52:20	11	196	0	0	0	0	0	0	0
26/Jul/10 04:52:30	11	196	0	0	0	0	0	0	0
26/Jul/10 04:52:40	11	196	0	0	0	0	0	0	0
26/Jul/10 04:52:50	12	196	0	0	0	0	0	0	0
26/Jul/10 04:53:00	12	196	0	0	0	0	0	0	0
26/Jul/10 04:53:10	12	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 04:53:20	12	196	0	0	0	0	0	0	0
26/Jul/10 04:53:30	12	196	0	0	0	0	0	0	0
26/Jul/10 04:53:40	12	196	0	0	0	0	0	0	0
26/Jul/10 04:53:50	13	196	0	0	0	0	0	0	0
26/Jul/10 04:54:00	13	196	0	0	0	0	0	0	0
26/Jul/10 04:54:10	13	196	0	0	0	0	0	0	0
26/Jul/10 04:54:20	13	196	0	0	0	0	0	0	0
26/Jul/10 04:54:30	13	196	0	0	0	0	0	0	0
26/Jul/10 04:54:40	13	196	0	0	0	0	0	0	0
26/Jul/10 04:54:50	14	196	0	0	0	0	0	0	0
26/Jul/10 04:55:00	14	196	0	0	0	0	0	0	0
26/Jul/10 04:55:10	14	196	0	0	0	0	0	0	0
26/Jul/10 04:55:20	14	196	0	0	0	0	0	0	0
26/Jul/10 04:55:30	14	196	0	0	0	0	0	0	0
26/Jul/10 04:55:40	15	196	0	0	0	0	0	0	0
26/Jul/10 04:55:50	15	196	0	0	0	0	0	0	0
26/Jul/10 04:56:00	15	196	0	0	0	0	0	0	0
26/Jul/10 04:56:10	15	196	0	0	0	0	0	0	0
26/Jul/10 04:56:20	15	196	0	0	0	0	0	0	0
26/Jul/10 04:56:30	15	196	0	0	0	0	0	0	0
26/Jul/10 04:56:40	16	196	0	0	0	0	0	0	0
26/Jul/10 04:56:50	16	196	0	0	0	0	0	0	0
26/Jul/10 04:57:00	16	196	0	0	0	0	0	0	0
26/Jul/10 04:57:10	16	196	0	0	0	0	0	0	0
26/Jul/10 04:57:20	16	196	0	0	0	0	0	0	0
26/Jul/10 04:57:30	16	196	0	0	0	0	0	0	0
26/Jul/10 04:57:40	17	196	0	0	0	0	0	0	0
26/Jul/10 04:57:50	17	196	0	0	0	0	0	0	0
26/Jul/10 04:58:00	17	196	0	0	0	0	0	0	0
26/Jul/10 04:58:10	17	196	0	0	0	0	0	0	0
26/Jul/10 04:58:20	17	196	0	0	0	0	0	0	0
26/Jul/10 04:58:30	18	196	0	0	0	0	0	0	0
26/Jul/10 04:58:40	18	196	0	0	0	0	0	0	0
26/Jul/10 04:58:50	18	196	0	0	0	0	0	0	0
26/Jul/10 04:59:00	18	196	0	0	0	0	0	0	0
26/Jul/10 04:59:10	18	196	0	0	0	0	0	0	0
26/Jul/10 04:59:20	18	196	0	0	0	0	0	0	0
26/Jul/10 04:59:30	19	196	0	0	0	0	0	0	0
26/Jul/10 04:59:40	19	196	0	0	0	0	0	0	0
26/Jul/10 04:59:50	19	196	0	0	0	0	0	0	0
26/Jul/10 05:00:00	19	196	0	0	0	0	0	0	0
26/Jul/10 05:00:10	19	196	0	0	0	0	0	0	0
26/Jul/10 05:00:20	19	196	0	0	0	0	0	0	0
26/Jul/10 05:00:30	20	196	0	0	0	0	0	0	0
26/Jul/10 05:00:40	20	196	0	0	0	0	0	0	0
26/Jul/10 05:00:50	20	196	0	0	0	0	0	0	0
26/Jul/10 05:01:00	20	196	0	0	0	0	0	0	0
26/Jul/10 05:01:10	20	196	0	0	0	0	0	0	0
26/Jul/10 05:01:20	21	196	0	0	0	0	0	0	0
26/Jul/10 05:01:30	21	196	0	0	0	0	0	0	0
26/Jul/10 05:01:40	21	196	0	0	0	0	0	0	0
26/Jul/10 05:01:50	21	196	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:02:00	21	196	0	0	0	0	0	0	0
26/Jul/10 05:02:10	21	196	0	0	0	0	0	0	0
26/Jul/10 05:02:20	22	196	0	0	0	0	0	0	0
26/Jul/10 05:02:30	22	196	0	0	0	0	0	0	0
26/Jul/10 05:02:40	22	196	0	0	0	0	0	0	0
26/Jul/10 05:02:50	22	196	0	0	0	0	0	0	0
26/Jul/10 05:03:00	22	196	0	0	0	0	0	0	0
26/Jul/10 05:03:10	22	196	0	0	0	0	0	0	0
26/Jul/10 05:03:20	23	196	0	0	0	0	0	0	0
26/Jul/10 05:03:30	23	196	0	0	0	0	0	0	0
26/Jul/10 05:03:40	23	196	0	0	0	0	0	0	0
26/Jul/10 05:03:50	23	196	0	0	0	0	0	0	0
26/Jul/10 05:04:00	23	196	0	0	0	0	0	0	0
26/Jul/10 05:04:10	24	196	0	0	0	0	0	0	0
26/Jul/10 05:04:20	24	196	0	0	0	0	0	0	0
26/Jul/10 05:04:30	24	196	0	0	0	0	0	0	0
26/Jul/10 05:04:40	24	196	0	0	0	0	0	0	0
26/Jul/10 05:04:50	24	196	0	0	0	0	0	0	0
26/Jul/10 05:05:00	24	196	0	0	0	0	0	0	0
26/Jul/10 05:05:10	25	196	0	0	0	0	0	0	0
26/Jul/10 05:05:20	25	196	0	0	0	0	0	0	0
26/Jul/10 05:05:30	25	196	0	0	0	0	0	0	0
26/Jul/10 05:05:40	25	196	0	0	0	0	0	0	0
26/Jul/10 05:05:50	25	196	0	0	0	0	0	0	0
26/Jul/10 05:06:00	25	196	0	0	0	0	0	0	0
26/Jul/10 05:06:10	26	196	0	0	0	0	0	0	0
26/Jul/10 05:06:20	26	196	0	0	0	0	0	0	0
26/Jul/10 05:06:30	26	196	0	0	0	0	0	0	0
26/Jul/10 05:06:40	26	196	0	0	0	0	0	0	0
26/Jul/10 05:06:50	26	196	0	0	0	0	0	0	0
26/Jul/10 05:07:00	27	196	0	0	0	0	0	0	0
26/Jul/10 05:07:10	27	196	0	0	0	0	0	0	0
26/Jul/10 05:07:20	27	196	0	0	0	0	0	0	0
26/Jul/10 05:07:30	27	196	0	0	0	0	0	0	0
26/Jul/10 05:07:40	27	196	0	0	0	0	0	0	0
26/Jul/10 05:07:50	27	196	0	0	0	0	0	0	0
26/Jul/10 05:08:00	28	196	0	0	0	0	0	0	0
26/Jul/10 05:08:10	28	196	0	0	0	0	0	0	0
26/Jul/10 05:08:20	28	196	0	0	0	0	0	0	0
26/Jul/10 05:08:30	28	196	0	0	0	0	0	0	0
26/Jul/10 05:08:40	28	196	0	0	0	0	0	0	0
26/Jul/10 05:08:50	28	196	0	0	0	0	0	0	0
26/Jul/10 05:09:00	29	196	0	0	0	0	0	0	0
26/Jul/10 05:09:10	29	196	0	0	0	0	0	0	0
26/Jul/10 05:09:20	29	196	0	10	0	0	0	0	0
26/Jul/10 05:09:30	29	196	0	18	0	0	0	0	0
26/Jul/10 05:09:40	29	196	0	12	0	0	0	0	0
26/Jul/10 05:09:50	30	196	0	12	0	0	0	0	0
26/Jul/10 05:10:00	30	196	0	12	0	0	0	0	0
26/Jul/10 05:10:10	30	196	0	12	0	0	0	0	0
26/Jul/10 05:10:20	30	196	0	12	0	0	0	0	0
26/Jul/10 05:10:30	30	196	0	12	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:10:40	30	196	0	12	0	0	0	0	0
26/Jul/10 05:10:50	31	196	0	12	0	0	0	0	0
26/Jul/10 05:11:00	31	196	0	12	0	0	0	0	0
26/Jul/10 05:11:10	31	196	0	12	0	0	0	0	0
26/Jul/10 05:11:20	31	196	0	12	0	0	0	0	0
26/Jul/10 05:11:30	31	196	0	12	0	0	0	0	0
26/Jul/10 05:11:40	31	196	0	12	0	0	0	0	0
26/Jul/10 05:11:50	32	196	0	12	0	0	0	0	0
26/Jul/10 05:12:00	32	196	0	12	0	0	0	0	0
26/Jul/10 05:12:10	32	196	0	12	0	0	0	0	0
26/Jul/10 05:12:20	32	196	0	12	0	0	0	0	0
26/Jul/10 05:12:30	32	196	0	12	0	0	0	0	0
26/Jul/10 05:12:40	33	196	0	12	0	0	0	0	0
26/Jul/10 05:12:50	33	196	0	12	0	0	0	0	0
26/Jul/10 05:13:00	33	196	0	12	0	0	0	0	0
26/Jul/10 05:13:10	33	196	0	12	0	0	0	0	0
26/Jul/10 05:13:20	33	196	0	12	0	0	0	0	0
26/Jul/10 05:13:30	33	196	0	12	0	0	0	0	0
26/Jul/10 05:13:40	34	196	0	11	0	0	0	0	0
26/Jul/10 05:13:50	34	196	0	12	0	0	0	0	0
26/Jul/10 05:14:00	34	196	0	12	0	0	0	0	0
26/Jul/10 05:14:10	34	196	0	11	0	0	0	0	0
26/Jul/10 05:14:20	34	196	0	11	0	0	0	0	0
26/Jul/10 05:14:30	34	196	0	12	0	0	0	0	0
26/Jul/10 05:14:40	35	196	0	12	0	0	0	0	0
26/Jul/10 05:14:50	35	196	0	12	0	0	0	0	0
26/Jul/10 05:15:00	35	196	0	12	0	0	0	0	0
26/Jul/10 05:15:10	35	196	0	12	0	0	0	0	0
26/Jul/10 05:15:20	35	196	0	12	0	0	0	0	0
26/Jul/10 05:15:30	36	196	0	12	0	0	0	0	0
26/Jul/10 05:15:40	36	196	0	13	0	0	0	0	0
26/Jul/10 05:15:50	36	196	0	12	0	0	0	0	0
26/Jul/10 05:16:00	36	196	0	12	0	0	0	0	0
26/Jul/10 05:16:10	36	196	0	12	0	0	0	0	0
26/Jul/10 05:16:20	36	196	0	12	0	0	0	0	0
26/Jul/10 05:16:30	37	196	0	12	0	0	0	0	0
26/Jul/10 05:16:40	37	196	0	12	0	0	0	0	0
26/Jul/10 05:16:50	37	196	0	12	0	0	0	0	0
26/Jul/10 05:17:00	37	196	0	12	0	0	0	0	0
26/Jul/10 05:17:10	37	196	0	12	0	0	0	0	0
26/Jul/10 05:17:20	37	196	0	12	0	0	0	0	0
26/Jul/10 05:17:30	38	196	0	12	0	0	0	0	0
26/Jul/10 05:17:40	38	196	0	12	0	0	0	0	0
26/Jul/10 05:17:50	38	196	0	12	0	0	0	0	0
26/Jul/10 05:18:00	38	196	0	12	0	0	0	0	0
26/Jul/10 05:18:10	38	196	0	12	0	0	0	0	0
26/Jul/10 05:18:20	39	196	0	12	0	0	0	0	0
26/Jul/10 05:18:30	39	196	0	12	0	0	0	0	0
26/Jul/10 05:18:40	39	196	0	12	0	0	0	0	0
26/Jul/10 05:18:50	39	196	0	12	0	0	0	0	0
26/Jul/10 05:19:00	39	196	0	12	0	0	0	0	0
26/Jul/10 05:19:10	39	196	0	12	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:19:20	40	196	0	12	0	0	0	0	0
26/Jul/10 05:19:30	40	196	0	12	0	0	0	0	0
26/Jul/10 05:19:40	40	196	0	12	0	0	0	0	0
26/Jul/10 05:19:50	40	196	0	12	0	0	0	0	0
26/Jul/10 05:20:00	40	196	0	12	0	0	0	0	0
26/Jul/10 05:20:10	40	196	0	12	0	0	0	0	0
26/Jul/10 05:20:20	41	196	0	12	0	0	0	0	0
26/Jul/10 05:20:30	41	196	0	12	0	0	0	0	0
26/Jul/10 05:20:40	41	196	0	12	0	0	0	0	0
26/Jul/10 05:20:50	83	196	0	12	0	0	0	0	0
26/Jul/10 05:21:00	142	196	0	12	0	0	0	0	0
26/Jul/10 05:21:10	185	196	0	12	0	0	0	0	0
26/Jul/10 05:21:20	241	196	0	12	0	0	0	0	0
26/Jul/10 05:21:30	279	196	0	12	0	0	0	0	0
26/Jul/10 05:21:40	473	196	0	12	0	0	0	0	0
26/Jul/10 05:21:50	601	196	0	12	0	0	0	0	0
26/Jul/10 05:22:00	794	196	0	12	0	0	0	0	0
26/Jul/10 05:22:10	927	196	0	12	0	0	0	0	0
26/Jul/10 05:22:20	1110	196	0	12	0	0	0	0	0
26/Jul/10 05:22:30	1206	196	0	12	0	0	0	0	0
26/Jul/10 05:22:40	1337	196	0	12	0	0	0	0	0
26/Jul/10 05:22:50	1442	196	0	12	0	0	0	0	0
26/Jul/10 05:23:00	1537	196	0	12	0	0	0	0	0
26/Jul/10 05:23:10	1635	196	0	12	0	0	0	0	0
26/Jul/10 05:23:20	1735	196	0	12	0	0	0	0	0
26/Jul/10 05:23:30	1731	196	0	12	0	0	0	0	0
26/Jul/10 05:23:40	1696	196	0	12	0	0	0	0	0
26/Jul/10 05:23:50	1661	196	0	12	0	0	0	0	0
26/Jul/10 05:24:00	1615	196	0	12	0	0	0	0	0
26/Jul/10 05:24:10	1586	196	0	12	0	0	0	0	0
26/Jul/10 05:24:20	1558	196	0	12	0	0	0	0	0
26/Jul/10 05:24:30	1566	196	0	12	0	0	0	0	0
26/Jul/10 05:24:40	1601	196	0	12	0	0	0	0	0
26/Jul/10 05:24:50	1655	196	0	12	0	0	0	0	0
26/Jul/10 05:25:00	1712	196	0	12	0	0	0	0	0
26/Jul/10 05:25:10	1765	196	0	12	0	0	0	0	0
26/Jul/10 05:25:20	1825	196	0	12	0	0	0	0	0
26/Jul/10 05:25:30	1891	196	0	12	0	0	0	0	0
26/Jul/10 05:25:40	1962	196	0	12	0	0	0	0	0
26/Jul/10 05:25:50	2034	196	0	12	0	0	0	0	0
26/Jul/10 05:26:00	2095	196	0	12	0	0	0	0	0
26/Jul/10 05:26:10	2151	196	0	12	0	0	0	0	0
26/Jul/10 05:26:20	2184	196	0	12	0	0	0	0	0
26/Jul/10 05:26:30	2189	196	0	12	0	0	0	0	0
26/Jul/10 05:26:40	2177	196	0	12	0	0	0	0	0
26/Jul/10 05:26:50	2161	196	0	12	0	0	0	0	0
26/Jul/10 05:27:00	2149	196	0	12	0	0	0	0	0
26/Jul/10 05:27:10	2135	196	0	12	0	0	0	0	0
26/Jul/10 05:27:20	2117	196	0	12	0	0	0	0	0
26/Jul/10 05:27:30	2100	196	0	12	0	0	0	0	0
26/Jul/10 05:27:40	2089	196	0	12	0	0	0	0	0
26/Jul/10 05:27:50	2076	196	0	12	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:28:00	2068	196	0	12	0	0	0	0	0
26/Jul/10 05:28:10	2061	195	0	12	0	0	0	0	0
26/Jul/10 05:28:20	2054	195	0	12	0	0	0	0	0
26/Jul/10 05:28:30	2049	195	0	12	0	0	0	0	0
26/Jul/10 05:28:40	2036	195	0	12	0	0	0	0	0
26/Jul/10 05:28:50	2025	194	0	12	0	0	0	0	0
26/Jul/10 05:29:00	2015	194	0	12	0	0	0	0	0
26/Jul/10 05:29:10	2007	194	0	12	0	0	0	0	0
26/Jul/10 05:29:20	2005	193	0	12	0	0	0	0	0
26/Jul/10 05:29:30	2000	193	0	12	0	0	0	0	0
26/Jul/10 05:29:40	1993	193	0	12	0	0	0	0	0
26/Jul/10 05:29:50	1987	192	0	12	0	0	0	0	0
26/Jul/10 05:30:00	1981	192	0	12	0	0	0	0	0
26/Jul/10 05:30:10	1973	192	0	12	0	0	0	0	0
26/Jul/10 05:30:20	1962	191	0	12	0	0	0	0	0
26/Jul/10 05:30:30	1959	191	0	12	0	0	0	0	0
26/Jul/10 05:30:40	1955	191	0	12	0	0	0	0	0
26/Jul/10 05:30:50	1952	191	0	12	0	0	0	0	0
26/Jul/10 05:31:00	1946	190	0	12	0	0	0	0	0
26/Jul/10 05:31:10	1937	190	0	12	0	0	0	0	0
26/Jul/10 05:31:20	1924	190	0	12	0	0	0	0	0
26/Jul/10 05:31:30	1917	189	0	12	0	0	0	0	0
26/Jul/10 05:31:40	1907	189	0	12	0	0	0	0	0
26/Jul/10 05:31:50	1894	189	0	12	0	0	0	0	0
26/Jul/10 05:32:00	1888	188	0	12	0	0	0	0	0
26/Jul/10 05:32:10	1877	188	0	12	0	0	0	0	0
26/Jul/10 05:32:20	1865	188	0	12	0	0	0	0	0
26/Jul/10 05:32:30	1854	188	0	12	0	0	0	0	0
26/Jul/10 05:32:40	1838	187	0	12	0	0	0	0	0
26/Jul/10 05:32:50	1824	187	0	12	0	0	0	0	0
26/Jul/10 05:33:00	1814	187	0	12	0	0	0	0	0
26/Jul/10 05:33:10	1803	186	0	12	0	0	0	0	0
26/Jul/10 05:33:20	1785	186	0	12	0	0	0	0	0
26/Jul/10 05:33:30	1771	186	0	12	0	0	0	0	0
26/Jul/10 05:33:40	1757	185	0	12	0	0	0	0	0
26/Jul/10 05:33:50	1740	185	0	12	0	0	0	0	0
26/Jul/10 05:34:00	1728	185	0	12	0	0	0	0	0
26/Jul/10 05:34:10	1720	184	0	12	0	0	0	0	0
26/Jul/10 05:34:20	1717	184	0	12	0	0	0	0	0
26/Jul/10 05:34:30	1725	184	0	12	0	0	0	0	0
26/Jul/10 05:34:40	1729	184	0	12	0	0	0	0	0
26/Jul/10 05:34:50	1735	183	0	12	0	0	0	0	0
26/Jul/10 05:35:00	1741	183	0	12	0	0	0	0	0
26/Jul/10 05:35:10	1747	183	0	12	0	0	0	0	0
26/Jul/10 05:35:20	1758	182	0	12	0	0	0	0	0
26/Jul/10 05:35:30	1770	182	0	12	0	0	0	0	0
26/Jul/10 05:35:40	1781	182	0	12	0	0	0	0	0
26/Jul/10 05:35:50	1796	181	0	12	0	0	0	0	0
26/Jul/10 05:36:00	1803	181	0	12	0	0	0	0	0
26/Jul/10 05:36:10	1805	181	0	12	0	0	0	0	0
26/Jul/10 05:36:20	1801	180	0	12	0	0	0	0	0
26/Jul/10 05:36:30	1800	180	0	12	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:36:40	1795	180	0	12	0	0	0	0	0
26/Jul/10 05:36:50	1793	180	0	12	0	0	0	0	0
26/Jul/10 05:37:00	1794	179	0	12	0	0	0	0	0
26/Jul/10 05:37:10	1793	179	0	12	0	0	0	0	0
26/Jul/10 05:37:20	1790	179	0	12	0	0	0	0	0
26/Jul/10 05:37:30	1789	178	0	12	0	0	0	0	0
26/Jul/10 05:37:40	1788	178	0	12	0	0	0	0	0
26/Jul/10 05:37:50	1790	178	0	12	0	0	0	0	0
26/Jul/10 05:38:00	1789	177	0	12	0	0	0	0	0
26/Jul/10 05:38:10	1792	177	0	12	0	0	0	0	0
26/Jul/10 05:38:20	1794	177	0	12	0	0	0	0	0
26/Jul/10 05:38:30	1794	176	0	12	0	0	0	0	0
26/Jul/10 05:38:40	1792	176	0	12	0	0	0	0	0
26/Jul/10 05:38:50	1792	176	0	12	0	0	0	0	0
26/Jul/10 05:39:00	1794	176	0	12	0	0	0	0	0
26/Jul/10 05:39:10	1793	175	0	12	0	0	0	0	0
26/Jul/10 05:39:20	1792	175	0	12	0	0	0	0	0
26/Jul/10 05:39:30	1790	175	0	12	0	0	0	0	0
26/Jul/10 05:39:40	1788	174	0	12	0	0	0	0	0
26/Jul/10 05:39:50	1787	174	0	12	0	0	0	0	0
26/Jul/10 05:40:00	1784	80	0	12	0	0	0	0	0
26/Jul/10 05:40:10	1784	1	0	12	0	0	0	0	0
26/Jul/10 05:40:20	1783	2	0	12	0	0	0	0	0
26/Jul/10 05:40:30	1782	3	0	12	0	0	0	0	0
26/Jul/10 05:40:40	1780	4	0	12	0	0	0	0	0
26/Jul/10 05:40:50	1778	5	0	12	0	0	0	0	0
26/Jul/10 05:41:00	1780	5	0	12	0	0	0	0	0
26/Jul/10 05:41:10	1781	6	0	12	0	0	0	0	0
26/Jul/10 05:41:20	1780	7	0	12	0	0	0	0	0
26/Jul/10 05:41:30	1780	8	0	12	0	0	0	0	0
26/Jul/10 05:41:40	1781	9	0	12	0	0	0	0	0
26/Jul/10 05:41:50	1782	10	0	12	0	0	0	0	0
26/Jul/10 05:42:00	1782	10	0	12	0	0	0	0	0
26/Jul/10 05:42:10	1786	11	0	12	0	0	0	0	0
26/Jul/10 05:42:20	1786	12	0	12	0	0	0	0	0
26/Jul/10 05:42:30	1786	13	0	12	0	0	0	0	0
26/Jul/10 05:42:40	1786	14	0	12	0	0	0	0	0
26/Jul/10 05:42:50	1783	15	0	12	0	0	0	0	0
26/Jul/10 05:43:00	1782	15	0	12	0	0	0	0	0
26/Jul/10 05:43:10	1784	16	0	12	0	0	0	0	0
26/Jul/10 05:43:20	1781	17	0	12	0	0	0	0	0
26/Jul/10 05:43:30	1777	18	0	12	0	0	0	0	0
26/Jul/10 05:43:40	1777	19	0	12	0	0	0	0	0
26/Jul/10 05:43:50	1775	20	0	12	0	0	0	0	0
26/Jul/10 05:44:00	1771	20	0	12	0	0	0	0	0
26/Jul/10 05:44:10	1770	21	0	12	0	0	0	0	0
26/Jul/10 05:44:20	1771	22	0	12	0	0	0	0	0
26/Jul/10 05:44:30	1770	23	0	12	0	0	0	0	0
26/Jul/10 05:44:40	1771	24	0	12	0	0	0	0	0
26/Jul/10 05:44:50	1773	25	0	12	0	0	0	0	0
26/Jul/10 05:45:00	1776	25	0	12	0	0	0	0	0
26/Jul/10 05:45:10	1779	26	0	12	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:45:20	1780	27	0	12	0	0	0	0	0
26/Jul/10 05:45:30	1780	28	0	12	0	0	0	0	0
26/Jul/10 05:45:40	1781	29	0	12	0	0	0	0	0
26/Jul/10 05:45:50	1783	30	0	12	0	0	0	0	0
26/Jul/10 05:46:00	1784	30	0	12	0	0	0	0	0
26/Jul/10 05:46:10	1784	31	0	12	0	0	0	0	0
26/Jul/10 05:46:20	1783	32	0	12	0	0	0	0	0
26/Jul/10 05:46:30	1784	33	0	12	0	0	0	0	0
26/Jul/10 05:46:40	1784	34	0	12	0	0	0	0	0
26/Jul/10 05:46:50	1779	34	0	12	0	0	0	0	0
26/Jul/10 05:47:00	1777	35	0	12	0	0	0	0	0
26/Jul/10 05:47:10	1778	36	0	12	0	0	0	0	0
26/Jul/10 05:47:20	1781	37	0	12	0	0	0	0	0
26/Jul/10 05:47:30	1778	38	0	12	0	0	0	0	0
26/Jul/10 05:47:40	1775	39	0	12	0	0	0	0	0
26/Jul/10 05:47:50	1773	39	0	12	0	0	0	0	0
26/Jul/10 05:48:00	1775	40	0	12	0	0	0	0	0
26/Jul/10 05:48:10	1775	41	0	11	0	0	0	0	0
26/Jul/10 05:48:20	1774	42	0	12	0	0	0	0	0
26/Jul/10 05:48:30	1776	43	0	12	0	0	0	0	0
26/Jul/10 05:48:40	1780	44	0	12	0	0	0	0	0
26/Jul/10 05:48:50	1780	44	0	12	0	0	0	0	0
26/Jul/10 05:49:00	1784	45	0	12	0	0	0	0	0
26/Jul/10 05:49:10	1782	46	0	12	0	0	0	0	0
26/Jul/10 05:49:20	1785	47	0	12	0	0	0	0	0
26/Jul/10 05:49:30	1788	48	0	12	0	0	0	0	0
26/Jul/10 05:49:40	1791	49	0	12	0	0	0	0	0
26/Jul/10 05:49:50	1794	49	0	12	0	0	0	0	0
26/Jul/10 05:50:00	1796	50	0	12	0	0	0	0	0
26/Jul/10 05:50:10	1799	51	0	13	0	0	0	0	0
26/Jul/10 05:50:20	1799	52	0	13	0	0	0	0	0
26/Jul/10 05:50:30	1800	53	0	12	0	0	0	0	0
26/Jul/10 05:50:40	1800	54	0	12	0	0	0	0	0
26/Jul/10 05:50:50	1798	54	0	12	0	0	0	0	0
26/Jul/10 05:51:00	1768	55	0	12	0	0	0	0	0
26/Jul/10 05:51:10	1699	56	0	12	0	0	0	0	0
26/Jul/10 05:51:20	1589	57	0	12	0	0	0	0	0
26/Jul/10 05:51:30	1413	58	0	12	0	0	0	0	0
26/Jul/10 05:51:40	1266	59	0	12	0	0	0	0	0
26/Jul/10 05:51:50	1090	59	0	12	0	0	0	0	0
26/Jul/10 05:52:00	927	60	0	12	0	0	0	0	0
26/Jul/10 05:52:10	754	61	0	12	0	0	0	0	0
26/Jul/10 05:52:20	595	62	0	12	0	0	0	0	0
26/Jul/10 05:52:30	440	63	0	12	0	0	0	0	0
26/Jul/10 05:52:40	260	64	0	12	0	0	0	0	0
26/Jul/10 05:52:50	115	64	0	12	0	0	0	0	0
26/Jul/10 05:53:00	23	65	0	12	0	0	0	0	0
26/Jul/10 05:53:10	0	66	0	12	0	0	0	0	0
26/Jul/10 05:53:20	0	67	0	12	0	0	0	0	0
26/Jul/10 05:53:30	0	68	0	12	0	0	0	0	0
26/Jul/10 05:53:40	0	69	0	12	0	0	0	0	0
26/Jul/10 05:53:50	0	69	0	12	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 05:54:00	0	87	0	12	0	0	0	0	0
26/Jul/10 05:54:10	0	153	0	12	0	0	0	0	0
26/Jul/10 05:54:20	0	313	0	12	0	0	0	0	0
26/Jul/10 05:54:30	0	186	0	12	0	0	0	0	0
26/Jul/10 05:54:40	0	1	0	12	0	0	0	0	0
26/Jul/10 05:54:50	0	1	0	12	0	0	0	0	0
26/Jul/10 05:55:00	0	1	0	12	0	0	0	0	0
26/Jul/10 05:55:10	0	1	0	12	0	0	0	0	0
26/Jul/10 05:55:20	0	1	0	12	0	0	0	0	0
26/Jul/10 05:55:30	0	1	0	12	0	0	0	0	0
26/Jul/10 05:55:40	0	1	0	12	0	0	0	0	0
26/Jul/10 05:55:50	0	1	0	12	0	0	0	0	0
26/Jul/10 05:56:00	0	1	0	12	0	0	0	0	0
26/Jul/10 05:56:10	0	1	0	12	0	0	0	0	0
26/Jul/10 05:56:20	0	1	0	11	0	0	0	0	0
26/Jul/10 05:56:30	0	1	0	12	0	0	0	0	0
26/Jul/10 05:56:40	0	1	0	12	0	0	0	0	0
26/Jul/10 05:56:50	0	1	0	12	0	0	0	0	0
26/Jul/10 05:57:00	0	1	0	12	0	0	0	0	0
26/Jul/10 05:57:10	0	1	0	12	0	0	0	0	0
26/Jul/10 05:57:20	0	1	0	12	0	0	0	0	0
26/Jul/10 05:57:30	0	1	0	12	0	0	0	0	0
26/Jul/10 05:57:40	0	1	0	12	0	0	0	0	0
26/Jul/10 05:57:50	0	1	0	11	0	0	0	0	0
26/Jul/10 05:58:00	0	1	0	8	0	0	0	0	0
26/Jul/10 05:58:10	0	1	0	7	0	0	0	0	0
26/Jul/10 05:58:20	0	1	0	6	0	0	0	0	0
26/Jul/10 05:58:30	0	1	0	5	0	0	0	0	0
26/Jul/10 05:58:40	0	1	0	4	0	0	0	0	0
26/Jul/10 05:58:50	0	1	0	3	0	0	0	0	0
26/Jul/10 05:59:00	0	1	0	3	0	0	0	0	0
26/Jul/10 05:59:10	0	1	0	2	0	0	0	0	0
26/Jul/10 05:59:20	0	1	0	3	0	0	0	0	0
26/Jul/10 05:59:30	0	1	0	4	0	0	0	0	0
26/Jul/10 05:59:40	0	1	0	2	0	0	0	0	0
26/Jul/10 05:59:50	0	1	0	1	0	0	0	0	0
26/Jul/10 06:00:00	0	1	0	1	0	0	0	0	0
26/Jul/10 06:00:10	0	1	0	1	0	0	0	0	0
26/Jul/10 06:00:20	0	1	0	1	0	0	0	0	0
26/Jul/10 06:00:30	0	1	0	1	0	0	0	0	0
26/Jul/10 06:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:02:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:11:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:19:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:28:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:37:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:45:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:54:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 06:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 06:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 06:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 06:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 06:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 06:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 06:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:03:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:11:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:20:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:29:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:37:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:46:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:55:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 07:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 07:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 07:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 07:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 07:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 07:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 07:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:03:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:12:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:21:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:29:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:38:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:47:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:55:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 08:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 08:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 08:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 08:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 08:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 08:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 08:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:04:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:13:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:21:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:22:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:22:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:22:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:22:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:23:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:23:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:23:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:23:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:23:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:23:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:24:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:24:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:24:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:24:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:24:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:24:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:25:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:25:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:25:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:25:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:25:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:25:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:26:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:26:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:26:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:26:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:26:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:26:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:27:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:27:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:27:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:27:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:27:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:27:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:28:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:28:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:28:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:28:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:28:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:28:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:29:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:29:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:29:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:29:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:29:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:29:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:30:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:30:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:30:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:30:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:30:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:30:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:31:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:31:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:31:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:31:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:31:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:31:50	0	2	0	0	0	0	0	0	1
26/Jul/10 09:32:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:32:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:32:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:32:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:32:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:32:50	0	2	0	0	0	0	0	0	1
26/Jul/10 09:33:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:33:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:33:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:33:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:33:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:33:50	0	2	0	0	0	0	0	0	1
26/Jul/10 09:34:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:34:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:34:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:34:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:34:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:34:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:35:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:35:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:35:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:35:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:35:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:36:00	0	1	0	0	0	0	0	0	2
26/Jul/10 09:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:36:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:37:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:37:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:37:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:37:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:38:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:38:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:39:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:39:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:39:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 09:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:42:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:42:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:42:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:42:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:42:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:43:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:43:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:43:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:43:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:43:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:43:50	0	1	0	0	0	0	0	0	1
26/Jul/10 09:44:00	0	1	0	0	0	0	0	0	1
26/Jul/10 09:44:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:44:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:44:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:44:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:45:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:45:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 09:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:46:10	0	1	0	0	0	0	0	0	1
26/Jul/10 09:46:20	0	1	0	0	0	0	0	0	1
26/Jul/10 09:46:30	0	1	0	0	0	0	0	0	1
26/Jul/10 09:46:40	0	1	0	0	0	0	0	0	1
26/Jul/10 09:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 09:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 09:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 09:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 09:47:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:47:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:47:50	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:48:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:48:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:48:20	0	2	0	0	0	0	0	0	0
26/Jul/10 09:48:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:48:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:48:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:49:00	0	2	0	0	0	0	0	0	0
26/Jul/10 09:49:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:49:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:49:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:49:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:49:50	0	2	0	0	0	0	0	0	1
26/Jul/10 09:50:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:50:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:50:20	0	2	0	0	0	0	0	0	0
26/Jul/10 09:50:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:50:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:50:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:51:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:51:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:51:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:51:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:51:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:51:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:52:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:52:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:52:20	0	2	0	0	0	0	0	0	0
26/Jul/10 09:52:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:52:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:52:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:53:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:53:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:53:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:53:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:53:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:53:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:54:00	0	2	0	0	0	0	0	0	0
26/Jul/10 09:54:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:54:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:54:30	0	2	0	0	0	0	0	0	1
26/Jul/10 09:54:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:54:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:55:00	0	2	0	0	0	0	0	0	0
26/Jul/10 09:55:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:55:20	0	2	0	0	0	0	0	0	0
26/Jul/10 09:55:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:55:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:55:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:56:00	0	2	0	0	0	0	0	0	0
26/Jul/10 09:56:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:56:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:56:30	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 09:56:40	0	2	0	0	0	0	0	0	1
26/Jul/10 09:56:50	0	2	0	0	0	0	0	0	1
26/Jul/10 09:57:00	0	2	0	0	0	0	0	0	1
26/Jul/10 09:57:10	0	2	0	0	0	0	0	0	1
26/Jul/10 09:57:20	0	2	0	0	0	0	0	0	1
26/Jul/10 09:57:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:57:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:57:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:58:00	0	2	0	0	0	0	0	0	0
26/Jul/10 09:58:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:58:20	0	2	0	0	0	0	0	0	0
26/Jul/10 09:58:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:58:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:58:50	0	2	0	0	0	0	0	0	0
26/Jul/10 09:59:00	0	2	0	0	0	0	0	0	0
26/Jul/10 09:59:10	0	2	0	0	0	0	0	0	0
26/Jul/10 09:59:20	0	2	0	0	0	0	0	0	0
26/Jul/10 09:59:30	0	2	0	0	0	0	0	0	0
26/Jul/10 09:59:40	0	2	0	0	0	0	0	0	0
26/Jul/10 09:59:50	0	2	0	0	0	0	0	0	0
26/Jul/10 10:00:00	0	2	0	0	0	0	0	0	0
26/Jul/10 10:00:10	0	2	0	0	0	0	0	0	0
26/Jul/10 10:00:20	0	2	0	0	0	0	0	0	0
26/Jul/10 10:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:05:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:13:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:22:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:31:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:39:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:48:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:57:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 10:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 10:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 10:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 10:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 10:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 10:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 10:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:05:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:14:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:23:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:27:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:27:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:28:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:28:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:28:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:28:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:28:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:28:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:29:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:29:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:29:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:29:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:29:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:30:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:30:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:30:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:30:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:30:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:31:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:31:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:31:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:31:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:31:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:32:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:32:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:32:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:32:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:32:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:32:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:33:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:33:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:33:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:33:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:33:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:33:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:34:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:34:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:34:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:34:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:34:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:34:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:35:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:35:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:35:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:35:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:35:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:35:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:36:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:36:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:36:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:36:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:36:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:36:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:37:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:37:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:37:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:37:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:37:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:37:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:38:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:38:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:38:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:38:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:38:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:38:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:39:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:39:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:39:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:39:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:39:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:39:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:40:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:40:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:40:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:40:30	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:40:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:40:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:41:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:41:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:41:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:41:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:41:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:41:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:42:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:42:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:42:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:42:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:42:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:42:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:43:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:43:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:49:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 11:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 11:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 11:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 11:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 11:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 11:55:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:56:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:56:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:56:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:56:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:56:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:56:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:57:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:57:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:57:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:57:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:57:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:57:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 11:58:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:58:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:58:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:58:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:58:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:58:50	0	2	0	0	0	0	0	0	0
26/Jul/10 11:59:00	0	2	0	0	0	0	0	0	0
26/Jul/10 11:59:10	0	2	0	0	0	0	0	0	0
26/Jul/10 11:59:20	0	2	0	0	0	0	0	0	0
26/Jul/10 11:59:30	0	2	0	0	0	0	0	0	0
26/Jul/10 11:59:40	0	2	0	0	0	0	0	0	0
26/Jul/10 11:59:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:00:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:00:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:00:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:00:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:00:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:00:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:01:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:01:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:01:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:01:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:01:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:01:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:02:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:02:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:02:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:02:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:02:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:02:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:03:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:03:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:03:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:03:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:03:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:03:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:04:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:04:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:04:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:04:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:04:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:04:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:05:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:05:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:05:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:05:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:05:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:05:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:06:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:06:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:06:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:06:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:06:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:06:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:07:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:07:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:07:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:07:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:07:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:07:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:08:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:12:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:12:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:12:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:12:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:12:50	0	2	0	0	0	0	0	0	1
26/Jul/10 12:13:00	0	2	0	0	0	0	0	0	1
26/Jul/10 12:13:10	0	2	0	0	0	0	0	0	1
26/Jul/10 12:13:20	0	2	0	0	0	0	0	0	1
26/Jul/10 12:13:30	0	2	0	0	0	0	0	0	1
26/Jul/10 12:13:40	0	2	0	0	0	0	0	0	1
26/Jul/10 12:13:50	0	2	0	0	0	0	0	0	1
26/Jul/10 12:14:00	0	2	0	0	0	0	0	0	1
26/Jul/10 12:14:10	0	2	0	0	0	0	0	0	1
26/Jul/10 12:14:20	0	2	0	0	0	0	0	0	1
26/Jul/10 12:14:30	0	2	0	0	0	0	0	0	1
26/Jul/10 12:14:40	0	2	0	0	0	0	0	0	1
26/Jul/10 12:14:50	0	2	0	0	0	0	0	0	1
26/Jul/10 12:15:00	0	2	0	0	0	0	0	0	1
26/Jul/10 12:15:10	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:15:20	0	2	0	0	0	0	0	0	1
26/Jul/10 12:15:30	0	2	0	0	0	0	0	0	1
26/Jul/10 12:15:40	0	2	0	0	0	0	0	0	1
26/Jul/10 12:15:50	0	2	0	0	0	0	0	0	1
26/Jul/10 12:16:00	0	2	0	0	0	0	0	0	1
26/Jul/10 12:16:10	0	1	0	0	0	0	0	0	1
26/Jul/10 12:16:20	0	1	0	0	0	0	0	0	1
26/Jul/10 12:16:30	0	1	0	0	0	0	0	0	1
26/Jul/10 12:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:23:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:27:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:27:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:27:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:28:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:28:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:28:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:28:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:28:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:28:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:29:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:29:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:29:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:29:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:29:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:30:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:30:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:30:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:30:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:30:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:31:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:31:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:31:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:31:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:31:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:32:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:32:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:32:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:32:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:32:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:32:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:33:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:33:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:33:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:33:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:33:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:33:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:34:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:34:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:34:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:34:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:34:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:34:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:35:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:35:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:35:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:35:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:35:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:35:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:36:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:36:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:36:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:36:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:36:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:36:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:37:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:37:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:37:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:37:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:37:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:37:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:38:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:38:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:38:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:38:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:38:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:41:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:43:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:44:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:44:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:44:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:44:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:44:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:44:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:45:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:45:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:45:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:45:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:45:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:45:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:46:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:46:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:46:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:46:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:46:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:46:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:47:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:47:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:47:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:47:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:47:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:47:50	0	2	0	0	0	0	0	0	0
26/Jul/10 12:48:00	0	2	0	0	0	0	0	0	0
26/Jul/10 12:48:10	0	2	0	0	0	0	0	0	0
26/Jul/10 12:48:20	0	2	0	0	0	0	0	0	0
26/Jul/10 12:48:30	0	2	0	0	0	0	0	0	0
26/Jul/10 12:48:40	0	2	0	0	0	0	0	0	0
26/Jul/10 12:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:49:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:58:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 12:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 12:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 12:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 12:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 12:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 12:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 12:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:02:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:03:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:03:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:03:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:03:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:03:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:03:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:04:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:04:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:04:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:04:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:04:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:04:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:05:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:05:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:05:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:05:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:05:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:05:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:06:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:06:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:06:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:06:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:06:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:06:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:07:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:07:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:07:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:07:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:07:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:07:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:08:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:08:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:08:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:08:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:08:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:08:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:09:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:09:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:09:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:09:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:09:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:09:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:10:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:10:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:10:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:10:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:10:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:10:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:11:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:11:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:11:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:11:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:11:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:11:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:12:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:12:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:12:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:12:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:12:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:12:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:13:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:13:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:13:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:13:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:13:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:13:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:14:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:14:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:14:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:14:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:14:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:14:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:15:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:15:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:15:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:15:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:15:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:15:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:16:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:16:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:16:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:16:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:16:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:23:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:23:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:24:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:24:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:24:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:24:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:24:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:24:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:25:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:25:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:25:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:25:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:25:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:25:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:26:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:26:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:26:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:26:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:26:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:26:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:27:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:27:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:27:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:27:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:27:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:27:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:28:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:28:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:28:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:28:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:28:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:28:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:29:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:29:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:29:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:29:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:29:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:33:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:38:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:38:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:38:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:38:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:39:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:39:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:39:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:39:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:39:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:39:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:40:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:40:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:40:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:40:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:40:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:40:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:41:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:41:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:41:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:41:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:41:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:41:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:42:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:42:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:42:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:42:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:42:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:42:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:43:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:43:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:43:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:43:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:43:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:43:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:44:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:44:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:44:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:44:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:44:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:44:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:45:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:45:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:45:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:45:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:45:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:45:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:46:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:46:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:50:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 13:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 13:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 13:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 13:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 13:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 13:54:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:54:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:55:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:55:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:55:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:55:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:55:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:55:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:56:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:56:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:56:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:56:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:56:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:56:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:57:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:57:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:57:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:57:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:57:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:57:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:58:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:58:10	0	2	0	0	0	0	0	0	0
26/Jul/10 13:58:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:58:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:58:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:58:50	0	2	0	0	0	0	0	0	0
26/Jul/10 13:59:00	0	2	0	0	0	0	0	0	0
26/Jul/10 13:59:10	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 13:59:20	0	2	0	0	0	0	0	0	0
26/Jul/10 13:59:30	0	2	0	0	0	0	0	0	0
26/Jul/10 13:59:40	0	2	0	0	0	0	0	0	0
26/Jul/10 13:59:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:00:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:00:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:00:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:00:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:00:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:00:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:01:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:01:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:01:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:01:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:01:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:01:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:02:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:02:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:02:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:02:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:02:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:03:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:03:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:03:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:04:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:07:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 14:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:15:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:15:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:15:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:16:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:16:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:16:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:16:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 14:16:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:16:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:17:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:17:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:17:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:17:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:17:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:17:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:18:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:18:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:18:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:18:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:18:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:18:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:19:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:19:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:19:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:19:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:19:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:19:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:20:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:20:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:20:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:20:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:20:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:20:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:21:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:21:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:21:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:21:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:21:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:21:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:22:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:22:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:22:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:22:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:22:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:22:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:23:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:23:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:23:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:23:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:23:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:23:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:24:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:24:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:24:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:24:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:24:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:24:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:25:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:25:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 14:25:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:25:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:25:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:25:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:26:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:26:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:26:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:26:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 14:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 14:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 14:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 14:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 14:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 14:30:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:30:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:31:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:31:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:31:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:31:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:31:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:32:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:32:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:32:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:32:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:32:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:32:50	0	2	0	0	0	0	0	0	0
26/Jul/10 14:33:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:33:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:33:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:33:30	0	2	0	0	0	0	0	0	0
26/Jul/10 14:33:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:33:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 14:34:00	0	2	0	0	0	0	0	0	0
26/Jul/10 14:34:10	0	2	0	0	0	0	0	0	0
26/Jul/10 14:34:20	0	2	0	0	0	0	0	0	0
26/Jul/10 14:34:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:34:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:34:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:35:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:35:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:35:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:35:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:35:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:35:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:36:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:36:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:36:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:36:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:36:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:36:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:37:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:37:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:37:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:37:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:37:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:37:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:38:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:38:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:38:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:38:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:38:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:38:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:39:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:39:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:39:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:39:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:39:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:39:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:40:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:40:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:40:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:40:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:40:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:40:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:41:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:41:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:41:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:41:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:41:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:41:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:42:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:42:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:42:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:42:30	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 14:42:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:42:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:43:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:43:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:43:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:43:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:43:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:43:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:44:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:44:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:44:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:44:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:44:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:44:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:45:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:45:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:45:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:45:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:45:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:45:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:46:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:46:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:46:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:46:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:46:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:46:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:47:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:47:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:47:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:47:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:47:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:47:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:48:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:48:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:48:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:48:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:48:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:48:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:49:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:49:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:49:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:49:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:49:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:49:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:50:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:50:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:50:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:50:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:50:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:50:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:51:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:51:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 14:51:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:51:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:51:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:51:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:52:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:52:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:52:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:52:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:52:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:52:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:53:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:53:10	0	1	0	0	0	0	0	0	1
26/Jul/10 14:53:20	0	1	0	0	0	0	0	0	1
26/Jul/10 14:53:30	0	1	0	0	0	0	0	0	1
26/Jul/10 14:53:40	0	1	0	0	0	0	0	0	1
26/Jul/10 14:53:50	0	1	0	0	0	0	0	0	1
26/Jul/10 14:54:00	0	1	0	0	0	0	0	0	1
26/Jul/10 14:54:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:54:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:54:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:54:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:54:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:55:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:55:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:55:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:55:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:55:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:55:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:56:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:56:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:56:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:56:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:56:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:56:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:57:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:57:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:57:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:57:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:57:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:57:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:58:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:58:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:58:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:58:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:58:40	0	2	0	0	0	0	0	0	1
26/Jul/10 14:58:50	0	2	0	0	0	0	0	0	1
26/Jul/10 14:59:00	0	2	0	0	0	0	0	0	1
26/Jul/10 14:59:10	0	2	0	0	0	0	0	0	1
26/Jul/10 14:59:20	0	2	0	0	0	0	0	0	1
26/Jul/10 14:59:30	0	2	0	0	0	0	0	0	1
26/Jul/10 14:59:40	0	2	0	0	0	0	0	0	0
26/Jul/10 14:59:50	0	2	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:00:00	0	2	0	0	0	0	0	0	2
26/Jul/10 15:00:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:00:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:00:30	0	2	0	0	0	0	0	0	1
26/Jul/10 15:00:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:00:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:01:30	0	1	0	0	0	0	0	0	1
26/Jul/10 15:01:40	0	1	0	0	0	0	0	0	1
26/Jul/10 15:01:50	0	1	0	0	0	0	0	0	1
26/Jul/10 15:02:00	0	1	0	0	0	0	0	0	1
26/Jul/10 15:02:10	0	1	0	0	0	0	0	0	1
26/Jul/10 15:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:02:40	0	1	0	0	0	0	0	0	1
26/Jul/10 15:02:50	0	1	0	0	0	0	0	0	1
26/Jul/10 15:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:08:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:11:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:11:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:11:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:12:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:12:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:12:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:12:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:12:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:12:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:13:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:13:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:13:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:13:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:13:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:13:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:14:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:14:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:14:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:14:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:14:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:14:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:15:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:15:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:15:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:15:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:15:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:15:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:16:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:16:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:16:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:16:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:16:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:16:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:17:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:17:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:17:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:17:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:17:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:17:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:18:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:18:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:18:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:18:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:18:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:18:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:19:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:19:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:19:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:19:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:19:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:19:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:20:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:20:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:20:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:20:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:20:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:20:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:21:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:21:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:21:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:21:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:21:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:21:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:22:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:24:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:24:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:24:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:24:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:24:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:24:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:25:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:25:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:25:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:25:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:25:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:25:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:28:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:28:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:28:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:28:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:28:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:29:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:29:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:29:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:29:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:29:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:30:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:30:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:31:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:32:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:32:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:32:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:32:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:34:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:34:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:34:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:35:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:35:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:35:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:35:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:35:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:35:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:36:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:36:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:39:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:39:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:39:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:40:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:40:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:40:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:40:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:40:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:40:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:41:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:41:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:41:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:41:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:41:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:41:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:42:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:42:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:42:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:42:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:43:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:44:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:44:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:44:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:45:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:45:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:45:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:45:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:45:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:45:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:46:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:47:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:47:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:47:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:47:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:48:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:48:10	0	2	0	0	0	0	0	0	0
26/Jul/10 15:48:20	0	2	0	0	0	0	0	0	0
26/Jul/10 15:48:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:48:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:49:30	0	2	0	0	0	0	0	0	0
26/Jul/10 15:49:40	0	2	0	0	0	0	0	0	0
26/Jul/10 15:49:50	0	2	0	0	0	0	0	0	0
26/Jul/10 15:50:00	0	2	0	0	0	0	0	0	0
26/Jul/10 15:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:51:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 15:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 15:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 15:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 15:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 15:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 15:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 15:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:00:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:01:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:01:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:01:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:01:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:01:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:02:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:02:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:02:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:02:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:02:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:02:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:03:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:03:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:03:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:03:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:03:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:03:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:04:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:04:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:04:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:04:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:04:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:04:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:05:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:05:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:05:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:05:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:05:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:05:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:06:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:06:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:06:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:06:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:06:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:06:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:07:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:07:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:07:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:07:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:07:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:07:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:08:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:08:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:08:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:08:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:08:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:08:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:09:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:09:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:09:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:09:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:09:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:09:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:10:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:10:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:10:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:10:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:10:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:10:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:11:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:11:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:11:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:11:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:11:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:11:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:12:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:12:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:14:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:14:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:14:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:15:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:15:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:15:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:15:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:15:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:15:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:16:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:16:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:16:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:16:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:17:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:17:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:18:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:18:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:18:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:18:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:18:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:19:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:20:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:20:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:21:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:21:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:21:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:21:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:21:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:21:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:22:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:25:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:25:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:25:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:25:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:26:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:26:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:26:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:26:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:26:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:26:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:27:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:27:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:27:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:27:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:27:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:27:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:28:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:28:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:30:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:30:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:30:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:30:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:30:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:31:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:32:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:32:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:33:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:33:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:33:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:33:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:33:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:35:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:35:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:36:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:36:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:36:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:36:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:36:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:36:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:37:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:37:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:37:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:37:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:38:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:39:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:39:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:39:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:39:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:39:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:39:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:41:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:41:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:41:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:42:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:42:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:42:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:42:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:42:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:43:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:43:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:43:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:44:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:45:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:45:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:46:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:46:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:46:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:46:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:46:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:46:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:47:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:48:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:49:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:49:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:49:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:49:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:49:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:49:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:50:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:50:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:50:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:52:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:52:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:52:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:52:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 16:52:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:52:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:53:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:53:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:53:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:54:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:54:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:54:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:55:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:55:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:55:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:55:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 16:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 16:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 16:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 16:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:57:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:58:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:58:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:58:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:58:30	0	2	0	0	0	0	0	0	0
26/Jul/10 16:58:40	0	2	0	0	0	0	0	0	0
26/Jul/10 16:58:50	0	2	0	0	0	0	0	0	0
26/Jul/10 16:59:00	0	2	0	0	0	0	0	0	0
26/Jul/10 16:59:10	0	2	0	0	0	0	0	0	0
26/Jul/10 16:59:20	0	2	0	0	0	0	0	0	0
26/Jul/10 16:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 16:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 16:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:01:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:02:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:02:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:02:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:02:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:02:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:03:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:03:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:03:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:03:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:03:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:03:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:04:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:04:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:04:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:04:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:04:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:04:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:05:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:09:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:10:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:10:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:10:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:10:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:10:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:10:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:11:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:11:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:11:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:11:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:11:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:11:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:12:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:12:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:12:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:12:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:12:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:12:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:13:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:13:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:13:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:13:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:13:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:13:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:14:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:14:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:16:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:17:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:17:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:17:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:17:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:17:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:17:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:18:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:18:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:18:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:18:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:18:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:18:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:19:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:19:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:19:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:19:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:20:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:21:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:21:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:21:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:21:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:22:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:22:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:22:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:22:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:23:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:24:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:24:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:24:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:24:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:24:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:25:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:26:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:26:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:26:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:26:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:27:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:27:10	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:27:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:28:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:28:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:28:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:29:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:29:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:29:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:30:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:30:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:34:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:34:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:34:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:35:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:35:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:35:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:35:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:35:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:35:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:36:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:36:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:36:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:36:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:36:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:36:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:37:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:37:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:37:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:37:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:37:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:38:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:38:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:39:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:39:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:39:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:39:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:39:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:40:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:40:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:40:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:44:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:47:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:48:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:48:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:48:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:48:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:48:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:48:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:49:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:49:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:49:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:49:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:49:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:49:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:50:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:50:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:50:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:50:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:50:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:50:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:51:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:51:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:51:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:51:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:51:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:51:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:52:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:52:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:52:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:52:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:52:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:52:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:53:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:53:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 17:53:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:53:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:53:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:53:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:54:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:54:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:54:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:54:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:56:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:56:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:57:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:57:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:57:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:57:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:57:40	0	2	0	0	0	0	0	0	0
26/Jul/10 17:57:50	0	2	0	0	0	0	0	0	0
26/Jul/10 17:58:00	0	2	0	0	0	0	0	0	0
26/Jul/10 17:58:10	0	2	0	0	0	0	0	0	0
26/Jul/10 17:58:20	0	2	0	0	0	0	0	0	0
26/Jul/10 17:58:30	0	2	0	0	0	0	0	0	0
26/Jul/10 17:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 17:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 17:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 17:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 17:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 17:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 17:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:01:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:01:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:02:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:02:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:02:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:02:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:02:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:02:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:03:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:03:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:03:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:03:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:03:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:03:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:04:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:04:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:04:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:04:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:05:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:05:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:05:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:06:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:06:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:06:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:08:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:08:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:08:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:09:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:09:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:09:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:09:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:09:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:09:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:10:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:10:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:10:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:10:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:10:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:11:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:16:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:16:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:16:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:17:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:17:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:17:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:17:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:17:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:17:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:18:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:18:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:18:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:18:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:18:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:18:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:19:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:19:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:19:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:19:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:19:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:19:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:20:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:20:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:20:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:20:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:20:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:20:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:21:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:21:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:21:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:21:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:21:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:21:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:23:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:23:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:23:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:23:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:23:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:24:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:24:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:27:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:28:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:28:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:28:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:29:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:29:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:29:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:29:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:29:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:29:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:30:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:30:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:30:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:30:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:30:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:30:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:31:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:31:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:31:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:31:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:31:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:31:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:32:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:32:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:32:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:32:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:34:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:34:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:34:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:34:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:34:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:35:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:35:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:35:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:35:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:35:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:36:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:37:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:37:20	0	2	0	0	0	0	0	0	0
26/Jul/10 18:37:30	0	2	0	0	0	0	0	0	0
26/Jul/10 18:37:40	0	2	0	0	0	0	0	0	0
26/Jul/10 18:37:50	0	2	0	0	0	0	0	0	0
26/Jul/10 18:38:00	0	2	0	0	0	0	0	0	0
26/Jul/10 18:38:10	0	2	0	0	0	0	0	0	0
26/Jul/10 18:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:45:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:53:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 18:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 18:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 18:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 18:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 18:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 18:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 18:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:02:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:11:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:19:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:22:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:22:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:22:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:22:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:22:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:23:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:23:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:23:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:23:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:23:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:23:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:24:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:24:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:24:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:24:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:24:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:24:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:25:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:25:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:25:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:25:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:25:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:25:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:26:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:26:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:26:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:26:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:26:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:26:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:27:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:27:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:27:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:27:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:27:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:27:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:28:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:28:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:28:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:28:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:28:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:28:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:29:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:29:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:29:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:29:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:29:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:29:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:30:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:30:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:30:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:30:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:30:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:30:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:31:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:31:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:31:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:31:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:31:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:31:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:32:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:32:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:32:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:32:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:32:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:32:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:33:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:33:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:33:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:33:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:33:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:33:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:34:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:34:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:34:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:34:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:34:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:34:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:35:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:35:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:36:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:36:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:37:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:37:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:37:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:38:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:39:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:39:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:39:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:39:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:39:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:39:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:40:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:40:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:40:40	0	1	0	0	0	0	0	0	2
26/Jul/10 19:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:41:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:41:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:41:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:42:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:42:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:42:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:43:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:43:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:44:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:44:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:44:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:45:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:45:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:45:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:45:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:45:50	0	2	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:46:00	0	2	0	0	0	0	0	0	1
26/Jul/10 19:46:10	0	2	0	0	0	0	0	0	1
26/Jul/10 19:46:20	0	2	0	0	0	0	0	0	0
26/Jul/10 19:46:30	0	2	0	0	0	0	0	0	1
26/Jul/10 19:46:40	0	2	0	0	0	0	0	0	0
26/Jul/10 19:46:50	0	2	0	0	0	0	0	0	0
26/Jul/10 19:47:00	0	2	0	0	0	0	0	0	0
26/Jul/10 19:47:10	0	2	0	0	0	0	0	0	0
26/Jul/10 19:47:20	0	2	0	0	0	0	0	0	1
26/Jul/10 19:47:30	0	2	0	0	0	0	0	0	1
26/Jul/10 19:47:40	0	2	0	0	0	0	0	0	1
26/Jul/10 19:47:50	0	2	0	0	0	0	0	0	0
26/Jul/10 19:48:00	0	2	0	0	0	0	0	0	0
26/Jul/10 19:48:10	0	2	0	0	0	0	0	0	0
26/Jul/10 19:48:20	0	2	0	0	0	0	0	0	1
26/Jul/10 19:48:30	0	2	0	0	0	0	0	0	1
26/Jul/10 19:48:40	0	2	0	0	0	0	0	0	1
26/Jul/10 19:48:50	0	2	0	0	0	0	0	0	1
26/Jul/10 19:49:00	0	2	0	0	0	0	0	0	2
26/Jul/10 19:49:10	0	2	0	0	0	0	0	0	2
26/Jul/10 19:49:20	0	2	0	0	0	0	0	0	2
26/Jul/10 19:49:30	0	2	0	0	0	0	0	0	1
26/Jul/10 19:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:49:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:50:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:50:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:50:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:50:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:50:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:51:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:51:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:51:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:51:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:52:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:52:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:53:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:53:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:53:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:54:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 19:54:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:54:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:55:00	0	1	0	0	0	0	0	0	2
26/Jul/10 19:55:10	0	1	0	0	0	0	0	0	1
26/Jul/10 19:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 19:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 19:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:56:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:56:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:56:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:56:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:57:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:57:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:57:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 19:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 19:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:58:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:58:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 19:58:50	0	1	0	0	0	0	0	0	1
26/Jul/10 19:59:00	0	1	0	0	0	0	0	0	1
26/Jul/10 19:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 19:59:20	0	1	0	0	0	0	0	0	1
26/Jul/10 19:59:30	0	1	0	0	0	0	0	0	1
26/Jul/10 19:59:40	0	1	0	0	0	0	0	0	1
26/Jul/10 19:59:50	0	1	0	0	0	0	0	0	2
26/Jul/10 20:00:00	0	1	0	0	0	0	0	0	1
26/Jul/10 20:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:00:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:00:50	0	1	0	0	0	0	0	0	1
26/Jul/10 20:01:00	0	1	0	0	0	0	0	0	1
26/Jul/10 20:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:01:50	0	1	0	0	0	0	0	0	1
26/Jul/10 20:02:00	0	1	0	0	0	0	0	0	1
26/Jul/10 20:02:10	0	1	0	0	0	0	0	0	1
26/Jul/10 20:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:02:40	0	1	0	0	0	0	0	0	1
26/Jul/10 20:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:03:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:03:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:03:30	0	1	0	0	0	0	0	0	1
26/Jul/10 20:03:40	0	1	0	0	0	0	0	0	1
26/Jul/10 20:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:05:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:05:30	0	1	0	0	0	0	0	0	1
26/Jul/10 20:05:40	0	1	0	0	0	0	0	0	1
26/Jul/10 20:05:50	0	1	0	0	0	0	0	0	1
26/Jul/10 20:06:00	0	1	0	0	0	0	0	0	1
26/Jul/10 20:06:10	0	1	0	0	0	0	0	0	1
26/Jul/10 20:06:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:06:30	0	1	0	0	0	0	0	0	1
26/Jul/10 20:06:40	0	1	0	0	0	0	0	0	1
26/Jul/10 20:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:07:10	0	1	0	0	0	0	0	0	1
26/Jul/10 20:07:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:07:30	0	1	0	0	0	0	0	0	1
26/Jul/10 20:07:40	0	1	0	0	0	0	0	0	1
26/Jul/10 20:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:08:00	0	1	0	0	0	0	0	0	1
26/Jul/10 20:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:08:50	0	1	0	0	0	0	0	0	1
26/Jul/10 20:09:00	0	1	0	0	0	0	0	0	1
26/Jul/10 20:09:10	0	1	0	0	0	0	0	0	1
26/Jul/10 20:09:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:10:10	0	1	0	0	0	0	0	0	1
26/Jul/10 20:10:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:10:30	0	1	0	0	0	0	0	0	1
26/Jul/10 20:10:40	0	1	0	0	0	0	0	0	1
26/Jul/10 20:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:11:20	0	1	0	0	0	0	0	0	1
26/Jul/10 20:11:30	0	1	0	0	0	0	0	0	2
26/Jul/10 20:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:11:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:20:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:29:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:29:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:37:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:46:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:55:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 20:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 20:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 20:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 20:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 20:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 20:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 20:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:03:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:12:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:13:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:21:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:21:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:22:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:22:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:22:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:23:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:23:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:24:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:24:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:24:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:25:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:25:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:25:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:25:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:26:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:26:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:27:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:27:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:27:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:27:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:28:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:28:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:28:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:28:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:29:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:29:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:29:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:31:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:38:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:39:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:47:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:48:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:55:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 21:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 21:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 21:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 21:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 21:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 21:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 21:59:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:00:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:00:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:00:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:00:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:01:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:01:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:01:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:01:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:02:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:02:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:02:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:02:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:03:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:03:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:04:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:04:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:04:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:04:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:04:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:05:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:05:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:05:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:05:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:06:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:06:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:06:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:06:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:06:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:07:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:07:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:08:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:08:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:08:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:09:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:09:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:09:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:09:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:09:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:10:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:10:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:10:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:10:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:11:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:11:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:12:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:12:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:12:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:13:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:13:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:13:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:14:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:14:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:14:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:14:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:15:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:15:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:15:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:16:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:16:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:16:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:16:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:17:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:17:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:17:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:18:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:18:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:18:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:19:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:19:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:19:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:19:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:20:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:20:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:20:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:21:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:21:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:21:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:22:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:22:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:22:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:22:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:22:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:23:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:23:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:23:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:23:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:23:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:23:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:24:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:24:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:24:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:24:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:24:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:24:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:25:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:25:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:25:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:25:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:25:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:25:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:26:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:26:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:26:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:26:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:26:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:26:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:27:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:27:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:27:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:27:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:27:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:27:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:28:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:28:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:28:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:28:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:28:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:28:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:29:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:29:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:29:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:29:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:29:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:29:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:30:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:30:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:30:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:30:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:30:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:30:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:31:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:31:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:31:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:31:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:31:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:31:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:32:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:32:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:32:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:32:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:32:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:32:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:33:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:33:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:33:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:33:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:33:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:33:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:34:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:34:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:34:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:34:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:34:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:34:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:35:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:35:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:35:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:35:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:36:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:36:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:36:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:36:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:37:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:38:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:38:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:39:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:39:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:39:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:39:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:39:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:39:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:40:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:40:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:40:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:41:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:41:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:41:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:42:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:42:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:42:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:43:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:43:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:43:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:44:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:44:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:44:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:44:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:45:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:45:20	0	1	0	0	0	0	0	0	2
26/Jul/10 22:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:45:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:46:00	0	1	0	0	0	0	0	0	2
26/Jul/10 22:46:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:46:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:46:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:47:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:47:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:47:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:47:50	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:48:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 22:48:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:48:50	0	1	0	0	0	0	0	0	2
26/Jul/10 22:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:49:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:50:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:50:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:50:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:50:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:51:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:51:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:51:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:52:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:52:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:52:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:52:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:52:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:53:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:53:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:53:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:53:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 22:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:54:20	0	1	0	0	0	0	0	0	2
26/Jul/10 22:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:54:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:54:50	0	1	0	0	0	0	0	0	2
26/Jul/10 22:55:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:55:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:55:30	0	1	0	0	0	0	0	0	1
26/Jul/10 22:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:55:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:56:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:56:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:56:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 22:56:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 22:57:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:57:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:57:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 22:57:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:58:00	0	1	0	0	0	0	0	0	2
26/Jul/10 22:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 22:58:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:58:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:58:50	0	1	0	0	0	0	0	0	1
26/Jul/10 22:59:00	0	1	0	0	0	0	0	0	1
26/Jul/10 22:59:10	0	1	0	0	0	0	0	0	1
26/Jul/10 22:59:20	0	1	0	0	0	0	0	0	1
26/Jul/10 22:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 22:59:40	0	1	0	0	0	0	0	0	1
26/Jul/10 22:59:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:00:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:00:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:00:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:00:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:00:40	0	1	0	0	0	0	0	0	2
26/Jul/10 23:00:50	0	1	0	0	0	0	0	0	2
26/Jul/10 23:01:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:01:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:01:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:01:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:01:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:01:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:02:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:02:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:02:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:02:30	0	1	0	0	0	0	0	0	2
26/Jul/10 23:02:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:02:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:03:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:03:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:03:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:03:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:03:40	0	1	0	0	0	0	0	0	2
26/Jul/10 23:03:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:04:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:04:10	0	1	0	0	0	0	0	0	2
26/Jul/10 23:04:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:04:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:04:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:04:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:05:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:05:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:05:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:05:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:05:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:05:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:06:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:06:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:06:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:06:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:06:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:06:50	0	1	0	0	0	0	0	0	2
26/Jul/10 23:07:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:07:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:07:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:07:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:07:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:07:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:08:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:08:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:08:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:08:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:08:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:08:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:09:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:09:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:09:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:09:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:09:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:09:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:10:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:10:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:10:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:10:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:10:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:10:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:11:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:11:10	0	1	0	0	0	0	0	0	2
26/Jul/10 23:11:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:11:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:11:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:11:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:12:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:12:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:12:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:12:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:12:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:12:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:13:00	0	1	0	0	0	0	0	0	2
26/Jul/10 23:13:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:13:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:13:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:13:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:13:50	0	1	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:14:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:14:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:14:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:14:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:14:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:14:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:15:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:15:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:15:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:15:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:15:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:15:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:16:00	0	1	0	0	0	0	0	0	2
26/Jul/10 23:16:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:16:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:16:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:16:40	0	1	0	0	0	0	0	0	2
26/Jul/10 23:16:50	0	1	0	0	0	0	0	0	2
26/Jul/10 23:17:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:17:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:17:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:17:30	0	1	0	0	0	0	0	0	2
26/Jul/10 23:17:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:17:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:18:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:18:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:18:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:18:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:18:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:18:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:19:00	0	1	0	0	0	0	0	0	2
26/Jul/10 23:19:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:19:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:19:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:19:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:19:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:20:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:20:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:20:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:20:30	0	1	0	0	0	0	0	0	2
26/Jul/10 23:20:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:20:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:21:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:21:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:21:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:21:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:21:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:21:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:22:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:22:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:22:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:22:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:22:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:22:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:23:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:23:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:23:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:23:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:23:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:23:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:24:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:24:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:24:20	0	1	0	0	0	0	0	0	2
26/Jul/10 23:24:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:24:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:24:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:25:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:25:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:25:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:25:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:25:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:25:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:26:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:26:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:26:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:26:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:26:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:26:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:27:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:27:10	0	1	0	0	0	0	0	0	1
26/Jul/10 23:27:20	0	1	0	0	0	0	0	0	1
26/Jul/10 23:27:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:27:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:27:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:28:00	0	1	0	0	0	0	0	0	1
26/Jul/10 23:28:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:28:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:28:30	0	1	0	0	0	0	0	0	1
26/Jul/10 23:28:40	0	1	0	0	0	0	0	0	2
26/Jul/10 23:28:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:29:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:29:10	0	1	0	0	0	0	0	0	2
26/Jul/10 23:29:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:29:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:29:40	0	1	0	0	0	0	0	0	1
26/Jul/10 23:29:50	0	1	0	0	0	0	0	0	1
26/Jul/10 23:30:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:30:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:30:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:30:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:30:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:30:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:31:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:31:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:31:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:31:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:31:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:31:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:32:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:32:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:32:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:32:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:32:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:32:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:33:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:33:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:33:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:33:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:33:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:33:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:34:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:34:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:34:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:34:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:34:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:34:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:35:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:35:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:35:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:35:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:35:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:35:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:36:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:36:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:36:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:36:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:36:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:36:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:37:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:37:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:37:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:37:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:37:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:37:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:38:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:38:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:38:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:38:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:38:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:38:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:39:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:39:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:39:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:39:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:39:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:39:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:40:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:40:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:40:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:40:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:40:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:40:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:41:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:41:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:41:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:41:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:41:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:41:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:42:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:42:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:42:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:42:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:42:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:42:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:43:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:43:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:43:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:43:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:43:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:43:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:44:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:44:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:44:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:44:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:44:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:44:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:45:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:45:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:45:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:45:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:45:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:45:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:46:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:46:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:46:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:46:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:46:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:46:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:47:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:47:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:47:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:47:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:47:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:47:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:48:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:48:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:48:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:48:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:48:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:48:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:49:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:49:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:49:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:49:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:49:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:49:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:50:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:50:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:50:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:50:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:50:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:50:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:51:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:51:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:51:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:51:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:51:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:51:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:52:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:52:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:52:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:52:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:52:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:52:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:53:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:53:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:53:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:53:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:53:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:53:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:54:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:54:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:54:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:54:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:54:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:54:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:55:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:55:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:55:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:55:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:55:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:55:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:56:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:56:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:56:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:56:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:56:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:56:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:57:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:57:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
26/Jul/10 23:57:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:57:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:57:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:57:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:58:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:58:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:58:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:58:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:58:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:58:50	0	1	0	0	0	0	0	0	0
26/Jul/10 23:59:00	0	1	0	0	0	0	0	0	0
26/Jul/10 23:59:10	0	1	0	0	0	0	0	0	0
26/Jul/10 23:59:20	0	1	0	0	0	0	0	0	0
26/Jul/10 23:59:30	0	1	0	0	0	0	0	0	0
26/Jul/10 23:59:40	0	1	0	0	0	0	0	0	0
26/Jul/10 23:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:05:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:14:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:23:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:31:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:40:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:49:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:57:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 00:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 00:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 00:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 00:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 00:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 00:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 00:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:06:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:15:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:23:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:32:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:41:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:49:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:58:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 01:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 01:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 01:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 01:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 01:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 01:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 01:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:07:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:15:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:24:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:33:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:41:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:50:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 02:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 02:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 02:59:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 02:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 02:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 02:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 02:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:07:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 03:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:16:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 03:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:25:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 03:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:33:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 03:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:41:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:41:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:41:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:41:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:41:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:42:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:42:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:42:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:42:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 03:42:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:42:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:43:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:43:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:43:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:43:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:43:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:43:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:44:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:44:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:44:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:44:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:44:40	0	1	0	0	0	0	0	0	2
27/Jul/10 03:44:50	0	1	0	0	0	0	0	0	2
27/Jul/10 03:45:00	0	1	0	0	0	0	0	0	2
27/Jul/10 03:45:10	0	1	0	0	0	0	0	0	2
27/Jul/10 03:45:20	0	1	0	0	0	0	0	0	2
27/Jul/10 03:45:30	0	1	0	0	0	0	0	0	2
27/Jul/10 03:45:40	0	1	0	0	0	0	0	0	2
27/Jul/10 03:45:50	0	1	0	0	0	0	0	0	2
27/Jul/10 03:46:00	0	1	0	0	0	0	0	0	2
27/Jul/10 03:46:10	0	1	0	0	0	0	0	0	2
27/Jul/10 03:46:20	0	1	0	0	0	0	0	0	2
27/Jul/10 03:46:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:46:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:46:50	0	1	0	0	0	0	0	0	2
27/Jul/10 03:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:47:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:48:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:48:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:48:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:48:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:48:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:49:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:49:10	0	1	0	0	0	0	0	0	2
27/Jul/10 03:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:49:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:49:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:50:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:50:20	0	1	0	0	0	0	0	0	2
27/Jul/10 03:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:50:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:50:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:51:00	0	1	0	0	0	0	0	0	2
27/Jul/10 03:51:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 03:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:52:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:52:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:52:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:52:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:53:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:53:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:53:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 03:54:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:54:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:55:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:55:20	0	1	0	0	0	0	0	0	1
27/Jul/10 03:55:30	0	1	0	0	0	0	0	0	1
27/Jul/10 03:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:55:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:56:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 03:56:50	0	1	0	0	0	0	0	0	1
27/Jul/10 03:57:00	0	1	0	0	0	0	0	0	1
27/Jul/10 03:57:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:57:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:58:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 03:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:58:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 03:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 03:59:10	0	1	0	0	0	0	0	0	1
27/Jul/10 03:59:20	0	1	0	0	0	0	0	0	2
27/Jul/10 03:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 03:59:40	0	1	0	0	0	0	0	0	1
27/Jul/10 03:59:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:00:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:00:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:00:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:01:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:01:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:01:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:01:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:02:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:02:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:02:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:02:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:03:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:03:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:03:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:04:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:05:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:05:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:05:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:05:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:05:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:06:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:06:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:06:50	0	1	0	0	0	0	0	0	2
27/Jul/10 04:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:07:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:07:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:07:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:08:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:08:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:08:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:08:50	0	1	0	0	0	0	0	0	2
27/Jul/10 04:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:09:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:09:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:09:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:09:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:10:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:10:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:10:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:10:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:10:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:11:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:11:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:11:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:12:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:12:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:12:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:13:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:13:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:13:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:14:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:14:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:14:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:15:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:15:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:15:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:16:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:16:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:16:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:16:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:16:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:16:50	0	1	0	0	0	0	0	0	2
27/Jul/10 04:17:00	0	1	0	0	0	0	0	0	3
27/Jul/10 04:17:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:17:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:17:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:18:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:18:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:18:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:18:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:18:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:19:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:19:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:19:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:19:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:20:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:20:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:20:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:21:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:21:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:21:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:21:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:21:50	0	1	0	0	0	0	0	0	2
27/Jul/10 04:22:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:22:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:22:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:22:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:23:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:23:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:23:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:23:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:23:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:24:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:24:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:24:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:24:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:25:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:25:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:25:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:25:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:26:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:26:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:27:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:28:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:28:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:28:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:28:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:28:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:29:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:29:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:29:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:29:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:29:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:29:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:30:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:30:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:30:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:30:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:30:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:31:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:31:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:31:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:31:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:32:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:32:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:32:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:32:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:33:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:33:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:33:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:34:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:34:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:34:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:34:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:34:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:34:50	0	1	0	0	0	0	0	0	2
27/Jul/10 04:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:35:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:35:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:35:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:35:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:36:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:36:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:36:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:36:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:36:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:37:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:37:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:37:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:38:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:38:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:38:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:39:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:39:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:39:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:40:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:40:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:40:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:41:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:41:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:41:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:41:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:42:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:42:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:42:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:42:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:43:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:43:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:43:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:43:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:44:10	0	1	0	0	0	0	0	0	2
27/Jul/10 04:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:44:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:44:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:45:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:45:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:45:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:46:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:46:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:46:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:47:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:47:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:48:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:48:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:48:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:48:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:49:00	0	1	0	0	0	0	0	0	2
27/Jul/10 04:49:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:49:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:49:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:50:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:50:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:50:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:51:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:51:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:51:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:51:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:51:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 04:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:52:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:52:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:53:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:53:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:54:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:54:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:54:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:55:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:55:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:55:40	0	1	0	0	0	0	0	0	2
27/Jul/10 04:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:56:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 04:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:56:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:57:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:57:30	0	1	0	0	0	0	0	0	1
27/Jul/10 04:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:57:50	0	1	0	0	0	0	0	0	1
27/Jul/10 04:58:00	0	1	0	0	0	0	0	0	1
27/Jul/10 04:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 04:58:20	0	1	0	0	0	0	0	0	1
27/Jul/10 04:58:30	0	1	0	0	0	0	0	0	2
27/Jul/10 04:58:40	0	1	0	0	0	0	0	0	1
27/Jul/10 04:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 04:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 04:59:10	0	1	0	0	0	0	0	0	1
27/Jul/10 04:59:20	0	1	0	0	0	0	0	0	2
27/Jul/10 04:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 04:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 04:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:00:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:00:30	0	1	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:00:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:00:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:01:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:01:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:01:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:02:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:02:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:02:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:03:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:03:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:03:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:04:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:04:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:04:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:04:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:04:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:05:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:06:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:06:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:06:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:06:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:06:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:06:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:07:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:07:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:07:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:07:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:07:40	0	1	0	0	0	0	0	0	2
27/Jul/10 05:07:50	0	1	0	0	0	0	0	0	2
27/Jul/10 05:08:00	0	1	0	0	0	0	0	0	2
27/Jul/10 05:08:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:08:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:08:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:09:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:10:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:10:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:10:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:10:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:10:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:11:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:11:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:11:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:11:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:12:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:12:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:12:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:14:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:15:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:15:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:15:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:15:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:15:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:15:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:16:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:16:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:16:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:16:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:16:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:17:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:17:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:17:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:17:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:18:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:18:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:18:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:18:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:18:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:19:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:19:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:19:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:19:30	0	1	0	0	0	0	0	0	2
27/Jul/10 05:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:20:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:20:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:20:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:20:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:20:50	0	1	0	0	0	0	0	0	2
27/Jul/10 05:21:00	0	1	0	0	0	0	0	0	2
27/Jul/10 05:21:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:24:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:24:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:24:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:24:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:24:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:25:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:25:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:25:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:25:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:25:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:25:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:26:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:26:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:26:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:26:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:26:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:26:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:27:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:27:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:27:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:28:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:28:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:28:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:29:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:29:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:29:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:29:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:30:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:30:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:30:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:31:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:31:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:31:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:32:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:32:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:32:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:32:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:33:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:33:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:34:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:34:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:34:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:34:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:35:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:35:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:35:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:35:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:36:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:36:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:37:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:37:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:37:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:38:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:38:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:38:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:39:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:39:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:39:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:39:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:40:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:40:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:40:40	0	1	0	0	0	0	0	0	2
27/Jul/10 05:40:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:41:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:42:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:42:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:42:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:42:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:42:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:42:50	0	1	0	0	0	0	0	0	2
27/Jul/10 05:43:00	0	1	0	0	0	0	0	0	2
27/Jul/10 05:43:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:43:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:43:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:43:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:43:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:44:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:44:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:44:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:44:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:45:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:45:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:45:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:46:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:46:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:46:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:47:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:47:10	0	1	0	0	0	0	0	0	2
27/Jul/10 05:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:47:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:47:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:48:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:48:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:48:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:49:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:49:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:49:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:50:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:50:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:50:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:50:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:51:00	0	1	0	0	0	0	0	0	2
27/Jul/10 05:51:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:51:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:51:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:52:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:52:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:52:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 05:52:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:53:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:53:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:53:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:53:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:53:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:54:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:54:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:54:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:55:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:55:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:55:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:56:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:56:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:56:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:57:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:57:20	0	1	0	0	0	0	0	0	2
27/Jul/10 05:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:57:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 05:58:00	0	1	0	0	0	0	0	0	1
27/Jul/10 05:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 05:58:20	0	1	0	0	0	0	0	0	1
27/Jul/10 05:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 05:58:40	0	1	0	0	0	0	0	0	1
27/Jul/10 05:58:50	0	1	0	0	0	0	0	0	1
27/Jul/10 05:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 05:59:10	0	1	0	0	0	0	0	0	1
27/Jul/10 05:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 05:59:30	0	1	0	0	0	0	0	0	1
27/Jul/10 05:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 05:59:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:00:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:00:10	0	1	0	0	0	0	0	0	2
27/Jul/10 06:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:00:30	0	1	0	0	0	0	0	0	2
27/Jul/10 06:00:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:01:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:01:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:01:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:01:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:01:50	0	1	0	0	0	0	0	0	2
27/Jul/10 06:02:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:02:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:02:20	0	1	0	0	0	0	0	0	2
27/Jul/10 06:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:02:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:03:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:03:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:03:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:04:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:04:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:04:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:05:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:05:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:05:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:05:40	0	1	0	0	0	0	0	0	2
27/Jul/10 06:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:06:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:06:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:06:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:06:40	0	1	0	0	0	0	0	0	2
27/Jul/10 06:06:50	0	1	0	0	0	0	0	0	2
27/Jul/10 06:07:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:07:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:07:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:08:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:08:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:09:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:09:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:09:50	0	1	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:10:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:10:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:10:30	0	1	0	0	0	0	0	0	2
27/Jul/10 06:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:11:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:11:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:11:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:11:50	0	1	0	0	0	0	0	0	2
27/Jul/10 06:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:12:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:12:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:12:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:13:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:13:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:13:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:14:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:14:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:14:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:15:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:15:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:15:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:15:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:16:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:16:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:16:30	0	1	0	0	0	0	0	0	2
27/Jul/10 06:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:16:50	0	1	0	0	0	0	0	0	2
27/Jul/10 06:17:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:17:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:17:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:17:50	0	2	0	0	0	0	0	0	2
27/Jul/10 06:18:00	0	2	0	0	0	0	0	0	2
27/Jul/10 06:18:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:18:20	0	2	0	0	0	0	0	0	1
27/Jul/10 06:18:30	0	2	0	0	0	0	0	0	2

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:18:40	0	2	0	0	0	0	0	0	1
27/Jul/10 06:18:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:19:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:19:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:19:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:19:30	0	2	0	0	0	0	0	0	1
27/Jul/10 06:19:40	0	2	0	0	0	0	0	0	1
27/Jul/10 06:19:50	0	2	0	0	0	0	0	0	1
27/Jul/10 06:20:00	0	2	0	0	0	0	0	0	1
27/Jul/10 06:20:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:20:20	0	2	0	0	0	0	0	0	1
27/Jul/10 06:20:30	0	2	0	0	0	0	0	0	1
27/Jul/10 06:20:40	0	2	0	0	0	0	0	0	1
27/Jul/10 06:20:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:21:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:21:10	0	2	0	0	0	0	0	0	1
27/Jul/10 06:21:20	0	2	0	0	0	0	0	0	1
27/Jul/10 06:21:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:21:40	0	2	0	0	0	0	0	0	1
27/Jul/10 06:21:50	0	2	0	0	0	0	0	0	1
27/Jul/10 06:22:00	0	2	0	0	0	0	0	0	2
27/Jul/10 06:22:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:22:20	0	2	0	0	0	0	0	0	1
27/Jul/10 06:22:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:22:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:22:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:23:00	0	2	0	0	0	0	0	0	1
27/Jul/10 06:23:10	0	2	0	0	0	0	0	0	1
27/Jul/10 06:23:20	0	2	0	0	0	0	0	0	1
27/Jul/10 06:23:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:23:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:23:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:24:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:24:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:24:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:24:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:25:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:25:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:25:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:26:00	0	1	0	0	0	0	0	0	1
27/Jul/10 06:26:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:26:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:27:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:27:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:27:30	0	1	0	0	0	0	0	0	1
27/Jul/10 06:27:40	0	1	0	0	0	0	0	0	1
27/Jul/10 06:27:50	0	1	0	0	0	0	0	0	1
27/Jul/10 06:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:28:10	0	1	0	0	0	0	0	0	1
27/Jul/10 06:28:20	0	1	0	0	0	0	0	0	1
27/Jul/10 06:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:30:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:30:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:30:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:30:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:30:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:31:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:31:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:31:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:31:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:31:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:31:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:32:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:32:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:32:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:32:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:32:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:32:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:33:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:33:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:33:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:33:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:33:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:33:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:34:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:34:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:34:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:34:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:34:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:34:50	0	2	0	0	0	0	0	0	0
27/Jul/10 06:35:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:35:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:35:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:35:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:35:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:35:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:36:00	0	2	0	0	0	0	0	0	0
27/Jul/10 06:36:10	0	2	0	0	0	0	0	0	0
27/Jul/10 06:36:20	0	2	0	0	0	0	0	0	0
27/Jul/10 06:36:30	0	2	0	0	0	0	0	0	0
27/Jul/10 06:36:40	0	2	0	0	0	0	0	0	0
27/Jul/10 06:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:44:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:53:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 06:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 06:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 06:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 06:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 06:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 06:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 06:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:01:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:10:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:19:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:27:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:36:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:45:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:53:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 07:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 07:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 07:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 07:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 07:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 07:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 07:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:02:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:11:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:19:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:28:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:36:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:36:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:36:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:37:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:37:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:37:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:37:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:37:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:37:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:38:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:38:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:38:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:38:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:38:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:38:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:39:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:39:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:39:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:39:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:39:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:39:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:40:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:40:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:40:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:40:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:40:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:40:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:41:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:41:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:41:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:41:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:41:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:41:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:42:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:42:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:42:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:42:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:42:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:42:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:43:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:43:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:43:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:43:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:43:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:43:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:44:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:44:10	0	2	0	0	0	0	0	0	0
27/Jul/10 08:44:20	0	2	0	0	0	0	0	0	0
27/Jul/10 08:44:30	0	2	0	0	0	0	0	0	0
27/Jul/10 08:44:40	0	2	0	0	0	0	0	0	0
27/Jul/10 08:44:50	0	2	0	0	0	0	0	0	0
27/Jul/10 08:45:00	0	2	0	0	0	0	0	0	0
27/Jul/10 08:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:45:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:54:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 08:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 08:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 08:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 08:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 08:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 08:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 08:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:03:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:11:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:18:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:18:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:18:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:18:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:19:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:19:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:19:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:19:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:19:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:19:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:20:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:20:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:20:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:20:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:20:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:20:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:21:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:21:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:21:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:21:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:21:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:21:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:22:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:22:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:22:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:22:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:22:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:22:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:23:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:23:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:23:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:23:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:23:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:23:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:24:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:24:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:24:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:24:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:24:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:24:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:25:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:25:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:25:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:25:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:25:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:25:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:26:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:26:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:26:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:26:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:26:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:26:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:27:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:28:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:29:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:29:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:29:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:29:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:29:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:29:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:30:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:30:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:30:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:30:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:30:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:30:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:31:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:31:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:31:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:31:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:31:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:31:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:32:00	0	1	0	0	0	0	0	0	2
27/Jul/10 09:32:10	0	1	0	0	0	0	0	0	2
27/Jul/10 09:32:20	0	1	0	0	0	0	0	0	2
27/Jul/10 09:32:30	0	1	0	0	0	0	0	0	2
27/Jul/10 09:32:40	0	1	0	0	0	0	0	0	2
27/Jul/10 09:32:50	0	1	0	0	0	0	0	0	2
27/Jul/10 09:33:00	0	1	0	0	0	0	0	0	2
27/Jul/10 09:33:10	0	1	0	0	0	0	0	0	2
27/Jul/10 09:33:20	0	1	0	0	0	0	0	0	2
27/Jul/10 09:33:30	0	1	0	0	0	0	0	0	2
27/Jul/10 09:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:34:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:34:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:34:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:35:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:35:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:37:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:37:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:37:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:37:50	0	1	0	0	0	0	0	0	1



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:38:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:38:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:38:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:38:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:38:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:38:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:39:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:39:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:41:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:41:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:41:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:41:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:41:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:41:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:42:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:42:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:42:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:42:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:43:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:43:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:43:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:43:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:44:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:44:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:46:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:46:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:46:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:46:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:46:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:46:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:47:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:47:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:48:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:48:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:48:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:49:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:49:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:49:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:49:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:49:40	0	1	0	0	0	0	0	0	1
27/Jul/10 09:49:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:50:00	0	1	0	0	0	0	0	0	1
27/Jul/10 09:50:10	0	1	0	0	0	0	0	0	1
27/Jul/10 09:50:20	0	1	0	0	0	0	0	0	1
27/Jul/10 09:50:30	0	1	0	0	0	0	0	0	1
27/Jul/10 09:50:40	0	1	0	0	0	0	0	0	2
27/Jul/10 09:50:50	0	1	0	0	0	0	0	0	2
27/Jul/10 09:51:00	0	1	0	0	0	0	0	0	2
27/Jul/10 09:51:10	0	1	0	0	0	0	0	0	2
27/Jul/10 09:51:20	0	1	0	0	0	0	0	0	2
27/Jul/10 09:51:30	0	1	0	0	0	0	0	0	2
27/Jul/10 09:51:40	0	1	0	0	0	0	0	0	2
27/Jul/10 09:51:50	0	1	0	0	0	0	0	0	1
27/Jul/10 09:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:55:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 09:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 09:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 09:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 09:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 09:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 09:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 09:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:03:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:12:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:21:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:29:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:38:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:47:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:55:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 10:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 10:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 10:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 10:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 10:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 10:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 10:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:04:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:13:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:21:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:30:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:39:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 11:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 11:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 11:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 11:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 11:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 11:45:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:45:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:45:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:45:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:46:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:46:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:46:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:46:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:46:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:46:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:47:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:47:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:47:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:47:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:47:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:47:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:48:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:48:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:48:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:48:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:48:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:48:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:49:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:49:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:49:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:49:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:49:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:49:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:50:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:50:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:50:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:50:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:50:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:50:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:51:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:51:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:51:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:51:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:51:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:51:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:52:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:52:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:52:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:52:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:52:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:52:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:53:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:53:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:53:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:53:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:53:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:53:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:54:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:54:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:54:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:54:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:54:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:54:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:55:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:55:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:55:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:55:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:55:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:55:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:56:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:56:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:56:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:56:30	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 11:56:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:56:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:57:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:57:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:57:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:57:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:57:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:57:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:58:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:58:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:58:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:58:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 11:59:00	0	2	0	0	0	0	0	0	0
27/Jul/10 11:59:10	0	2	0	0	0	0	0	0	0
27/Jul/10 11:59:20	0	2	0	0	0	0	0	0	0
27/Jul/10 11:59:30	0	2	0	0	0	0	0	0	0
27/Jul/10 11:59:40	0	2	0	0	0	0	0	0	0
27/Jul/10 11:59:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:00:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:00:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:00:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:00:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:00:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:00:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:01:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:01:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:01:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:01:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:01:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:01:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:02:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:02:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:02:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:02:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:05:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:07:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:07:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:07:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:07:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:07:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:07:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:08:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:08:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:08:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:08:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:08:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:08:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:09:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:09:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:09:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:09:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:09:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:09:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:10:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:10:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:10:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:10:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:10:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:10:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:11:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:11:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:13:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:22:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:31:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:39:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:48:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 12:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 12:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 12:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 12:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 12:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 12:55:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:55:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:55:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:55:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:55:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:55:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:56:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:56:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:56:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:56:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:56:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:56:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:57:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:57:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 12:57:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:57:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:57:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:57:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:58:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:58:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:58:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:58:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 12:59:00	0	2	0	0	0	0	0	0	0
27/Jul/10 12:59:10	0	2	0	0	0	0	0	0	0
27/Jul/10 12:59:20	0	2	0	0	0	0	0	0	0
27/Jul/10 12:59:30	0	2	0	0	0	0	0	0	0
27/Jul/10 12:59:40	0	2	0	0	0	0	0	0	0
27/Jul/10 12:59:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:00:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:00:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:00:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:00:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:00:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:00:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:01:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:01:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:01:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:01:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:01:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:01:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:02:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:02:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:02:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:02:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:02:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:02:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:03:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:03:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:03:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:03:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:03:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:03:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:04:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:04:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:04:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:04:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:04:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:04:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:05:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:05:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:05:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:05:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:05:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:05:50	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:06:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:06:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:06:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:06:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:06:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:06:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:07:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:07:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:07:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:07:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:07:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:07:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:14:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:23:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:31:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:40:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 13:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 13:49:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:49:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:49:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:50:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:50:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:50:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:50:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:50:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:50:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:51:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:51:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:51:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:51:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:51:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:51:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:52:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:52:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:52:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:52:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:52:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:52:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:53:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:53:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:53:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:53:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:53:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:53:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:54:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:54:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:54:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:54:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:54:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:54:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:55:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:55:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:55:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:55:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:55:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:55:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:56:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:56:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:56:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:56:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:56:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:56:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:57:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:57:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:57:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:57:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:57:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:57:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 13:58:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:58:10	0	2	0	0	0	0	0	0	0
27/Jul/10 13:58:20	0	2	0	0	0	0	0	0	0
27/Jul/10 13:58:30	0	2	0	0	0	0	0	0	0
27/Jul/10 13:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 13:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 13:59:00	0	2	0	0	0	0	0	0	0
27/Jul/10 13:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 13:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 13:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 13:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 13:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:00:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:00:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:00:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:01:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:01:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:01:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:01:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:01:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:06:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:06:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:06:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:06:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:06:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:06:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:07:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:07:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:07:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:07:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:07:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:07:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:08:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:08:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:08:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:08:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:08:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:08:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:09:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:09:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:09:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:09:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:09:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:09:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:10:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:13:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:13:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:14:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:14:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:14:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:14:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:14:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:14:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:15:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:15:10	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:15:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:15:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:15:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:15:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:16:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:16:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:16:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:16:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:16:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:16:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:17:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:17:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:17:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:20:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:20:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:20:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:20:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:20:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:20:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:21:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:21:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:21:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:21:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:21:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:21:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:22:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:22:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:23:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:23:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:23:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:24:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:24:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:24:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:32:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:32:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:32:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:32:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:33:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:33:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:33:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:33:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:33:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:33:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:34:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:34:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:34:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:34:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:34:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:34:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:35:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:35:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:35:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:35:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:35:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:35:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:36:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:36:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:36:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:36:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:36:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:36:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:37:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:37:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:37:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:37:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:37:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:37:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:38:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:38:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:38:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:38:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:38:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:38:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:39:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:39:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:39:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:39:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:39:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:39:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:40:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:41:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:46:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:46:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:46:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:46:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:46:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:46:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:47:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:47:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:47:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:47:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:47:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:47:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:48:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:48:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:48:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:48:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:48:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:48:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:49:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:49:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:49:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:49:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:49:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:49:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:50:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:50:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:50:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:50:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:50:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:50:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:51:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:51:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:51:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:51:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:51:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:52:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:52:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:53:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:53:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:53:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 14:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 14:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 14:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 14:56:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:56:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:56:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:57:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:57:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:57:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:57:30	0	2	0	0	0	0	0	0	0
27/Jul/10 14:57:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:57:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:58:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:58:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:58:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:58:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 14:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 14:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 14:59:00	0	2	0	0	0	0	0	0	0
27/Jul/10 14:59:10	0	2	0	0	0	0	0	0	0
27/Jul/10 14:59:20	0	2	0	0	0	0	0	0	0
27/Jul/10 14:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 14:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 14:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:04:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:05:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:05:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:05:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:05:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:05:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:05:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:06:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:06:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:06:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:06:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:06:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:06:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:07:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:07:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:07:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:07:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:07:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:07:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:08:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:08:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:08:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:08:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:08:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:08:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:09:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:09:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:09:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:09:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:09:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:09:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:10:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:10:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:11:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:11:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:11:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:11:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:11:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:15:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:20:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:20:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:20:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:20:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:21:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:21:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:21:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:21:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:21:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:21:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:22:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:22:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:22:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:22:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:22:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:22:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:23:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:23:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:23:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:23:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:23:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:23:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:24:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:24:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:24:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:24:30	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:24:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:24:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:25:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:25:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:25:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:25:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:25:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:25:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:26:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:26:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:26:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:26:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:26:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:26:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:27:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:27:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:27:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:27:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:27:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:27:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:28:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:28:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:28:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:28:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:30:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:30:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:30:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:30:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:30:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:30:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:31:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:33:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:33:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:33:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:34:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:34:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:34:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:34:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:34:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:34:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:35:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:35:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:35:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:35:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:35:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:35:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:36:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:36:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:36:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:37:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:37:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:37:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:40:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:40:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:40:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:40:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:40:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:40:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:41:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:41:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:41:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:41:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:41:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:41:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:42:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:42:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:44:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:44:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:44:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:45:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:45:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:45:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:45:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:45:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:45:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:46:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:46:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:46:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:46:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:47:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:47:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:47:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:48:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:48:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:49:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:49:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:49:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:50:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:52:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:52:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:52:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:53:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:53:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:53:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:53:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:53:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:53:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:54:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:54:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:54:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:54:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:54:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:54:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:55:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:55:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:55:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 15:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 15:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 15:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 15:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 15:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 15:57:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:58:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:58:10	0	2	0	0	0	0	0	0	0
27/Jul/10 15:58:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:58:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 15:59:00	0	2	0	0	0	0	0	0	0
27/Jul/10 15:59:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 15:59:20	0	2	0	0	0	0	0	0	0
27/Jul/10 15:59:30	0	2	0	0	0	0	0	0	0
27/Jul/10 15:59:40	0	2	0	0	0	0	0	0	0
27/Jul/10 15:59:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:02:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:03:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:03:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:03:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:03:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:03:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:03:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:04:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:04:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:04:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:04:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:04:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:04:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:05:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:05:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:05:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:05:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:07:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:07:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 16:08:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:08:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:08:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:08:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:08:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:08:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:09:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:09:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:09:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:09:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:11:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:11:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:11:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:11:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:12:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:12:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:12:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:12:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:12:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:12:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:15:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:15:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:15:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:15:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:15:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:16:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:16:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:16:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:16:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 16:16:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:16:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:17:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:18:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:18:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:18:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:18:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:20:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:20:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:21:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:21:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:21:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:21:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:21:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:21:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:22:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:22:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:22:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:22:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:23:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:23:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:23:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:25:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:25:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 16:25:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:25:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:25:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:25:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:26:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:27:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:27:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:27:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:27:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:27:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:29:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:29:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:29:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:29:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:29:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:29:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:30:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:32:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:32:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:32:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:32:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:33:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:33:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:33:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:33:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:33:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:33:50	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 16:34:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:34:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:34:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:34:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:38:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:38:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:38:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:38:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:38:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:38:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:39:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:39:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:39:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:39:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:39:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:39:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:40:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:40:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:40:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:40:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:40:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:40:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:41:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:41:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:42:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 16:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:45:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:45:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:45:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:45:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:45:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:46:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:46:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:46:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:46:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:46:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:46:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:47:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:47:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:47:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:47:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:47:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:47:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:48:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:48:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:48:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:48:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:48:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:48:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:50:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:50:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:51:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:51:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 16:51:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:51:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:51:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:51:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:52:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:52:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:52:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:53:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:53:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:53:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:54:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:54:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:55:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:55:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:55:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:55:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:55:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:55:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 16:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 16:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:57:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:57:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:57:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:58:00	0	2	0	0	0	0	0	0	0
27/Jul/10 16:58:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:58:20	0	2	0	0	0	0	0	0	0
27/Jul/10 16:58:30	0	2	0	0	0	0	0	0	0
27/Jul/10 16:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 16:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 16:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 16:59:10	0	2	0	0	0	0	0	0	0
27/Jul/10 16:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 16:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 16:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 16:59:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:00:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:01:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:01:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:01:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:01:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:01:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:01:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:02:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:02:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:02:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:04:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:04:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:05:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:05:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:05:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:05:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:05:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:05:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:06:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:06:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:06:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:06:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:08:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:09:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:09:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:09:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:09:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:10:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:10:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:10:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:10:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:10:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:10:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:11:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:11:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:11:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:11:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:11:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:11:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:12:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:12:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:13:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:13:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:13:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:14:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:14:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:14:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:15:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:15:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:15:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:15:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:15:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:16:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:17:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:17:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:17:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:18:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:18:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:18:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:18:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:22:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:22:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:22:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:22:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:23:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:23:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:23:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:23:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:23:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:23:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:24:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:24:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:24:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:24:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:24:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:24:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:25:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:25:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:25:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:25:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:25:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:28:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:28:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:28:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:29:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:29:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:29:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:29:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:29:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:29:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:30:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:30:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:30:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:30:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:30:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:30:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:31:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:31:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:32:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:32:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:32:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:32:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:32:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:34:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:35:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:35:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:35:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:35:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:36:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:36:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:36:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:36:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:36:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:36:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:37:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:37:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:37:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:37:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:42:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:43:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:43:10	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:43:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:43:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:43:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:43:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:44:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:44:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:44:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:44:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:44:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:44:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:45:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:45:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:45:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:45:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:45:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:45:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:46:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:46:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:46:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:46:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:46:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:46:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:47:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:47:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:47:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:47:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:47:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:47:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:48:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:50:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:50:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:50:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:50:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:51:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:51:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:51:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:51:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:51:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:51:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 17:52:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:52:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:52:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:53:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:54:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:54:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:54:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:54:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:54:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:56:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:56:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:56:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:56:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:57:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:57:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:57:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:57:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:57:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 17:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 17:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 17:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 17:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 17:58:40	0	2	0	0	0	0	0	0	0
27/Jul/10 17:58:50	0	2	0	0	0	0	0	0	0
27/Jul/10 17:59:00	0	2	0	0	0	0	0	0	0
27/Jul/10 17:59:10	0	2	0	0	0	0	0	0	0
27/Jul/10 17:59:20	0	2	0	0	0	0	0	0	0
27/Jul/10 17:59:30	0	2	0	0	0	0	0	0	0
27/Jul/10 17:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 17:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:00:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:00:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:00:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:00:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:01:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:01:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:01:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:02:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:02:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:03:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:03:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:03:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:03:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:04:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:08:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:08:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:08:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:08:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:09:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:09:10	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:09:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:09:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:09:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:09:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:10:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:10:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:10:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:10:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:10:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:10:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:11:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:11:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:11:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:11:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:11:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:11:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:12:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:12:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:12:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:16:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:16:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:16:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:16:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:17:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:17:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:17:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:17:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:17:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:17:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:18:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:18:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:18:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:18:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:18:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:18:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:19:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:19:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:19:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:19:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:19:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:19:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:20:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:20:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:21:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:21:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:21:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:21:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:21:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:21:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:22:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:22:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:22:20	0	2	0	0	0	0	0	0	1
27/Jul/10 18:22:30	0	2	0	0	0	0	0	0	1
27/Jul/10 18:22:40	0	2	0	0	0	0	0	0	1
27/Jul/10 18:22:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:23:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:23:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:23:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:23:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:23:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:23:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:24:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:24:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:24:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:24:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:24:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:24:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:25:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:25:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:25:20	0	2	0	0	0	0	0	0	1
27/Jul/10 18:25:30	0	2	0	0	0	0	0	0	1
27/Jul/10 18:25:40	0	2	0	0	0	0	0	0	1
27/Jul/10 18:25:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:26:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:26:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:26:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:26:30	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:26:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:26:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:27:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:27:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:27:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:27:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:27:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:27:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:28:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:28:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:28:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:28:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:28:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:28:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:29:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:29:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:29:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:29:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:29:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:29:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:30:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:30:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:30:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:30:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:30:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:30:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:31:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:31:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:31:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:31:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:31:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:31:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:32:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:32:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:33:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:33:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:34:00	0	1	0	0	0	0	0	0	1
27/Jul/10 18:34:10	0	1	0	0	0	0	0	0	1
27/Jul/10 18:34:20	0	1	0	0	0	0	0	0	1
27/Jul/10 18:34:30	0	1	0	0	0	0	0	0	1
27/Jul/10 18:34:40	0	1	0	0	0	0	0	0	1
27/Jul/10 18:34:50	0	1	0	0	0	0	0	0	1
27/Jul/10 18:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:35:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:35:20	0	2	0	0	0	0	0	0	1
27/Jul/10 18:35:30	0	2	0	0	0	0	0	0	2
27/Jul/10 18:35:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:35:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:36:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:36:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:36:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:36:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:36:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:36:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:37:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:37:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:37:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:37:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:37:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:37:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:38:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:38:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:38:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:38:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:38:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:38:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:39:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:39:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:39:20	0	2	0	0	0	0	0	0	1
27/Jul/10 18:39:30	0	2	0	0	0	0	0	0	1
27/Jul/10 18:39:40	0	2	0	0	0	0	0	0	1
27/Jul/10 18:39:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:40:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:40:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:40:20	0	2	0	0	0	0	0	0	1
27/Jul/10 18:40:30	0	2	0	0	0	0	0	0	1
27/Jul/10 18:40:40	0	2	0	0	0	0	0	0	1
27/Jul/10 18:40:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:41:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:41:10	0	2	0	0	0	0	0	0	1
27/Jul/10 18:41:20	0	2	0	0	0	0	0	0	1
27/Jul/10 18:41:30	0	2	0	0	0	0	0	0	1
27/Jul/10 18:41:40	0	2	0	0	0	0	0	0	1
27/Jul/10 18:41:50	0	2	0	0	0	0	0	0	1
27/Jul/10 18:42:00	0	2	0	0	0	0	0	0	1
27/Jul/10 18:42:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:42:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:42:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:42:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:42:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:43:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:43:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:43:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:43:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:43:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:43:50	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:44:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:46:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:46:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:46:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:46:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:46:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:46:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:47:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:47:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:47:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:47:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:52:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:52:30	0	2	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 18:52:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:52:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:53:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:53:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:53:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:53:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:53:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:53:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:54:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:54:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:54:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:54:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:54:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:54:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:55:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:55:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:55:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:55:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:55:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:55:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:56:00	0	2	0	0	0	0	0	0	0
27/Jul/10 18:56:10	0	2	0	0	0	0	0	0	0
27/Jul/10 18:56:20	0	2	0	0	0	0	0	0	0
27/Jul/10 18:56:30	0	2	0	0	0	0	0	0	0
27/Jul/10 18:56:40	0	2	0	0	0	0	0	0	0
27/Jul/10 18:56:50	0	2	0	0	0	0	0	0	0
27/Jul/10 18:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 18:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 18:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 18:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 18:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 18:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 18:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:01:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:01:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:01:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:01:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:01:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:02:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:02:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:02:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:02:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:02:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:02:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:03:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:03:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:03:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:03:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:03:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:03:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:04:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:04:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:04:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:04:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:04:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:04:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:05:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:05:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:05:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:05:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:05:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:09:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:15:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:15:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:15:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:16:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:16:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:16:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:16:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:16:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:16:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:17:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:17:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:17:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:17:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:17:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:17:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:18:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:18:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:18:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:18:30	0	2	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:18:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:18:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:19:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:19:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:19:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:19:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:19:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:19:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:20:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:20:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:20:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:20:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:20:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:20:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:21:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:21:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:21:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:21:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:21:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:21:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:22:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:22:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:22:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:22:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:22:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:22:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:23:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:23:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:23:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:23:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:23:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:23:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:24:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:24:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:24:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:24:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:24:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:24:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:27:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:29:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:30:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:30:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:30:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:30:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:30:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:30:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:31:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:31:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:31:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:31:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:31:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:31:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:32:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:32:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:32:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:32:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:32:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:32:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:33:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:33:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:33:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:33:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:33:40	0	2	0	0	0	0	0	0	0
27/Jul/10 19:33:50	0	2	0	0	0	0	0	0	0
27/Jul/10 19:34:00	0	2	0	0	0	0	0	0	0
27/Jul/10 19:34:10	0	2	0	0	0	0	0	0	0
27/Jul/10 19:34:20	0	2	0	0	0	0	0	0	0
27/Jul/10 19:34:30	0	2	0	0	0	0	0	0	0
27/Jul/10 19:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:35:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:44:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:53:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 19:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 19:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 19:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 19:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 19:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 19:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 19:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:01:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:10:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:19:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:27:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:36:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:45:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:46:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:46:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:46:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:46:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:46:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:46:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:47:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:47:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:47:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:47:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:47:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:47:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:48:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:48:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:48:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:48:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:48:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:48:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:49:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:49:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:49:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:49:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:49:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:49:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:50:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:50:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:50:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:50:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:50:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:50:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:51:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:51:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:51:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:51:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:51:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:51:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:52:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:52:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:52:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:52:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:52:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:53:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:53:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:53:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 20:54:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:54:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:55:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:55:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:55:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 20:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:56:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:56:50	0	1	0	0	0	0	0	0	1
27/Jul/10 20:57:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:57:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:57:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:57:30	0	1	0	0	0	0	0	0	1
27/Jul/10 20:57:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:58:00	0	1	0	0	0	0	0	0	1
27/Jul/10 20:58:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 20:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:58:40	0	1	0	0	0	0	0	0	1
27/Jul/10 20:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 20:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 20:59:10	0	1	0	0	0	0	0	0	1
27/Jul/10 20:59:20	0	1	0	0	0	0	0	0	1
27/Jul/10 20:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 20:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 20:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:00:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:00:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:00:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:00:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:01:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:01:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:01:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:01:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:01:40	0	1	0	0	0	0	0	0	2
27/Jul/10 21:01:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:02:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:02:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:02:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:02:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:02:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:03:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:03:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:03:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:03:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:04:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:04:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:04:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:04:40	0	1	0	0	0	0	0	0	2
27/Jul/10 21:04:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:05:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:05:20	0	1	0	0	0	0	0	0	2
27/Jul/10 21:05:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:05:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:06:00	0	1	0	0	0	0	0	0	2
27/Jul/10 21:06:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:06:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:06:40	0	1	0	0	0	0	0	0	2
27/Jul/10 21:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:07:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:07:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:07:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:08:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:08:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:08:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:09:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:09:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:09:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:10:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:10:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:10:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:11:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:11:10	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:11:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:11:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:11:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:12:10	0	1	0	0	0	0	0	0	2
27/Jul/10 21:12:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:12:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:12:40	0	1	0	0	0	0	0	0	2
27/Jul/10 21:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:13:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:13:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:14:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:14:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:14:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:14:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:15:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:15:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:16:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:16:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:16:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:16:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:16:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:16:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:17:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:18:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:18:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:18:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:18:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:19:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:19:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:19:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:19:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:20:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:20:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:20:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:21:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:21:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:22:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:22:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:22:30	0	1	0	0	0	0	0	0	2
27/Jul/10 21:22:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:23:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:23:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:23:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:25:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:25:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:25:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:26:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:26:10	0	1	0	0	0	0	0	0	1
27/Jul/10 21:26:20	0	1	0	0	0	0	0	0	1
27/Jul/10 21:26:30	0	1	0	0	0	0	0	0	1
27/Jul/10 21:26:40	0	1	0	0	0	0	0	0	1
27/Jul/10 21:26:50	0	1	0	0	0	0	0	0	1
27/Jul/10 21:27:00	0	1	0	0	0	0	0	0	1
27/Jul/10 21:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:28:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:37:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:45:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:46:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:54:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 21:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:55:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 21:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 21:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 21:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 21:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 21:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 21:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:03:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:03:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:11:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:12:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:20:30	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:21:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:29:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:29:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:37:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:38:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:43:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:44:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:44:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:44:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:44:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:44:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:44:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:45:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:45:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:45:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:45:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:45:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:45:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:46:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:46:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:46:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:46:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:46:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:46:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:47:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:47:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:47:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:47:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:47:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:47:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:48:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:48:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:48:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:48:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:49:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:49:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:50:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:51:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:51:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:51:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:51:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:51:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:52:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:52:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:53:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:53:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:53:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:53:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:54:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:54:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:55:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:55:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 22:55:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:55:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:56:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:56:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:56:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:56:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:56:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:57:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:57:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:57:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:58:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:58:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:58:50	0	1	0	0	0	0	0	0	0
27/Jul/10 22:59:00	0	1	0	0	0	0	0	0	0
27/Jul/10 22:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 22:59:20	0	1	0	0	0	0	0	0	0
27/Jul/10 22:59:30	0	1	0	0	0	0	0	0	0
27/Jul/10 22:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 22:59:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:00:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:00:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:00:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:00:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:00:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:00:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:01:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:01:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:01:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:01:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:01:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:01:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:02:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:02:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:02:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:02:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:02:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:02:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:03:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:03:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:03:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:03:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:03:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:03:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:04:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:04:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:04:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:04:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:04:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:04:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:05:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:05:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:05:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:05:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:05:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:05:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:06:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:06:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:06:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:06:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:06:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:06:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:07:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:07:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:07:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:07:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:07:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:07:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:08:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:08:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:08:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:08:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:08:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:08:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:09:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:09:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:09:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:09:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:09:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:09:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:10:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:10:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:10:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:10:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:10:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:10:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:11:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:11:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:11:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:11:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:11:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:11:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:12:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:12:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:12:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:12:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:12:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:12:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:13:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:13:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:13:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:13:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:13:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:13:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:14:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:14:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:14:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:14:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:14:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:14:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:15:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:15:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:15:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:15:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:15:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:15:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:16:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:16:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:16:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:16:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:16:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:16:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:17:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:17:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:17:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:17:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:17:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:17:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:18:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:18:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:18:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:18:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:18:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:18:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:19:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:19:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:19:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:19:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:19:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:19:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:20:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:20:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:20:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:20:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:20:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:20:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:21:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:21:10	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:21:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:21:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:21:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:21:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:22:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:22:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:22:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:22:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:22:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:22:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:23:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:23:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:23:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:23:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:23:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:23:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:24:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:24:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:24:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:24:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:24:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:24:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:25:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:25:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:25:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:25:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:25:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:25:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:26:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:26:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:26:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:26:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:26:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:26:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:27:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:27:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:27:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:27:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:27:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:27:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:28:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:28:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:28:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:28:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:28:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:28:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:29:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:29:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:29:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:29:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:29:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:29:50	0	1	0	0	0	0	0	0	0



NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:30:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:30:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:30:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:30:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:30:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:30:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:31:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:31:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:31:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:31:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:31:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:31:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:32:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:32:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:32:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:32:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:32:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:32:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:33:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:33:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:33:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:33:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:33:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:33:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:34:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:34:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:34:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:34:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:34:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:34:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:35:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:35:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:35:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:35:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:35:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:35:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:36:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:36:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:36:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:36:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:36:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:36:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:37:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:37:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:37:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:37:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:37:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:37:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:38:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:38:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:38:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:38:30	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:38:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:38:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:39:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:39:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:39:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:39:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:39:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:39:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:40:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:40:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:40:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:40:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:40:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:40:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:41:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:41:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:41:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:41:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:41:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:41:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:42:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:42:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:42:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:42:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:42:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:42:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:43:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:43:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:43:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:43:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:43:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:43:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:44:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:44:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:44:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:44:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:44:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:44:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:45:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:45:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:45:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:45:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:45:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:45:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:46:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:46:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:46:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:46:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:46:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:46:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:47:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:47:10	0	1	0	0	0	0	0	0	1

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(m <sup>3</sup> /hr)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name:	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:47:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:47:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:47:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:47:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:48:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:48:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:48:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:48:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:48:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:48:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:49:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:49:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:49:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:49:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:49:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:49:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:50:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:50:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:50:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:50:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:50:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:50:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:51:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:51:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:51:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:51:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:51:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:51:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:52:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:52:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:52:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:52:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:52:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:52:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:53:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:53:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:53:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:53:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:53:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:53:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:54:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:54:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:54:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:54:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:54:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:54:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:55:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:55:10	0	1	0	0	0	0	0	0	2
27/Jul/10 23:55:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:55:30	0	1	0	0	0	0	0	0	0
27/Jul/10 23:55:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:55:50	0	1	0	0	0	0	0	0	0

NTSB/PHMSA Information Request No. 118									
	GT-6-FE-1	MR-6-F-1	202-FE-1	Meter Manifold 152	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	No Enbridge Tag	SA-6-M-1
	Griffith Injection Flow	Marshall Flow Rate	Stockbridge Delivery	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate -	Delivery Flow Rate - IOL	Sarnia Delivery Flow Rate
	Rate (sonic)	(sonic)	Flow Rate (sonic)	Marysville	SHELL	SUN	NOVA	(sonic)	(sonic)
	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)	(m <sup>3</sup> /hr)
PI Tag Name	6-GT-FLW2SFM.flw	6-MR-FLW1SFM.flw	6-SK-FLW1SFM.flw	TF-RE-MV152 TOTAL	TF-RE-SHELL BATCH	TF-RE-SUN BATCH	TF-RE-NOVA BATCH	TF-RE-IOL BATCH	TF-RE-L6 SONIC FLOW
				FLOW.current value	METER.current value	METER.current value	METER.current value	METER.current value	RATE.current value
27/Jul/10 23:56:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:56:10	0	1	0	0	0	0	0	0	1
27/Jul/10 23:56:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:56:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:56:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:56:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:57:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:57:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:57:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:57:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:57:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:57:50	0	1	0	0	0	0	0	0	0
27/Jul/10 23:58:00	0	1	0	0	0	0	0	0	0
27/Jul/10 23:58:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:58:20	0	1	0	0	0	0	0	0	0
27/Jul/10 23:58:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:58:40	0	1	0	0	0	0	0	0	1
27/Jul/10 23:58:50	0	1	0	0	0	0	0	0	1
27/Jul/10 23:59:00	0	1	0	0	0	0	0	0	1
27/Jul/10 23:59:10	0	1	0	0	0	0	0	0	0
27/Jul/10 23:59:20	0	1	0	0	0	0	0	0	1
27/Jul/10 23:59:30	0	1	0	0	0	0	0	0	1
27/Jul/10 23:59:40	0	1	0	0	0	0	0	0	0
27/Jul/10 23:59:50	0	1	0	0	0	0	0	0	1
28/Jul/10 00:00:00	0	1	0	0	0	0	0	0	1