



SURVIVAL FACTORS GROUP
CHAIRMAN'S FACTUAL REPORT
ATTACHMENT 6
FIRE/EMS INCIDENT REPORT

REDACTED

Fatal Grade Crossing Accident
Midland, TX; 11/15/2012

HWY-13-MH-003
(5 Pages)

Fire Incident #MF120016295

Page 1 of 4

Detailed History for Fire Incident #MF120016295 As of 11/19/2012 13:40:39

Output for:

Priority:1A Type:ACTR - Acc w/Train

Location:W INDUSTRIAL AV/S GARFIELD ST, MID <2200/ 900>

Created:	11/15/2012 16:36:04	CCD5	A223
Entered:	11/15/2012 16:36:15	CCD5	A223
Dispatch:	11/15/2012 16:36:37	CCD4	A343
Enroute:	11/15/2012 16:38:28	CCD4	A343
Onscene:	11/15/2012 16:42:07	CCD4	A343
Control:	11/15/2012 18:40:53	CCD4	0390
Transprt:	11/15/2012 16:52:40	CCD4	A343
Complete:	11/15/2012 16:57:37	CCD4	A343
Closed:	11/15/2012 19:33:45	CCD4	0390

ICUnit:BAT1 PrimeUnit:EMS1 Dispo: Type:ACTR - Acc w/Train

Agency:MFD Group:MF FDistrict:02 FBLK:0294

Case #:F120011857

XREF::Police Incident:#MP121105087 Type:ACTR Agency:MPD Detail

TIME AS THEY
TYPE IT IN.

- 16:36:04 CREATE Location:W INDUSTRIAL AV/S GARFIELD ST, MID Type:ACTR Name:306 Group:MF Area:0294 TypeDesc:Acc w/Train LocDesc: <2200/ 900> Priority:1A Class:F:ACSQ Agency:MFD LocType:H
- 16:36:15 ENTRY
- 16:36:15 -ASSOC Service:P Incident:#MP121105087 Type:ACTR Agency:MPD
- 16:36:15 -SELECT
- 16:36:15 -PREMIS Text:PH, FH
- 16:36:16 MISC Text:NOAA WEATHER FOR Midland International Airport, TX, Last Updated on Nov 15 2012, 3:53 pm CST, CONDITIONS: Fair, TEMPERATURE IN F: 71.0, RELATIVE HUMIDITY: 28, WIND DIRECTION: North, WIND MPH: 0.0, PRESSURE MB: 1018.6, DEWPOINT: 36.0, VISIBILITY IN MILES: 10.00
- 16:36:20 INFO Text:ACCIDENT WITH TRAIN NEED EMS
- 16:36:25 NOMORE
- 16:36:37 DISP EMS1 Operator:F352 F382 OperName:
- 16:36:37 DISP E02 Operator:F272 F118 F332 OperNames:
- 16:36:37 DISP SQD5 Operator:F227 F329 OperNames:
- 16:36:37 -PRIU EMS1
- 16:36:37 -CASE EMS1 Case#:F120011857
- 16:36:37 -HOLD
- 16:36:38 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:E02 System:ZETRON25 Device:1002 PrevSystem:PAGER PrevDevice:1002 Response:ALERT FAILED: Tone (1002) could not be sent Technical:Open of COM port failed
- 16:36:38 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:EMS1 System:ZETRON25 Device:1001 PrevSystem:PAGER PrevDevice:1009 Response:ALERT FAILED: Tone (1001) could not be sent Technical:Open of COM port failed
- 16:36:38 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:SQD5 System:ZETRON25 Device:1005 PrevSystem:PAGER PrevDevice:1005 Response:ALERT FAILED: Tone (1005) could not be sent Technical:Open of COM port failed
- 16:36:55 INFO Location:W INDUSTRIAL AV/S GARFIELD ST, MID LocInfo:38 ft SW LocDesc: <2200/ 900>
- 16:37:14 INFO Location:W INDUSTRIAL AV/S GARFIELD ST, MID Name:WIRELESS-AT&T MOBILITY AT&T Mobility, XX Phone: Source:WRLS LocDesc: <2200/ 900>

Fire Incident #MF120016295

Page 2 of 4

16:38:28 BACKER EMS6 UnitID:EMS1 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F223 F263 OperNames:BEGGS, [REDACTED]

16:38:54 BACKER EMS3 UnitID:EMS1 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F330 F381 OperNames:[REDACTED]

16:39:13 *ENRTE EMS3

16:40:08 BACKER E06 UnitID:EMS1 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F109 F188 OperNames [REDACTED]

16:42:04 BACKER BAT1 UnitID:EMS1 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F035 OperNames: [REDACTED]

16:42:07 ONSCN SQD5

16:42:09 ONSCN EMS6

16:42:12 ONSCN EMS3

16:42:13 ONSCN E06

16:42:15 ONSCN E02

16:42:16 ONSCN BAT1

16:42:17 ONSCN EMS1

16:43:07 BACKUP EMS2 UnitID:SQD5 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F272 F383 OperNames:[REDACTED]

16:43:07 BACKUP EMS9 UnitID:SQD5 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F358 F281 OperNames [REDACTED]

16:43:07 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:EMS2 System:ZETRON25 Device:1002 PrevSystem:PAGER PrevDevice:1002 Response:ALERT FAILED: Tone (1002) could not be sent Technical:Open of COM port failed

16:43:07 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:EMS9 System:ZETRON25 Device:1009 PrevSystem:PAGER PrevDevice:1001 Response:ALERT FAILED: Tone (1009) could not be sent Technical:Open of COM port failed

16:43:12 ONSCN EMS2

16:43:14 ONSCN EMS9

16:44:48 *ONSCN EMS6

16:44:51 BACKUP 607F UnitID:SQD5 Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F204 OperNames:[REDACTED]

16:45:01 BACKUP 605F Operator:F183 OperNames:[REDACTED]

16:45:19 BACKUP EMS8 UnitID:607F Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F376 F416 OperNames:[REDACTED]

16:45:19 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:EMS8 System:ZETRON25 Device:1008 PrevSystem:PAGER PrevDevice:1008 Response:ALERT FAILED: Tone (1008) could not be sent Technical:Open of COM port failed

16:45:22 ONSCN 605F

16:45:25 ONSCN 607F

16:45:27 ONSCN EMS8

16:46:01 *ONSCN E06

16:46:33 *ONSCN BAT1

16:47:39 MISC Text:ODESSA HAS BEEN NTFD

16:48:32 BACKUP 654F Operator:F269 OperNames:[REDACTED]

16:48:41 ONSCN 654F

16:49:40 MISC Text:HAVE ODESSA COME IN W BOUND ON INDUST

16:50:17 BACKUP 606F Operator:F197 OperNames:[REDACTED]

16:50:19 BACKUP 604F UnitID:654F Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F067 OperNames [REDACTED]

16:50:25 ONSCN 604F 606F

16:51:49 BACKER 6511 UnitID:EMS1 Location:W INDUSTRIAL AV/S GARFIELD ST, MID

16:52:40 TRANSP EMS9 Location:Emergency Room Text:3C3

16:53:48 ONSCN 6511

16:54:02 TRANSP EMS8 Location:Emergency Room

16:57:37 CMPLT EMS9

16:58:24 TRANSP EMS2 Location:Emergency Room

Fire Incident #MF120016295

Page 3 of 4

16:58:34 CMPLT EMS2
 16:58:37 CMPLT EMS8
 16:59:25 IC BAT1 KeyRole:I ICUnit:BAT1
 17:00:37 BACKUP 601F Operator:F402 OperNames:
 17:00:47 ENRTE 601F
 17:01:06 CLEAR 601F
 17:01:09 BACKUP 602F UnitID:654F Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F199
 OperNames:
 17:01:12 -PALACK Terminal:CCD4 Operator:A343 SentToType:OPERATOR SentTo:F199 System:ATT
 Device:4324135051 PrevSystem:OPERATOR PrevDevice:F199 Response:Page Successful
 Technical:Paging provider reported acceptance of pager ID with intent to page
 17:01:15 ENRTE 602F
 17:02:55 MISC Text:ALL HIRE BACKS REPORT TO CENTRAL
 17:04:19 CLEAR EMS9
 17:06:30 ONSCN 602F
 17:08:39 BACKUP E01 UnitID:606F Location:W INDUSTRIAL AV/S GARFIELD ST, MID Operator:F321 F165
 F388 OperNames:
 17:08:39 -PALNAK Terminal:CCD4 Operator:A343 SentToType:UNIT SentTo:E01 System:ZETRON25
 Device:1001 PrevSystem:PAGER PrevDevice:1009 Response:ALERT FAILED: Tone (1001)
 could not be sent Technical:Open of COM port failed
 17:09:23 ONSCN E01
 17:14:55 BACKOS E05 Operator:F301 F248 F351 OperNames:

 17:15:37 -PREMIS Text:PH, FH
 17:15:42 BACKOS E08 Operator:F282 F284 F378 OperNames:
 17:16:03 -PREMIS Text:PH, FH
 17:28:04 CLEAR EMS8
 17:36:05 ASSOC Service:P
 17:41:11 MISC Text:RED CROSS HAS BEEN NTFD
 17:42:20 CLEAR EMS6
 17:43:25 CLEAR E05 E08
 17:53:10 CLEAR 605F
 17:54:07 CLEAR E02
 17:54:16 BACKOS HAZ2 Operator:F337 F283 F071 F380 F356 F239 F221 F346 F384 OperNames:

 17:54:27 -PREMIS Text:PH, FH
 17:58:41 CLEAR 6511
 18:23:29 INFO Location:W INDUSTRIAL AV/S GARFIELD ST, MID Name: RPaddr:
 Source:WRLS LocDesc: <2200/ 900> Text:WAS A
 WITNESS WAS BEHIND THE FLOAT HE IS WITH THE DRILLERS IS AT HOME IF
 ANYONE NEEDS TO TALK TO HIM
 18:36:51 MISC EMS2 Text:BACK ENRT TO SCENE
 18:40:53 OK BAT1 EMS1 E01 E06 EMS2 EMS3 HAZ2 SOD5 602F 604F
 18:40:53 OK 606F 607F 654F
 18:58:33 CLEAR EMS1
 19:06:03 CLEAR EMS2
 19:06:08 CLEAR 604F
 19:06:44 CLEAR EMS3
 19:07:39 CLEAR SOD5
 19:11:54 CLEAR E01
 19:14:28 *AOR E06
 19:14:28 *CLEAR E06
 19:15:48 CLEAR 602F

Fire Incident #MF120016295

Page 4 of 4

19:16:36 CLEAR BAT1
 19:16:36 -ICX BAT1
 19:19:35 AIQ HAZ2
 19:19:35 CLEAR HAZ2
 19:33:39 CLEAR 606F
 19:33:43 CLEAR 607F
 19:33:45 CLEAR 654F
 19:33:45 -CLEAR
 19:33:45 CLOSE

CONTACT INFO:

Name	Phone	RPaddr	1017	1057	AltPhone	Other
306						
WIRELESS-AT&T MOBILITY						