

DCA-15-MR-010  
Passenger Train Derailment  
Philadelphia, PA  
May 12, 2015

## SIGNAL ATTACHMENT 10

Shore Ground Tests (18) pre 236.107



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16022927 JP #:13418		C&S 27	
MAD				Shore I/L		04/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	04/01/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16022927 JP #:13418		C&S 27	
MAD				Shore I/L		04/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	04/01/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/01/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Gallagher, Daniel		04/01/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		04/03/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16112648 JP #:13418		C&S 27	
MAD				Shore I/L		05/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	04/30/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16112648 JP #:13418		C&S 27	
MAD				Shore I/L		05/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	04/30/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/30/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Gallagher, Daniel		04/30/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		05/05/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16223498 JP #:13418		C&S 27	
MAD				Shore I/L		05/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	05/23/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16223498 JP #:13418		C&S 27	
MAD				Shore I/L		05/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	05/23/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	05/23/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Gallagher, Daniel		05/23/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		05/27/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16317853 JP #:13418		C&S 27	
MAD				Shore I/L		06/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	06/10/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		





# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16317853 JP #:13418		C&S 27	
MAD				Shore I/L		06/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	06/10/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	06/10/2014 (DG)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Gallagher, Daniel		06/10/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		06/12/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16349442 JP #:13418		C&S 27	
MAD				Shore I/L		07/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	07/09/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	07/09/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	07/09/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16349442 JP #:13418	
MAD				Shore I/L		07/2014		C&S 27	
1	2	3	4	5	6		7		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS	CONDITION APPARATUS WAS LEFT	
18	07/09/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	07/09/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		07/09/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.	
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE			
				Coffin, James		07/11/2014			
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE			



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16452504 JP #:13418		C&S 27	
MAD				Shore I/L		08/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	08/08/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16452504 JP #:13418		C&S 27	
MAD				Shore I/L		08/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	08/08/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	08/08/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		08/08/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		08/18/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16557059 JP #:13418		C&S 27	
MAD				Shore I/L		09/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	09/04/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16557059 JP #:13418		C&S 27	
MAD				Shore I/L		09/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	09/04/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	09/04/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		09/04/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		09/09/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16651090 JP #:13418		C&S 27	
MAD				Shore I/L		10/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	10/02/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		





**REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27**

**Maximo**

DIVISION				SECTION		MONTH/YEAR		WO #:16651090 JP #:13418		C&S 27	
MAD				Shore I/L		10/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	10/02/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/02/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		10/02/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		10/20/2014					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16760854 JP #:13418		C&S 27	
MAD				Shore I/L		11/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	10/30/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	10/30/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	10/30/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16760854 JP #:13418		C&S 27		
MAD				Shore I/L		11/2014						
1	2	3	4	5	6		7		8			
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT			
18	10/30/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED			
18	10/30/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED			
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				MAXADMIN	10/30/2014		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.					
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE						
				Coffin, James	11/25/2014							
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE						



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16857606 JP #:13418		C&S 27	
MAD				Shore I/L		11/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	11/26/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16857606 JP #:13418		C&S 27	
MAD				Shore I/L		11/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	11/26/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	11/26/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		

  

REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR	Ferrari, Robert	11/26/2014
	SIGNED - C&S EMPLOYEE PERFORMING TEST	DATE
	Coffin, James	12/02/2014
	SIGNED - C&S SUPERVISOR REVIEWING TEST	DATE

  

*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.
---



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16939755 JP #:13418		C&S 27	
MAD				Shore I/L		12/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	12/21/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:16939755 JP #:13418		C&S 27	
MAD				Shore I/L		12/2014					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	12/21/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	12/21/2014 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		

  

REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR	Ferrari, Robert	12/21/2014	*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.
	SIGNED - C&S EMPLOYEE PERFORMING TEST	DATE	
	Coffin, James	01/05/2015	
	SIGNED - C&S SUPERVISOR REVIEWING TEST	DATE	



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17324688 JP #:13418		C&S 27	
MAD				Shore I/L		01/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	01/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		





# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17324688 JP #:13418		C&S 27	
MAD				Shore I/L		01/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	01/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	01/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		01/20/2015		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		01/22/2015					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17416518 JP #:13418		C&S 27	
MAD				Shore I/L		02/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	02/19/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	02/19/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	02/19/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17416518 JP #:13418	
MAD				Shore I/L		02/2015		C&S 27	
1	2	3	4	5	6		7		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS	CONDITION APPARATUS WAS LEFT	
18	02/19/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP			PASSED	
18	02/19/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP			PASSED	
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert	02/19/2015		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.		
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE			
				Coffin, James	02/19/2015				
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE			



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17516720 JP #:13418		C&S 27	
MAD				Shore I/L		03/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	03/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc B	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17516720 JP #:13418		C&S 27	
MAD				Shore I/L		03/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	03/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	03/20/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		03/20/2015		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		03/24/2015					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17615358 JP #:13418		C&S 27	
MAD				Shore I/L		04/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	04/16/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc A	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	BT-1	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	BT-1	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	BT-1	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBB	BT-1	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) INS Memo: Location is WBB 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, Loc WBA	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		



# REPORT OF TESTS OF SIGNAL APPARATUS IN ACCORDANCE WITH AMT - 27

Maximo

DIVISION				SECTION		MONTH/YEAR		WO #:17615358 JP #:13418		C&S 27	
MAD				Shore I/L		04/2015					
1	2	3	4	5	6		7		8		
TEST NO	DATE (COMPLETED BY)	LOCATION	UNIT NO	RESULTS OF TEST	TEST INFORMATION AND RESULTS		REPAIRS REPLACEMENTS ADJUSTMENTS		CONDITION APPARATUS WAS LEFT		
18	04/16/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	B24	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	EL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-01: VOLTAGE POSITIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-02: VOLTAGE NEGATIVE TO GROUND (LOW) 0 VDC				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-03: CURRENT POSITIVE TO GROUND (LOW) 0 AMP				PASSED		
18	04/16/2015 (RF)	Shore I/L, CIH	WL-B12	PASSED	18-04: CURRENT NEGATIVE TO GROUND (LOW) 0 AMP				PASSED		
REPORT ALL AMT 27 REQUIRED TESTS ON THIS FORM. COLUMNS 1,2,3,4,5,7,8 MUST BE FILLED IN. DISTRUBUTION: FILE / ORIGINATOR / INSPECTOR				Ferrari, Robert		04/16/2015		*NOTE: WHEN LISTING HIGHWAY CROSSING TESTS, THE CROSSING AAR/DOT INVENTORY NUMBER MUST BE SHOWN IN COLUMN FOUR.			
				SIGNED - C&S EMPLOYEE PERFORMING TEST		DATE					
				Coffin, James		04/24/2015					
				SIGNED - C&S SUPERVISOR REVIEWING TEST		DATE					