


DCA-15-MR-010
Passenger Train Derailment
Philadelphia, PA
May 12, 2015


SIGNAL ATTACHMENT 39

Shore DED Insulation Resistance (2) 236.108

AMTRAK RECORD OF INSULATION RESISTANCE C&S 2.0

DIVISION		LOCATION	FROM:	TO:
MID-ATLANTIC		SHORE	DED Loc.	DED 1&2 Trk.
DATE INSTALLED:		MANUFACTURER	YEAR MANUFACTURED:	SPECIFICATION
				7c 9
		LIST INSULATION RESISTANCE VALUES TO GROUND	LIST INSULATION RESISTANCE VALUES OF CROSS	CABLE DESIGNATION:
CDR	CRT. NOMENCLATURE			REMARKS:
1	BT2DED	INF.	INF.	
2	2WDED	INF.	INF.	
3	SPARE	INF.	INF.	
4	BT1DED	INF.	INF.	
5	1WDED	INF.	INF.	
6	SPARE	INF.	INF.	
7	SPARE	INF.	INF.	
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				

SIGNATURE: R. NAGLE  DATE MEGGERED: 6/27/2012

SIGNATURE: T. SMITH  DATE MEGGERED: 6/27/2012

NOTES: 1. LIST NOMENCLATURE FOR CONDUCTOR. 3. INDICATE CONDUCTORS THAT ARE SPARE.
 2. UNDERLINE WORKING CONDUCTORS 1 MEG OR BELOW IN RED, 4. TWO SIGNATURES REQUIRED.
 AND LIST 500,000 OR BELOW ON FORM C.&S. 2A.

AMTRAK RECORD OF INSULATION RESISTANCE C&S 2.0

DIVISION		LOCATION	FROM:	TO:
MID-ATLANTIC		SHORE	DED Loc.	DED 3&4 Trk.
DATE INSTALLED:		MANUFACTURER	YEAR MANUFACTURED:	SPECIFICATION
				7c 9
		LIST INSULATION RESISTANCE VALUES TO GROUND	LIST INSULATION RESISTANCE VALUES OF CROSS	CABLE DESIGNATION:
CDR	CRT. NOMENCLATURE			REMARKS:
1	BT4DED	INF.	INF.	
2	4WDED	INF.	INF.	
3	SPARE	INF.	INF.	
4	BT3DED	INF.	INF.	
5	3WDED	INF.	INF.	
6	SPARE	INF.	INF.	
7	SPARE	INF.	INF.	
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
SIGNATURE: R. NAGLE		DATE MEGGERED: 6/27/2012		
SIGNATURE: T. SMITH		DATE MEGGERED: 6/27/2012		
NOTES: 1. LIST NOMENCLATURE FOR CONDUCTOR. 3. INDICATE CONDUCTORS THAT ARE SPARE. 2. UNDERLINE WORKING CONDUCTORS 1 MEG OR BELOW IN RED, 4. TWO SIGNATURES REQUIRED. AND LIST 500,000 OR BELOW ON FORM C.&S. 2A.				