

APPENDIX F

OPERATIONS INSPECTION NO. 3

Aircraft S/N: 303
Aircraft Reg.: N303GA
Model: GIII

OPERATION NO. 3
24 MOS

ATA Number Work Card	FAR	Description Reference	P/N Effectivity	Average Labor Hours	C/W Date	C/W Hours	C/W Ldgs	Remark Code	Tech. Initials	Insp. Initials
200003	*	OPERATION NO. 3			///					
214080 21-06	*	PRESSURE CONTROL(MANUAL)O... 21-02-00		0.5	///					
216040 21-11	*	FUNC CK CBN PRESS WARN SW 21-02-00		2.0	///					
217080 21-14	*	INSP RAM AIR CK VALVE 21-01-00		1.5	///					
217090 21-14	*	PRESS SAFETY VA-INSPECTION 21-02-05		4.0	///					
217095 21-14	*	PRESS SAFETY VA,---GROUND TEST 21-02-05		8.0	///					
217550 21-15	*	EMER PRES S/O VA OPS TEST 21-01-19		1.0	///					
220505 22-01	*	A/P PITCH/MACH TRIM-OPS CK 22-01-00		0.5	///					
234550 23-05	*	STATIC WICK CK L WING 23-05-00		0.5	///					
234555 23-05	*	STATIC WICK CK R WING 23-05-00		0.5	///					
234560 23-05	*	STATIC WICK CK L STAB 23-05-00		1.0	///					
234565 23-05	*	STATIC WICK CK R STAB 23-05-00		1.0	///					
234570 23-05	*	STATIC WICK CK TAIL 23-05-00		1.0	///					
234575 23-05	*	STATIC WICK CK V STAB 23-05-00		1.0	///					
237536 23-08	*	CVR ULB OPS CK 23-04-00		1.0	///					
241610 24-06	*	POWER DIST CK(DC ACFT) 24-01-00		1.0	///					
241650 24-06	*	OPS TEST BATT. COOLING FAN (DC 24-01-12		1.0	///					
241910 24-10	*	AC POWER OPS CK(DC ACFT) 24-03-00		0.5	///					
242040 24-11	*	A INV VOLTAGE CK-DC ACFT 24-03-00		1.0	///					
242050 24-11	*	B INV VOLTAGE CK-DC ACFT 24-03-00		1.0	///					
242060 24-11	*	C INV VOLTAGE CK-DC ACFT 24-03-00		1.0	///					
242070 24-11	*	E INV VOLTAGE CK(DC ONLY) 24-03-00		1.0	///					
251060 25-01	*	LUBE PILOT/COPILOT SEAT 25-01-00		1.0	///					
251080	*	OP CK SEAT INERT REELS		1.0	///					

APPENDIX F

Remark Codes: A=Time Expired, B=Permatute Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S=
Comp. Change, V= O.K. as is, W=Service Required

Aircraft S/N: 303
Aircraft Reg.: N303GA
Model: GIII

OPERATION NO. 3
24 MOS

ATA Number Work Card	FAR	Description Reference	P/N Effectivity	Average Labor Hours	C/W Date	C/W Hours	C/W Ldgs	Remark Code	Tech. Initials	Insp. Initials
25-01		25-02-00			///					
262005	*	L / R T-HANDLE OPER TEST		1.0	///					
26-04		26-02-00			///					
262010	*	L ENG FIRE EXT SYS FUNCT TEST		2.0	///					
26-04		26-02-00			///					
262015	*	R ENG FIRE EXT SYS FUNCT TEST		2.0	///					
26-04		26-02-00			///					
262020	*	APU FIRE EXT SYS FUNCT TEST		1.0	///					
26-04		26-02-00			///					
262025	*	L ENG FIRE BOTTLE WT CK		1.0	///					
26-04		26-02-00			///					
262030	*	R ENG FIRE BOTTLE WT CK		1.0	///					
26-04		26-02-00			///					
262035	*	APU FIRE BOTTLE WEIGHT CK		1.0	///					
26-04		26-02-00			///					
264035	*	APU O/H SW TRIP PT CK		6.0	///					
26-11		26-01-03			///					
264080	*	CK L GEN O/H SW.--DC ACFT		0.5	///					
26-13		26-01-04			///					
264085	*	CK R GEN O/H SW.--DC ACFT		1.5	///					
26-13		26-01-04			///					
264090	*	CK L ALT O/H SWITCH		1.5	///					
26-13		26-01-04			///					
264095	*	CK R ALT O/H SWITCH		1.5	///					
26-13		26-01-04			///					
265010	*	CK L ENG O/H SWITCH		0.5	///					
26-13		26-01-02			///					
265015	*	CK R ENG O/H SWITCH		0.5	///					
26-13		26-01-02			///					
265050	*	CK L BLEED AIR O/H SW		2.0	///					
26-14		26-01-04			///					
265055	*	CK R BLEED AIR O/H SW		2.0	///					
26-14		26-01-04			///					
265060	*	CK COMB HYD SY O/H SW		1.0	///					
26-14		26-01-06			///					
265065	*	CK FLT HYD SY O/H SW		1.0	///					
26-14		26-01-06			///					
277555	*	LUBE RUDDER PEDAL CONTROL		1.0	///					
27-22		27-03-00			///					
277560	*	OPS TEST GROUND SPOILER SYS		1.0	///					
27-22		27-02-01			///					
277582	*	G/SPLR DEACT CK-W/O ASC50		1.5	///					
27-23		27-02-01			///					
277583	*	OP CK AIL MANUAL SYS		2.0	///					
27-23		27-02-00			///					
277584	*	OP CK AIL POWER SYS		1.0	///					
27-23		27-02-00			///					

APPENDIX F

Remark Codes: A=Time Expired, B=Permature Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S=
Comp. Change, V= O.K. as is, W=Service Required

Aircraft S/N: 303
 Aircraft Reg.: N303GA
 Model: GIII

OPERATION NO. 3
 24 MOS

ATA Number Work Card	FAR	Description Reference	P/N Effectivity	Average Labor Hours	C/W Date	C/W Hours	C/W Ldgs	Remark Code	Tech. Initials	Insp. Initials
277585 27-23	*	OP CK ELEV CONT SYS 27-01-00		1.0	///					
277587 27-23	*	OP CK FLT CONT S/O VA 27-08-00		1.0	///					
277588 27-24	*	F/T GRD SPOIL FAULT DETECT SYS 27-02-01		16.0	///					
277589 27-24	*	OP CK SPEED BRAKE (W/O ASC50) 27-02-00		1.0	///					
277590 27-24	*	OP TEST WG FLAP/STAB 27-06-01		1.0	///					
277595 27-25	*	OPS TEST AOA(W/ASC48) 27-01-01		5.0	///					
280525 28-01	*	APU WG FUEL S.O.V. FUNC TEST 28-05-00		1.0	///					
282051 28-06	*	FUEL PUMP AUTO/CHG OPS CK 28-05-00		1.0	///					
293555 29-07	*	HYD POWER SYS OP TEST 29-00-00		2.0	///					
305080 30-08	*	OPS TEST L ENG ANTI-ICE 30-02-00		3.0	///					
305085 30-08	*	OPS TEST R ENG ANTI-ICE 30-02-00		3.0	///					
305510 30-08	*	OP TEST L WING ANTI-ICE 30-01-00		1.5	///					
305515 30-08	*	OP TEST R WING ANTI-ICE 30-01-00		1.5	///					
305520 30-09	*	OP CK ANGLE OF ATTACK HEAT SYS 30-03-00		0.5	///					
305525 30-09	*	OPS TEST PITOT HEAT 30-03-00		0.5	///					
305530 30-09	*	OPS TEST EPR HEAT SYS 30-03-00		0.5	///					
306510 30-09	*	INSP CABIN WINDOW DESICCANT 30-04-02		6.0	///					
322030 32-09	*	OPS CK NORM LDG GEAR 32-00-00		10.0	///					
322035 32-09	*	OPS CK EMER LDG GEAR 32-00-00		5.5	///					
322045 32-09	*	N/G STRUT FRICTION CK 32-02-00		4.0	///					
322050 32-10	*	OPS CK WHEEL BRAKES 32-04-01		2.5	///					
322070 32-10	*	SVC L SHOCK ABSORBER 32-01-00		3.0	///					
322075 32-10	*	SVC R SHOCK ABSORBER 32-01-00		3.0	///					
322080	*	SVC N/G SHOCK STRUT		3.0	///					

APPENDIX F

Remark Codes: A=Time Expired, B=Permature Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
 H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S=
 Comp. Change, V= O.K. as is, W=Service Required

Aircraft S/N: 303
 Aircraft Reg.: N303GA
 Model: GIII

OPERATION NO. 3
 24 MOS

ATA Number Work Card	Description FAR Reference	P/N Effectivity	Average Labor Hours	C/W Date	C/W Hours	C/W Ldgs	Remark Code	Tech. Initials	Insp. Initials
32-10	32-02-00			/ /					
322085 32-10	* NLG CORROSION INSP 32-02-00		20.5	/ /					
322270 32-11	* PIN, L SIDE BRACE FTG-INSP 32-01-00		6.0	/ /					
322275 32-11	* PIN, R SIDE BRACE FTG-INSP 32-01-00		6.0	/ /					
334530 33-04	* MASTER WARN COMP CK 33-01-01		0.5	/ /					
334535 33-04	* AUXMASTER WARN COMP CK 33-01-01		0.5	/ /					
341220 34-07	* COMPASS SWING NO.1 34-02-01		18.0	/ /					
341225 34-07	* COMPASS SWING NO.2 34-02-01		18.0	/ /					
346422	REPL WAVEGUIDE DESICANT		1.0	/ /					
352025 35-02	* OPS CK PASS OXY SYS (GAC INST. 35-00-00		7.0	/ /					
361010 36-01	* L HP VALVE OPS TEST 36-01-00		2.0	/ /					
361015 36-01	* R HP VALVE OPS TEST 36-01-00			/ /					
361030 36-01	* BLEED AIR IND FUNC CK 36-00-00		2.0	/ /					
493561 49-07	* APU FUEL REG CK (DC ACFT) 49-00-00		2.0	/ /					
525530 52-02	* REG. DOOR SEAL/SYSTEM-INSPECT 52-03-00		4.0	/ /					
526520 52-06	* ENTRANCE DOOR INSP 52-01-00		8.0	/ /					
526530 52-06	* ENT DOOR HINGE PIN INSP 52-01-00		3.0	/ /					
526545 52-07	* OPS CK MAIN ENT DOOR 52-01-00		1.5	/ /					
526550 52-07	* OPS CK ENT DOOR WARN SYS 52-04-00		1.0	/ /					
526555 52-07	* OPS CK BAG DOOR WARN SYS 52-04-00		0.5	/ /					
526560 52-07	* OPS CK ENT DOOR SEAL 52-03-00		1.0	/ /					
526565 52-07	* OPS CK BAGGAGE DOOR SEAL 52-03-00		1.0	/ /					
526570 52-07	* OPS CK TAIL DOOR WARN SYS 52-04-00		1.0	/ /					
532010 53-01	* INSP ENT COMPARTMENT 53-00-00		2.0	/ /					

APPENDIX F

Remark Codes: A=Time Expired, B=Permature Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
 H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S=
 Comp. Change, V= O.K. as is, W=Service Required

Aircraft S/N: 303
Aircraft Reg.: N303GA
Model: GIII

OPERATION NO. 3
24 MOS

ATA Number Work Card	FAR	Description Reference	P/N Effectivity	Average Labor Hours	C/W Date	C/W Hours	C/W Ldgs	Remark Code	Tech. Initials	Insp. Initials
532030 53-01	*	INSP CBN COMP ABV FLR 53-00-00		1.0	///					
533010 53-02	*	INSP NOSE/RADOME INTERIOR 53-00-00		1.0	///					
533020 53-02	•	INSP FUSELAGE EXTERIOR 53-00-00		2.0	///					
533030 53-02	*	INSP TAIL COMPART ABOVE FLOOR 53-00-00		2.0	///					
534000 53-03	*	INSP FUEL FEED LINES 53-00-00		1.0	///					
534005 53-03	*	INSP NOSE WELL J-BOX 53-00-00		1.0	///					
534010 53-03	*	INSP TORSION BOX 53-00-00		1.5	///					
534020 53-03	*	INSP MID FUSELAGE INT 53-00-00		6.0	///					
534030 53-03	*	INSP AFT FUSELAGE INT 53-00-00		6.0	///					
534040 53-03	•	INSP TAILCONE INT 53-00-00		4.0	///					
534050 53-04	*	INSP COCKPIT ABOVE FLOOR 53-00-00		3.0	///					
534060 53-04	*	INSP CKPT BELOW FLOOR 53-00-00		9.0	///					
534070 53-04	*	INSP CKPT BELOW PEDESTAL 53-00-00		11.0	///					
534080 53-04	*	INSP ENT COMPT SHELF 53-00-00		1.5	///					
534090 53-04	*	INSP ENT COMP ABV FLR 53-00-00		8.0	///					
535010 53-04	*	INSP ENT COMP BLW FLR 53-00-00		22.0	///					
535040 53-05	*	INSP AFT CBN BELOW FLOOR 53-00-00		3.0	///					
535050 53-05	*	INSP BAG COMP ABV FLOOR 53-00-00		8.0	///					
535060 53-05	*	INSP BAG COMP BHD PANEL 53-00-00		4.0	///					
535070 53-05	*	INSP BAG COMP BELOW FLOOR 53-00-00		4.0	///					
535080 53-05	*	INSP TAIL CMPT BELOW FLR 53-00-00		16.0	///					
536581 53-07	*	INSP AFT FUSE SHEAR CLIPS(3K/2 53-00-00		2.0	///					
552030 55-01	*	INSP L STAB/ELEV INT 55-00-00		20.0	///					
552035	*	INSP R STAB/ELEV INT		20.0	///					

APPENDIX F

Remark Codes: A=Time Expired, B=Permatute Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S=
Comp. Change, V= O.K. as is, W=Service Required

Aircraft S/N: 303
Aircraft Reg.: N303GA
Model: GIII

OPERATION NO. 3
24 MOS

ATA Number Work Card	Description FAR Reference	P/N Effectivity	Average Labor Hours	C/W Date	C/W Hours	C/W Ldgs	Remark Code	Tech. Initials	Insp. Initials
55-01	55-00-00			///					
552040 55-01	* INSP VERT STAB/RUD INT 55-00-00		32.0	///					
552500 55-02	* INSP RUD WT(LEAD)(2K LDG/24MOS 55-00-00		3.0	///					
561010 56-01	* EMER WINDOW RELEASE TEST 56-02-00		2.0	///					
571010 57-01	* INSP L WING EXTERIOR 57-00-00		1.0	///					
571015 57-01	* INSP R WING EXTERIOR 57-00-00		1.0	///					
572010 57-01	* INSP L WING/FUSELAGE INT 57-00-00		4.0	///					
572015 57-01	* INSP R WING/FUSELAGE INT 57-00-00		4.0	///					
573020 57-02	* INSP L WING REAR BEAM 57-00-00		2.5	///					
573025 57-02	* INSP R WING REAR BEAM 57-00-00		2.0	///					
732530 73-04	* L ENG LP GOV CHECK/TEST 73-20-21 R		2.0	///					
732535 73-04	* R ENG LP GOV CHECK/TEST 73-20-21 R		2.0	///					
751010 75-01	* LEFT DC GENERATOR COOLING CK 75-01-00		3.0	///					
751015 75-01	* RIGHT DC GENERATOR COOLING CK 75-01-00		3.0	///					
762020 76-01	* L ENG CONTROLS OPER CK 76-00-00		1.5	///					
762025 76-01	* R ENG CONTROLS OPER CK 76-00-00		1.5	///					
770510 77-01	* L TGT IND VALIDATION TEST 77-04-00		2.0	///					
770515 77-01	* R TGT IND VALIDATION TEST 77-04-00		2.0	///					
770530 77-02	* L ENG EPR SYS FUNC TEST 77-01-00		4.0	///					
770535 77-02	* R ENG EPR SYS FUNC TEST 77-01-00		4.0	///					
785010 78-04	* INSP L THRUST REV ASSY 78-00-00		8.0	///					
785015 78-04	* INSP R THRUST REV ASSY 78-00-00		8.0	///					
785020 78-04	* OPS CK L ENG THRUST REV 78-00-00		1.0	///					
785025 78-04	* OPS CK R ENG THRUST REV 78-00-00		1.0	///					

APPENDIX F

Remark Codes: A=Time Expired, B=Permature Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S= Comp. Change, V= O.K. as is, W=Service Required

Aircraft S/N: 303
 Aircraft Reg.: N303GA
 Model: GIII

OPERATION NO. 3
 24 MOS

ATA Number	Description	Average	C/W	C/W	C/W	Remark	Tech.	Insp.
Work Card	FAR Reference	Labor Hours	Date	Hours	Ldgs	Code	Initials	Initials
785030	* OP CK/ADJ--L T/REV INTERLOCK	1.5						
78-04	78-00-00		/ /					
785035	* OP CK/ADJ--R T/REV INTERLOCK	1.5						
78-04	78-00-00		/ /					
Total Average Labor Hours		503.0						

APPENDIX F

Remark Codes: A=Time Expired, B=Permatute Failure, C=Result of Engine Change, D=Worn, E= Maint. Conven., F=Modification
 H=Damaged, K=Servicing, L=Loaner Eng. Rem., M=Tire Change, P=No Squawks, Q=Squawks Def., R= Squawks Immed. Corr., S=
 Comp. Change, V= O.K. as is, W=Service Required