

Comair, Inc.  
Lexington, KY  
August 27, 2006  
DCA06MA064

**NATIONAL TRANSPORTATION SAFETY BOARD  
WASHINGTON, D.C.**

ATTACHMENT 4

2001 AND 2005 LEX AIRPORT MASTER RECORDS

4 Pages

# AIRPORT MASTER RECORD

> 1 ASSOC CITY: LEXINGTON 4 STATE: KY LOC ID: LEX FAA SITE NR: 07233.\*A  
 > 2 AIRPORT NAME: BLUE GRASS 5 COUNTY: FAYETTE KY  
 3 CBD TO AIRPORT (NM): 04 W 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT: CINCINNATI

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

GENERAL		SERVICES		BASED AIRCRAFT	
10 OWNERSHIP:	PU	> 70 FUEL:	100LL A	90 SINGLE ENG:	73
> 11 OWNER:	LEXINGTON-FAYETTE CO ARPT	> 71 AIRFRAME RPRS:	MAJOR	91 MULTI ENG:	25
> 12 ADDRESS:	4000 TERMINAL DRIVE, SUITE 206 LEXINGTON, KY 40510	> 72 PWR PLANT RPRS:	MAJOR	92 JET:	19
> 13 PHONE NR:	859-425-3100	> 73 BOTTLE OXYGEN:	HIGH	TOTAL:	117
> 14 MANAGER:	MICHAEL A. GOBB	> 74 BULK OXYGEN:	HIGH/LOW	93 HELICOPTERS:	1
> 15 ADDRESS:	4000 TERMINAL DRIVE, SUITE 206 LEXINGTON, KY 40510	75 TSNT STORAGE:	HGR TIE	94 GLIDERS:	0
> 16 PHONE NR:	859-425-3100	76 OTHER SERVICES:		95 MILITARY:	0
> 17 ATTENDANCE SCHEDULE:		AFRT AMB AVNCS CARGO CHTR INSTR RNTL SALES		96 ULTRA-LIGHT:	0
MONTHS	DAYS	HOURS		<b>OPERATIONS</b>	
ALL	ALL	ALL		100 AIR CARRIER:	7,481
				102 AIR TAXI:	31,385
				103 G A LOCAL:	7,760
				104 G A ITRNRT:	43,813
				105 MILITARY:	1,339
				TOTAL:	90,958
				OPERATIONS FOR MOS ENDING	12/31/2004 10-31-05
18 AIRPORT USE:	PUBLIC	> 80 ARPT BCN:	CG		
19 ARPT LAT:	38-02-11.4000N ESTIMATED	> 81 ARPT LGT SKED:	DUSK-DAWN		
20 ARPT LONG:	084-36-21.2000W	> 82 UNICOM:	122.950		
21 ARPT ELEV:	979 SURVEYED	> 83 WIND INDICATOR:	Y-L		
22 ACREAGE:	911	84 SEGMENTED CIRCLE:	YES		
> 23 RIGHT TRAFFIC:	NO	85 CONTROL TWR:	YES		
> 24 NON-COMM LANDING:		86 FSS:	LOUISVILLE		
25 NPIAS/FED AGREEMENTS:NGY3		87 FSS ON ARPT:	NO		
26 FAR 139 INDEX:	IBS 05/1973	88 FSS PHONE NR:			
		89 TOLL FREE NR:	1-800-WX-BRIEF		

RUNWAY DATA		04/22	08/26
30 RUNWAY IDENT:		7,003	3,500
31 LENGTH:		150	75
32 WIDTH:		ASPH-G	ASPH-CONC-P
33 SURF TYPE-COND:		GRVD	
34 SURF TREATMENT:		140	12.5
35 GROSS WT:	SW	169	
36 (IN THSDS)	DW	275	
37	DTW		
38	DDTW		
39 PCN:			

LIGHTING/APCH AIDS		HIGH	MED
40 EDGE INTENSITY:		PIR - G / PIR - G	BSC - F / BSC - F
42 RWY MARK TYPE-COND:		V4L / V4L	/
43 VGS:		60 / 51	/
44 THR CROSSING HGT:		2.80 / 3.00	/
45 VISUAL GLIDE ANGLE:		Y - Y / Y - N	- / -
46 CNTRLN-TDZ:		T - N / -	- / -
> 47 RVR-RVV:		/ Y	/ Y
> 48 REIL:		SSALR /	/
> 49 APCH LIGHTS:			

OBSTRUCTION DATA		PIR / D	A(NP) / A(NP)
50 FAR 77 CATEGORY:		/	/
> 51 DISPLACED THR:		TREE / TREE	TREE / POLE
> 52 CTLG OBSTN:		/	/
> 53 OBSTN MARKED/LGTD:		36 / 54	25 / 17
> 54 HGT ABOVE RWY END:		2,000 / 1,980	400 / 552
> 55 DIST FROM RWY END:		210R / 120L	150R / 39L
> 56 CNTRLN OFFSET:		50:1 / 34:1	8:1 / 20:1
57 OBSTN CLNC SLOPE:		N / N	N / N
58 CLOSE-IN OBSTN:			

DECLARED DISTANCES			
> 60 TAKE OFF RUN AVBL (TORA):		0 / 0	0 / 0
> 61 TAKE OFF DIST AVBL (TODA):		0 / 0	0 / 0
> 62 ACLT STOP DIST AVBL (ASDA):		0 / 0	0 / 0
> 63 LNDG DIST AVBL (LDA):		0 / 0	0 / 0

# AIRPORT MASTER RECORD

> 1 ASSOC CITY: LEXINGTON	4 STATE: KY	LOC ID: LEX	FAA SITE NR: 07233.*A
> 2 AIRPORT NAME: BLUE GRASS		5 COUNTY: FAYETTE KY	
3 CBD TO AIRPORT (NM): 04 W	6 REGION/ADO: ASO/MEM	7 SECT AERO CHT: CINCINNATI	

(P) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

- A 110-01 FLIGHT NOTIFICATION SERVICE (ADCUS) AVAILABLE.
- A 110-02 RY 08/26 DAYTIME VMC USE ONLY.
- A 033 RWY 08/26 CONC IS SEVERELY CRACKED.
- A 040 RWY 08/26 MIRL RY 08/26 OTS INDEFLY.
- A 048 RWY 26 REIL OTS INDEFLY.
- ~~A 081 ACTVT REIL RY 26 - 119.1.~~

111 INSPECTOR: ( F ) 112 LAST INSP: 02/03/2005 113 LAST INFO REQ:

*Remove*

> 1 ASSOC CITY: LEXINGTON 4 STATE: KY LOC ID: LEX FAA SITE NR: 07233.\*A  
 > 2 AIRPORT NAME: BLUE GRASS 5 COUNTY: FAYETTE KY  
 3 CBD TO AIRPORT (NM): 04 W 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT: CINCINNATI

GENERAL		SERVICES	BASED AIRCRAFT
> 10 OWNERSHIP: PUBLIC		> 70 FUEL: 100LL A	90 SINGLE ENG: 84
> 11 OWNER: LEXINGTON-FAYETTE CO ARPT BRD		> 71 AIRFRAME RPRS: MAJOR	91 MULTI ENG: 23
> 12 ADDRESS: 4000 TERMINAL DRIVE, SUITE 206 LEXINGTON, KY 40510		> 72 PWR PLANT RPRS: MAJOR	92 JET: 6
> 13 PHONE NR: 859-254-9336		> 73 BOTTLE OXYGEN: HIGH	TOTAL: 113
> 14 MANAGER: MICHAEL A. GOBB		> 74 BULK OXYGEN: HIGH/LOW	93 HELICOPTERS: 4
> 15 ADDRESS: 4000 TERMINAL DRIVE, SUITE 206 LEXINGTON, KY 40510		75 TSNT STORAGE: HGR TIE	94 GLIDERS: 0
> 16 PHONE NR: 859-425-3100		76 OTHER SERVICES:	95 MILITARY: 0
> 17 ATTENDANCE SCHEDULE:		AFRT AMB AVNCS CARGO CHTR INSTR RNTL SALES	96 ULTRA-LIGHT: 0
MONTHS DAYS HOURS		FACILITIES	OPERATIONS
ALL ALL ALL		> 80 ARPT BCN: CG	100 AIR CARRIER: 7,008
		> 81 ARPT LGT SKED: DUSK-DAWN	101 COMMUTER: 0
		> 82 UNICOM: 122.950	102 AIR TAXI: 30,254
		> 83 WIND INDICATOR: YES-L	103 G A LOCAL: 9,721
		84 SEGMENTED CIRCLE: YES	104 G A ITNRNT: 50,551
		85 CONTROL TWR: YES	105 MILITARY: 1,306
		86 FSS: LOUISVILLE	TOTAL: 98,840
		87 FSS ON ARPT: NO	OPERATIONS FOR
		88 FSS PHONE NR:	MOS ENDING
		89 TOLL FREE NR: 1-800-WX-BRIEF	
18 AIRPORT USE: PUBLIC			
19 ARPT LAT: 38-02-13.1000N ESTIMATED			
20 ARPT LONG: 084-36-19.4000W			
21 ARPT ELEV: 979 SURVEYED			
22 ACREAGE: 911			
> 23 RIGHT TRAFFIC: NO			
> 24 NON-COMM LANDING:			
25 NPIAS/FED AGREEMENTS:NGY3			
26 FAR 139 INDEX: BS 05/1973			

**RUNWAY DATA**

> 30 RUNWAY IDENT:	04/22	08/26
> 31 LENGTH:	7,003	3,500
> 32 WIDTH:	150	75
> 33 SURF TYPE-COND:	ASPH-G	ASPH-CONC-P
> 34 SURF TREATMENT:	GRVD	
35 GROSS WT: SW	140	12.5
36 (IN THSDS) DW	169	
37 DTW	275	
38 DDTW		

**LIGHTING/APCH AIDS**

	HIGH	MED
> 40 EDGE INTENSITY:	PIR - G / PIR - G	BSC - F / BSC - F
> 42 RWY MARK TYPE-COND	V4L / V4L	/
> 43 VGS	60 / 51	/
44 THR CROSSING HGT	2.80 / 3.00	/
45 VISUAL GLIDE ANGLE	Y - Y / Y - N	- / -
> 46 CNTRLN-TDZ	T - N / -	- / -
> 47 RVR-RVV	/ Y	/ Y
> 48 REIL	SSALR /	/
> 49 APCH LIGHTS		

**OBSTRUCTION DATA**

	PIR / D	A(NP) / A(NP)
50 FAR 77 CATEGORY	/	/
> 51 DISPLACED THR	TREE / TREE	TREE / POLE
> 52 CTLG OBSTN	/	/
> 53 OBSTN MARKED/LGTD	36 / 54	25 / 17
> 54 HGT ABOVE RWY END	2,000 / 1,980	400 / 552
> 55 DIST FROM RWY END	210R / 120L	150R / 39L
> 56 CNTRLN OFFSET	50:1 / 34:1	8:1 / 20:1
57 OBSTN CLNC SLOPE	N / N	N / N
58 CLOSE-IN OBSTN		

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA)	/	/
> 61 TAKE OFF DIST AVBL (TODA)	/	/
> 62 ACLT STOP DIST AVBL (ASDA)	/	/
> 63 LNDG DIST AVBL (LDA)	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

110 REMARKS:  
 A 033 CONC IS SEVERELY CRACKED.  
 A 040 MIRL RY 08/26 OTS INDEFLY.  
 A 048 REIL OTS INDEFLY.  
 A 081 ACTVT REIL RY 26 - 119.1.  
 A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.  
 A 110-01 FLIGHT NOTIFICATION SERVICE (ADCUS) AVAILABLE.  
 A 110-02 RY 08/26 DAYTIME VMC USE ONLY.

06 14:48 FAX 9013228195

MEMPHIS ADO

001/003

DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

# AIRPORT MASTER RECORD

AFD EFF 11/01/2001  
Form Approved OMB 2120-0015

FAA SITE NR: 072337A

ASSOC CITY: LEXINGTON  
 AIRPORT NAME: BLUE GRASS  
 CBD TO AIRPORT (NM): 04 W  
 4 STATE: KY  
 LOC ID: X  
 5 COUNTY: FAYETTE KY  
 6 REGION/ADO: ASO/MEM  
 7 SECT AERO CHT: CINCINNATI

**GENERAL**

10 OWNERSHIP: PUBLIC  
 11 OWNER: LEXINGTON-FAYETTE CO ARPT BRD  
 12 ADDRESS: 4000 TERMINAL DRIVE, SUITE 20  
 LEXINGTON, KY 40510  
 13 PHONE NR: 859-254-9336  
 14 MANAGER: MICHAEL A. GOBB  
 15 ADDRESS: 4000 TERMINAL DRIVE, SUITE 20  
 LEXINGTON, KY 40510  
 16 PHONE NR: 859-425-3100  
 17 ATTENDANCE SCHEDULE:  
 MONTHS DAYS HOURS  
 ALL ALL ALL

**SERVICES**

> 70 FUEL: 100LL A  
 > 71 AIRFRAME RPRS: MAJOR  
 > 72 PWR PLANT RPRS: MAJOR  
 > 73 BOTTLE OXYGEN: HIGH  
 > 74 BULK OXYGEN: HIGH/LOW  
 75 TSNT STORAGE: HGR TIE  
 76 OTHER SERVICES:  
 AFRT AMB AVNCS CARGO CHTR INSTR RNTL  
 SALES

**BASED AIRCRAFT**

90 SINGLE ENG: 79  
 91 MULTI ENG: 24  
 92 JET: 7  
 TOTAL: 110  
 93 HELICOPTERS: 4  
 94 GLIDERS: 0  
 95 MILITARY: 0  
 96 ULTRA-LIGHT: 0

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 38-02-13.100N ESTIMATED  
 20 ARPT LONG: 084-36-19.400W  
 21 ARPT ELEV: 979 SURVEYED  
 22 ACREAGE: 911  
 23 RIGHT TRAFFIC: NO  
 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:NGY3  
 26 FAR 139 INDEX: CS 05/1973

**FACILITIES**

> 80 ARPT BCN: CG  
 > 81 ARPT LGT SKED: DUSK-DAWN  
 > 82 UNICOM: 122.950  
 > 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: YES  
 86 FSS: LOUISVILLE  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR: 502-451-5344  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**OPERATIONS**

100 AIR CARRIER: 10786 -11,486  
 101 COMMUTER: 0  
 102 AIR TAXI: 23106 -22,284  
 103 G A LOCAL: 4859 -3,408  
 104 G A ITNRNT: 45975 -62,662  
 105 MILITARY: 2504 -2,752  
 TOTAL: 87230 -92,374  
 OPERATIONS FOR  
 MOS ENDING 30SEP01

**RUNWAY DATA**

> 30 RUNWAY IDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: SW  
 36 (IN THSDS) DW  
 37 DTW  
 38 DDTW

04/22	08/26
7,003	3,500
150	<del>150</del> 75
ASPH-G	ASPH-CONC-P
GRVD	13

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND  
 > 43 VGSI  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE  
 > 46 CNTRLN-TDZ  
 > 47 RVR-RVV  
 > 48 REIL  
 > 49 APCH LIGHTS

HIGH	<del>HIGH</del> MED
PIR - G / PIR - G	BSC - G / BSC - G
V4L / V4L	/
60 / 51	/
2.80 / 3.00	/
Y - Y / Y - N	- / -
T - N / -	- / -
/ Y	/ Y
SSALR /	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR  
 > 52 CTLG OBSTN  
 > 53 OBSTN MARKED/LGTD  
 > 54 HGT ABOVE RWY END  
 > 55 DIST FROM RWY END  
 > 56 CNTRLN OFFSET  
 57 OBSTN CLNC SLOPE  
 58 CLOSE-IN OBSTN

PIR / D	A(V) / A(V)
/	/
TREE / TREE	TREE / POLE
/	/
36 / 54	25 / 17
2,000 / 1,980	400 / 552
210R / 120L	150R / 39L
50:1 / 34:1	8:1 / 20:1
N / N	N / N

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA)  
 > 61 TAKE OFF DIST AVBL (TODA)  
 > 62 ACLT STOP DIST AVBL (ASDA)  
 > 63 LNDG DIST AVBL (LDA)

/	/
/	/
/	/
/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

110 REMARKS:  
 A 033 RWY 08/26 CONC IS SEVERELY CRACKED.  
 A 081 ACTVT REIL RY 26 - 119.1.  
 A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.  
 A 110-01 FLIGHT NOTIFICATION SERVICE (ADCUS) AVAILABLE.

*AD40 RW 8/26 EDGE LTS OTS UFN. DAYTIME / VFR USE ONLY.*