



MINNEAPOLIS FIRE DEPARTMENT
DISPATCH LOGS

(Number of pages including this cover sheet 33)

Incident Detail Report

Data Source: Data Warehouse
 Incident Status: Active
 Incident number: 07-0021451
 Incident Date: 8/1/2007 6:06:54 PM
 Last Updated: 8/2/2007 12:44:47 PM

Incident Information
Incident Type: Technical Rescue
Priority: 1
Determinant: 2007020370
Base Response#: Dunkley, Roberta-CT
Confirmation#: MFD-MPD-HCMC RA
Taken By: Active
Response Area: 93249825
Disposition: 500 2ND ST SE
Cancel Reason: MINNEAPOLIS MN 55414
Incident Status:
Certification:
Longitude:

Alarm Level: 1
Problem: Rescue-Technical (PFE)
Agency: FIRE
Jurisdiction: Minneapolis Fire (MPD-HCMC)
Division: Minneapolis Fire (MPD-HCMC)
Battalion: Minneapolis Fire (MPD-HCMC)
Response Plan: Technical Rescue
Command Ch: MPFD-1 Fire Main
Primary TAC:
Secondary TAC:
Delay Reason (if any):
Latitude: 44983499

County: HENNEPIN
Location Type: 6TH AV SE/5TH AV SE
Cross Street: 311A
Map Reference:

Call Back Phone: (414)732-7939
Caller Location:

Time Stamps		User		Time	
Description	Date	Time	User	Time	Time
Phone Pickup	8/1/2007	18:05:43			
1st Key Stroke	8/1/2007	18:05:44			
In Waiting Queue	8/1/2007	18:06:54			
Call Taking Complete	8/1/2007	18:08:00	Dunkley, Roberta-CT		00:01:06
1st Unit Assigned	8/1/2007	18:08:24			00:02:17
1st Unit Enroute	8/1/2007	18:11:50			00:00:24
1st Unit Arrived	8/2/2007	07:52:45	VisiNetMobileInterface		00:03:26
Closed					13:47:02

Resources Assigned

Unit	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
E11	18:08:00		18:08:24		18:11:50			23:41:28			
L3	18:08:00		18:09:50		18:16:11			22:41:32			
BC3	18:08:00		18:10:59		18:17:50			23:41:36			
R1	18:08:00		18:10:09		18:13:13			22:25:46			
E4	18:08:19							19:43:53			
B4	18:08:27							22:56:31			
R9	18:08:44							00:36:15			
E22	18:13:06							20:55:17			

B22	18:13:11				22:17:55
BC1	18:13:28	18:13:48	18:18:11		23:22:23
E21	18:15:25				20:00:27
DEP	18:18:07				02:30:05
E1	18:18:47	18:20:12	18:23:38		23:22:19
E19	18:18:47	18:19:02	18:23:41		22:43:39
L4	18:18:47	18:23:06	22:27:59		22:31:32
SAL	18:18:47				18:25:54
10-50	18:18:47	18:36:07			20:01:48
E16	18:25:32	18:26:13	18:31:32		00:16:06
E20	18:25:35	18:25:48	18:35:25		21:14:54
E27	18:25:37				20:56:07
E15	18:25:56				21:44:10
E14	18:27:10	18:29:26	18:39:49		00:27:43
E6	18:28:08		18:28:20		00:34:48
10-2	18:28:52				02:48:54
MFC	18:29:00		18:29:04		02:27:00
E17	18:29:26	18:29:45	18:38:36		22:45:39
L5	18:29:28				22:32:26
E5	18:32:10				23:56:40
E8	18:34:40	20:08:37	20:08:38		21:30:27
E7	18:36:07	18:36:36	22:21:03		22:21:25
L10	18:36:36	18:40:36	18:40:38		21:10:54
BC4	18:36:41				00:18:26
10-71	18:37:56		18:54:36		01:12:44
SAL	18:38:51		18:40:32		22:04:48
B12	18:39:47				23:08:18
E12	18:39:47		20:26:46		20:35:43
L11	18:44:41				23:11:27
E28	18:44:59				20:56:52
E2	18:46:14		21:20:34		23:50:43
BC2	18:48:06		18:48:09		03:04:47
10-8	18:53:18				03:31:17
10-31	19:12:53				23:43:18
BC3	02:49:06	02:49:06	02:49:06		07:18:55
BC4	06:17:11	06:17:28	06:17:28		07:52:45
MFC	08:00:40	08:05:55	08:05:55		
R1	08:58:01	09:13:20	09:13:20		
10-2	11:32:16	11:32:20	11:32:20		
E19	11:48:05	11:48:41	11:55:19		

Personnel Assigned

Unit	Name
E11	Montgomery, Michael G. (015290); Sayers, Robert B. (031332); Si-Asar, Anura (096224)
L3	James, Mark A. (013430); Johnson, Alan M. (013517); Rush, Andre D. (016910); Brown, Michael A (096258)
BC3	Bosell, Scott C. (010858)
R1	Daher, Alec L. (011650); Swanson, Staffan L. (017354); Vincent, David G. (017712); Eiland, John E. (093081); Riedemann, Grant A. (098125); Griffin, Terrill D. (109514)
E4	Dahlberg, Michael K. (011639); Herrlin, Christopher P. (012989); Rowell III, Donald D. (016890)
R9	Dziedzic, Timothy J. (011836); Millikan, Jackson G. (098108); Ramos, Raul A. (098122); Waisanen, Sherri A. (098767); Daeger, Christopher E. (100990)
E22	Johnson, Jennifer G. (013587); Nelson, Eileen D. (015515); Pilon, Laura V. (016435)
BC1	Leedham, Donald R. (014471)
E21	Champagne, Roger W. (011310); Nebel, Scott D. (098111); Keith, Matthew T. (109530)
DEP	Kidd, Jean A. (014015)
E1	Fernandez, John T. (012060); Korogi, Michael A. (014192); Schiele, Travis J. (108260)
E19	Thornberg, Thomas A. (017488); Sone, Linda A. (101016); Herington, Ryan D. (107285)
L4	Ebert, Steven R. (011858); Rigert, Dominic J. (016715); Phillips, Greg A. (096238); Fetzek, Gabriel A. (108261)
SAL	Terbell, Tracy A. (096567)

- 10-50 Bryn, Denise D. (010968)
- E16 Jackson, Sandy A. (013401); Klancke, Shawn M. (098118); Ramos, Milagros (098126)
- E20 Bible, John B. (010622); Avent, Jayson D. (098098); Graham, Corey L. (100999); Hites, Brian D. (108257)
- E27 Brown, Jeffrey M. (010950); Flaskamp, Julie S. (017285); Biorn, Benjamin C. (098080); Black, Colm S. (101021)
- E15 Turner, Frank P. (017505); Caouette, Julie L. (096575); Hupp, Thomas J. (101053)
- E14 Gilbert, Douglas L. (098746); Casper, Daniel J. (103873); Patrick, Steven J. (109516)
- E6 Tjaden, Joshua J. (017551); Ehmke, Jason W. (096235); Moore, Prentice M. (098756)
- MFC Nemes, Paul W. (015575)
- E17 Crowley, Thomas A. (011565); Vossen, Anthony J. (017685); Reid, Justin T. (098762)
- E5 Baumtrog, Paul L. (010465); Thomas, Sean D. (096233); Adams, Michael J. (098096); Reece, Jason D. (098123)
- L1 Davison, Kathy R. (012535); Johnson, Stephanie L. (103874); Bixler, Jeff T. (108255)
- E8 Berle, Randy L. (010484); Tunks, Joshua S. (101018); Nelson, Mark J. (108256)
- E7 Schuman, Wayne P. (017111); Adams, Cavis (096214); McDonald, Anthony J. (101548)
- L10 Sandberg, Keith J. (016959); Cunningham, Abdul (093884); Saloka, Chad A. (096241); Kabanuk, Brook W. (101383)
- BC4 Priest Jr., Waiten W. (016487)
- SAL Terbell, Tracy A. (096567)
- E12 Kurth Jr., Frank R. (014220); Jackson, Vincent A. (101002); Wendt, Anthony J. (101549)
- L11 Anderson, Dean A. (010160); Thorn, Shane P. (017486); Thurner, Mark R. (017510); Klepp, Jonathan R. (096240)
- E28 Thompson, John D. (017482); Villagomez, Thomas (017709); McKenna, Susan M. (096550)
- E2 Sewell, Andre O. (017141); Miller, Cynthia L. (096247); Terry, Michael (096578)
- BC2 Penn, Cherie A. (016091)
- BC3 Bosell, Scott C. (010858)
- BC4 Priest Jr., Waiten W. (016487)
- MFC Munson, Mark L. (015416)
- R1 Buffalo, Joseph S. (010981); Longman, Michael K. (014681); Tracy, Michael T. (096237); Lage, Peter A. (096242)
- E19 Nalepka, Daniel J. (015464); Trebil, Barry C. (096244); Levens, John R. (101538)

Pre-Scheduled Information

No Pre-Scheduled Information

Transports

No Transports Information

Comments	Date	Time	User	Type	Comments
	8/1/2007	18:06:15	SYS	Response	Possible E911 Wireless Phase 2 update[Shared]
	8/1/2007	18:06:52	CT061767	Response	BRIDGE COLLAPSED...[Shared]
	8/1/2007	18:06:53	CT061767	Response	Multi-Agency EMS Incident #: 07024026
	8/1/2007	18:06:54	CT061767	Response	Multi-Agency POLICE Incident #: 07-254081
	8/1/2007	18:07:40	060204001	Response	EMS ON ETAC 1 [Shared]
	8/1/2007	18:08:20	F064631	Response	Backed up E11 with E4 [Shared]
	8/1/2007	18:08:22	060933	Response	CLR STATING CONSTRUCTION WORKERS WERE WORKING ON BRIDGE WHEN IT COLLAPSED [Shared]
	8/1/2007	18:08:25	063192	Response	Backed up 821 with 820 [Shared]
	8/1/2007	18:08:28	F064631	Response	Backed up E4 with B4 [Shared]
	8/1/2007	18:08:44	F064631	Response	Backed up E11 with R9 [Shared]
	8/1/2007	18:09:06	101310	Response	CLR SAYS MULTIPLE INJURIES AT ABV LOTS OF CARS ALL OVER THE PLACE PEOPLE INT HE WATER SAYS REALLY REALLY BAD [Shared]
	8/1/2007	18:09:11	063192	Response	820 P03 ADVISED 809 [Shared]
	8/1/2007	18:09:21	063192	Response	Backed up 820 with 990 [Shared]
	8/1/2007	18:09:23	063192	Response	Backed up 990 with 995 [Shared]
	8/1/2007	18:09:38	F068028	Response	E11 TAC 3 [Shared]
	8/1/2007	18:10:28	063192	Response	Backed up 820 with 212 [Shared]
	8/1/2007	18:11:35	063192	Response	Backed up 820 with 262 [Shared]
	8/1/2007	18:11:46	80849	Response	DAVID BROWN INS BLK SAAB W/BACK INJ FRM COLLAPSE CELL 651-324-9090...24YO M [Shared]
	8/1/2007	18:11:48	F064631	Response	B4 TO THE FLATS [Shared]
	8/1/2007	18:11:53	063192	Response	820 820 SAYS RESCUE/AM NEEDED AT 2 ST SE UNDER BRIDGE [Shared]

8/1/2007	18:11:59	063192	Response	Backed up 820 with 866 [Shared]
8/1/2007	18:12:05	063192	Response	Backed up 212 with 867 [Shared]
8/1/2007	18:13:01	F068028	Response	E11 BRIDGE COLLAPSE OVER 35W. CARS DWN ON ST. UNK YET IF ANY IN WATER. E11 IC [Shared]
8/1/2007	18:13:07	F064631	Response	Backed up E4 with E22 [Shared]
8/1/2007	18:13:12	F064631	Response	Backed up E22 with B22 [Shared]
8/1/2007	18:13:26	F068028	Response	R1 R1 GOING TO LOWER LOCK [Shared]
8/1/2007	18:13:29	F064631	Response	Backed up E11 with BC1 [Shared]
8/1/2007	18:13:32	101310	Response	CLR SAYS HE IS STUCK ON AN ISLAND IN THE MIDDLE OF THE RIVER WITH ANOTHER MALE THEY ARE OUT OF THEIR CAR THEY BOTH HAVE LOTS OF CUTS AND HAND INJURIES..THEY STATE THEY ARE BY THE BRIDGE WHERE IT COLLAPSED..SAYS LOTS OF PEOPLE IN THE WATER AT LEAST 25 [Shared]
8/1/2007	18:13:32	101310	Response	ANOTHER CLR REPORTING NUMEROUS PEOPLE AND VEH IN THE WATER [Shared]
8/1/2007	18:14:24	098500	Response	Manually Linked , Incident#: 07-0021451 Agency Code: FIRE, Incident#: 07-0021450, Agency Code: FIRE [Shared]
8/1/2007	18:14:46	F068028	Response	Backed up 995 with 410 [Shared]
8/1/2007	18:14:49	068353	Response	Backed up 820 with 8212 [Shared]
8/1/2007	18:14:52	063192	Response	Backed up 820 with 830 [Shared]
8/1/2007	18:15:17	063192	Response	Backed up E11 with E21 [Shared]
8/1/2007	18:15:25	F064631	Response	R9 R9C CHKNG RR CARS FOR HAZARDOUS MATERIALS [Shared]
8/1/2007	18:16:25	F068028	Response	E485 IS ON THE BIKE PATH [Shared]
8/1/2007	18:16:27	060204001	Response	E11 REQ 2-2 [Shared]
8/1/2007	18:16:41	F068028	Response	CAPT OF MINNEAPOLIS QUEEN ON MARINE 14 AND CAN ASSIST...AT MID ST ANTHONY FALLS TIED UP OTS LOCK [Shared]
8/1/2007	18:16:52	80849	Response	421 STAGING ON WEST SIDE BRIDGE STAGE [Shared]
8/1/2007	18:17:12	060204001	Response	CAPTAIN OF BOAT IS CHARLIE 952-4544369 [Shared]
8/1/2007	18:17:22	80849	Response	Backed up 210 with 312 [Shared]
8/1/2007	18:17:25	063192	Response	**CORRECTION** 952-454-4369 [Shared]
8/1/2007	18:17:37	80849	Response	Backed up 312 with 306 [Shared]
8/1/2007	18:17:38	063192	Response	DUTY SUP.. ASSIGNING 5MORE TRUCKS [Shared]
8/1/2007	18:17:44	060204001	Response	AMB CODE 3 TO 12/RIVER RD INJURIES FROM BRIDGE COLAPSE [Shared]
8/1/2007	18:18:03	F064631	Response	Backed up 306 with 322 [Shared]
8/1/2007	18:18:07	063192	Response	Backed up E11 with DEP [Shared]
8/1/2007	18:18:08	F068028	Response	Paging Groups Notified: Multiple Alarm Incident (A2) [Shared]
8/1/2007	18:18:50	F064631	Response	Backed up 212 with 202 [Shared]
8/1/2007	18:18:57	063192	Response	202 PER 202 SETTING UP POL COMMAND POST AT 2 ST SE/6 AV SE [Shared]
8/1/2007	18:19:21	063192	Response	PER STATE PATROL...CHANGING RADIO CONFIGURATIONS...WOULD LIKE MINNEAPOLIS PD AND FIRE DEPT ON PTAC 2...HENN CO AND WATER PATROL ON PTAC 3...STATE PATROL AND TOP OF BRIDGE OPERATIONS ON PTAC 1 [Shared]
8/1/2007	18:20:44	068353	Response	PER DEP THE WHOLE BRIDGE OVER THE RIVER HAS COLLAPSED [Shared]
8/1/2007	18:20:52	F064631	Response	DEP PER DEP SEND ALL AVAIL RIGS. 10 AV BRIDGE ACR RIVER DWN-BOTH LANES. THIS IS MAJOR DISASTER. [Shared]
8/1/2007	18:21:22	F068028	Response	POWER LINES DOWN ON EAST BANK [Shared]
8/1/2007	18:21:49	068353	Response	EMS STAGING ALL TRUCKS AT THE HEATING PLANT....MAIN ST AND 3 AV BRIDGE [Shared]
8/1/2007	18:22:00	060204001	Response	Backed up 202 with 201 [Shared]
8/1/2007	18:22:47	063192	Response	DEP DEP ASSUMING COMMAND. R1 USING BOTH UP & LOWER LOCK BOATS. 3 INJ DWN ON RIVER FLATS. L3 SEES FIRE UP ON BRIDGE SW SIDE. [Shared]
8/1/2007	18:23:03	F068028	Response	BC1 BC1 IS S SIDE COMMAND [Shared]
8/1/2007	18:23:23	F068028	Response	Backed up 201 with 330 [Shared]
8/1/2007	18:23:53	063192	Response	Backed up 202 with 368 [Shared]
8/1/2007	18:24:12	063192	Response	DEP RIGS ACCESS FROM RIVER ROADS ON BOTH SIDES ON RIVER ROADS [Shared]
8/1/2007	18:24:52	F068028	Response	Backed up E11 with E16 [Shared]
8/1/2007	18:25:32	F064631	Response	Backed up E11 with E20 [Shared]
8/1/2007	18:25:35	F064631	Response	Backed up E20 with E27 [Shared]
8/1/2007	18:25:38	F064631	Response	368 368 SHUTTING DOWN HIWATHA EXIT ON 35W [Shared]
8/1/2007	18:25:49	063192	Response	DEP NOW DEP SAYS 10 AV BRIDGE STILL STANDING. 35W BRIDGE IS DWN. COMMAND POST IS 10 AV BRIDGE. [Shared]
8/1/2007	18:25:50	F068028	Response	

8/1/2007	18:25:57	F064631	Response	Backed up E11 with E15 [Shared]
8/1/2007	18:27:10	063192	Response	Backed up 210 with 310 [Shared]
8/1/2007	18:27:10	F064631	Response	Backed up E11 with E14 [Shared]
8/1/2007	18:27:53	DS11	Response	E421 PER 1870 HAS 8 PEOPLE NEED EMS ASAP..N SIDE OF BR COME DOWN TO LOWER HEATING PLANT ROAD FROM THE EAST [Shared]
8/1/2007	18:28:09	F068028	Response	Backed up E11 with E6 [Shared]
8/1/2007	18:28:11	F068028	Response	E6 LAYING A LINE UP ON SW SIDE OF BRIDGE. [Shared]
8/1/2007	18:28:53	F064631	Response	Backed up E11 with 10-2 [Shared]
8/1/2007	18:28:56	F068028	Response	DEP 2 STAGING AREAS S SIDE STAGING=IC BC1. N SIDE STAGING-IC BC3 [Shared]
8/1/2007	18:29:01	F064631	Response	Backed up E11 with MFC [Shared]
8/1/2007	18:29:21	F064631	Response	MFC SETTING UP COMMAND 10 AV BR [Shared]
8/1/2007	18:29:26	F064631	Response	Backed up E11 with E17 [Shared]
8/1/2007	18:29:29	F064631	Response	Backed up E17 with L5 [Shared]
8/1/2007	18:32:05	F068028	Response	E19 1 RR CAR LEAKING POWDER APPEARS SAFE [Shared]
8/1/2007	18:32:11	F068028	Response	Backed up E11 with E5 [Shared]
8/1/2007	18:33:09	063192	Response	Backed up 201 with 8214 [Shared]
8/1/2007	18:33:49	F068028	Response	DEP SPLITTING THIS INTO 2 CHANS, SOUTH SIDE ON TAC 3. NORTH SIDE ON TAC 4. [Shared]
8/1/2007	18:34:22	F068028	Response	DEP HENN CO ON INTERSYSTEM REQ TASK FORCE 1 [Shared]
8/1/2007	18:34:41	F068028	Response	Backed up E11 with E8 [Shared]
8/1/2007	18:36:08	F068028	Response	Backed up E11 with E7 [Shared]
8/1/2007	18:36:37	F068028	Response	Backed up E11 with L10 [Shared]
8/1/2007	18:36:42	F068028	Response	Backed up L10 with BC4 [Shared]
8/1/2007	18:36:54	060204001	Response	ALLINA RESPONDING CODE 3 WITH 3 TRUCKS [Shared]
8/1/2007	18:37:27	010644005	Response	CPR BEING DONE ON BRIDGE [Shared]
8/1/2007	18:37:48	F068028	Response	DEP 10-3 ACK & ENROUTE [Shared]
8/1/2007	18:37:56	F064631	Response	Backed up E11 with 10-71 [Shared]
8/1/2007	18:38:46	F068028	Response	DEP BOAT 4 HAS 4 PEOPLE IN BOAT GOING TO EAST SIDE OF RIVER [Shared]
8/1/2007	18:38:52	F068028	Response	Backed up E11 with SAL [Shared]
8/1/2007	18:39:48	F068028	Response	Backed up E11 with B12,E12 [Shared]
8/1/2007	18:39:51	098500	Response	PAUL RIME WITH LANGFORD TOOL AND DRILL 1125 WASHINGTON AV S / 612-867-7571 HAS CHAINSAWS/CONCRETE CUTTERS/MASON CUTTERS ALSO PEOPLE AVAIL IF NEEDED BY RESPONDERS. [Shared]
8/1/2007	18:43:04	F068028	Response	DEP BOAT 4 DROPPED OFF 4 VICTIMS W/MINOR INJ BUT WILL NEED TO BE CHKED-. [Shared]
8/1/2007	18:43:14	098500	Response	GETTING CALL FROM ROBERT LIEN 763-433-8414 HAS 18 1/2 FT BOAT AVAIL IF NEEDED [Shared]
8/1/2007	18:44:00	063192	Response	Backed up 202 with 305 [Shared]
8/1/2007	18:44:41	F068028	Response	Backed up E11 with L11 [Shared]
8/1/2007	18:45:00	F068028	Response	Backed up E11 with E28 [Shared]
8/1/2007	18:46:14	F068028	Response	Backed up E28 with E2 [Shared]
8/1/2007	18:46:51	063192	Response	990 SQ IS CODE 4. AMB CODE 2 FOR SEIZ..SQ STANDING BY [Shared]
8/1/2007	18:47:34	063192	Response	990 DISREGARD REMARK ABT 990 [Shared]
8/1/2007	18:48:07	F068028	Response	Backed up E11 with BC2 [Shared]
8/1/2007	18:50:19	068353	Response	866 WASHINGTON CO AND MEDICINE LAKE RESP WITH BOATS [Shared]
8/1/2007	18:51:51	F064631	Response	EXCEL ON SCENE MONITORING AND WILL ALSO RESPOND TO 10 AV BR [Shared]
8/1/2007	18:51:57	063192	Response	Backed up 201 with 307 [Shared]
8/1/2007	18:52:22	F068028	Response	DEP GATLIN ACK [Shared]
8/1/2007	18:53:19	F064631	Response	Backed up E11 with 10-8 [Shared]
8/1/2007	18:55:03	F064631	Response	TASK FORCE RESPONDING TO BOTH ENDS OF COMMAND POST [Shared]
8/1/2007	18:56:53	F068028	Response	DEP WATER PATROL HAS DIVERS ENROUTE FROM MULTIPLE AGENCIES [Shared]
8/1/2007	18:57:04	64961	Response	FIRE REQ ADDITIONAL POLICE ON N SIDE OF RIVER FOR CROWD CONTROL [Shared]
8/1/2007	18:57:38	F068028	Response	DEP RPT OF TANKER THAT WENT DWN FROM MIDDLE OF BRIDGE ON NORTH SIDE. BOATS GETTING IN TO CHK NOW [Shared]
8/1/2007	19:00:40	068353	Response	R1 BRIDGE IS STARTING TO MOVE [Shared]
8/1/2007	19:01:15	F064631	Response	10-2 REQ CRANES TO RIVER [Shared]
8/1/2007	19:01:55	068353	Response	R1 WHERE IS FIRE STAGING?? NEED FIRE LIASON TO POLICE CP AT RED CROSS 1201 W RIVER RD [Shared]
8/1/2007	19:03:06	F068028	Response	DEP ****RPT THAT BOTH LANES OF 35W BRIDGE ARE SHIFTING/MOVING. FIRE IS EVACUATING [Shared]

8/1/2007	19:04:24	068353	Response	R1 PER 5501 LOCK AND DAM OPENING THE DAM 1 /3RD TO ALLOW EMERG VEH'S IN [Shared]
8/1/2007	19:04:49	INT	Response	Unit 410 in C4 Code 4 status. [Shared]
8/1/2007	19:06:00	068353	Response	R1 U OF M STUDENT STARTING TO STREAM DOWN E RIVER RD.. NEED CROWD CONTROL ON EAST SIDE [Shared]
8/1/2007	19:06:08	098500	Response	GETTING CALL FROM DAVID BARNHART/952-393-5337 WAS AT RIVERPLACE 1 MAIN ST SE APPROX 40 MIN BEFORE THE BRIDGE COLLAPSE THOUGHT HE HEARD AN EXPLOSION AT THAT TIME [Shared]
8/1/2007	19:09:22	068353	Response	R1 NEED EMS AND FIRE LIASON TO CP RED CROSS LOT [Shared]
8/1/2007	19:12:18	060767	Response	ST LOUIS PARK FIRE AND POLICE RESPONDING. [Shared]
8/1/2007	19:12:29	068353	Response	R1 HENN CO WATER PATROL NEEDS TO TALK TO FIRE CP ON PTAC 4 [Shared]
8/1/2007	19:12:54	F064631	Response	Backed up E11 with 10-31 [Shared]
8/1/2007	19:13:11	F064631	Response	10-31 STAGING SOUTHEND OF BR 19 ST [Shared]
8/1/2007	19:14:15	063192	Response	Backed up 201 with 869 [Shared]
8/1/2007	19:14:18	063192	Response	Backed up 201 with 889 [Shared]
8/1/2007	19:14:28	068353	Response	R1 WILL BE GETTING SPRAY PAINT TO MARK SQDS THAT HAVE BEEN SEARCHED..PER 104 [Shared]
8/1/2007	19:15:31	068353	Response	R1 FIRE STAGING SOUTH END OF WHICH BRIDGE? [Shared]
8/1/2007	19:15:59	80849	Response	DENNIS CORRELL INSTRUCTOR WINATIONAL FIRE ACADEMY 507-838-8644 HAS AIRLIFT BAGS ENRTE AVAIL TO FLOAT CARS..UNK ETA [Shared]
8/1/2007	19:18:40	80849	Response	LEE NELSON W/UPPER RIVER SERVICES 651-0185/651-292-9293 HAS CRANE BARGE ENRTE ALSO A 20X80 FT FLAT AND JOHN BOAT IF NEEDED [Shared]
8/1/2007	19:18:41	068353	Response	995 REQ PARK AGT WITH CRIME TAPE FOR 22 AV SW RIVER RD [Shared]
8/1/2007	19:26:11	068353	Response	R1 PUBLIC WORKS REPRESENTATIVE RESP TO MPD COMMAND POST [Shared]
8/1/2007	19:27:37	068353	Response	Backed up 202 with 224 [Shared]
8/1/2007	19:28:14	068353	Response	202 HAVING 224 AND OFFICERS ASSIST W/ TRFCN 2ND ST/6 AV SE [Shared]
8/1/2007	19:29:46	F061767	Response	M.E. RESPONDING TO STAGING 9 AV/2 ST [Shared]
8/1/2007	19:32:09	101310	Response	TWO METRO TRANSIT BUSES BEING SENT TO THE RED CROSS LOT PER P04 REQUEST [Shared]
8/1/2007	19:33:38	068353	Response	995 HEAVY EQUIP BEING DIRECTED TO CP RED CROSS [Shared]
8/1/2007	19:36:54	F061767	Response	***NORTHSIDE OF BRIDGE...POTENTIAL BRIDGE COLLAPSE..KEEPING ALL PERSONAL AWAY [Shared]
8/1/2007	19:38:18	068353	Response	990 ACCESS FOR OFFICERS COMING TO THE 2ND PCT SIDE OF RIVER IS FROM LOCK AND DAM SOUTH OF INCIDENT ST ANTHONY MAIN [Shared]
8/1/2007	19:38:39	F061767	Response	BRIDGE ENGINEER JEFF JOHNSON AWARE AND POSS HERE OR RESPONDING [Shared]
8/1/2007	19:48:09	010644005	Response	E411 RESPONDING TO 35W/UNIVERSITY FOR STATE PATROL [Shared]
8/1/2007	19:54:55	068353	Response	R1 540 OUT WITH CENTER POINT ENERGY THEY NEED TO SHUT OFF VALVES UNDERNETH I 35 W BRIDGE AND ARE CONCERNED ABOUT THE 10TH AV BRIDGE..540 ESCORTING THEM DOWN [Shared]
8/1/2007	19:57:42	F061767	Response	XCEL ARV AND CUTTING POWER FOR LINES IN WATER AND UNDER BR [Shared]
8/1/2007	20:02:43	INT	Response	Unit 830 in C4 Code 4 status. [Shared]
8/1/2007	20:06:34	F068028	Response	DEP PROG RPT FROM SOUTH SIDE IC: NO VICTIMS LEFT. ALL VEH CHECKED. RIVER GRP IS IN THE BOAT. EDINA TASK FORCE 1 HAS ID'D 1 PART OF COLLAPSE THAT HAS NOT BEEN SEARCHED. BULK OF FIRES ON TOP OF BRIDGE HAVE BEEN KNOCKED DWN. [Shared]
8/1/2007	20:07:45	066784	Response	Backed up 306 with 705 [Shared]
8/1/2007	20:08:11	010644005	Response	E488 DOING REHAB WITH FIRE WITH 5 MEDICS ON BOARD [Shared]
8/1/2007	20:15:29	F068028	Response	E11 STAGING IS MOVING TO TAC 5 [Shared]
8/1/2007	20:17:43	F068028	Response	DEP PROG RPT ON SOUTH SIDE. 6 VICTIMS WERE TRANSP BY AMB. STILL HAVE MASTER STREAM SET UP FROM I3 ON SEMI THAT IS BURNING ON THE BRIDGE. LOWER RIVER GRP IS CHKING VOID SPACE UNDER THE NB LANES OF 35W. [Shared]
8/1/2007	20:32:18	010644005	Response	NORTHWEST REHAB AMB'S ALLINA 220 AND NORTH 732 [Shared]
8/1/2007	20:32:51	F068028	Response	BOAT COORDINATION RIVER GROUP STATING THAT THEY ARE PUTTING 4 BOATS IN THE WATER 2 BOATS FOR A DIVE CHECK 2 DIVERS GOING INTO THE WATER WITH BACKUP TENDERS 2 VEHs IN THE WATER THAT NEED TO BE CKED OUT-BOTH NOT SECURE [Shared]
8/1/2007	20:34:08	F068028	Response	TOP BRIDGE GROUP MOVING VEH'S OFF THE BRIDGE WITH TOW TKS NOW [Shared]
8/1/2007	20:38:42	F068028	Response	EMS SETTING UP REHABS UP/DOWN STREAM ON BOTH SIDES OF THE RIVER [Shared]
8/1/2007	20:41:03	F068028	Response	JUST ONE DIVE TEAM AT THIS TIME [Shared]
8/1/2007	20:41:51	010644005	Response	NORTHEAST REHAB IS HCM 488 ALLINA 656 [Shared]
8/1/2007	20:42:33	010644005	Response	SOUTHWEST REHAB ALLINA 509 U OF M BLS AND 2 HCMC MEDICS [Shared]

8/1/2007	20:42:55	010644005	Response	SOUTHWEST REHAB WILL BE 411 AND ALLINA 523 [Shared]
8/1/2007	20:43:52	F061767	Response	E14 DIVISION 4 WORKING W/ME REP.. MARKING LOCATIONS..(E14/R9/B21/B22/BC4/E14) [Shared]
8/1/2007	20:45:18	F061767	Response	10-2 CK'G ON RR CAR/LEAKING WHI POWDER..ASSESSING FOR HAZMAT [Shared]
8/1/2007	20:45:34	063192	Response	Backed up 201 with 297 [Shared]
8/1/2007	20:46:17	F068028	Response	BRIDGE STILL HAVE SOME MOVEMENT PER THE STRUCTURAL ENGINEER 4 B VOIDS SEARCHED [Shared]
8/1/2007	20:47:56	F068028	Response	SALVATION ARMY PAGED [Shared]
8/1/2007	20:48:51	F068028	Response	NO ANSWER AT THE RED CROSS [Shared]
8/1/2007	20:49:40	F068028	Response	ONE DIVER IN THE WATER NOW [Shared]
8/1/2007	20:51:47	F068028	Response	RED CROSS HAS 1 CANTEEN ON SITE NOW AND ANOTHER ONE ON THE WAY [Shared]
8/1/2007	20:52:10	F068028	Response	CORRECTION SALVATION ARMY HAS THE CANTEENS [Shared]
8/1/2007	20:54:20	066590	Response	STATE ADV OF TROOPER 9 TO STAY AWAY FROM N END OF BR...DOWNDRAFT INTERFERING W/RESCUE EFFORTS [Shared]
8/1/2007	20:55:06	066590	Response	GROUP OF RED CROSS VOLUNTEERS ALL STAGING ON DOWNTOWN SIDE...SGT MOORE WITH THEM [Shared]
8/1/2007	20:55:32	F061767	Response	E14 DIVISION 4 GOING TO EXTRICATE 1 SHORTLY & ASSESS OTHERS [Shared]
8/1/2007	21:09:38	F068028	Response	DEP ALL DIVING OPERATIONS ARE CEASING DUE TO DARKNES [Shared]
8/1/2007	21:12:03	066590	Response	FAA CONFIRMS RECEIPT OF NO FLY ZONE OVER ENTIRE AREA UNTIL DAYBREAK [Shared]
8/1/2007	21:19:28	F106504	Response	E14 GOING TO EXTRICATE ANO 1..DAKOTA CO HANDLING THIS ONE [Shared]
8/1/2007	21:22:54	93164	Response	Backed up 821 with 990 [Shared]
8/1/2007	21:24:44	098852	Response	Backed up 201 with 224 [Shared]
8/1/2007	21:29:40	F068028	Response	E11 HOPKINS TASK FORCE ARRIVED AT STAGING [Shared]
8/1/2007	21:30:09	F068028	Response	E11 40 FT & 60 FT CRANE FROM MPLS ON SCENE. [Shared]
8/1/2007	21:32:49	F068028	Response	DEP STRUCTURAL ENGINEER IS SATISFIED W/POINT. THERE WILL CONTINUE TO BE SOME DOWNWARD MOVEMENT. [Shared]
8/1/2007	21:34:07	F106504	Response	E14 WORKING ON 2ND EXTRICATION..DAKOTA CO WORKING ON THIS [Shared]
8/1/2007	21:40:44	F068028	Response	DEP LIGHT TK HAS ARRIVED [Shared]
8/1/2007	21:43:31	F106504	Response	E14 NORTH PROG RPT: CAPT HANSON COMPLETED TASK/ENR BACK TO STAGING..ALL CARS CLEARED/STILL NEED TO RECORD ONE LIC PL [Shared]
8/1/2007	21:45:46	80849	Response	DENNIS CORRELL W/AILIFT BAGS ETA APPROX 1 HOUR AND WILL CALL ON ARR [Shared]
8/1/2007	21:59:05	000184001	Response	EMS 470 ASSUMING EMS COMMAND [Shared]
8/1/2007	22:00:25	066590	Response	REQUIRED FOR THE OFFICER THAT ASSISTED BOAT OUT OF WATER TO RETURN WITH KEYS [Shared]
8/1/2007	22:23:41	F106504	Response	E14 PROG RPT..ME/R9 COMPLETED FINAL SECONDARY SEARCH COMPLETE OF VEH IN WATER..R9A CONT'G TO REMOVE PERSONAL ITEMS FROM VEHs ON BRIDGE DECK [Shared]
8/1/2007	22:27:11	80849	Response	DENNIS CORRELL 507-838-9293 IN BLK SILVERADO W/BLU BUBBLE DASH LIGHT W/AILIFT BAGS ETA 30 MINS WILL ENTER CP FRM PARK [Shared]
8/1/2007	22:27:55	066590	Response	ONLY DC ALLEN OR 902 ARE AUTHORIZED TO RELEASE OFFICERS IN/OUT OF SCENE...ALL EXTRA PERSONEL SHOULD RPT TO COMMAND POST...BUS GOING AROUND TO THE VARIOUS LOC TO PU STAFF TO BRING TO COMMAND POST [Shared]
8/1/2007	22:34:07	066590	Response	CURRENT CAR 9 LOGGING BACK ON AS 2201...LT BANHAM TAKING OVER AS CAR 9 [Shared]
8/1/2007	22:43:56	F109664	Response	***PROGRESS RPT*** SOUTH SIDE DISBANNED - COMPLETE - TAC TEAM HAS CLEARED THAT AREA - NORTH SIDE COMMAND DOING SEARCH ON CARS ALONG RIVERBANK - FOUND NO OTHER VICTIMS - ONE PERSON LEFT IN TRUCK ON S SIDE COMMAND - ONE MORE VICTIM IN COLLAPSED - NO BOATS O
8/1/2007	22:43:56	F109664	Response	N WATER [Shared]
8/1/2007	22:45:38	F109664	Response	COMMAND IS RETURNING TO COMMAND POST [Shared]
8/1/2007	22:48:04	098852	Response	Backed up 201 with 956 [Shared]
8/1/2007	22:48:32	F109664	Response	RECON CREW ENR TO VEH IN CENTER - WILL EVALUATE THE BEST WAY TO EXTRICATE [Shared]
8/1/2007	22:53:30	F109664	Response	DOING CAR SWEEP NOW [Shared]
8/1/2007	22:54:42	F109664	Response	CREW SAFE ON FLAT PART OF CENTER [Shared]
8/1/2007	22:58:23	F109664	Response	NO VICT INS GRAVEL TRK CAB - CAB OF CEMENT TRUCK IS COMPLETELY UNDERWATER - CEMENT SLAB ON TOP - DOES NOT SEEM STABLE - CKING TO SEE IS ANYONE KNOWS IF THERE WAS A OCCUPANT OF CEMENT TRK [Shared]
8/1/2007	23:00:20	F109664	Response	WATER RECON - RECD INFO THAT SOMEONE THOUGHT SAW VICT BOBBING INS TRK [Shared]
8/1/2007	23:02:31	F109664	Response	COMMAND TRYING TO CALL M.E. TO LET THEM KNOW WE DON'T HAVE ANYMORE CONFIRMED BODIES YET [Shared]

8/1/2007	23:03:20	F109664	Response	NORTH DIVISION WILL MAKE NOTE OF PLATES OF VEHs WHICH ARE VISIBLE [Shared]
8/1/2007	23:05:21	F109664	Response	OPS - BOAT POSITIONED DOWNSTREAM OF COLLAPSED PART - CLEARING CARS ON UPSTREAM PART NOW [Shared]
8/1/2007	23:06:20	F109664	Response	**CLEARED GRAVEL TRK - PARTIALLY SUBMERGED PC - UNABLE TO CLEAR - UNABLE TO ASSESS CAB OF CONCRETE TRK - COMPLETELY CRUSHED UNDER SLABS OF CONCRETE [Shared]
8/1/2007	23:06:47	F109664	Response	CKED UNDER SLAB LEANING UP AGAINST RETAINING WALL - NO VEHs UNDER IT [Shared]
8/1/2007	23:07:38	F109664	Response	ONE SWIMMER GOING OUT TO CAR IN MIDDLE TO DOUBLE-CK IT - ONE MORE SWIMMER ON STANDBY [Shared]
8/1/2007	23:08:29	F109664	Response	NEED SWIMMER DOWNSTREAM OF CONCRETE TRK - COMMAND AWARE [Shared]
8/1/2007	23:12:11	F109664	Response	CLEARED CARS ON UPSTREAM SIDE OF BRIDGE - SECONDARY SEARCH COMPLETE [Shared]
8/1/2007	23:15:51	F109664	Response	WATER TAKING AIR FORCE MEMBER AND TENDER OVER TO COAST GUARD BOAT - WILL TRY TO FINISH UP CKING THE BOATS [Shared]
8/1/2007	23:16:25	F109664	Response	WATER HAS GOTTEN 2 SWIMMERS OVER TO VEH - WILL HAVE UPDATE SHORTLY [Shared]
8/1/2007	23:17:37	F109664	Response	VEH IS CLEAR PER BRIDGE DIVISION - QUITE A BIT OF BLOOD IN VEH - SURROUNDING AREA WILL NEED TO BE CKED WHEN VEH IS REMOVED [Shared]
8/1/2007	23:18:14	F109664	Response	SWIMMERS ARE OUT OF WATER - CARS ARE CLEAR OR CLEARED TO BEST OF ABILITY - PULLING FF OFF THE BRIDGE [Shared]
8/1/2007	23:19:16	F109664	Response	PLANNING A DEBRIEFING AT COMMAND POST ONCE EVERYONE IS CLEAR OF BRIDGE [Shared]
8/1/2007	23:20:13	F109664	Response	BRIDGE DIVISION IS CLEARING THE BRIDGE [Shared]
8/1/2007	23:24:09	F109664	Response	E14 WILL XCEL ENERGY RIGHT NOW - SHOWING LOCATION OF FEEDER THEY ARE WORRIED ABOUT - WANT COMMAND TO LOOK AT IT - COMMAND WILL RESPOND SHORTLY [Shared]
8/1/2007	23:25:37	F109664	Response	WORKING ON PICKING UP ALL EQUIPMENT FROM BRIDGE DECK - BACKBOARDS/MEDICS BAGS ETC - WILL DO WALKTHRU [Shared]
8/1/2007	23:42:39	F109664	Response	BC3 IS LEAVING SCENE OF BRIDGE [Shared]
8/1/2007	23:57:50	983074002	Response	EMS COMMAND HAS HCMC 482 REMAINING AT SCENE TO STAND BY----ALL OTHER HCMC AMBULANCES ARE BEING CLEARED FROM SCENE. [Shared]
8/1/2007	23:59:26	066590	Response	CAN SEE AT LEAST 1 PERSON CLIMBING UP HILL FROM S SIDE OF RIVER... POSS 2 OTHERS... 8113 CHECKING [Shared]
8/2/2007	00:01:25	066590	Response	CAN SEE WIRE SPARKING IN UPPER BRANCHES OF A TREE ... ON EAST SIDE OF HILL BY 10 AV BR ALONG RR TRACKS [Shared]
8/2/2007	00:05:18	066590	Response	EAST BANK OF RIVER FOR WIREDN ...HILL BY 10 AV BR BY THE RR TRACKS... VISIBLE FROM THE POL COMMAND POST [Shared]
8/2/2007	00:06:10	F064075	Response	E14 CHECKING FOR THE WIRE IN THE TREE [Shared]
8/2/2007	00:18:19	100850	Response	Backed up 201 with 310 [Shared]
8/2/2007	00:24:29	F064075	Response	E14 CKED THE AREA AND WITH MPD FOUND NOTHING [Shared]
8/2/2007	00:30:04	100850	Response	Backed up 306 with 830 [Shared]
8/2/2007	00:30:04	100850	Response	plz sho 830 out at the bridge collapse. we are at 2nd st se and 8th av se keeping people away from a leaking train tanker... [Shared]
8/2/2007	00:36:00	INT	Response	Unit 830 in C4 Code 4 status. [Shared]
8/2/2007	00:36:59	066590	Response	SENDING MORE PORTABLE RESTROOMS TO 2 AV/8 ST SE FOR HAZMAT TEAM [Shared]
8/2/2007	00:49:16	066590	Response	STILL NEED PCT 3/4 SUPERVISORS TO RESPOND TO COMMAND POST WITH RELIEF CREWS TO GET ID BADGES...ELLERING ANS [Shared]
8/2/2007	00:51:28	066590	Response	RELIEF OFFICERS ALL ARRIVED AT COMMAND POST... GETTING THEM REGISTERED FOR SCENE AND MOVING TO ASSIGNED LOCATIONS [Shared]
8/2/2007	01:01:46	100850	Response	8214 CLEAR AST [Shared]
8/2/2007	01:05:15	066590	Response	Backed up 866 with 8172,CHP12,5,5503,5501,1201,540,494,G101 [Shared]
8/2/2007	01:07:29	066590	Response	Backed up 821 with 802,6106,886,101,1101 [Shared]
8/2/2007	01:17:26	109664	Response	Backed up 540 with 506 [Shared]
8/2/2007	01:30:27	109664	Response	PER 2202 - GOING TO A NORTH/SOUTH SECTOR PLAN - SUPERVISORS TO GET LIST OF PERSONNEL AND HOPEFULLY WILL GET MIDWATCH OUT OF HERE ON TIME AND GET RELIEF [Shared]
8/2/2007	01:31:35	109664	Response	REQUEST THAT NO VEHs ON 8TH AVE BE ALLOWED TO GO UNDER THE BRIDGE [Shared]
8/2/2007	01:34:10	066590	Response	Backed up 101 with 994 [Shared]
8/2/2007	01:36:35	F060897	Response	DEP BACK TO TAC CH 1 [Shared]
8/2/2007	01:37:54	100850	Response	Backed up 830 with 311 [Shared]
8/2/2007	01:38:20	066590	Response	RAILROAD ADV [Shared]
8/2/2007	01:39:13	066590	Response	PER RR THEY ADV THAT SOME OF THE RAILCARS MAY CONTAIN AN INHALTION HAZARD/7702

8/2/2007	01:42:45	066590	Response	THINKS ALREADY CHECKED... TRYING TO FIND EMP AGAIN [Shared] EMP IS FROM HOMELAND SEC EMERG MANAGEMENT...SENDING SOMEONE FROM CP TO TALK TO HIM [Shared]
8/2/2007	01:45:47	066590	Response	HOMELAND SEC EMP IS GARY HENDRICKSON PH# 763-458-4013...SUBSTANCE IS "STYRENE" IN A POWDER FORM AND CONCERNED AS WIND IS PICKING UP NOW [Shared]
8/2/2007	01:47:52	066590	Response	SUBSTANCE WAS CONFIRMED AS STYRENE... INHALTION AS AN IRRATANT ALL SQDS SHOULD BE AWARE OF POSS EXPOSURE [Shared]
8/2/2007	01:50:57	066590	Response	GOING TO HAVE TO EVACUATE THE AREA THERE ARE NEWSMEDIA AND CIVILIANS STAGED IN AREA BY METALMATIC AND THE SPILL [Shared]
8/2/2007	01:58:54	066590	Response	S01 ACK RE EXPOSURE PROBS [Shared]
8/2/2007	02:00:16	F060897	Response	BC2 E11/R9 CHECKING STYRENE LEAK - 4TH TIME CHECKED - MFD AWARE OF INCIDENT - PCA ON SCENE 10-2 SAYS UNABLE TO DO FURTHER TILL MORNING NO IMMEDIATE DANGERS [Shared]
8/2/2007	02:01:09	F060897	Response	BC2 COMPANIES ARE STILL GOING TO CHECK [Shared]
8/2/2007	02:01:37	F060897	Response	BC2 MFD STILL GOING CHECK AREA [Shared]
8/2/2007	02:05:19	F060897	Response	BC2 HAZMAT WILL BE MASKING UP W/ PCA CHECKING FURTHER [Shared]
8/2/2007	02:09:23	F060897	Response	BC2 MFD AND MPD ISOLATING AREA OF LEAK [Shared]
8/2/2007	02:09:29	F109664	Response	Manually Linked , Incident#: 07-0021451 Agency Code: FIRE [Shared]
8/2/2007	02:09:54	F109664	Response	Manually Linked , Incident#: 07-0021451 Agency Code: FIRE, Incident#: 07-0021498, Agency Code: FIRE [Shared]
8/2/2007	02:11:09	066590	Response	NW AT 9MPH [Shared]
8/2/2007	02:11:36	F060897	Response	BC2 WINDS NW 8 MPH [Shared]
8/2/2007	02:16:31	820	Response	820 - SECURING THE SCENE PER 804 [Shared]
8/2/2007	02:20:55	066590	Response	Backed up 821 with 2,857,808,430,110 [Shared]
8/2/2007	02:21:47	066590	Response	Backed up 821 with 804,6525,120,524,924,904 [Shared]
8/2/2007	02:22:23	066590	Response	Primary vehicle changed from 821 to 2 [Shared]
8/2/2007	02:22:23	066590	Response	Primary vehicle changed to 2 [Shared]
8/2/2007	02:23:00	066590	Response	Backed up 821 with 520,592,501,530,901,611,10,104 [Shared]
8/2/2007	02:24:41	066590	Response	Backed up 821 with 701,923,462,102,9902,1280,160 [Shared]
8/2/2007	02:26:25	066590	Response	Backed up 821 with 8220,407,8113,995,905 [Shared]
8/2/2007	02:45:38	064075	Response	Backed up 101 with 111 [Shared]
8/2/2007	02:45:51	064075	Response	Backed up 101 with 115 [Shared]
8/2/2007	02:45:54	064075	Response	Backed up 101 with 167 [Shared]
8/2/2007	02:47:31	109664	Response	Backed up 312 with 313 [Shared]
8/2/2007	02:48:56	066590	Response	2202 HAS COMMAND OF INCIDENT [Shared]
8/2/2007	02:49:07	F100850	Response	Backed up BC2 with BC3 [Shared]
8/2/2007	02:49:18	109664	Response	Backed up 313 with 311 [Shared]
8/2/2007	02:55:41	109664	Response	Backed up 8210 with 220 [Shared]
8/2/2007	03:04:52	106504	Response	PER 2202 NARC UNITS ON 10TH AV MAY SEC/STATE HAS TAKEN OVER THERE [Shared]
8/2/2007	03:05:52	106504	Response	Manually Linked , Incident#: 07-254081 Agency Code: PD, Incident#: 07-254082, Agency Code: PD [Shared]
8/2/2007	03:08:29	F100850	Response	BC3 REQ DIESEL AND REGULAR GASOLINE FOR BOATS ON RIVER AND COMMAND POST [Shared]
8/2/2007	03:17:02	106504	Response	APPROX 10 OFCRS ENR TO NE SECTOR FOR RELIEF...RETURNING OFCRS RPT TO STAGING [Shared]
8/2/2007	03:18:29	F100850	Response	UNIFIED COMMAND POST AT RED CROSS PKG LOT...CURRIE SHOP SENDING FUEL TRUCK TO COMMAND POST [Shared]
8/2/2007	03:24:10	064075	Response	Backed up 101 with 889 [Shared]
8/2/2007	03:28:00	106820	Response	Backed up 311 with 2202 [Shared]
8/2/2007	03:36:35	106504	Response	2202 ALL PCTS ADV'D TO CONT VOLUNTEERS FOR DAYSHIFT/RPT TO CP [Shared]
8/2/2007	03:45:34	106504	Response	MEDIA STAGING AREA AT 2ND/8TH AV SE..OFCR POSTED THERE WILL DIR [Shared]
8/2/2007	03:50:50	106504	Response	MEDIA CAN SET CAMERAS -ONLY/NO VEHs- ON THE STONE ARCH BRIDGE [Shared]
8/2/2007	03:51:01	106504	Response	CP ADV'D TO CONT CAR 6 ON NEXTEL [Shared]
8/2/2007	04:08:49	106504	Response	11/UNIV SE..SEV PPL ON FT/MC'S..MEDIA VAN..HAVE BROKEN THRU PERIMETER..ATTG TO MOVE THEM OUT..WILL NEED ADD'L BARRICADES/CP TO ARRANGE [Shared]
8/2/2007	04:13:06	106504	Response	BARRICADES ORDERED FOR ALLEY W OF 11/UNIV SE THRU ST DEPT [Shared]
8/2/2007	04:35:53	DS02	Response	201 UM 1850 RESP TO AREA OF 11/UNIV ON A RPT OF A DIST ..ADV ABT REMRKS TO THIS CALL [Shared]
8/2/2007	04:49:31	DS02	Response	201 UM 1850 SNT A GRP FRM 11/UNIV [Shared]

8/2/2007	04:51:20	INT	Response	Unit 8113 in C4 Code 4 status. [Shared]
8/2/2007	04:52:15	360	Response	360 - 360 IS BEING RELIEVED FROM THE SCENE. [Shared]
8/2/2007	05:02:34	106820	Response	PER CAR 3 DC ALLEN // MEDIA ALLOWED TO BE ON STONE ARCH BRIDGE W/CAMERAS (NO VEHs) [Shared]
8/2/2007	05:05:05	106820	Response	Backed up 111 with 820 [Shared]
8/2/2007	05:05:52	106820	Response	Backed up 111 with 960 [Shared]
8/2/2007	05:06:10	106820	Response	Backed up 111 with 953,921 [Shared]
8/2/2007	05:06:30	106820	Response	Backed up 111 with 9902 [Shared]
8/2/2007	05:18:44	106820	Response	NO DOG WATCH PERSONNEL TO LEAVE W/OUT CHECKING IN W/POST [Shared]
8/2/2007	05:19:32	106820	Response	Backed up 111 with 21 [Shared]
8/2/2007	05:24:39	106820	Response	RAMSEY CO WATER PATROL REQ FUEL TRUCK TO MARSHALL ST BRIDGE COMMAND POST [Shared]
8/2/2007	05:29:54	106820	Response	MORE INFO *NEED REG GASOLINE **NOT DIESEL FUEL** AT LAKE STREET BRIDGE (MARSHALL ST BRIDGE) AT UOFM BOAT HOUSE ON WEST END OF BRIDGE // CONTACT # 612-720-0994 [Shared]
8/2/2007	05:35:40	109664	Response	Backed up 311 with 830 [Shared]
8/2/2007	05:36:24	F060897	Response	BC3 FUEL TRUCK HAS THE INFO - FUEL TRUCK CARRIES BOTH DIESEL AND GASOLINE - FILLING GENERATORS OF LIGHT PLANTS RIGHT NOW - WILL BE ENROUTE TO BOAT LAUNCH AREA IN A FEW MINS [Shared]
8/2/2007	05:38:07	106820	Response	CAR 3 // IC NOW [Shared]
8/2/2007	05:39:44	106820	Response	Backed up 111 with 3 [Shared]
8/2/2007	05:40:40	109664	Response	Backed up 520 with 850 [Shared]
8/2/2007	05:50:22	106820	Response	Primary vehicle changed from 2 to 3 [Shared]
8/2/2007	05:50:22	106820	Response	Primary vehicle changed to 3 [Shared]
8/2/2007	06:07:54	098490	Response	PORTA POTTIES ORDERED THROUGH STRETT DEPT RICK FOR 11 AV/UNIV SE [Shared]
8/2/2007	06:08:10	106820	Response	EMPS FROM WEST METRO (COMMAND POST LOCATION) COMING TO WORK AND NEED TO KNOW IF THEY CAN PARK IN THEIR PKG LOT OR IF THEIR EMPS SHOULD BE ROUTED SOMEWHERE ELSE FOR PARKING [Shared]
8/2/2007	06:12:48	098852	Response	Backed up 2 with 111 [Shared]
8/2/2007	06:12:51	098852	Response	Backed up 111 with 115 [Shared]
8/2/2007	06:13:19	F060897	Response	BC3 UNIFIED COOMAND POST IS USING THE PARKING LOT OF THE RED CROSS AT 13TH AV S/2ND ST S [Shared]
8/2/2007	06:13:40	098852	Response	Backed up 111 with 160 [Shared]
8/2/2007	06:13:44	098852	Response	Backed up 111 with 167 [Shared]
8/2/2007	06:13:44	106820	Response	WATER PATROL STAGING ON RIVER FLATS [Shared]
8/2/2007	06:13:48	098852	Response	Backed up 111 with 212 [Shared]
8/2/2007	06:13:53	098852	Response	Backed up 111 with 2202 [Shared]
8/2/2007	06:13:58	098852	Response	Backed up 111 with 410 [Shared]
8/2/2007	06:14:02	098852	Response	Backed up 111 with 494 [Shared]
8/2/2007	06:14:06	098852	Response	Backed up 111 with 820 [Shared]
8/2/2007	06:14:11	098852	Response	Backed up 111 with 8210 [Shared]
8/2/2007	06:14:16	098852	Response	Backed up 111 with 8212 [Shared]
8/2/2007	06:14:43	INT	Response	Unit 410 in C4 Code 4 status. [Shared]
8/2/2007	06:15:15	106820	Response	17 VEHICLES FROM OTHER AGENCIES HAVE ARRIVED TO ASSIST [Shared]
8/2/2007	06:17:12	F060897	Response	Backed up BC3 with BC4 [Shared]
8/2/2007	06:18:18	106820	Response	Backed up 111 with 8113 [Shared]
8/2/2007	06:26:44	109664	Response	Backed up 313 with 321 [Shared]
8/2/2007	06:34:11	098852	Response	Backed up 111 with 121 [Shared]
8/2/2007	06:48:20	109664	Response	292 TOOK DOWN BARRICADE AT UNIVERSITY/CENTRAL [Shared]
8/2/2007	06:54:18	109664	Response	METALMATIC WONDERS IF THEY CAN OPERATE THEIR PLANT DUE TO THE LEAKING RR CAR...CP CKING [Shared]
8/2/2007	06:55:25	065254	Response	Backed up 306 with 511 [Shared]
8/2/2007	06:55:41	109664	Response	PER 802 - METALMATIC NOT ALLOWED TO RUN ANYTHING THAT POSES FIRE HAZARD [Shared]
8/2/2007	06:55:51	065254	Response	Backed up 306 with 531 [Shared]
8/2/2007	07:00:31	109664	Response	***POLICE COMMAND POST IS AT 1301 W RIVER RD IN RED CROSS PARKING LOT*** [Shared]
8/2/2007	07:02:01	065254	Response	Backed up 306 with 515 [Shared]
8/2/2007	07:06:24	065254	Response	Backed up 306 with 505 [Shared]
8/2/2007	07:26:41	065841	Response	Backed up 111 with 403 [Shared]

8/2/2007	07:44:32	093401	Response	Backed up 111 with 411 [Shared]
8/2/2007	07:44:48	093401	Response	Backed up 111 with 213 [Shared]
8/2/2007	07:45:03	093401	Response	Backed up 111 with 421 [Shared]
8/2/2007	07:46:15	F067662	Response	PER DEPUTY --- DISP ADV'D JOHN VANKREVELLEN THAT A REPRESENTATIVE FROM THE STATE OF MN WOULD BE CONTACTING HIM SHORTLY - AND ADV'D METALMATIC THAT BAYWEST HAS BEEN CONTACTED AND IS AWARE OF THE ISSUE. METALMATIC STILL TO HALT ALL OPERATIONS UNTIL ADV'D
8/2/2007	07:46:15	F067662	Response	FURTHER: [Shared]
8/2/2007	07:47:29	109664	Response	2-3 MALES FROM RR APPROACHING THE WRECKED TANKER CAR - ARE BEING TOLD BY BPD OFFICERS TO GO THRU FIRE COMMAND FOR APPROVAL [Shared]
8/2/2007	07:48:25	109664	Response	MALES APPROACHING RR CAR HAVE APPROVAL FROM FIRE PER CP [Shared]
8/2/2007	07:59:52	F067662	Response	Incident Re-opened: RE-OPENED TO KEEP A FIRE CALL ACTIVE
8/2/2007	08:33:29	109664	Response	204 ESCORTING SOME UNIVERSITY EMPS OVER TO BLDG NEXT TO BRIDGE COLLAPSE TO REMOVE RADIOACTIVE MATERIAL FROM IT - CP AWARE [Shared]
8/2/2007	08:46:14	093401	Response	Backed up 111 with 8420 [Shared]
8/2/2007	08:46:26	093401	Response	Backed up 111 with 412 [Shared]
8/2/2007	08:58:02	F067662	Response	Backed up MFC with R1 [Shared]
8/2/2007	08:58:02	F067662	Response	R1 GOING TO STAGING ON SOUTH END OF BRIDGE [Shared]
8/2/2007	09:03:43	F067662	Response	R1 IS ON SOUTH END OF 10TH AV BRIDGE [Shared]
8/2/2007	09:05:17	093401	Response	Backed up 111 with 161 [Shared]
8/2/2007	09:09:23	061767	Response	808 SGT RODGERS IC ON SCENE NOW [Shared]
8/2/2007	09:27:27	065254	Response	Backed up 306 with 309 [Shared]
8/2/2007	09:28:06	065254	Response	Backed up 306 with CSO3 [Shared]
8/2/2007	09:36:49	F061644	Response	PER DEPUTY DICKINSON HAVE STREET DEPT RESPOND WITH BARRICADES TO 10TH AV BRIDGE & 2ND...SEE STATE PATROL [Shared]
8/2/2007	09:51:10	065841	Response	Backed up 705 with 21,22 [Shared]
8/2/2007	10:21:43	065254	Response	Backed up 306 with 850 [Shared]
8/2/2007	10:29:01	095996	Response	PER 1200 --- OFFICER SAFETY INFO -- ESP. NORTH END OF BRIDGE - PROBLEMS WITH HIGH TENSION POWER SUPPORT POLES - IF THEY SNAP OR FALL THE RAILS AND BRIDGE STRUCTURE WILL BE *** ELECTRICALLY CHARGED *** [Shared]
8/2/2007	10:45:01	095996	Response	PER CP - THERE IS A FAMILY SITE AT THE METRODOME W/CHAPLAINS - IF NEEDED THERE CAN BE CHAPLAINS SENT TO RECOVERY SITE [Shared]
8/2/2007	10:59:14	095996	Response	PER CP - REMINDER TO ALL PERSONNEL - DO NOT TAKE PERSONAL VIDEOS OR PHOTOS OF THE CRIME SCENE - ALL PHOTOS/VIDEOS MUST BE PROPERTY INVENTORIED [Shared]
8/2/2007	11:17:11	095996	Response	RAMSEY COUNTY DIVER 1 IS IN THE WATER [Shared]
8/2/2007	11:19:17	095996	Response	DIVER BACK UP - MECHANICAL ISSUES [Shared]
8/2/2007	11:23:43	095996	Response	RAMSEY DIVER BACK IN THE WATER [Shared]
8/2/2007	11:32:17	F067662	Response	Backed up R1 with 10-2 [Shared]
8/2/2007	11:32:30	INT	Response	Unit CSO33 in C4 Code 4 status. [Shared]
8/2/2007	11:48:06	F067662	Response	Backed up R1 with E19 [Shared]
8/2/2007	11:59:33	095996	Response	Backed up 21 with 8510 [Shared]
8/2/2007	12:04:31	095996	Response	ANOKA AND RAMSEY COUNTY DIVERS OUT OF THE WATER [Shared]
8/2/2007	12:35:42	095996	Response	- PER CP - STONE ARCH SECURITY - EFF IMMED ANY MEDIA W/CREDENTIALS CAN GO ON TO THE BRIDGE - HAVE TO STAY ON 35W SIDE OF BRIDGE - NO PUBLIC - 868 AND 869 ON THE E AND W ENDS COPIED [Shared]
8/2/2007	12:42:26	095996	Response	IN ADDITION TO CREDENTIALLED MEDIA ALSO ALLOW SATELLITE TRUCKS TO PARK 6/MAIN PKG AREA SO CAN RUN CABLES ONTO THE BRIDGE [Shared]
8/2/2007	12:43:01	095996	Response	he Chief of Police has declared a Phase III Callback in response to the collapse of the 35 W River Bridge. Days off are cancelled for all sworn personnel and all officers will work 12 hour shifts for the next three days. The details are as follows: B
8/2/2007	12:43:01	095996	Response	eginning today (Thursday) at 1800 hours sworn personnel will work in two 12 hours shifts. All officers regularly assigned to a night shift will work 1800 to 0600 hours. All officers regularly assigned to a day shift will work 0600 until 1800 hours. The ca
8/2/2007	12:43:01	095996	Response	ll back shall extend through the end of the night shift on Sunday (Until 0600 Monday morning) unless revised. All sworn personnel shall report to work in full MPD uniform unless unable to be in uniform due to restrictions. Officers shall report
8/2/2007	12:43:01	095996	Response	to their regular work assignment at the designated start time and stand by for assignment. Officers who have

already been assigned to special details related to the bridge collapse shall report to that assignment. Commanders shall immediately initiate emergency callback procedures as defined in section 7-909.1 of the policy and procedure manual. Officers who are unable to respond because they are out of position (Out of town or on a pre-approved vacation) or are out sick must be documented. [Shared]

8/2/2007 12:43:01 095996 Response

Address Changes
Date **Time** **Location/Address**
 8/1/2007 20:13:04 / 500 2nd St Se
 8/2/2007 05:40:30 / 500 2ND ST SE

User
 SW
 RB

Priority Changes
No Priority Changes

Alarm Level Changes
Date **Time** **User** **Change to Alarm**
 8/1/2007 18:08:00 KL 1
 8/1/2007 18:18:47 KL 2

Call Activities		Radio	Activity	Location	User	Comments
Date	Time		MultiAgencyResponse		User	Originating Inc: POLICE Inc#07-254081
8/1/2007	18:06:54		Incident in Waiting Queue		CT061767	
8/1/2007	18:07:04		Read Comment		F064631	Comment for Incident 588 was Marked as Read.
8/1/2007	18:07:12		UserAction		F064631	User clicked Initial Assign
8/1/2007	18:08:00	E11	D Dispatched	500 2nd St Se	F064631	Response Number (2007020370)
8/1/2007	18:08:00	L3	D Dispatched	500 2nd St Se	F064631	Response Number (2007020371)
8/1/2007	18:08:00	BC3	D Dispatched	500 2nd St Se	F064631	Response Number (2007020372)
8/1/2007	18:08:00	R1	D Dispatched	500 2nd St Se	F064631	Response Number (2007020373)
8/1/2007	18:08:19	E4	D Dispatched	500 2nd St Se	F064631	Response Number (2007020374)
8/1/2007	18:08:19	E11	Unit Backed up	500 2nd St Se	F064631	Backed up with E4
8/1/2007	18:08:24	E11	E EnRoute	500 2nd St Se	F064631	Responding From = MFD-11
8/1/2007	18:08:27	B4	D Dispatched	500 2nd St Se	F064631	Response Number (2007020375)
8/1/2007	18:08:27	E4	Unit Backed up	500 2nd St Se	F064631	Backed up with B4
8/1/2007	18:08:44	R9	D Dispatched	500 2nd St Se	F064631	Response Number (2007020376)
8/1/2007	18:08:44	E11	Unit Backed up	500 2nd St Se	F064631	Backed up with R9
8/1/2007	18:09:11	R9	E EnRoute	500 2nd St Se	VisiNetMobileIn	Responding From = MFD-11
8/1/2007	18:09:30		Incident Late		VisiNetMobileIn	Active incident marked as late
8/1/2007	18:09:50	L3	E EnRoute	500 2nd St Se	VisiNetMobileIn	Responding From = MFD-7
8/1/2007	18:10:09	R1	E EnRoute	500 2nd St Se	VisiNetMobileIn	Responding From = MFD-6
8/1/2007	18:10:59	BC3	E EnRoute	500 2nd St Se	VisiNetMobileIn	Responding From = BLOOMINGTON AV27TH ST E
8/1/2007	18:11:50	E11	A Arrived	500 2nd St Se	F068028	
8/1/2007	18:13:06	R9	A Arrived	500 2nd St Se	F064631	
8/1/2007	18:13:06	E22	D Dispatched	500 2nd St Se	F064631	Response Number (2007020379)
8/1/2007	18:13:06	E4	Unit Backed up	500 2nd St Se	F064631	Backed up with E22
8/1/2007	18:13:11	B22	D Dispatched	500 2nd St Se	F064631	Response Number (2007020380)
8/1/2007	18:13:11	E22	Unit Backed up	500 2nd St Se	F064631	Backed up with B22
8/1/2007	18:13:13	R1	A Arrived	500 2nd St Se	F068028	
8/1/2007	18:13:28	BC1	D Dispatched	500 2nd St Se	F064631	Response Number (2007020381)
8/1/2007	18:13:28	E11	Unit Backed up	500 2nd St Se	F064631	Backed up with BC1
8/1/2007	18:13:37		Read Comment		F068028	Comment for Incident 588 was Marked as Read.
8/1/2007	18:13:48	BC1	E EnRoute	500 2nd St Se	F068028	Responding From = PARK AVGRANT ST E
8/1/2007	18:14:15		UserAction		VisiNetMobileIn	User clicked Exit/Save
8/1/2007	18:15:09		Read Comment		F068028	Comment for Incident 588 was Marked as Read.
8/1/2007	18:15:17		UserAction		F068028	User clicked Exit/Save
8/1/2007	18:15:25	E21	D Dispatched	500 2nd St Se	F064631	Response Number (2007020383)
8/1/2007	18:15:25	E11	Unit Backed up	500 2nd St Se	F064631	Backed up with E21

8/1/2007	18:16:11	L3	A Arrived	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:17:50	BC3	A Arrived	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:18:07	DEP	D Dispatched	500 2nd St Se	F068028
8/1/2007	18:18:07	E11	Unit Backed up	500 2nd St Se	F068028
8/1/2007	18:18:11	BC1	A Arrived	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:18:16		SOP Updated		F064631
8/1/2007	18:18:16		UserAction		F064631
8/1/2007	18:18:25		UserAction		F064631
8/1/2007	18:18:31		Read Comment		063195
8/1/2007	18:18:47		Can't Send Resource		F064631
8/1/2007	18:18:47	E1	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:18:47	E19	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:18:47	L4	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:18:47	L4	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:18:47	SAL	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:18:47	10-50	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:19:02	E19	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:19:44		UserAction		063195
8/1/2007	18:20:12	E1	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:23:06	L4	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:23:38	E1	A Arrived	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:23:41	E19	A Arrived	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:25:32	E16	D Dispatched	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:25:32	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:25:35	E20	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:25:35	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:25:37	E27	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:25:37	E20	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:25:48	E20	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:25:54	SAL	Available		VisiNetMobileIn
8/1/2007	18:25:56	E15	D Dispatched	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:25:56	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:26:13	E16	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:26:22		UserAction		F064631
8/1/2007	18:27:10	E14	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:27:10	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:28:08	E6	D Dispatched	500 2nd St Se	F068028
8/1/2007	18:28:08	E11	Unit Backed up	500 2nd St Se	F068028
8/1/2007	18:28:20	E6	A Arrived	500 2nd St Se	F068028
8/1/2007	18:28:52	10-2	D Dispatched	500 2nd St Se	F068028
8/1/2007	18:28:52	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:29:00	MFC	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:29:00	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:29:04	MFC	A Arrived	500 2nd St Se	F064631
8/1/2007	18:29:26	E14	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:29:26	E17	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:29:26	E11	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:29:28	L5	D Dispatched	500 2nd St Se	F064631
8/1/2007	18:29:28	E17	Unit Backed up	500 2nd St Se	F064631
8/1/2007	18:29:45	E17	E EnRoute	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:31:32	E16	A Arrived	500 2nd St Se	VisiNetMobileIn
8/1/2007	18:32:10	E5	D Dispatched	500 2nd St Se	F068028
8/1/2007	18:32:10	E11	Unit Backed up	500 2nd St Se	F068028
8/1/2007	18:34:40	E8	D Dispatched	500 2nd St Se	F068028
8/1/2007	18:34:40	E11	Unit Backed up	500 2nd St Se	F068028
8/1/2007	18:35:11		Read Comment		F064631
8/1/2007	18:35:20		SOP Updated		F064631
8/1/2007	18:35:25	E20	A Arrived	500 2nd St Se	VisiNetMobileIn

8/1/2007	18:35:29	Read Comment	500 2nd St Se	Comment for Incident 588 was Marked as Read.	060933
8/1/2007	18:36:07	E EnRoute	500 2nd St Se	Responding From = MFD-22	VisiNetMobileIn
8/1/2007	18:36:07	D Dispatched	500 2nd St Se	Response Number (2007020402)	F068028
8/1/2007	18:36:07	Unit Backed up	500 2nd St Se	Backed up with E7	F068028
8/1/2007	18:36:36	D Dispatched	500 2nd St Se	Response Number (2007020403)	F068028
8/1/2007	18:36:36	E EnRoute	500 2nd St Se	Responding From = 20TH AV SWMINNEHAHA AV	VisiNetMobileIn
8/1/2007	18:36:36	Unit Backed up	500 2nd St Se	Backed up with L10	F068028
8/1/2007	18:36:41	D Dispatched	500 2nd St Se	Response Number (2007020404)	F068028
8/1/2007	18:36:41	Unit Backed up	500 2nd St Se	Backed up with BC4	F068028
8/1/2007	18:37:56	D Dispatched	500 2nd St Se	Response Number (2007020405)	F064631
8/1/2007	18:37:56	Unit Backed up	500 2nd St Se	Backed up with 10-71	F064631
8/1/2007	18:38:36	A Arrived	500 2nd St Se		VisiNetMobileIn
8/1/2007	18:38:51	D Dispatched	500 2nd St Se	Response Number (2007020406)	F068028
8/1/2007	18:38:51	Unit Backed up	500 2nd St Se	Backed up with SAL	F068028
8/1/2007	18:39:47	D Dispatched	500 2nd St Se	Response Number (2007020407)	F068028
8/1/2007	18:39:47	D Dispatched	500 2nd St Se	Response Number (2007020408)	F068028
8/1/2007	18:39:47	Unit Backed up	500 2nd St Se	Backed up with B12,E12	F068028
8/1/2007	18:39:49	A Arrived	500 2nd St Se		VisiNetMobileIn
8/1/2007	18:40:24	UserAction	500 2nd St Se	User clicked Exit/Save	060933
8/1/2007	18:40:32	A Arrived	500 2nd St Se		VisiNetMobileIn
8/1/2007	18:40:36	E EnRoute	500 2nd St Se	Responding From = WEST RIVER PKWY\19TH AV S	VisiNetMobileIn
8/1/2007	18:40:38	A Arrived	500 2nd St Se		VisiNetMobileIn
8/1/2007	18:42:02	UserAction	500 2nd St Se	User clicked Exit/Save	F064631
8/1/2007	18:44:41	D Dispatched	500 2nd St Se	Response Number (2007020409)	F068028
8/1/2007	18:44:41	Unit Backed up	500 2nd St Se	Backed up with L11	F068028
8/1/2007	18:44:59	D Dispatched	500 2nd St Se	Response Number (2007020410)	F068028
8/1/2007	18:44:59	Unit Backed up	500 2nd St Se	Backed up with E28	F068028
8/1/2007	18:46:14	D Dispatched	500 2nd St Se	Response Number (2007020411)	F068028
8/1/2007	18:46:14	Unit Backed up	500 2nd St Se	Backed up with E2	F068028
8/1/2007	18:48:06	D Dispatched	500 2nd St Se	Response Number (2007020412)	F068028
8/1/2007	18:48:06	Unit Backed up	500 2nd St Se	Backed up with BC2	F068028
8/1/2007	18:48:09	A Arrived	500 2nd St Se		VisiNetMobileIn
8/1/2007	18:51:40	Read Comment		Comment for Incident 588 was Marked as Read.	098866
8/1/2007	18:52:01	Read Comment		Comment for Incident 588 was Marked as Read.	098866
8/1/2007	18:52:04	Read Comment		Comment for Incident 588 was Marked as Read.	098866
8/1/2007	18:53:17	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	18:53:18	D Dispatched	500 2nd St Se	Response Number (2007020413)	F064631
8/1/2007	18:53:18	Unit Backed up	500 2nd St Se	Backed up with 10-8	F064631
8/1/2007	18:54:25	UserAction		User clicked Exit/Save	F068028
8/1/2007	18:54:36	A Arrived	500 2nd St Se		F064631
8/1/2007	18:57:59	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:00:42	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:01:15	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:03:07	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:04:49	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:05:46	UserAction		User clicked Exit/Save	F068028
8/1/2007	19:08:08	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:12:29	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:12:47	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:12:53	D Dispatched	500 2nd St Se	Response Number (2007020414)	F064631
8/1/2007	19:12:53	Unit Backed up	500 2nd St Se	Backed up with 10-31	F064631
8/1/2007	19:13:04	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:13:39	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:14:16	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:14:19	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:14:59	UserAction		User clicked Exit/Save	F068028
8/1/2007	19:15:02	Read Comment		Comment for Incident 588 was Marked as Read.	F068028

8/1/2007	19:15:39	UserAction	500 2nd St Se	500 2nd St Se	500 2nd St Se	500 2nd St Se	8/1/2007	19:15:39	User clicked Exit/Save	F068028
8/1/2007	19:15:42	Read Comment					8/1/2007	19:15:42	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:15:47	UserAction					8/1/2007	19:15:47	User clicked Exit/Save	F068028
8/1/2007	19:17:35	Read Comment					8/1/2007	19:17:35	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:17:41	UserAction					8/1/2007	19:17:41	User clicked Exit/Save	F068028
8/1/2007	19:25:47	Read Comment					8/1/2007	19:25:47	Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:28:07	Read Comment					8/1/2007	19:28:07	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:28:41	UserAction					8/1/2007	19:28:41	User clicked Exit/Save	F068028
8/1/2007	19:28:45	Read Comment					8/1/2007	19:28:45	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:28:58	UserAction					8/1/2007	19:28:58	User clicked Exit/Save	F068028
8/1/2007	19:28:59	Read Comment					8/1/2007	19:28:59	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:30:07	UserAction					8/1/2007	19:30:07	User clicked Exit/Save	F061767
8/1/2007	19:31:01	Read Comment					8/1/2007	19:31:01	Comment for Incident 588 was Marked as Read.	F061767
8/1/2007	19:31:10	UserAction					8/1/2007	19:31:10	User clicked Exit/Save	060933
8/1/2007	19:31:48	Read Comment					8/1/2007	19:31:48	Comment for Incident 588 was Marked as Read.	101310
8/1/2007	19:32:10	UserAction					8/1/2007	19:32:10	User clicked Exit/Save	101310
8/1/2007	19:32:11	Read Comment					8/1/2007	19:32:11	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:32:47	Read Comment					8/1/2007	19:32:47	Comment for Incident 588 was Marked as Read.	031779
8/1/2007	19:32:54	UserAction					8/1/2007	19:32:54	User clicked Exit/Save	031779
8/1/2007	19:33:12	UserAction					8/1/2007	19:33:12	User clicked Exit/Save	F068028
8/1/2007	19:33:16	Read Comment					8/1/2007	19:33:16	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:33:30	Read Comment					8/1/2007	19:33:30	Comment for Incident 588 was Marked as Read.	F061767
8/1/2007	19:33:50	UserAction					8/1/2007	19:33:50	User clicked Exit/Save	F061767
8/1/2007	19:35:32	UserAction					8/1/2007	19:35:32	User clicked Exit/Save	F068028
8/1/2007	19:35:57	Read Comment					8/1/2007	19:35:57	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:36:25	Read Comment					8/1/2007	19:36:25	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:38:11	UserAction					8/1/2007	19:38:11	User clicked Exit/Save	F061767
8/1/2007	19:40:36	Read Comment					8/1/2007	19:40:36	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:42:03	Read Comment					8/1/2007	19:42:03	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:42:12	UserAction					8/1/2007	19:42:12	User clicked Exit/Save	F061767
8/1/2007	19:42:15	Read Comment					8/1/2007	19:42:15	Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:42:18	UserAction					8/1/2007	19:42:18	User clicked Exit/Save	F061767
8/1/2007	19:42:29	UserAction					8/1/2007	19:42:29	User clicked Exit/Save	F068028
8/1/2007	19:43:53	Available					8/1/2007	19:43:53	Comment for Incident 588 was Marked as Read.	VisiNetMobileIn
8/1/2007	19:48:07	Read Comment					8/1/2007	19:48:07	Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:48:30	Read Comment					8/1/2007	19:48:30	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:48:46	UserAction					8/1/2007	19:48:46	User clicked Exit/Save	F068028
8/1/2007	19:49:51	Read Comment					8/1/2007	19:49:51	Comment for Incident 588 was Marked as Read.	F061767
8/1/2007	19:50:09	UserAction					8/1/2007	19:50:09	User clicked Exit/Save	F061767
8/1/2007	19:51:20	UserAction					8/1/2007	19:51:20	User clicked Exit/Save	F061767
8/1/2007	19:53:56	Read Comment					8/1/2007	19:53:56	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	19:54:57	Read Comment					8/1/2007	19:54:57	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	19:57:25	Read Comment					8/1/2007	19:57:25	Comment for Incident 588 was Marked as Read.	F061767
8/1/2007	19:57:49	Read Comment					8/1/2007	19:57:49	Comment for Incident 588 was Marked as Read.	068353
8/1/2007	19:57:50	Read Comment					8/1/2007	19:57:50	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	19:57:53	Read Comment					8/1/2007	19:57:53	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	19:58:07	UserAction					8/1/2007	19:58:07	User clicked Exit/Save	F061767
8/1/2007	19:58:14	UserAction					8/1/2007	19:58:14	User clicked Exit/Save	F068028
8/1/2007	20:00:27	Available					8/1/2007	20:00:27	Comment for Incident 588 was Marked as Read.	VisiNetMobileIn
8/1/2007	20:01:35	UserAction					8/1/2007	20:01:35	User clicked Exit/Save	109576
8/1/2007	20:01:48	Available					8/1/2007	20:01:48	Comment for Incident 588 was Marked as Read.	VisiNetMobileIn
8/1/2007	20:02:43	Read Comment					8/1/2007	20:02:43	Comment for Incident 588 was Marked as Read.	068353
8/1/2007	20:02:43	Read Comment					8/1/2007	20:02:43	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	20:02:51	Read Comment					8/1/2007	20:02:51	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	20:06:35	Read Comment					8/1/2007	20:06:35	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	20:06:35	Read Comment					8/1/2007	20:06:35	Comment for Incident 588 was Marked as Read.	068353
8/1/2007	20:07:32	UserAction					8/1/2007	20:07:32	User clicked Exit/Save	F068028

Time	Event	Location	Description	Device
8/1/2007 20:07:45	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:07:45	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007 20:08:12	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:08:37	E EnRoute	500 2nd St Se	Responding From = WEST RIVER PKWY22ND AV S	VisiNetMobileIn
8/1/2007 20:08:37	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007 20:08:38	A Arrived	500 2nd St Se	Comment for Incident 588 was Marked as Read.	VisiNetMobileIn
8/1/2007 20:12:50	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:13:11	UserAction		User clicked Exit/Save	F068028
8/1/2007 20:15:30	Read Comment		Comment for Incident 588 was Marked as Read.	068353
8/1/2007 20:15:30	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:16:03	Read Comment		Comment for Incident 588 was Marked as Read.	098866
8/1/2007 20:16:48	Read Comment		Comment for Incident 588 was Marked as Read.	F061767
8/1/2007 20:17:19	UserAction		User clicked Exit/Save	F061767
8/1/2007 20:17:44	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:24:05	Read Comment		Comment for Incident 588 was Marked as Read.	101310
8/1/2007 20:24:58	UserAction		User clicked Exit/Save	101310
8/1/2007 20:26:46	A Arrived	500 2ND ST SE	Comment for Incident 588 was Marked as Read.	VisiNetMobileIn
8/1/2007 20:29:19	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/1/2007 20:29:43	Read Comment		Comment for Incident 588 was Marked as Read.	F061767
8/1/2007 20:31:56	UserAction		User clicked Exit/Save	F061767
8/1/2007 20:32:18	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:32:50	Read Comment		Comment for Incident 588 was Marked as Read.	101310
8/1/2007 20:32:51	UserAction		User clicked Cancel	101310
8/1/2007 20:32:52	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:34:08	UserAction		User clicked Exit/Save	101310
8/1/2007 20:34:52	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:35:10	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:35:43	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/1/2007 20:37:14	Read Comment		Comment for Incident 588 was Marked as Read.	101310
8/1/2007 20:38:42	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:39:42	Read Comment		Comment for Incident 588 was Marked as Read.	F061767
8/1/2007 20:40:05	UserAction		User clicked Exit/Save	101310
8/1/2007 20:40:05	UserAction		User clicked Exit/Save	F061767
8/1/2007 20:41:03	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:41:51	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:42:33	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:42:55	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:42:55	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:43:57	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:43:58	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:44:04	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:44:05	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:45:24	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:45:24	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/1/2007 20:45:34	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:45:34	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:45:46	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:46:17	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:47:14	Read Comment		Comment for Incident 588 was Marked as Read.	F068028
8/1/2007 20:47:57	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:48:51	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/1/2007 20:48:58	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:49:00	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/1/2007 20:49:41	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:50:54	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/1/2007 20:51:47	Read Comment		Comment for Incident 588 was Marked as Read.	098500
8/1/2007 20:51:56	Read Comment		Comment for Incident 588 was Marked as Read.	F064075

8/1/2007	20:52:10	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	20:52:19	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	20:54:47	Read Comment	Comment for Incident 588 was Marked as Read.	101310
8/1/2007	20:54:53	UserAction	User clicked Exit/Save	101310
8/1/2007	20:55:07	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	20:55:08	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	20:55:17	Available		VisiNetMobileIn
8/1/2007	20:55:20	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	20:55:39	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	20:55:39	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	20:55:48	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	20:56:07	Available		VisiNetMobileIn
8/1/2007	20:56:52	Available		VisiNetMobileIn
8/1/2007	20:59:34	Read Comment	Comment for Incident 588 was Marked as Read.	101310
8/1/2007	20:59:38	UserAction	User clicked Exit/Save	101310
8/1/2007	21:02:54	Read Comment	Comment for Incident 588 was Marked as Read.	066590
8/1/2007	21:08:16	Read Comment	Comment for Incident 588 was Marked as Read.	F061767
8/1/2007	21:09:39	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:09:39	Read Comment	Comment for Incident 588 was Marked as Read.	066590
8/1/2007	21:09:50	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:10:54	Available		VisiNetMobileIn
8/1/2007	21:12:03	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:13:47	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:13:56	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	21:14:04	Read Comment	Comment for Incident 588 was Marked as Read.	F061767
8/1/2007	21:14:08	UserAction	User clicked Exit/Save	F064075
8/1/2007	21:14:54	Available		F068028
8/1/2007	21:18:05	UserAction	User clicked Exit/Save	098500
8/1/2007	21:19:32	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:19:48	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	21:19:56	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:20:34	A Arrived		VisiNetMobileIn
8/1/2007	21:22:11	UserAction	User clicked Exit/Save	F068028
8/1/2007	21:22:54	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:24:41	Read Comment	Comment for Incident 588 was Marked as Read.	111178
8/1/2007	21:24:44	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:26:15	UserAction	User clicked Exit/Save	111178
8/1/2007	21:28:37	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:28:38	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	21:28:50	UserAction	User clicked Exit/Save	F068028
8/1/2007	21:29:41	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:30:10	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:30:27	Available		VisiNetMobileIn
8/1/2007	21:32:38	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:32:50	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:33:19	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:34:12	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:35:20	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:38:06	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	21:38:11	UserAction	User clicked Exit/Save	098500
8/1/2007	21:40:45	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:43:25	Read Comment	Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:43:38	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:43:52	Read Comment	Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	21:44:10	Available		VisiNetMobileIn
8/1/2007	21:49:27	UserAction	User clicked Exit/Save	F068028
8/1/2007	21:50:53	Read Comment	Comment for Incident 588 was Marked as Read.	F068028

8/1/2007	21:50:56	UserAction			User clicked Exit/Save	F068028
8/1/2007	21:53:09	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	21:59:05	Read Comment			Comment for Incident 588 was Marked as Read.	098500
8/1/2007	21:59:26	Read Comment			Comment for Incident 588 was Marked as Read.	066590
8/1/2007	22:00:25	Read Comment			Comment for Incident 588 was Marked as Read.	098500
8/1/2007	22:00:44	Read Comment			Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	22:00:45	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	22:00:54	UserAction			User clicked Exit/Save	F068028
8/1/2007	22:04:27	Read Comment			Comment for Incident 588 was Marked as Read.	64961
8/1/2007	22:04:48	__ Available				VisiNetMobileIn
8/1/2007	22:06:06	UserAction			User clicked Exit/Save	64961
8/1/2007	22:17:50	Read Comment		500 2ND ST SE	Comment for Incident 588 was Marked as Read.	F106504
8/1/2007	22:17:55	__ Available				F068028
8/1/2007	22:17:59	UserAction			User clicked Exit/Save	F106504
8/1/2007	22:19:15	UserAction			User clicked Exit/Save	F106504
8/1/2007	22:19:45	UserAction			User clicked Exit/Save	F064075
8/1/2007	22:21:03	A Arrived		500 2ND ST SE		VisiNetMobileIn
8/1/2007	22:21:25	__ Available				VisiNetMobileIn
8/1/2007	22:25:11	Read Comment			Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	22:25:21	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	22:25:32	UserAction			User clicked Exit/Save	F068028
8/1/2007	22:25:46	__ Available				80849
8/1/2007	22:27:15	Read Comment			Comment for Incident 588 was Marked as Read.	80849
8/1/2007	22:27:59	A Arrived		500 2ND ST SE		80849
8/1/2007	22:28:02	Read Comment			Comment for Incident 588 was Marked as Read.	80849
8/1/2007	22:28:28	UserAction			Comment for Incident 588 was Marked as Read.	F068028
8/1/2007	22:30:28	Read Comment			User clicked Exit/Save	F068028
8/1/2007	22:30:31	UserAction			Comment for Incident 588 was Marked as Read.	80849
8/1/2007	22:30:33	UserAction			User clicked Exit/Save	80849
8/1/2007	22:30:55	UserAction			User clicked Exit/Save	80849
8/1/2007	22:31:01	UserAction			User clicked Exit/Save	80849
8/1/2007	22:31:32	__ Available				VisiNetMobileIn
8/1/2007	22:32:26	__ Available		500 2ND ST SE		F068028
8/1/2007	22:35:28	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	22:38:04	Read Comment			User clicked Exit/Save	111615
8/1/2007	22:38:06	UserAction			Comment for Incident 588 was Marked as Read.	111615
8/1/2007	22:38:09	Read Comment			Comment for Incident 588 was Marked as Read.	066104
8/1/2007	22:39:37	Read Comment			Comment for Incident 588 was Marked as Read.	F109664
8/1/2007	22:41:16	UserAction			User clicked Exit/Save	066104
8/1/2007	22:41:32	__ Available				VisiNetMobileIn
8/1/2007	22:43:39	__ Available				VisiNetMobileIn
8/1/2007	22:45:39	__ Available				VisiNetMobileIn
8/1/2007	22:47:05	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/1/2007	22:47:29	UserAction			User clicked Exit/Save	F060897
8/1/2007	22:49:03	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	22:53:47	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	22:54:59	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	22:55:09	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/1/2007	22:56:31	__ Available		500 2ND ST SE		F064075
8/1/2007	22:58:41	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	23:01:08	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/1/2007	23:01:20	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	23:03:09	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	23:03:25	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/1/2007	23:05:25	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/1/2007	23:05:47	UserAction			User clicked Exit/Save	F060897
8/1/2007	23:06:37	Read Comment			Comment for Incident 588 was Marked as Read.	F064075

8/1/2007	23:06:50	Read Comment	500 2ND ST SE	F064075	Comment for Incident 588 was Marked as Read.
8/1/2007	23:07:56	Read Comment		F064075	Comment for Incident 588 was Marked as Read.
8/1/2007	23:08:18	Available		F064075	
8/1/2007	23:09:01	Read Comment		F064075	Comment for Incident 588 was Marked as Read.
8/1/2007	23:11:27	Available		VisiNetMobileIn	
8/1/2007	23:13:04	Read Comment		F064075	Comment for Incident 588 was Marked as Read.
8/1/2007	23:13:37	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:15:53	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:16:28	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:17:38	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:17:40	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:17:43	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:18:20	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:19:22	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:20:20	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:21:04	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:22:19	Available		066590	
8/1/2007	23:22:23	Available		066590	
8/1/2007	23:22:53	UserAction		066590	User clicked Exit/Save
8/1/2007	23:24:12	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:25:32	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:25:40	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:25:45	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:34:21	Read Comment		111178	Comment for Incident 588 was Marked as Read.
8/1/2007	23:35:37	UserAction		111178	User clicked Exit/Save
8/1/2007	23:39:55	Read Comment		0660897	Comment for Incident 588 was Marked as Read.
8/1/2007	23:41:28	Available		0660897	
8/1/2007	23:41:36	Available		0660897	
8/1/2007	23:42:31	Read Comment		0660897	Comment for Incident 588 was Marked as Read.
8/1/2007	23:42:33	Read Comment		0660897	Comment for Incident 588 was Marked as Read.
8/1/2007	23:43:18	Available		0660897	
8/1/2007	23:50:43	Available		0660897	
8/1/2007	23:51:11	Reset System Timer		0660897	[Reset Reason]Reset Incident Timer (TIMER) [Next Late Check Time]Aug 02 2007 00:36:11
8/1/2007	23:51:32	Reset System Timer		0660897	[Reset Reason]Reset Incident Timer (TIMER) [Next Late Check Time]Aug 02 2007 00:36:32
8/1/2007	23:51:52	Reset System Timer		0660897	[Reset Reason]Reset Incident Timer (TIMER) [Next Late Check Time]Aug 02 2007 00:36:52
8/1/2007	23:52:10	Reset System Timer		0660897	[Reset Reason]Reset Incident Timer (TIMER) [Next Late Check Time]Aug 02 2007 00:37:10
8/1/2007	23:52:33	Reset System Timer		0660897	[Reset Reason]Reset Incident Timer (TIMER) [Next Late Check Time]Aug 02 2007 00:37:33
8/1/2007	23:56:40	Available		0660897	
8/1/2007	23:57:48	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:58:12	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/1/2007	23:58:53	Read Comment		0660897	Comment for Incident 588 was Marked as Read.
8/2/2007	00:01:26	Read Comment		0664075	Comment for Incident 588 was Marked as Read.
8/2/2007	00:01:26	Read Comment		0664075	Comment for Incident 588 was Marked as Read.
8/2/2007	00:04:44	Read Comment		0664075	Comment for Incident 588 was Marked as Read.
8/2/2007	00:05:19	Read Comment		0664075	Comment for Incident 588 was Marked as Read.
8/2/2007	00:05:20	Read Comment		0664075	Comment for Incident 588 was Marked as Read.
8/2/2007	00:06:09	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/2/2007	00:06:10	Read Comment		066590	Comment for Incident 588 was Marked as Read.
8/2/2007	00:10:19	Read Comment		0660897	Comment for Incident 588 was Marked as Read.
8/2/2007	00:10:44	UserAction		64961	Comment for Incident 588 was Marked as Read.
8/2/2007	00:16:06	Available		64961	User clicked Exit/Save
8/2/2007	00:17:31	Read Comment		109576	Comment for Incident 588 was Marked as Read.

Time	Event	Location	Description	IP Address
8/2/2007 00:17:42	UserAction		User clicked Exit/Save	109576
8/2/2007 00:18:20	Read Comment		Comment for Incident 588 was Marked as Read.	066590
8/2/2007 00:18:26	Available			VisiNetMobileIn
8/2/2007 00:19:17	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:23:58	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 00:24:42	Read Comment		Comment for Incident 588 was Marked as Read.	066590
8/2/2007 00:25:13	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:27:43	Available			VisiNetMobileIn
8/2/2007 00:30:06	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:30:11	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 00:32:07	Read Comment		Comment for Incident 588 was Marked as Read.	066590
8/2/2007 00:34:48	Available			VisiNetMobileIn
8/2/2007 00:35:59	Read Comment		Comment for Incident 588 was Marked as Read.	066590
8/2/2007 00:36:00	Read Comment		Comment for Incident 588 was Marked as Read.	VisiNetMobileIn
8/2/2007 00:36:15	Available			066590
8/2/2007 00:37:11	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:37:54	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:37:57	UserAction		User clicked Exit/Save	F064075
8/2/2007 00:49:17	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:52:26	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 00:57:41	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 00:59:47	Read Comment		Comment for Incident 588 was Marked as Read.	031779
8/2/2007 00:59:49	UserAction		User clicked Exit/Save	031779
8/2/2007 01:02:40	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 01:04:14	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:04:19	UserAction		User clicked Exit/Save	F060897
8/2/2007 01:05:22	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:05:32	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 01:07:31	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:09:03	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 01:12:44	Available			F064075
8/2/2007 01:13:36	Reset System Timer		Comment for Incident 588 was Marked as Read.	
8/2/2007 01:13:43	Reset System Timer		[Reset Reason]PAR Not Needed (NOPAR) [Next Late Check Time]Aug 02 2007 01:58:36	
8/2/2007 01:13:47	Reset System Timer		[Reset Reason]PAR Not Needed (NOPAR) [Next Late Check Time]Aug 02 2007 01:58:43	
8/2/2007 01:17:27	Read Comment		[Reset Reason]PAR Not Needed (NOPAR) [Next Late Check Time]Aug 02 2007 01:58:47	
8/2/2007 01:26:14	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:36:43	Read Comment		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007 01:37:14	UserAction		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:40:02	Read Comment		User clicked Exit/Save	F060897
8/2/2007 01:40:40	UserAction		Comment for Incident 588 was Marked as Read.	F109664
8/2/2007 01:47:00	Read Comment		User clicked Exit/Save	F109664
8/2/2007 01:47:03	UserAction		Comment for Incident 588 was Marked as Read.	F109664
8/2/2007 01:47:06	Read Comment		User clicked Exit/Save	F109664
8/2/2007 01:47:53	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:50:13	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 01:50:40	UserAction		Comment for Incident 588 was Marked as Read.	F109664
8/2/2007 01:51:47	Read Comment		User clicked Exit/Save	F109664
8/2/2007 01:56:49	UserAction		Comment for Incident 588 was Marked as Read.	098490
8/2/2007 01:58:36	Incident Late		Comment for Incident 588 was Marked as Read.	098490
8/2/2007 01:58:37	Read Comment		Active incident marked as late	
8/2/2007 02:00:16	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 02:01:55	Read Comment		Comment for Incident 588 was Marked as Read.	F060897
8/2/2007 02:02:08	UserAction		Comment for Incident 588 was Marked as Read.	098490
8/2/2007 02:09:06	Read Comment		User clicked Exit/Save	098490
			Comment for Incident 588 was Marked as Read.	F109664

8/2/2007	02:09:21	UserAction	10-2		User clicked Exit/Save	F109664
8/2/2007	02:11:45	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	02:13:30	Read Comment			Comment for Incident 588 was Marked as Read.	F109664
8/2/2007	02:13:34	UserAction			User clicked Exit/Save	F109664
8/2/2007	02:15:09	UserAction			User clicked Exit/Save	F060897
8/2/2007	02:20:38	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/2/2007	02:22:16	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/2/2007	02:22:41	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/2/2007	02:22:56	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	02:23:02	UserAction			User clicked Exit/Save	F060897
8/2/2007	02:23:15	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	02:23:25	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/2/2007	02:25:19	Read Comment			Comment for Incident 588 was Marked as Read.	F064075
8/2/2007	02:26:32	Reset System Timer	10-2		[Reset Reason]PAR Not Needed (NOPAR) [Next Late Check Time]Aug 02 2007 03:11:32	
8/2/2007	02:26:39	Reset System Timer	10-8		[Reset Reason]PAR Not Needed (NOPAR) [Next Late Check Time]Aug 02 2007 03:11:39	
8/2/2007	02:26:48	Reset System Timer	DEP		[Reset Reason]PAR Not Needed (NOPAR) [Next Late Check Time]Aug 02 2007 03:11:48	
8/2/2007	02:26:52	Read Comment	MFC		Comment for Incident 588 was Marked as Read.	F064075
8/2/2007	02:27:00	__ Available	DEP	500 2ND ST SE		VisiNetMobileIn
8/2/2007	02:30:05	__ Available				F060897
8/2/2007	02:32:37	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	02:32:43	UserAction			User clicked Exit/Save	F060897
8/2/2007	02:46:01	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	02:46:17	UserAction			User clicked Exit/Save	F060897
8/2/2007	02:47:26	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	02:47:35	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	02:48:29	Read Comment			Comment for Incident 588 was Marked as Read.	064324
8/2/2007	02:48:46	UserAction			User clicked Exit/Save	064324
8/2/2007	02:48:54	__ Available	10-2	500 2ND ST SE		F060897
8/2/2007	02:49:04	Incident Late			Active incident marked as late	F100850
8/2/2007	02:49:06	E EnRoute	BC3	500 2ND ST SE	Responding From = 13TH AV SWEST RIVER PKWY	F100850
8/2/2007	02:49:06	A Arrived	BC3	500 2ND ST SE		F100850
8/2/2007	02:49:06	Unit Backed up	BC2	500 2ND ST SE	Backed up with BC3	F100850
8/2/2007	02:49:06	D Dispatched	BC3	500 2ND ST SE	Response Number (2007020451)	F100850
8/2/2007	02:49:11	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	02:50:17	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	02:55:49	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	02:56:10	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:02:49	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	03:02:54	UserAction			User clicked Exit/Save	F100846
8/2/2007	03:04:47	__ Available	BC2			F100850
8/2/2007	03:05:08	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:06:41	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:11:39	Incident Late			Active incident marked as late	F100846
8/2/2007	03:16:45	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:17:04	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	03:18:30	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:19:03	Reset System Timer	10-8		[Reset Reason]Reset Incident Timer (TIMER) [Next Late Check Time]Aug 02 2007 13:19:03	F100850
8/2/2007	03:24:14	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	03:26:42	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:28:06	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	03:28:49	Read Comment			Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:31:17	__ Available	10-8	500 2ND ST SE		F100850
8/2/2007	03:34:24	Read Comment			Comment for Incident 588 was Marked as Read.	109576

8/2/2007	03:34:31	UserAction	User clicked Exit/Save	109576
8/2/2007	03:37:03	Read Comment	Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:37:48	Read Comment	Comment for Incident 588 was Marked as Read.	098490
8/2/2007	03:39:54	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	03:40:08	UserAction	User clicked Exit/Save	098490
8/2/2007	03:45:55	Read Comment	Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:50:51	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	03:50:59	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	03:51:23	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	03:51:25	Read Comment	Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	03:54:21	UserAction	User clicked Exit/Save	F060897
8/2/2007	04:09:10	Read Comment	Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	04:11:43	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	04:12:37	UserAction	User clicked Exit/Save	F060897
8/2/2007	04:13:39	Read Comment	Comment for Incident 588 was Marked as Read.	F100850
8/2/2007	04:16:12	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	04:16:33	UserAction	User clicked Exit/Save	F060897
8/2/2007	04:37:53	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	04:49:38	UserAction	User clicked Exit/Save	F060897
8/2/2007	04:50:09	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	04:51:21	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	04:52:16	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:00:47	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:02:41	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:05:07	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:05:13	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:05:52	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:05:53	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:06:12	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:06:12	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:06:31	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:06:32	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:18:43	UserAction	User clicked Exit/Save	F060897
8/2/2007	05:18:55	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:19:01	UserAction	User clicked Exit/Save	F060897
8/2/2007	05:20:54	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:24:53	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:28:58	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:31:52	UserAction	User clicked Exit/Save	F060897
8/2/2007	05:31:58	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:35:44	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:36:29	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:38:00	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:39:50	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:40:45	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:42:44	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:46:34	UserAction	User clicked Exit/Save	F060897
8/2/2007	05:50:30	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	05:52:05	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	05:52:16	UserAction	User clicked Exit/Save	F060897
8/2/2007	05:58:36	UserAction	User clicked Exit/Save	F100846
8/2/2007	06:07:08	Read Comment	Comment for Incident 588 was Marked as Read.	098490
8/2/2007	06:07:56	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:08:01	UserAction	User clicked Exit/Save	098490
8/2/2007	06:08:12	Read Comment	Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:09:30	Read Comment	Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	06:12:50	Read Comment	Comment for Incident 588 was Marked as Read.	F100846

8/2/2007	06:12:54	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:13:21	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:13:43	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:13:46	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:13:47	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:13:50	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:13:56	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:01	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:05	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:08	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:14	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:19	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:31	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:14:45	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:15:06	UserAction			User clicked Exit/Save	F060897
8/2/2007	06:15:09	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	06:15:21	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	06:16:08	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:17:11	D Dispatched	BC4	500 2ND ST SE	Response Number (2007020463)	F060897
8/2/2007	06:17:11	Unit Backed up	BC3	500 2ND ST SE	Backed up with BC4	F060897
8/2/2007	06:17:11	Incident Late			Active incident marked as late	
8/2/2007	06:17:15	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:17:28	A Arrived	BC4	500 2ND ST SE		F060897
8/2/2007	06:18:22	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:18:33	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	06:25:29	UserAction			User clicked Exit/Save	F060897
8/2/2007	06:26:45	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	06:26:48	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:34:16	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:34:16	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:37:40	Read Comment			Comment for Incident 588 was Marked as Read.	F060897
8/2/2007	06:37:46	UserAction			User clicked Exit/Save	F060897
8/2/2007	06:48:40	Read Comment			Comment for Incident 588 was Marked as Read.	F100846
8/2/2007	06:55:11	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	06:55:35	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	06:55:49	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:00:28	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:00:31	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:02:02	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:04:49	Read Comment			Comment for Incident 588 was Marked as Read.	F061644
8/2/2007	07:06:25	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:16:04	Read Comment			Comment for Incident 588 was Marked as Read.	F061644
8/2/2007	07:16:46	Read Comment			Comment for Incident 588 was Marked as Read.	F063195
8/2/2007	07:18:55	Available				VisiNetMobileIn
8/2/2007	07:21:36	UserAction			User clicked Exit/Save	063195
8/2/2007	07:23:27	UserAction			User clicked Exit/Save	F067662
8/2/2007	07:26:47	Read Comment			Comment for Incident 588 was Marked as Read.	040504002
8/2/2007	07:27:54	Read Comment			Comment for Incident 588 was Marked as Read.	066104
8/2/2007	07:27:57	UserAction			User clicked Exit/Save	066104
8/2/2007	07:30:02	UserAction			User clicked Exit/Save	040504002
8/2/2007	07:30:12	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:42:01	Read Comment			Comment for Incident 588 was Marked as Read.	066545
8/2/2007	07:42:12	UserAction			User clicked Exit/Save	066545
8/2/2007	07:44:39	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:44:55	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:45:10	Read Comment			Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:47:36	Read Comment			Comment for Incident 588 was Marked as Read.	F067662

Date	Time	Category	Read Comment	Response	MobileIn
8/2/2007	07:48:32	BC4	Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	07:52:45		Available		VisiNetMobileIn
8/2/2007	07:52:45		Response Closed		VisiNetMobileIn
8/2/2007	07:52:45		UserAction	User clicked Exit/Save	F067662
8/2/2007	07:59:48		Incident in Waiting Queue		
8/2/2007	08:00:40	MFC	D Dispatched	Response Number (2007020479)	
8/2/2007	08:00:41		Incident Late	Active incident marked as late	
8/2/2007	08:05:55	MFC	A Arrived		F067662
8/2/2007	08:20:51		UserAction	User clicked Exit/Save	065841
8/2/2007	08:22:04		UserAction	User clicked Exit/Save	065841
8/2/2007	08:22:40		UserAction	User clicked Exit/Save	065841
8/2/2007	08:33:40		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	08:46:21		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	08:46:33		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	08:46:58		Read Comment	Comment for Incident 588 was Marked as Read.	005760
8/2/2007	08:58:01	R1	D Dispatched	Response Number (2007020483)	F067662
8/2/2007	08:58:01	MFC	Unit Backed up	Backed up with R1	F067662
8/2/2007	08:59:13		UserAction	User clicked Exit/Save	005760
8/2/2007	09:13:20	R1	A Arrived		F067662
8/2/2007	09:13:48		Read Comment	Comment for Incident 588 was Marked as Read.	066104
8/2/2007	09:13:55		UserAction	User clicked Exit/Save	066104
8/2/2007	09:14:00		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	09:18:47		Read Comment	Comment for Incident 588 was Marked as Read.	111178
8/2/2007	09:21:25		UserAction	User clicked Exit/Save	111178
8/2/2007	09:23:03		Read Comment	Comment for Incident 588 was Marked as Read.	F061644
8/2/2007	09:33:24		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	09:37:41		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	09:54:45		Read Comment	Comment for Incident 588 was Marked as Read.	F061644
8/2/2007	09:55:33		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	10:24:10		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	10:25:05		UserAction	User clicked Exit/Save	F061644
8/2/2007	10:29:50		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	10:44:53		Read Comment	Comment for Incident 588 was Marked as Read.	111178
8/2/2007	10:45:00		UserAction	User clicked Exit/Save	111178
8/2/2007	10:46:52		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	10:54:19		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	11:00:40		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	11:17:12		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	11:20:07		Read Comment	Comment for Incident 588 was Marked as Read.	F061767
8/2/2007	11:20:49		UserAction	User clicked Exit/Save	F061767
8/2/2007	11:23:45		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	11:29:08		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	11:32:15		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	11:32:16	10-2	D Dispatched	Response Number (2007020511)	F067662
8/2/2007	11:32:16	R1	Unit Backed up	Backed up with 10-2	F067662
8/2/2007	11:32:20	10-2	A Arrived		F067662
8/2/2007	11:32:33		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	11:32:51		Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	11:48:03		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	11:48:05	E19	D Dispatched	Response Number (2007020512)	F067662
8/2/2007	11:48:05	R1	Unit Backed up	Backed up with E19	F067662
8/2/2007	11:48:41	E19	E EnRoute		F067662
8/2/2007	11:55:19	E19	A Arrived	Responding From = ONTARIO ST SE	F067662
8/2/2007	11:59:37		Read Comment		VisiNetMobileIn
8/2/2007	12:04:03		Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	12:04:32		Read Comment	Comment for Incident 588 was Marked as Read.	093983
8/2/2007	12:04:58		UserAction	User clicked Exit/Save	098500

8/2/2007	12:08:04	Read Comment	Comment for Incident 588 was Marked as Read.	F067662
8/2/2007	12:19:18	Read Comment	Comment for Incident 588 was Marked as Read.	111178
8/2/2007	12:19:25	Read Comment	Comment for Incident 588 was Marked as Read.	F061767
8/2/2007	12:19:38	UserAction	User clicked Exit/Save	F061767
8/2/2007	12:19:47	UserAction	User clicked Exit/Save	F061767
8/2/2007	12:20:43	Read Comment	Comment for Incident 588 was Marked as Read.	060647
8/2/2007	12:21:43	UserAction	User clicked Exit/Save	111178
8/2/2007	12:29:33	UserAction	User clicked Exit/Save	060647
8/2/2007	12:30:54	UserAction	User clicked Exit/Save	F061767
8/2/2007	12:35:46	UserAction	User clicked Exit/Save	060647
8/2/2007	12:37:38	Read Comment	Comment for Incident 588 was Marked as Read.	111178
8/2/2007	12:37:58	UserAction	User clicked Exit/Save	111178
8/2/2007	12:42:29	Read Comment	Comment for Incident 588 was Marked as Read.	098500
8/2/2007	12:43:04	Read Comment	Comment for Incident 588 was Marked as Read.	098500

8/2/2007	18:06:56	Neighborho	Changed From	Changed To	Reason	Table	Workstation	User
8/1/2007	18:06:56	Pickup_Map	311A	35	Polygon Lookup	Response_User_Data_FieldsI02	I02	CT061767
8/1/2007	18:06:56	Map_Info	311A	311A		Response_Transports	I02	CT061767
8/1/2007	18:07:12	Read Comme	False	True	(Response View	Response_Master_Incident	I02	F064631
8/1/2007	18:13:37	Read Comme	False	True	(Response View	Response_Master_Incident	F01	F068028
8/1/2007	18:14:13	Primary_TA	'MPFD-1 Fire Main	'MPFD-3 Fire 3	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	18:15:09	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	18:18:16	Problem	Rescue-Technical (PFE)	Structure Fire (F)	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:18:16	RespReconf	0	1	Response reconf	Response_Master_Incident	F01	F064631
8/1/2007	18:18:16	Response_P	0	1	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:18:16	ResponsePl	0	1	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:18:16	Incident_T	Technical Rescue	Structure Fire	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:18:31	Read Comme	False	True	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:18:31	Read Comme	False	True	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:35:11	Read Comme	Structure Fire (F)	Rescue-Technical (PFE)	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:35:20	Problem	Structure Fire (F)	Technical Rescue	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:35:20	Response_P	0	1	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:35:20	ResponsePl	0	1	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:35:29	Incident_T	Structure Fire	Technical Rescue	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:35:29	Read Comme	Structure Fire (F)	Rescue-Technical (PFE)	(Response View	Response_Master_Incident	F01	F064631
8/1/2007	18:38:26	Problem	Structure Fire (F)	Rescue-Technical (PFE)	(Response View	Response_Master_Incident	T07	060933
8/1/2007	18:51:40	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064631
8/1/2007	18:52:01	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P03	098866
8/1/2007	18:52:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P03	098866
8/1/2007	18:53:17	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P03	098866
8/1/2007	18:57:59	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:00:42	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	19:01:15	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:03:07	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:04:49	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:08:08	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:12:29	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:12:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:13:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:13:39	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:14:16	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:14:19	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:15:02	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:15:42	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:17:35	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:25:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353

8/1/2007	19:28:07	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:28:45	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:28:59	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F061767
8/1/2007	19:31:01	Read Comme	False	True	(Response View	Response_Master_Incident	T07	060933
8/1/2007	19:31:48	Read Comme	False	True	(Response View	Response_Master_Incident	T06	101310
8/1/2007	19:32:11	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:32:47	Read Comme	False	True	(Response View	Response_Master_Incident	T05	031779
8/1/2007	19:33:16	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	19:33:30	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F061767
8/1/2007	19:35:57	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F061767
8/1/2007	19:36:25	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F068028
8/1/2007	19:40:36	Read Comme	False	True	(Response View	Response_Master_Incident	F02	068353
8/1/2007	19:42:03	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	F061767
8/1/2007	19:42:15	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F068028
8/1/2007	19:48:07	Read Comme	False	True	(Response View	Response_Master_Incident	F02	068353
8/1/2007	19:48:30	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	F068028
8/1/2007	19:49:51	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F061767
8/1/2007	19:53:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	19:54:57	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	19:57:25	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F061767
8/1/2007	19:57:49	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	19:57:50	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	19:57:53	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	098500
8/1/2007	20:02:43	Read Comme	False	True	(Response View	Response_Master_Incident	F02	068353
8/1/2007	20:02:43	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:02:51	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:06:35	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:06:35	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	20:07:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:07:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	068353
8/1/2007	20:08:12	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	20:08:37	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:12:50	Read Comme	False	True	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Address	500 2nd St Se	True	Address Change	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Latitude	44983499	44983499	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Longitude	93248545	93248545	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Street_Id	NULL	138351	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Map_Info	311A	311A	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Cross_Stre		6TH AV SE/5TH AV SE	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Response_P		Technical Rescue	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	ResponsePI	0	1	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Primary_TA	'MPFD-3 Fire 3	'MPFD-1 Fire Main	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:04	Address	500 2nd St Se	500 2ND ST SE	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:05	Pickup_Map		311A	Change Verified	Response_Transports	F02	F068028
8/1/2007	20:13:05	Map_Info		311A	(Response View	Response_Master_Incident	F02	F068028
8/1/2007	20:13:05	Neighborhood	35	35	Polygon Lookup	Response_User_Data_Fields	F02	F068028
8/1/2007	20:15:30	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	068353
8/1/2007	20:15:30	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:16:03	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P03	098866
8/1/2007	20:16:48	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F061767
8/1/2007	20:17:44	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:24:05	Read Comme	False	True	(Response View	Response_Master_Incident	T06	101310
8/1/2007	20:29:19	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:29:43	Read Comme	False	True	(Response View	Response_Master_Incident	F03	F061767
8/1/2007	20:32:18	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:32:51	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:34:08	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500

8/1/2007	20:34:52	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:35:10	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:37:14	Read Comme	False	True	(Response Viewe	Response_Master_Incident	T06	101310
8/1/2007	20:38:42	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:39:42	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F03	F061767
8/1/2007	20:41:03	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:41:51	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:42:33	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:42:55	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:42:55	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:43:57	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:43:58	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:44:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:44:05	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:45:24	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:45:24	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:45:34	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:45:34	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:45:46	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:46:17	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:47:14	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:47:57	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:48:51	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:48:58	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:49:00	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:49:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:50:54	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:51:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:51:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:52:10	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:52:19	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:54:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:55:07	Read Comme	False	True	(Response Viewe	Response_Master_Incident	T06	101310
8/1/2007	20:55:08	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:55:20	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:55:39	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	20:55:39	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	20:55:48	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	20:59:34	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:02:54	Read Comme	False	True	(Response Viewe	Response_Master_Incident	T06	101310
8/1/2007	21:08:16	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	21:09:39	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F03	F061767
8/1/2007	21:09:39	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:09:50	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	21:12:03	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:13:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:13:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:14:04	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F01	F064075
8/1/2007	21:19:32	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F068028
8/1/2007	21:19:48	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F03	F061767
8/1/2007	21:19:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:22:54	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	21:24:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:24:44	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:28:37	Read Comme	False	True	(Response Viewe	Response_Master_Incident	SYSADMIN1	111178
8/1/2007	21:28:38	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:29:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500

8/1/2007	21:30:10	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:32:38	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:32:50	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:33:19	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:34:12	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:35:20	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:38:06	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F068028
8/1/2007	21:40:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:43:25	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:43:38	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:43:52	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	21:50:53	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F068028
8/1/2007	21:53:09	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	21:59:05	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	21:59:26	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	22:00:25	Read Comme	False	True	(Recall Window)	Response_Master_Incident	T11	098500
8/1/2007	22:00:44	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F068028
8/1/2007	22:00:45	Read Comme	False	True	(Response View)	Response_Master_Incident	F01	F064075
8/1/2007	22:04:27	Read Comme	False	True	(Recall Window)	Response_Master_Incident	S01	64961
8/1/2007	22:17:50	Read Comme	False	True	(Response View)	Response_Master_Incident	F03	F106504
8/1/2007	22:25:11	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F068028
8/1/2007	22:25:21	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F068028
8/1/2007	22:27:15	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	22:28:02	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F068028
8/1/2007	22:30:28	Read Comme	False	True	(Response View)	Response_Master_Incident	T03	80849
8/1/2007	22:35:28	Read Comme	False	True	(Response View)	Response_Master_Incident	F01	F064075
8/1/2007	22:38:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	22:38:09	Read Comme	False	True	(Response View)	Response_Master_Incident	I01	111615
8/1/2007	22:39:37	Read Comme	False	True	(Response View)	Response_Master_Incident	T11	066104
8/1/2007	22:47:05	Read Comme	False	True	(Response View)	Response_Master_Incident	F03	F109664
8/1/2007	22:49:03	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F060897
8/1/2007	22:53:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	22:54:59	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	22:55:09	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/1/2007	22:58:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/1/2007	23:01:08	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:01:20	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:03:09	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:03:25	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:05:25	Read Comme	False	True	(Response View)	Response_Master_Incident	F01	F060897
8/1/2007	23:06:37	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:06:50	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:07:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:09:01	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:13:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:13:37	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:15:53	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:16:28	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:17:38	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:17:40	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:17:43	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:18:20	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:19:22	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:20:20	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:20:20	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:21:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:24:12	Read Comme	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:25:32	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075

8/1/2007	23:25:40	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:25:45	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:34:21	False	True	(Response Viewe	Response_Master_Incident	SYSADMIN1	111178
8/1/2007	23:39:55	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/1/2007	23:42:31	False	True	(Recall Window)	Response_Master_Incident	P04	F060897
8/1/2007	23:42:33	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/1/2007	23:57:48	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/1/2007	23:58:12	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/1/2007	23:58:53	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:01:26	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	00:01:26	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:04:44	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	00:05:19	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:05:20	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	00:06:09	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/2/2007	00:06:10	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:10:19	False	True	(Response Viewe	Response_Master_Incident	S02	64961
8/2/2007	00:17:31	False	True	(Response Viewe	Response_Master_Incident	T07	109576
8/2/2007	00:18:20	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/2/2007	00:19:17	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:23:58	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	00:24:42	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/2/2007	00:25:13	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:30:06	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:30:11	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	00:32:07	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/2/2007	00:35:59	False	True	(Recall Window)	Response_Master_Incident	P04	066590
8/2/2007	00:36:00	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:37:11	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:37:54	False	True	(Response Viewe	Response_Master_Incident	F01	F064075
8/2/2007	00:49:17	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:52:26	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	00:57:41	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	00:59:47	False	True	(Response Viewe	Response_Master_Incident	T05	031779
8/2/2007	01:02:40	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	01:04:14	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	01:05:22	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	01:05:32	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	01:07:31	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	01:09:03	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	01:17:27	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	01:26:14	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	01:36:43	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	01:40:02	False	True	(Response Viewe	Response_Master_Incident	F01	F109664
8/2/2007	01:47:00	False	True	(Response Viewe	Response_Master_Incident	F01	F109664
8/2/2007	01:47:06	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	01:47:53	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	01:50:13	False	True	(Response Viewe	Response_Master_Incident	F01	F109664
8/2/2007	01:51:47	False	True	(Response Viewe	Response_Master_Incident	S01	098490
8/2/2007	01:58:37	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	02:00:16	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	02:01:55	False	True	(Response Viewe	Response_Master_Incident	S01	098490
8/2/2007	02:09:06	False	True	(Response Viewe	Response_Master_Incident	F01	F109664
8/2/2007	02:11:45	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	02:13:30	False	True	(Response Viewe	Response_Master_Incident	F01	F109664
8/2/2007	02:20:38	False	True	(Response Viewe	Response_Master_Incident	F01	F064075
8/2/2007	02:22:16	False	True	(Recall Window)	Response_Master_Incident	F01	F064075

8/2/2007	02:22:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	02:22:56	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	02:23:15	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	02:23:25	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	02:25:19	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F064075
8/2/2007	02:26:52	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F060897
8/2/2007	02:32:37	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	02:46:01	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	02:47:26	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	02:47:35	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	02:48:29	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	02:49:11	Read Comme	False	True	(Response Viewe	Response_Master_Incident	T10	064324
8/2/2007	02:50:17	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	02:55:49	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	02:56:10	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F060897
8/2/2007	03:02:49	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	03:05:08	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F03	F100846
8/2/2007	03:06:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	03:16:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	03:17:04	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F03	F100846
8/2/2007	03:18:30	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	03:24:14	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F03	F100846
8/2/2007	03:26:42	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F03	F100846
8/2/2007	03:28:06	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	03:28:49	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F03	F100846
8/2/2007	03:34:24	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F01	F100850
8/2/2007	03:37:03	Read Comme	False	True	(Recall Window)	Response_Master_Incident	I01	109576
8/2/2007	03:37:48	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F01	F100850
8/2/2007	03:39:54	Read Comme	False	True	(Recall Window)	Response_Master_Incident	S01	098490
8/2/2007	03:45:55	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	03:50:51	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	03:50:59	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	03:51:23	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	03:51:25	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	04:09:10	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	04:11:43	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100850
8/2/2007	04:13:39	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F060897
8/2/2007	04:16:12	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	04:37:53	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	04:50:09	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	04:51:21	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	04:52:16	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:00:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:02:41	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:05:07	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:05:13	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:05:52	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:05:53	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:06:12	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:06:12	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:06:31	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:06:32	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:18:55	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	05:20:54	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:24:53	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897
8/2/2007	05:28:58	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:31:58	Read Comme	False	True	(Response Viewe	Response_Master_Incident	F02	F060897

8/2/2007	05:35:44	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:36:29	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:38:00	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:39:50	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:40:29	Address	500 2ND ST SE	500 2ND ST SE	Address Change	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Latitude	0	44983499	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Longitude	0	93249825	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Street_Id	NULL	136351	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Map_Info	311A		(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Response_P		Technical Rescue	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	ResponsePi	0	1	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Address	500 2ND ST SE	500 2ND ST SE	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Pickup_Map		311A	Change Verified	Response_Transports	F02	F060897
8/2/2007	05:40:30	Map_Info		311A		Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Neighborhood	35	35	Polygon Lookup	Response_Master_Incident	F02	F060897
8/2/2007	05:40:30	Read Comme	False	True	(Recall Window)	Response_User_Data_Fields	F02	F060897
8/2/2007	05:40:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:42:44	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	05:50:30	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	05:52:05	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	06:07:08	Read Comme	False	True	(Response View)	Response_Master_Incident	S01	098490
8/2/2007	06:07:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:08:12	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:09:30	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	06:12:50	Read Comme	False	True	(Response View)	Response_Master_Incident	F01	F100846
8/2/2007	06:12:54	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:13:21	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:13:43	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:13:46	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:13:47	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:13:50	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:13:56	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:01	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:05	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:08	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:14	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:19	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:31	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:14:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	06:15:09	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:15:21	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:16:08	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	06:17:15	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:18:22	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:18:33	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	06:26:45	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F02	F060897
8/2/2007	06:26:48	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:34:16	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:34:16	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:37:40	Read Comme	False	True	(Response View)	Response_Master_Incident	F02	F060897
8/2/2007	06:48:40	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:55:11	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F100846
8/2/2007	06:55:35	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	06:55:49	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:00:28	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:00:31	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:02:02	Read Comme	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:04:49	Read Comme	False	True	(Comment Notifi	Response_Master_Incident	F02	F067662

8/2/2007	07:06:25	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:16:04	False	True	(Response View)	Response_Master_Incident	F02	F061644
8/2/2007	07:16:46	False	True	(Response View)	Response_Master_Incident	S02	063195
8/2/2007	07:26:47	False	True	(Response View)	Response_Master_Incident	E02	040504002
8/2/2007	07:27:54	False	True	(Response View)	Response_Master_Incident	T11	066104
8/2/2007	07:30:12	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:42:01	False	True	(Response View)	Response_Master_Incident	T03	066545
8/2/2007	07:44:39	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:44:55	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:45:10	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:47:36	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	07:48:32	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	08:33:40	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	08:46:21	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	08:46:33	False	True	(Response View)	Response_Master_Incident	T10	005760
8/2/2007	08:46:58	False	True	(Response View)	Response_Master_Incident	T11	066104
8/2/2007	09:13:48	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	09:14:00	False	True	(Response View)	Response_Master_Incident	F01	111178
8/2/2007	09:18:47	False	True	(Recall Window)	Response_Master_Incident	SYSADMIN1	111178
8/2/2007	09:23:03	False	True	(Recall Window)	Response_Master_Incident	F02	F061644
8/2/2007	09:33:24	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	09:37:41	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	09:54:45	False	True	(Comment Notif)	Response_Master_Incident	F02	F061644
8/2/2007	09:55:33	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	10:24:10	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	10:29:50	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	10:44:53	False	True	(Response View)	Response_Master_Incident	SYSADMIN1	111178
8/2/2007	10:46:52	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	10:54:19	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	11:00:40	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	11:17:12	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	11:20:07	False	True	(Response View)	Response_Master_Incident	F02	F061767
8/2/2007	11:23:45	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	11:29:08	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	11:32:15	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	11:32:33	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	11:32:51	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	11:48:03	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	11:59:37	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	12:04:03	False	True	(Response View)	Response_Master_Incident	T03	093983
8/2/2007	12:04:32	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	12:19:18	False	True	(Recall Window)	Response_Master_Incident	F01	F067662
8/2/2007	12:19:25	False	True	(Response View)	Response_Master_Incident	SYSADMIN1	111178
8/2/2007	12:20:43	False	True	(Response View)	Response_Master_Incident	F02	F061767
8/2/2007	12:37:38	False	True	(Response View)	Response_Master_Incident	T11	060647
8/2/2007	12:42:29	False	True	(Response View)	Response_Master_Incident	SYSADMIN1	111178
8/2/2007	12:43:04	False	True	(Recall Window)	Response_Master_Incident	T10	098500
8/2/2007	12:43:04	False	True	(Recall Window)	Response_Master_Incident	T10	098500

Custom Time Stamps
No Custom Time Stamps

Custom Data Fields
Description
 Neighborhood

Data
 35

User