THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15 DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM FAA NTSB COUNSEL



Mike Monroney Aeronautical Center P.O. Box 25082 Oklahoma City, Oklahoma 73125

Federal Aviation
Administration

Thursday, June 04, 2015

National Transportation Safety Board 505 South 336th Street, Suite 540 Federal Way, WA 98003

ACCIDENT # 0086 INDIVIDUAL#: 002 NAME: Runyon, Richard L. MODE: AVIATION

DATE OF ACCIDENT 05/07/2015 DATE RECEIVED 05/12/2015 PUTREFACTION: No

N # 962DA **NTSB #** WPR15FA158 **CAMI REF #** 201500086002

LOCATION OF ACCIDENT Spokane, WA

SPECIMENS Bile, Blood (Cavity), Brain, Gastric, Heart, Kidney, Liver, Lung, Muscle, Spleen, Urine, Vitreous

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood (Cavity)

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NO ETHANOL detected in Vitreous

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (http://jag.cami.jccbi.gov/toxicology/).

- >> 10 (ug/ml, ug/g) Acetaminophen detected in Urine
- >> Ranitidine detected in Urine
- >> Ranitidine detected in Blood (Cavity)

Russell Lewis, Ph.D. TC, FAA, Forensic Toxicology Research Team CAMI