



U.S. Department  
of Transportation  
**Federal Aviation  
Administration**

THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15  
DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM  
FAA NTSB COUNSEL

Mike Monroney  
Aeronautical Center

P.O. Box 25082  
Oklahoma City, Oklahoma 73125

Wednesday, June 14, 2017

National Transportation Safety Board  
45065 Riverside **Parkway**  
Ashburn, VA 20147

ACCIDENT # 0073    INDIVIDUAL#: 001    NAME: [REDACTED]    MODE: AVIATION  
DATE OF ACCIDENT 04/04/2017    DATE RECEIVED 04/06/2017    PUTREFACTION: No  
N # 155CL    NTSB # ERA17FA145    CAMI REF # 201700073001  
LOCATION OF ACCIDENT Micanopy, FL  
SPECIMENS Brain, Heart, Kidney, Liver, Lung, Muscle, Spleen

**FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT**

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NOT PERFORMED

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> 11 (mg/dL, mg/hg) Ethanol detected in Muscle  
>> NO ETHANOL detected in Brain

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in ( ) can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marijuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (<http://jag.cami.jccbi.gov/toxicology/>).

>> Flecainide detected in Muscle  
>> Flecainide detected in Liver  
>> Loratadine detected in Muscle  
>> Loratadine detected in Liver

[REDACTED]

c=US, o=U.S. Government, ou=AMC, ou=AMC,  
cn=RUSSELL J LEWIS  
2017.06.19 09:29:50 -05'00'

Russell Lewis, Ph.D., F-ABFT  
TC, FAA, Forensic Toxicology  
Research Team CAMI