## THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15 DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM FAA NTSB COUNSEL



Mike Monroney Aeronautical Center P.O. Box 25082 Oklahoma City, Oklahoma 73125

Federal Aviation
Administration

Tuesday, July 23, 2013

National Transportation Safety Board 4760 Oakland Street, Suite 500 Denver, CO 80239

ACCIDENT # 0098 INDIVIDUAL#: 001 NAME: FOWLER, JOHN C. MODE: AVIATION

DATE OF ACCIDENT 06/07/2013 DATE RECEIVED 06/12/2013 PUTREFACTION: No

**N#** 510LD **NTSB#** CEN13FA326 **CAMI REF#** 201300098001

LOCATION OF ACCIDENT Baker, LA

SPECIMENS Bile, Blood, Brain, Gastric, Heart, Kidney, Liver, Lung, Muscle, Spinal Fluid, Spleen, Urine, Vitreous

## FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> 21 (%) CARBON MONOXIDE detected in Blood

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NO CYANIDE detected in Blood

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> NO ETHANOL detected in Vitreous

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (http://jag.cami.jccbi.gov/toxicology/).

- >> 15 (ug/ml, ug/g) Acetaminophen detected in Urine
- >> Diltiazem detected in Urine
- >> Diltiazem detected in Blood
- >> Ibuprofen detected in Urine

Russell Lewis, Ph.D. TC, FAA, Forensic Toxicology Research Team CAMI