



Vehicle Attachment 11 – 2009 Jayco Travel Trailer Specifications

Mount Vernon, WA; 05/23/2013

HWY13MH012

(3 pages)

Jay Flight™

2009 Travel Trailers and Park Trailers by Jayco®

Leading the Way to Family Fun



For three years in a row, Jay Flight travel trailers by Jayco have been the top selling travel trailers in North America and Jayco's top selling RV. Jay Flight's success can be traced to its durable construction, family-friendly design and numerous amenities—making it an affordable value for a family of any size.



JAY FLIGHT

Jay Flight travel trailers sleep up to 10 people and range in length from just over 22 feet to almost 36 feet. The Jayco Jay Flight is towable* by most ½ ton trucks and SUVs and is more popular than ever.



JAY FLIGHT G2

Jay Flight G2 is the second generation of Jayco's most popular travel trailers and offers more standard amenities than other RVs in its class. The Jay Flight G2 sleeps up to 10 with a length range of 23 feet to almost 34 feet.



JAY FLIGHT BUNGALOW

More spacious than a traditional travel trailer and less expensive than building on-site, the Bungalow park trailer is ideal for a long-term stay at your favorite spot. The Bungalow offers a variety of floorplans sleeping up to 10 people.





A LEGACY OF CRAFTSMANSHIP

Jayco's dedicated production team includes Amish craftsmen who build with well-honed woodworking techniques passed down for generations and skilled seamstresses who produce our upholstery, bedding and draperies with great attention to detail.

COLOR OPTIONS



Blue



Cinnamon



Wheat

1. Drapery 2. Main Upholstery 3. Bedspread 4. Wallpaper 5. Wood 6. Vinyl 7. Countertop 8. Carpet

SPECIFICATIONS		Exterior Length	Exterior Height (with A/C)	Interior Height	Unloaded Vehicle Weight	Dry Hitch Weight (lbs.)	Gross Vehicle Weight Rating (lbs.)	Cargo Carrying Capacity (lbs.)	Fresh Water Capacity (gal.) (Includes water heater)	Gray Wastewater Capacity (gal.)	Toilet/Black Wastewater Capacity (gal.)
Jay Flight Travel Trailer	19BH	22' 5"	130"	81"	3,730	450	6,000	2,270	37	32.5	32.5
	22FB	26' 5"	127"	81"	4,145	470	6,000	1,855	37	32.5	32.5
	24FBS	26' 11"	133"	81"	4,865	530	7,000	2,135	31	32.5	32.5
	24RKS	28' 3"	127"	81"	4,885	605	7,000	2,115	59	32.5	32.5
	25BHS	28' 11"	133"	81"	5,845	745	8,180	2,335	46	32.5	32.5
	26BH	29' 1"	129"	81"	4,445	580	7,500	3,055	37.2	32.5	32.5
	28BHS	30' 6"	127"	81"	5,145	725	7,500	2,355	59	32.5	32.5
	30BHDS	33' 11"	134"	81"	7,020	725	9,000	1,980	46	32.5	32.5
	30BHS	32' 6"	137"	81"	6,300	1,020	9,000	2,700	46	32.5	32.5
	36BHS	37' 11"	133"	81"	7,555	1,045	9,500	1,945	50	32.5	32.5
Jay Flight G2 Travel Trailer	23FB	26' 5"	127"	81"	4,480	530	6,500	2,020	37	32.5	32.5
	25RKS	28' 4"	134"	81"	6,149	745	8,180	2,031	46	65	32.5
	26BHS	28' 11"	135"	81"	6,215	725	8,180	1,965	46	32.5	32.5
	27BH	29' 1"	127"	81"	4,860	620	7,500	2,640	37	32.5	32.5
	28RBS	31' 2"	134"	81"	6,470	800	8,500	2,030	46	32.5	32.5
	28RBDL	31' 2"	134"	81"	6,445	780	8,500	2,055	46	32.5	32.5
	29BHS	30' 6"	127"	81"	5,400	800	7,500	2,100	59.2	32.5	32.5
	29FBS	32' 6"	134"	81"	6,810	735	9,000	2,190	46	65	32.5
	29RLS	33' 7"	134"	81"	6,925	815	9,000	2,075	46	65	32.5
	31BHDS	33' 11"	134"	81"	7,315	800	9,200	1,885	46	32.5	32.5
	31BHS	32' 6"	134"	81"	6,900	1,025	9,000	2,100	46	32.5	32.5
	31RKS	33' 8"	134"	81"	6,815	830	9,000	2,185	46	65	32.5
	32BHDS	35' 6"	134"	81"	7,800	850	9,750	1,950	46	32.5	32.5
32FKS	33' 11"	134"	81"	7,660	1,135	9,750	2,090	46	65	32.5	
32RLS	35' 6"	133"	81"	7,170	950	9,200	2,030	46	65	32.5	
Bungalow Park Trailer	40BHS	40' 11"	137"	84"	10,380	1,600	11,700	1,320	50	65	32.5
	40FER	40' 11"	137"	84"	10,104	1,640	11,700	1,596	50	65	32.5
	40FLR	40' 11"	137"	84"	9,950	1,595	11,700	1,750	50	65	32.5

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle and the RV together before heading out on the roadways. When you tow an RV, you must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specification chart above.

Unloaded Vehicle Weight (UUV): Sometimes referred to as "Dry Weight," UUV means the typical weight of this trailer as built at the factory. The UUV, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UUV plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UUV and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UUV. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.