



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
4/19/22	01615	2639288	432-2022-2669	8.00		NO	31: TROUBLESHOOT	D:-DOORS	COSTELLO, CRAIG DAVID MOONEY	CHECKING WIRING ON CINESTON
4/15/22	01615	2639288	432-2022-2669	8.00		NO	31: TROUBLESHOOT	D:-DOORS	COSTELLO, CRAIG DAVID MOONEY	T/S CINESTON FOR FAULTS
4/5/22	01615	2638360	432-2022-2527	2.00		NO	27: STEAM CLEANED	Z-CC:A/C CONDENSOR CLEANING	CUNNINGHAM, NATHAN WESLEY DUDOVICZ	
4/5/22	01615	2638360	432-2022-2527	4.00		NO	50: REPLACED/CHANGE D	H-X:WIRING- HVAC	TEDESCO, ERIC SCOTT MANNING	R/R THE PROTOTYPE VOLTAGE MONITORING RELAY.

Additional notes and comments for Work Order 432-2022-2527:

AC WONT PICK, NOT GETTING GROUND TO ACTIVATE TDR AND LC, 37 VDC SIDE OK, BFCI OVERHEADS PICKING, MORRS SCHMIT ISSUE SUSPECT

4/5/22

THE VOLTAGE MONITORING RELAY (VMR) FAILED. IT WORKS WITH THE MORS SMITT RELAY TO DETECT 600 VOLTS TO THE HVAC SYSTEM. THE VMR DETECTED 6 VOLTS BUT WOULD NOT PICK THE MORS SMITT RELAY.

4/4/22	01615	2638360	432-2022-2514	4.00		NO	30: INSPECTED	H-Y:HVAC INSPECTION	CONNORS, JOHN BILL MACDONALD	
4/4/22	01615	2638360	432-2022-2514	2.00		NO	30: INSPECTED	H-Y:HVAC INSPECTION	MCDONOUGH, JOHN BILL MACDONALD	

Additional notes and comments for Work Order 432-2022-2514:

MANY FUSES NO STOCK, NO STOCK ANYWHERE TO FIX TRAIN

INCOMPLETE INSPECTION, PTR ISSUE

3/29/22	01615	2637748	432-2022-2286	8.00		NO	31: TROUBLESHOOT	P:-ENGINE (PROPULSION)	KENNEDY, SHAWN RICHARD SNOW	SEE COMMENTS
---------	-------	---------	-------------------------------	------	--	----	------------------	------------------------	--------------------------------	--------------

Additional notes and comments for Work Order 432-2022-2286:

3+29+22

TS SPINNING WHEELS FOUND THE S1 CONTACTOR WELD LIKELY DUE TO SPC BEING SLOW TO DROP OUT. LUBED THE SPC AIR CYCLINDER TO CORREST ALSO REPLACED THE SPC MAG VALVE DUE TO AIR LEAK . REPLACED THE PBC MAG VALVE DUE TO AIR LEAK . REPLACED THE CONTACTS ON S1, S2, S3, J, JR. MEGG THE MOTORS AND VISUALLY INSPECTED MOTORS. CASES RAN AND NOCTHED

3/7/22	01615	2633829	432-2021-3048	4.00	432UT21	NO	30: INSPECTED	T-AS:AXLE TEST - ULTRASONIC	FORESTA, STEPHEN DAVID WINFREY	UT TESTING PERFORMED
--------	-------	---------	-------------------------------	------	---------	----	---------------	-----------------------------	-----------------------------------	----------------------



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
Additional notes and comments for Work Order 432-2021-3048:										
COMPLETE UT INSPECTION OF AXLES.										
USE OLYMPUS EPOCH 600 UT UNIT IN BLUE CASE.										
UT INSPECTION PROCEDURE, AXLE DRAWINGS AND FORMS ARE LOCATED IN NETWORK FOLDER:										
>RTLFORE\PROCEDURES, PART LISTS, & BULLETINS\UT AXLE INSPECTION PROCEDURE\										
2/28/22	01615	2632929	432-2022-1328	8.00		NO	90: MAJ COMP REPLCD/INSTLD	B-U:BRAKE PACKAGE	KILLEEN, MICHAEL WESLEY DUDOVICZ	R/R #2 C/S B/P
2/28/22	01615	2632929	432-2022-1328	8.00		NO	90: MAJ COMP REPLCD/INSTLD	B-U:BRAKE PACKAGE	DEVLIN, MICHAEL WESLEY DUDOVICZ	R/R #2 C/S B/P
2/28/22	01615	2632929	432-2022-1328	8.00		NO	50: REPLACED/CHANGE D	J:-COUPLERS AND DRAFT GEAR	MAMMONE, JOHN JOHN JOHNSTON	SEE COMMENTS
2/28/22	01615	2632929	432-2022-1328	8.00		NO	50: REPLACED/CHANGE D	X:-AUTO. TRAIN CONTROL (ATO/ATC)	LEWIS, KEVIN JOHN JOHNSTON	SEE COMMENTS
2/28/22	01615	2632929	432-2022-1328	1.00		NO	31: TROUBLESHOOT	X-R:RECEIVER COILS- ATO	FRASER, SCOTT VINCENT DUFREND	
2/22/22	01615	2632929	432-2022-1328	2.00		NO	55: REPAIRED	C-K4:STANCHION- PASSENGER COMPART	ADAMS, LEE WILLIAM KEATING	REPAIR PASSENGER STANTION
2/22/22	01615	2632929	432-2022-1328	8.00		NO	55: REPAIRED	T-F2:FRIC.SNUB.(SHCK ABS-VERT)TRUCK	PICARDI, MARK RICHARD SNOW	SEE COMMENTS
2/21/22	01615	2632929	432-2022-1328	4.00		NO	55: REPAIRED	A:-AIR SYSTEM	O'CONNOR, EDDIE NATALINO SILVA	SEE COMMENTS
2/21/22	01615	2632929	432-2022-1328	2.00		NO	55: REPAIRED	C-V1:WINDSHIELD WIPER MOTOR	O'CONNOR, EDDIE NATALINO SILVA	SEE COMMENTS
2/21/22	01615	2632929	432-2022-1328	8.00		NO	31: TROUBLESHOOT	D:-DOORS	DANO, GJERGJI RICHARD SNOW	SEE COMMENTS
2/19/22	01615	2632929	432-2022-1328	4.00		NO	55: REPAIRED	C-K5:PASS.EMER.PULL/ASSEMBLY	VENTURA, STEFAN KEVIN KELLER	REPAIRED MILE DEF LIST

Additional notes and comments for Work Order 432-2022-1328:

REPLACED THE HARDWARE AND TIPS THE WHERE WELD. ADJUSTED THE DOOR THAT WHERE SHUTTERING CLEANED AND LUBED TO SPEC

2.22.22

REPLACED THE 3 SHOCKS & BUSHING

-----02/28/22

CS B/B R&R

ATO SENSOR BAR R&R



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
2/18/22	01615	2632929	432-2022-1324	4.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	SCIOSCIA, MICHAEL	PROP
2/18/22	01615	2632929	432-2022-1324	8.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	JOHN COYNE	TRUCKS
2/18/22	01615	2632929	432-2022-1324	3.90		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	DESPEIGNES, HUGUES	
2/18/22	01615	2632929	432-2022-1324	3.50		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	JOHN COYNE	
2/18/22	01615	2632929	432-2022-1324	0.10		NO	28: DRAINED/EVACUATED	A-A22:PURGE TANK	FORESTA, STEPHEN	AE
2/18/22	01615	2632929	432-2022-1324	0.50		NO	30: INSPECTED	Y-EAI:EQUAL ACCESS INSPECTION	JOHN COYNE	CB
2/17/22	01615	2632731	432-2022-1297	8.00		NO	55: REPAIRED	J-:COUPLERS AND DRAFT GEAR	STEVENSON, TIMOTHY	DT
2/17/22	01615	2632731	432-2022-1297	4.00		NO	55: REPAIRED	J-:COUPLERS AND DRAFT GEAR	JOHN COYNE	EAI
Additional notes and comments for Work Order 432-2022-1297:										
2/17/22 TRY TO LOCATE B/B THROUGH OUGHT CAR HOUSE AND NONE IN STOCK, T/S SMOKE SMELL CHECK MOTORS OK INSPECT PROP CASE, FOUNS MELTED DOWN TIPS. R & R TIPS AS NEEDED AND RUN CASE. OK CHECK BRAKES AND THEY APPLY AND RELEASE AS THEY SHOULD, RUN HVAC AND HEAT OK. POSS CAUSE OF SMELL WAS BURNT TIPS. NO OTHER CONDITIONS FOUND AT THIS TIME .										
2/9/22	01615	2631254	432-2022-1034	7.90		NO	55: REPAIRED	A-:AIR SYSTEM	O'CONNOR, EDDIE	SEE COMMENTS
2/9/22	01615	2631254	432-2022-1034	0.10		NO	28: DRAINED/EVACUATED	A-A22:PURGE TANK	JOHN COYNE	SEE COMMENTS
Additional notes and comments for Work Order 432-2022-1034:										
FOUND START UP RESISTOR BLOWN FOR AIR COMPRESSOR REPLACED RESISTOR AND REPAIRED WIRING, SUSPECTED WHEN CAR RAN OUT OF AIR PROPULSION CAM GOT STUCK NORMALIZED AIR SYSTEM AND CHECKED PROPULSION NOTCHED OK										
2/1/22	01615	2629663	432-2022-845	2.00		NO	55: REPAIRED	A-:AIR SYSTEM	FORESTA, STEPHEN	SET BRAKE PSI
1/20/22	01615	2627249	432-2022-394	4.00		NO	55: REPAIRED	P-:ENGINE (PROPULSION)	KEVIN KELLER	MAX/EMERGENCY 36/44
1/18/22	01615	2627249	432-2022-394	8.00		NO	55: REPAIRED	H-:HEAT - VENTILATOR AND AIR CONDITIONING SYSTEMS	KENNEDY, SHAWN	PROPULSION WORK - SEE COMMENTS
									STEPHEN WALKER	
									DANO, GJERGJI	HVAC INSP DEF WORK
									MICHAEL TRAYERS	



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
Additional notes and comments for Work Order 432-2022-394: 1/18/2022 REPLACED THERMOSTAT ASSEMBLY AND TESTED WITH TEST BOX REPLACED BAD # 1 END FUSELINK AND TESTED 66A TESTED OK 1-20-2022 WONT BUILD ? AIR TO CASE WAS SHUT OFF/7 POINT CUT AIR BACK IN / 7 POINT CUT BCO'S OUT TILL AIR BUILT UP & CUT BACK IN NOTCHED CAR OK										
1/14/22	01615	2627249	432-2022-385	2.00		NO	30: INSPECTED	H-Y:HVAC INSPECTION	FORESTA, STEPHEN BILL MACDONALD	
1/14/22	01615	2627249	432-2022-385	4.00		NO	30: INSPECTED	H-Y:HVAC INSPECTION	STASIUM, TIMOTHY BILL MACDONALD	
1/6/22	01615	2627242	432-2021-10242	6.00		NO	55: REPAIRED	J-:COUPLERS AND DRAFT GEAR	SMITH, ALBERT MICHAEL TRAYERS	REMOVED COUPLER HOOK PNEUMATIC CYLINDER AND INSTALLED NEW
Additional notes and comments for Work Order 432-2021-10242: 1/6/2022 PER ENGINEERING REMOVED COUPLER HOOK PNEUMATIC CYLINDER SENT OUT FOR EXAMINATION. INSTALLED NEW PNEUMATIC CYLINDER THIS WORK ORDER WAS LEFT OPEN. YARD REPORTS CAR IS NOW RUNNING IN SERVICE. I AM CLOSING TO BALANCE HOLD SHEET TO MCRS.										
12/11/21	01615	2627242	432-2021-7901	8.00	432D4AIR21	NO	80: PERFORMED	A-AS:AIR COMPRESSOR SERVICE	PERKINS, KEVIN KEVIN KELLER	COMPLETE ANNUAL D4 AND AIR DRYER SERVICE



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
Additional notes and comments for Work Order 432-2021-7901:										
OVERHAUL OF D4 OR D4-A COMPRESSORS WITH THE NEW GRAHAM WHITE AIR DRYERS OR VAPORLUX DRYER INSTALLED.										
G:\PROCEDURES, PART LISTS, & BULLETINS\#2 CAR\D4-A COMPRESSOR										
D4-A WITH NEW DRYER SERVICE PROC REV C.DOCX										
CABOT D4-A NEW DRYER MAIN RECORD.DOCX										
KIT PART #'S										
KIT-D4-RED										
KIT-D4-GW1										
9/29/21	01615	2626394	432-2021-7483	2.00		NO	30: INSPECTED	D:-DOORS	TAN, JIANPING WILLIAM KEATING	CHECK DOOR RELAYS SWITCHES, COULD NOT DUPLICATE FAILURE
9/29/21	01615	2626394	432-2021-7483	2.00		NO	30: INSPECTED	D:-DOORS	MCDONOUGH, STEVEN WILLIAM KEATING	CHECK DOOR RELAYS SWITCHES, COULD NOT DUPLICATE FAILURE
9/28/21	01615	2626394	432-2021-7443	2.00		NO	55: REPAIRED	B:-BRAKE SYSTEM	FORESTA, STEPHEN DAVID WINFREY	REPLACED A/R VALVE CHECKED ALL BRAKE PRESSURES ALL @ SPEC
8/5/21	01615	2625118	432-2021-6055	2.00		NO	55: REPAIRED	C:-BODY & FRAME	LI, KEVIN BILL MACDONALD	
8/5/21	01615	2625118	432-2021-6055	3.00		NO	55: REPAIRED	D:-DOORS	LI, KEVIN BILL MACDONALD	
8/5/21	01615	2625118	432-2021-6055	3.00		NO	10: ADJUSTED	C-K5:PASS.EMER.PULL/ASSEMBLY	LI, KEVIN BILL MACDONALD	
8/5/21	01615	2625118	432-2021-6055	2.00		NO	55: REPAIRED	B:-BRAKE SYSTEM	NYAMUNDA, DOMINIC NOEL MONIZ	SAFETY WIRED BRAKE PACK BOLTS
8/5/21	01615	2625118	432-2021-6055	4.00		NO	55: REPAIRED	J:-COUPLERS AND DRAFT GEAR	CONNORS, JOHN NOEL MONIZ	R/R'D BUTTON BOX
8/5/21	01615	2625118	432-2021-6055	6.00		NO	55: REPAIRED	B-H:HAND BRAKE	NYAMUNDA, DOMINIC NOEL MONIZ	REPAIRED HAND BRAKE AS BEST AS POSSIBLE WITH LIMITED PARTS
8/3/21	01615	2625018	432-2021-6030	4.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	VENTURA, STEFAN JOHN COYNE	A/E INSP
8/3/21	01615	2625018	432-2021-6030	3.50		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	STEVENSON, TIMOTHY JOHN COYNE	C/B INSP
8/3/21	01615	2625018	432-2021-6030	4.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	CHACON, HENRY JOHN COYNE	PROPULSION INSP



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
8/3/21	01615	2625018	432-2021-6030	8.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	KILLEEN, MICHAEL JOHN COYNE	TRUCK INSPECTION
8/3/21	01615	2625018	432-2021-6030	0.50		NO	30: INSPECTED	Y-EAI:EQUAL ACCESS INSPECTION	STEVENSON, TIMOTHY JOHN COYNE	EAI
7/8/21	01615	2619694	432-2021-5501	2.00		NO	31: TROUBLESHOOT	H:-HEAT - VENTILATOR AND AIR CONDITIONING SYSTEMS	SIDELINGER JR, HARR NATALINO SILVA	SEE COMMENTS
7/8/21	01615	2619694	432-2021-5501	8.00		NO	31: TROUBLESHOOT	H:-HEAT - VENTILATOR AND AIR CONDITIONING SYSTEMS	CONNORS, JOHN BILL MACDONALD	CONT TSHOOTING, FOUND COOL 1 RELAY MODULE N/G, R/R TESTED OK

Additional notes and comments for Work Order 432-2021-5501:

FOUND BROKEN BRUSHES ON #1 OHBM, R&R'D, STONED COMM, A/C STILL INOP, NEEDS FURTHER T/S.

6/22/21	01615	2617465	432-2021-5109	2.00		NO	30: INSPECTED	H-Y:HVAC INSPECTION	MCDONOUGH, JOHN BILL MACDONALD	
6/22/21	01615	2617465	432-2021-5109	4.00		NO	30: INSPECTED	H-Y:HVAC INSPECTION	STASIUM, TIMOTHY BILL MACDONALD	
6/14/21	01615	2616374	432-2021-4923	8.00		NO	31: TROUBLESHOOT	P:-ENGINE (PROPULSION)	FALLAVOLLITA, DANIE NATALINO SILVA	SEE COMMENTS
6/14/21	01615	2616374	432-2021-4923	4.00		NO	55: REPAIRED	D-T:TRACK ASSEMBLIES- DOORS	CALLAHAN, JAY WESLEY DUDOVICZ	REMOVE DOOR TACK REPAIR AND REPAIR THRESHOLD AS NEEDED LUBE
6/13/21	01615	2616374	432-2021-4923	4.00		NO	55: REPAIRED	T-B6:TORQUE ROD- TRUCK	FALLAVOLLITA, DANIE NATALINO SILVA	R&R'D THE #1 OCS TORQU ROD AND BUSHING
6/13/21	01615	2616374	432-2021-4923	4.00		NO	55: REPAIRED	T-B6:TORQUE ROD- TRUCK	SALOBHAJ, ARMANDO NATALINO SILVA	R&R'D THE #1 OCS TORQU ROD AND BUSHING
6/12/21	01615	2616374	432-2021-4923	8.00		NO	55: REPAIRED	J:-COUPLERS AND DRAFT GEAR	DESPEIGNES, HUGUES KEVIN KELLER	SEE COMMENTS
6/12/21	01615	2616374	432-2021-4923	8.00		NO	55: REPAIRED	P:-ENGINE (PROPULSION)	SCIOSCIA, MICHAEL KEVIN KELLER	SEE COMMENTS

Additional notes and comments for Work Order 432-2021-4923:

BUTTON BOX DAMAGED CANT GET NEW GASKET INPLACE. BOX NEEDS TO BE R/R'D. NO STOCK.

REPLACED BROKEN S1 UMA9 CONTACTOR AND BOTH TRACTION MOTOR BRUSH HOLDERS. CASE WONT RUN UP WILL NEED FURTHER TROUBLESHOOT.

6/14/21

T/S CONTROLS, FOUND S1 SWITCH SHORTING TO JUMPER PLATE TRIPPING LOCAL CONTROL CB. REPAIRED AND TESTED CONTROLS OK.

6/11/21	01615	2616374	432-2021-4918	4.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	ROMAN, PAUL KEVIN KELLER	PROPULSION
---------	-------	---------	-------------------------------	------	--	----	---------------	----------------------------	-----------------------------	------------



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
6/11/21	01615	2616374	432-2021-4918	8.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	SELMAN, STEVE KEVIN KELLER	TRUCKS
6/11/21	01615	2616374	432-2021-4918	3.50		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	KORONA, BRIAN KEVIN KELLER	CARBODY
6/11/21	01615	2616374	432-2021-4918	4.00		NO	30: INSPECTED	Y-M8:8-500-MILE INSPECTION	SALOBHAJ, ARMANDO KEVIN KELLER	A/E
6/11/21	01615	2616374	432-2021-4918	0.50		NO	30: INSPECTED	Y-EAI:EQUAL ACCESS INSPECTION	KORONA, BRIAN KEVIN KELLER	EAI
6/7/21	01615	2615946	432-2021-2835	4.00	432ACPS21	NO	50: REPLACED/CHANGE A/C D	H-A7A:PRESSURE CONTROL SWITCH-	SMITH, ALBERT BRIAN WHIPPEN	REPLACE THE #1 & 2 CAR HP & MOD SWITCHES
Additional notes and comments for Work Order 432-2021-2835: REPLACE THE #1 & 2 CAR HP & MOD SWITCHES MODULATION PRESSURE SWITCH, #1 CAR, MBTA P/N: 02693022 MODULATION PRESSURE SWITCH, #2 CAR, MBTA P/N: 02696003 HIGH PRESSURE SWITCH, #1 & 2 CARS, MBTA P/N: 02696001										
4/30/21	01615	2608699	432-2021-3900	4.00		NO	31: TROUBLESHOOT X-AUTO. TRAIN CONTROL (ATO/ATC)		DUFREND, VINCENT VINCENT DUFREND	
4/30/21	01615	2608699	432-2021-3900	1.00		NO	31: TROUBLESHOOT B-U: BRAKE PACKAGE		DUFREND, VINCENT VINCENT DUFREND	
Additional notes and comments for Work Order 432-2021-3900: "BRAKE RELEASE ON CODE CHANGES" NO IDEA WHAT THIS MEANS, DOESN'T MAKE ANY SENSE MORE LIKELY "DUMPING ON CODE CHANGE???". FOUND #2 BRAKE PACKAGE INOP, JUST HANGING IN PLACE NOT APPLYING PRESSURE TO WHEEL. BRAKE PACKAGE NOT BLOCKED, MECHANICALLY INOP. NOTIFIED CHF. REPAIR DEFERRED.										
4/29/21	01615	2608699	432-2021-2215	2.00	432COND21	NO	26: CLEANED	Z-CC:A/C CONDENSOR CLEANING	CUNNINGHAM, NATHAN WESLEY DUDOVICZ	CLEAN CONDENSERS USIN 4143 DETERGENT AND HOT WATER.



Vehicle History

4/19/2021 to 4/19/2022



Labor Date	Unit	Meter at the time	Work Order	Total Hours	Proj #	Warranty YES/NO	Action: Description	Task: Description	Employee or Vendor Entered by	Labor Comments
------------	------	-------------------	------------	-------------	--------	-----------------	---------------------	-------------------	-------------------------------	----------------

Additional notes and comments for Work Order 432-2021-2215:
A/C CONDENSOR CLEANING MULTI UNIT SERVICE REQUEST

YOU WILL FIND THE PROCEDURE AND CHECKOFF SHEETS AT THE FOLLOWING LOCATIONS

3 CAR
G:\PROCEDURES, PART LISTS, & BULLETINS\#3 CAR\HVAC\COND CLEANING

#1 AND #2 CARS
G:\PROCEDURES, PART LISTS, & BULLETINS\#1 #2 CAR\HVAC

4/21/21	01615	2608311	432-2021-3727	4.00	NO	74: T-A3:WHEELS SANDED/RESURFAC ED	WHALEN, RYAN WILLIAM KEATING	CUT #4 AXLE
---------	-------	---------	---------------	------	----	--	---------------------------------	-------------

Distinct # Units	Distinct # WO	Tot Hrs	Avg Hrs
1	26	308.00	4.40