


HIGHWAY FACTORS ATTACHMENT


Signage Plans for State Route 37

Louisville, NY

HWY23FH005

(4 pages)





F.A.R.C. 75-163

N.Y.S.DO.T. COLOR TYPE OF MUT.CD. NO. BACKGROUND CHARACTERS MOUNTING

SEE INYSOOT

HUTCO

2620

2620

2760

7200

2020

2060

2920

SEE INSOOT

WHITE REFL. TYPE IV GR. MTD.

SEE NYSDOT

MUTCD

SEE NYSDOT

HUTCO

BLUE REFL.

TRUE REFL.

			1,71,11aU.	<u> </u>								
	FED ROAD REG. NO.	STATE	FEDERAL AID PROJECT NO.	SHEET NO.	TOTAL SHEETS							
	1	N.Y.	RF-580 (23)	13	16							
		MASSENA - WADDINGTON PT. 5 SH. 1658										
	MASSEN	MASSENA -WADDINGTON PT 1234 SH 5										

ST. LAWRENCE CO.

M 3-2

M 22

": 3-2

M 21 M 22

M 3-2 M 3-2

И 13-Н И 13-Н

R 1

R 2

11 41

H %

D 31

SQ. FT.

17,00

6.93

4.90

8.00

9.00

12.50

ITEM. NO.	LOCATION NO.	TEXT NO.	7EXT	i i	TTER 117E	APPROX. SIZE OF SIGN	AREA SQ. FT.	N.Y.S.D.O.T. MU.T.C.D. NO.	BACKG		LOR	ACTED		E OF		•			_
645.06	5	1 1	CHASE MILLS 4	6" SERIES		81-6" X 11-6"	12.75	D1	GREEN			REFL.		MTD.	1	T		T	7
645.06	11	2	CHASE MILLS 4	6" SERIES "		8'-6" X 1'-6"	12,75	DI	United	1	TYPE	IV.	Un.	A A	NO.		ATION NO.	NO.	
645.06	16	3	LOUISVILLE 1	6" SERIES "	PD0	7'-0" X 1'-6"	10.50	D1	-	-	-	\vdash	+	-	645.2620	29		19	
645.06	20	d	- LOUISVILLE 1	6" SERIES "		7'-0" X 1'-6"			<u> </u>	<u> </u>	-	╄—	+-	.†	<u> </u>				
	1 20	-	MEIN RD.	- SERIES			10,50	D1	<u> </u>		-	 	GR.	MTD.	645.2620	24		20	
645.07 8 645.16	a	5	WEIN RD	4" & 2" SERIES "C"		21-0" X 8"	2.64	018		l			1	MTD.					
		-		-	•	2'-0" X B"		-	<u> </u>			ļ	BK.TO B		{ }				ŀ
645.07 645.16	13	6	TAYLOR ST.	4	Î	21-6" X 8" 21-6" X 8"	3.30	D18						6	645.2760	26		21	
			TAYLOR RD.	 	ļ·						\bot		1		 	ļ		<u> </u>	1
645.16	645.07 18	7	LOUISVILLE RD.	-		31-0" X 8" -34-0" X 8"	,3,%	D18							645.2200	TT TS /	45, 48, 52	22	l
		-	FONISAICLE RD					ļ							U-3.220	33, 33, .	15, 40, 52	- "	1
645_07	645.16	8	WILLARD RD.			21-6" X 8" 21-6" X 8"	3.30	30 D18							645.2020	9 12 1/	1, 17, 27,	23	l
645.16			MILLARD RD.										ŀ			7, 12, 1			
645.07 645.16	645.16 44	9	WHALEN RD.	<u> </u>		21-6" X 8" 21-6" X 8"	3.30 (018							645.2060	7 ₄₇ 138 1	5, 27A, 46,	, 24	
645,16			WHALEN RD.												645,2920	19, 23		7.	Ī
645.07	49	10	PATTERSON RD.		31-0" X 8"	3.96 D18					· 1					25			
645.16	642.16		раттекзои вр.			3'-0" X B"			+						645.06	30.0			T
645.07	53	11	BROWNING RD.	4" & 2" SERIES "C"		31-0" X B"							GR.MTD.		642.06	38 A		26	
645.16			вкомиіие кр.	4. a 2 3ER	163 °C"	31-0" X 8"	3.96	3.96 D18	GREEN R	EFL.			вк.т						ŀ
645.06	32,49 д	12	PARKING AREA I MILE	6" SERIES "(D"	61-0" X 21-0"	12.00	D30	BLUE REFL.				GR. MTD.		645.06	42 A		27	
645.06	40	13	PARKING AREA	6" SERIES "I	יים	4'-0" X 3'-6"	14.00	032	BLUE REFL.								us	HOTTAT	
645,06	42	14	PARKING AREA	6" SERIES "C	ju ·	4°-0" X 3°-6"	14.00	D32	DLUE REFL.		HHITE F	ITE REFL. GR. MTD.		MD.	e especial		<u> </u>	SECTIONS	S
645.2600	1, 2, 3, 4, 6, 10, 21, 31, 37, 38, 50, 51, 55	- 15	37	SEE HYSDOT MUTCO		24" X 24"	4.00	N 3-2	SEE NYS	EE NYSDOT SEE NYSD		500T	2600				STA. 216+4 STA. 229+1	40± LT 10± RT	_
645.2620	22, 30	16	JCT	ŧ		24" X 154	7.50	.Н 9			MUTCD A						STA. 245+0 STA. 312+5		_
			131			30" X 24"	7.50	м 3-3					2620	'	-		STA 312+5 STA 372+5	50+ LT	_
645,2610	25	17	131			30" X 24"	7.50	N 3-3				21	2610				STA 387+1 STA 450+1 DRIVENAY F	DON LT	_
	-			T		24" X 15"		N_13-H	† <u> </u>		*		2010				STA. 228+5		
645.2610	28	18	I3I	see nysdot mut	යා	30" X 24"	7.50	M 3-3	SEE NYS	оот .	see nysdot		****				PARK ING		
 						24" X 15"		# 13-H	MUTCO		MUTCD		2610			•	STA. 331+3		-

	*		ARKIN REA	· .	SEE NYS	DOT MUTCO	51-0" X 21-6"		
		-1		16.14	1 .	TEM 646.1	210	-	
H STA	1.(0);	Γ	LT			RT	FAR SIDE	REMARKS	
INTERSE	CTIONS	一十		 "'	LT	NI	OF INTERSECTION		
STA. 155485			7	3	,		_		
	186+50± LT					2		20° SPACING ON RADII. INSTALL IN ACCORDANCE	
STA. 216+40				1 3	2	2	3	WITH MYS MUTCO.	
STA. 229+10		_	3	1 4	2	2	 		
STA. 245+00		$\neg \uparrow$	3	3	2	2	3		
STA. 312+50			3	3	2	2			
STA 312+50			3	3	1 .2	_ 2			
STA. 372+50	+ LT		3	3	2	2	3		
STA 387+00	• RT		2.		2	2_	3		
STA_450+00	ш_		3	4_	· 2				-
DRIVEWAY RESTRICTION STA, 228+50± LT PARKING AREA		DN	ITEM 64	6.12	ITEH 64	5.1210	* .	3 ON ROADSIDE	
					5			2 OH DRIVE SIDE	
		-	TEM 64	6.12 RT	LTEM 648	5.1210 RT			
STA. 331+30		-	1	1	2	2	***************************************	20' SPACING ON RADII.	
STA. 338+00+ RT			1	1	1 2	,		INSTALL IN ACCORDANCE ,	

LETTER SIZE

SEE NYSDOT MUTCD

SEE NYSDOT MUTCO

NORTH

37

SOUTH

NORTH SOUTH

YIELD/

STOP

PARKING

PARKING

AREA

37

37

APPROX. SIZE

24" X 12"

24" X 24"

24" X 12"

24" X 24"

24" X 24"

24" X 24" 24" X 12"

24" X 15" 24" X 15"

30" X 30"

48" X 24"

36" X 36"

51-0" X 21-6"

24" X 24"

GENERAL MOTES:

1. TYPE OF SUPPORTS SHALL BE VERIFIED BY FIELD HEASUREMENT.

2. OVERSIZE SUPPORTS SHALL NOT BE ALLOWED.

3. ITEM 19519.0102 - MAINTENANCE AND PROTECTION OF TRAFFIC: THE REMOVAL OF EXISTING SIGNS SHALL BE INCLUDED IN THE PRICE BID FOR ITEM 19519.0102.

4. NOTE 4 (II) STANDARD SWEET 645-BRI SHALL NOT APPLY. (VERTICAL CLEARANCE - BURBL AREAS.)

5. ITEM 07646.1701 & 07646.1702 - SEE QUIDE FAIL TABULATION FOR PLACEMENT OF SHOUPLONING MARKERS IN ACCORDANCE WITH MYS MUTCO.

	L E G E N D												
SYMBOL	DESCRIPTION .	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	
w.	WHITE OR SILVER	BL.	BLUE				GROUND MOUNTED	AC,C,M.	CANTILEVER CENTER	4	LOCATION NO.	⊕	BACK TO BACK
G.	GREEN	R.	RED	U.C.	UPPER CASE LETTERS		CANTILEVER MOUNTED		APPROX. LOCATION	14/	TEXT NO.	6 2	DELINEATOR TYPE III
Y.	YELLOW	REFL.	REFLECTORIZED	L.C.	LOWER CASE LETTERS		SINGLE MAST ARM		OF SIGN		DELINEATOR TYPE I & III		EXISTING SIGNS TO
В.	BLACK	#-REFL.	NON-REFLECTORIZED	F. S.	FRACTION SQUARE	C.D.M.	CANTILEVER MOUNTED	\oplus	1.OCATION No.	Θ	DELINEATOR TYPE II		BE REMOVED &

SIGN TEXT DATA SHEET MASSENA-WADDINGTON DATE SCALE DRAWING NUMBER 7/75 NONE ST-I

SIGN TEXT DATA SHEET