

Vehicle Attachment –2007 Dodge Ram Truck Recalls Andrews, TX HWY22MH006

(18 pages)

REPORT A SAFETY PROBLEM



Language: English

Safety Issues & Recalls

Privacy - Terms VIN VEHICLE CAR SEATS TIRES EQUIPMENT

Vehicle Identification Number (VIN)

Every vehicle has a unique VIN. Enter a VIN to learn if a specific vehicle needs to be repaired as part of a recall.



17/17

2007

DODGE RAM QUAD CAB 2500 4X4



IMAGE NOT AVAILABLE

VIN: 3D7KS28C87XXXXXX

Recall data refreshed on Apr 06,2022

4 Unrepa i red Recalls

as sociate d with this VIN

Manufacturer Recall Number N62

NHTSA Recall Number 13V-528

Recall Status Recall Incomplete

Summary

A MOPAR SERVICE PARTS STEERING LINKAGE MAY HAVE BEEN INSTALLED DURING A PRIOR SERVICE APPOINTMENT. THE LEFT TIE ROD BALL STUD ON THE MOPAR SERVICE PARTS STEERING LINKAGE MAY FRACTURE UNDER CERTAIN DRIVING CONDITIONS.

Safety Risk

THIS COULD CAUSE A LOSS OF DIRECTIONAL CONTROL AND/OR A CRASH WITHOUT WARNING.

Remedy

THE STEERING LINKAGE ASSEMBLY MUST BE INSPECTED AND REPLACED IF REQUIRED.

Manufacturer's Notes

For more information, visit recalls.mopar.com or call 1-800-853-1403. Please have your VIN ready when calling.

Find a dealer.

Locate a dealer near you to get your vehicle repaired.

☑ GO

If the manufacturer has failed or is unable to remedy this safety recall for your vehicle in a timely manner, please contact the NHTSA Vehicle Safety Hotline at: 1-888-327-4236 or TTY: 1-800-424-9153 or file an online complaint with NHTSA.

May 24,2016

Manufacturer Recall Number S43

NHTSA Recall Number 16V-352

Recall Status Recall Incomplete

Summary

THE FRONT PASSENGER AIRBAG INFLATOR MAY RUPTURE, DUE TO EXCESSIVE INTERNAL PRESSURE, DURING NORMAL AIRBAG DEPLOYMENT EVENTS. THIS CONDITION IS MORE LIKELY TO OCCUR IF YOUR VEHICLE HAS BEEN EXPOSED TO HIGH LEVELS OF ABSOLUTE HUMIDITY FOR EXTENDED PERIODS OF TIME.

Safety Risk

AN INFLATOR RUPTURE, DURING AIRBAG DEPLOYMENT EVENTS, COULD RESULT IN METAL FRAGMENT(S) STRIKING THE VEHICLE OCCUPANT(S) RESULTING IN SERIOUS INJURY OR DEATH.

Remedy

THE PASSENGER AIRBAG INFLATOR MUST BE REPLACED.

Manufacturer's Notes

For more information, visit recalls.mopar.com or call 1-800-853-1403. Please have your VIN ready when calling.

Find a dealer.

Locate a dealer near you to get your vehicle repaired.

☑ GO

If the manufacturer has failed or is unable to remedy this safety recall for your vehicle in a timely manner, please contact the NHTSA Vehicle Safety Hotline at: 1-888-327-4236 or TTY: 1-800-424-9153 or file an online complaint with NHTSA.

May 26,2015

Manufacturer Recall Number R25

NHTSA Recall Number 15V-313

Recall Status Recall Incomplete

Summary

THE DRIVER AIRBAG INFLATOR HOUSING MAY RUPTURE, DUE TO EXCESSIVE INTERNAL PRESSURE, DURING NORMAL AIRBAG DEPLOYMENT EVENTS. THIS CONDITION IS MORE LIKELY TO OCCUR IF THE VEHICLE HAS BEEN EXPOSED TO HIGH LEVELS OF ABSOLUTE HUMIDITY FOR EXTENDED PERIODS OF TIME.

Safety Risk

AN INFLATOR RUPTURE, DURING AIRBAG DEPLOYMENT EVENTS, COULD RESULT IN METAL FRAGMENTS STRIKING AND POTENTIALLY SERIOUSLY INJURING THE VEHICLE OCCUPANT(S).

Remedy

THE DRIVER AIRBAG INFLATOR MUST BE REPLACED.

Manufacturer's Notes

For more information, visit recalls.mopar.com or call 1-800-853-1403. Please have your VIN ready when calling.

Find a dealer.

Locate a dealer near you to get your vehicle repaired.

☑ GO

If the manufacturer has failed or is unable to remedy this safety recall for your vehicle in a timely manner,

please contact the NHTSA Vehicle Safety Hotline at: 1-888-327-4236 or TTY: 1-800-424-9153 or file an online complaint with NHTSA.

Jan 06,2009

Manufacturer Recall Number H46

NHTSA Recall Number 09E-001

Recall Status Recall Incomplete

Summary

DURING A PRIOR SERVICE APPOINTMENT, A MOPAR SERVICE PARTS STEERING LINKAGE WAS INSTALLED. ALSO, THE STEERING DAMPER BRACKET AT THE TIE ROD TUBE MAY LOOSEN.

Safety Risk

THE DRAG LINK INNER JOINT MAY FRACTURE UNDER CERTAIN DRIVING CONDITIONS. THIS COULD RESULT IN A LOSS OF STEERING CONTROL AND CAUSE A CRASH WITHOUT WARNING. THIS COULD ALLOW THE BRACKET TO SLIDE ON THE TUBE AND MAY CAUSE INCREASED VEHICLE TURNING RADIUS.

Remedy

THE STEERING LINKAGE MUST BE INSPECTED AND SOME STEERING LINKAGE COMPONENTS MAY NEED TO BE REPLACED

Manufacturer's Notes

For more information, visit recalls.mopar.com or call 1-800-853-1403. Please have your VIN ready when calling.

Find a dealer.

Locate a dealer near you to get your vehicle repaired.

☑ GO

If the manufacturer has failed or is unable to remedy this safety recall for your vehicle in a timely manner, please contact the NHTSA Vehicle Safety Hotline at: 1-888-327-4236 or TTY: 1-800-424-9153 or file an online complaint with NHTSA.

Where's my VIN?

Look on the lower left of your car's windshield for your 17-character Vehicle Identification Number. Your VIN is also located on your car's registration card, and it may be shown on your insurance card.



What this VIN search tool will show

- An unrepaired vehicle affected by a vehicle safety recall in the past 15 calendar years
- Vehicle safety recalls from major light auto automakers, motorcycle manufacturers and some medium/heavy truck manufacturers

What this VIN search tool will not show

- A vehicle with a repaired safety recall. If your vehicle has no unrepaired recalls, you will see the message: "0 Unrepaired recalls associated with this VIN"
- Manufacturer customer service or other nonsafety recall campaign
- International vehicles
- There may be a delay with very recently announced safety recalls for which not all VINs have been identified. VINs are added continuously so please check regularly.
- Safety recalls that are more than 15 years old (except where a manufacturer offers more coverage)
- Safety recalls conducted by small vehicle manufacturers, including some ultra-luxury brands and specialty applications

Get Recall Alerts on Your Phone

Download NHTSA's free SaferCar app and set up your virtual garage. When SaferCar discovers a safety recall for the vehicle or equipment you entered, it will send you an alert on your mobile device.

SAFERCAR FOR IOS

SAFERCAR FOR ANDROID

What happens to my complaint?

Your complaint fuels our work. Learn about the different steps that lead to recalls and safer vehicles.

The Steps From Complaint To Recall →

From your complaints

to recall campaigns

NHTSA issues vehicle safety standards and requires manufacturers to recall vehicles and equipment that have safety-related defects.

Learn about NHTSA's recall process.

01 Complaints

Reporting your problem is the important first step.

Your complaint will be added to a public NHTSA database after personally identifying information is removed.

If the agency receives similar reports from a number of people about the same product, this could indicate that a safety-related defect may exist that would warrant the opening of an investigation.

Privacy - Terms

Have a safety problem?

Report a problem with your vehicle, tires, car seats or other equipment. We review every problem as we work to keep our roads safe.

Report a safety problem →

02 Investigations

NHTSA conducts an investigation from reported complaints.

A. SCREENING

NHTSA reviews filed complaints from vehicle owners and other information related to alleged defects to decide whether to open an investigation.

B. ANALYSIS

NHTSA conducts an analysis of any petitions calling for defect investigations. If the petition is denied, the reasons for the denial are published in the Federal Register.

C. INVESTIGATION

NHTSA opens an investigation of alleged safety defects. It is closed when they notify the manufacturer of recall recommendations or they don't identify a safety-related defect. Monthly investigation reports \rightarrow

D. RECALL MANAGEMENT

NHTSA monitors the effectiveness and management of recalls, including the filing of recall notices with NHTSA, communicating w owners regarding the recalls and tracking the completion rate of each recall. Data dashboard: Recalls by manufacturer →

03 Recalls

Initiated safety recalls require a manufacturer's action to announce and remedy the defects.

A recall is issued when a manufacturer or NHTSA determines that a vehicle, equipment, car seat, or tire creates an unreasonable safety risk or fails to meet minimum safety standards. Most decisions to conduct a recall and remedy a safety defect are made voluntarily by manufacturers prior to any involvement by NHTSA.

Manufacturers are required to fix the problem by repairing it, replacing it, offering a refund, or in rare cases repurchasing the vehicle.

Using our VIN lookup tool, you can access recall information provided by the manufacturer conducting the recall which may be not posted yet on NHTSA's site.

Go to search by VIN \rightarrow

Takata recall spotlight

The latest updates on Takata recalls

Recalls Spotlight monitors high-profile recalls and offers consumers resources to find and address vehicle recalls.

Takata recall spotlight →

Motor Vehicle Safety Defects And Recalls - What Every Vehicle Owner Should Know

Download this brochure to get more information about how and why recall campaigns are initiated, and to know your rights and responsibilities when a vehicle or item of motor vehicle equipment is recalled.

VIEW BROCHURE

Roles in the Recall Process



Manufacturer

Manufacturers will notify registered owners by first class mail within 60 days of notifying NHTSA of a recall decision. Manufacture should offer a proper remedy to the owner.



NHTSA

NHTSA will monitor each safety recall to make sure owners receive safe, free, and effective remedies from manufacturers according to the Safety Act and Federal regulations.



You (owner)

You'll be notified via mail from the manufacturer. When you receive a notification, follow any interim safety guidance provided by the manufacturer and contact your local dealership to fix the recalled part for free.

Tips For Your Safety

Register your vehicle, tires, car seats & equipment and check recalls twice a year.

Know if there is a safety problem with your vehicles, tires or car seat, and how to get it fixed.

SIGN UP

NHTSA Information -

Information For -

NHTSA Sites

Website Information -

National Highway Traffic Safety Administration

1200 New Jersey Avenue, SE Washington, D.C. 20590

1-888-327-4236 1-800-424-9153 (TTY)







