

VEHICLE FACTORS ATTACHMENT

Annual Inspections

Highland, IL

HWY23MH015

(3 pages)

GREYHOUND LINES, INC. FMCSA ANNUAL VEHICLE SAFETY INSPECTION

COMPANY NAME

GREYHOUND LINES, INC.

Prepare Separate Report for Each Vehicle Inspected

BUS NO.

0051275

STREET ADDRESS		REPAIR ORDER NO. 1210 CO
350 N. ST. PAUL		1012392
DALLAS, TX	zip 75201	GARAGE LOCATION LOS Angeles
NSPECTOR'S NAME (Please Print)		DATE 2-14-2022
CHECK LIGHTS: TAIL - MARKER - STOP - TURN HEAD - EMERGENCY		CHECK CONDITION AND MOUNTING OF BELLOWS, LEVELING VALVES, TORSION BARS AND RADIUS RODS
CHECK D.O.T. REFLECTORS		CHECK CONDITION AND MOUNTING OF U-BOLTS, BRACKETS AND OTHER AXLE RETAINING FASTENERS
TEST LOW AIR BUZZER AND LIGHT		CHECK ENGINE FRAME AND MOTOR MOUNTS
TEST HORN		CHECK FOR CRACKED, BROKEN, LOOSE OR SAGGING FRAME MEMBER
CHECK CONDITION AND OPERATION OF W/S WIPERS		CHECK PROPER CLEARANCE BETWEEN COACH BODY OR FRAME AND TIRE OR WHEEL
CHECK AIR PRESSURE DROP; 3 PSI MIN. PER MINUTE		CHECK TIRE CONDITION
CHECK PARKING BRAKE OPERA	American American Industria (C. Darbardo), in administrative	CHECK CONDITION OF WHEELS, AND WHEEL LUGS, CHECK FOR CRACKS AND TIGHTNESS
CHECK MUFFLER, TAIL PIPE, EX AND PIPE CONNECTIONS		CHECK FUEL TANK AND FILLER CAP CONDITION AND MOUNTING
CHECK OPERATION AND ADJUSTMENT OF SERVICE BRAKES		CHECK FUEL TANK AND FUEL LINES FOR VISIBLE LEAKS
CHECK FOR AUDIBLE AIR LEAKS		CHECK COACH EQUIPMENT FOR PROPER LOADING
CHECK CONDITION AND MOUNT SHOES, LININGS, SPRINGS, AND CAM ROLLERS, CHAMBERS, PUS CAMSHAFTS, CAM BUSHINGS AT	HOR PINS, SPIDERS, SH RODS, SLACK ADJUSTERS	CHECK EMERGENCY TRIANGLE REFLECTOR KIT (3-PC SET) CHECK CONDITION AND PROPER INSTALLATION OF WINDSHIELD
CHECK AIR LINES AND BRAKE HOSES FOR CONDITION, PROPER CONNECTION AND INSTALLATION		CHECK CONDITION OR MOUNTING OF OUTSIDE REAR VIEW MIRRORS
ROTATE STEERING AND CHECK STEERING WHEEL FREE PLAY		CHECK CONDITION OF DRIVER'S SIDE WINDOW
CHECK STEERING WHEEL AND	COLUMN MOUNTING	CHECK FIRE EXTINGUISHER MOUNTING AND INSPECTION DATE (6 MONTHS)
CHECK CONDITION AND MOUNTING OF STEERING GEAR BOX, DRAG LINK, TIE ROD, BALL JOINTS, PITMAN ARM,		CHECK PUSH OUT WINDOW OPERATION AND D.O.T. INTERIOR DECALS CHECK SEATS FOR SECURED MOUNTING, CHECK
STEERING ARM AND KING PINS		CONDITION OF SEAT FRAMES CHECK MOUNTING AND OPERATION OF DRIVER'S
CHECK AIR COMPRESSOR MOUI		SEAT BELT
DRAIN AIR TANKS AND WATCH F LEAKAGE AND OIL/WATER CONT		CHECK CONDITION AND OPERATION OF ENTRANCE DOOR
MARKS		
EDTIEV TUAT TUIC VEHICLE HAS BEEN	INSPECTED AND DEDAIDED AS NEED	DED IN COMPLIANCE WITH THE REQUIREMENTS OF 49 CFR PART 396.17 - 396.23
THORIZED INSPECTOR:	INGI LOTED AND HERAINED AS NEEL	DED IN COMI EMNOL WITH THE RECONSTRUCTOR OF 48 OFF FACT 380.17 - 380.23
		EMPLOYEE NO
ANATURE	0-1-01-	EMPLOYEE NO.

APPLY LABEL TO A CLEAN, DRY SURFACE.

AN INDELIBLE INK MARKER IS RECOMMENDED FOR USE WHEN FILLING OUT THE LABEL. CAREFUL DISCRETION IS ADVISED REGARDING APPLICATION OF LABEL TO AN AREA NOT EXPOSED TO EXCESSIVE ULTRAVIOLET LIGHT AND/OR ELEMENTS AND IT IS RECOMMENDED THAT THE READABILITY OF THE LABEL BE CHECKED PERIODICALLY.

GREYHOUND LINES, INC. FMCSA ANNUAL VEHICLE SAFETY INSPECTION

Prepare Separate Report for Each Vehicle Inspected

BUS NO.

COMPANY NAME

AUTHORIZED INSPECTOR

SIGNATURE

0054658

REYHOUND LINES, INC. REET ADDRESS	86243 REPAIR ORDER NO. 1132783
50 N. ST. PAUL	
TY STATE ZIP ALLAS, TX 75201	GARAGE LOCATION MIAMI, A.
SPECTOR'S NAME (Please Print)	DATE 4-4-23
CHECK LIGHTS: TAIL - MARKER - STOP - TURN HEAD - EMERGENCY	CHECK CONDITION AND MOUNTING OF BELLOWS, LEVELING VALVES, TORSION BARS AND RADIUS RODS
CHECK D.O.T. REFLECTORS	CHECK CONDITION AND MOUNTING OF U-BOLTS, BRACKETS AND OTHER AXLE RETAINING FASTENERS
TEST LOW AIR BUZZER AND LIGHT	CHECK ENGINE FRAME AND MOTOR MOUNTS
TEST HORN	CHECK FOR CRACKED, BROKEN, LOOSE OR SAGGING FRAME MEMBER
CHECK CONDITION AND OPERATION OF W/S WIPERS	CHECK PROPER CLEARANCE BETWEEN COACH BODY OR FRAME AND TIRE OR WHEEL
CHECK AIR PRESSURE DROP; 3 PSI MIN. PER MINUTE	CHECK TIRE CONDITION
CHECK PARKING BRAKE OPERATION AND TELL-TALE LIGHT	CHECK CONDITION OF WHEELS, AND WHEEL LUGS, CHECK FOR CRACKS AND TIGHTNESS
CHECK MUFFLER, TAIL PIPE, EXHAUST MANIFOLD AND PIPE CONNECTIONS	CHECK FUEL TANK AND FILLER CAP CONDITION AND MOUNTING
CHECK OPERATION AND ADJUSTMENT OF SERVICE BRAKES	CHECK FUEL TANK AND FUEL LINES FOR VISIBLE LEAKS
CHECK FOR AUDIBLE AIR LEAKS	CHECK COACH EQUIPMENT FOR PROPER LOADING
CHECK CONDITION AND MOUNTING OF BRAKE DRUMS, SHOES, LININGS, SPRINGS, ANCHOR PINS, SPIDERS, CAM ROLLERS, CHAMBERS, PUSH RODS, SLACK ADJUSTERS	CHECK EMERGENCY TRIANGLE REFLECTOR KIT (3-PC SET) CHECK CONDITION AND PROPER INSTALLATION
CAMSHAFTS, CAM BUSHINGS AND OIL SEALS	OF WINDSHIELD
PROPER CONNECTION AND INSTALLATION	REAR VIEW MIRRORS
FREE PLAY	CHECK CONDITION OF DRIVER'S SIDE WINDOW
CHECK STEERING WHEEL AND COLUMN MOUNTING	CHECK FIRE EXTINGUISHER MOUNTING AND INSPECTION DATE (6 MONTHS)
CHECK CONDITION AND MOUNTING OF STEERING GEAR BOX, DRAG LINK, TIE ROD, BALL JOINTS, PITMAN ARM, STEERING ARM AND KING PINS	CHECK PUSH OUT WINDOW OPERATION AND D.O.T. INTERIOR DECALS CHECK SEATS FOR SECURED MOUNTING, CHECK
OTEETING ANN AND KING FING	CONDITION OF SEAT FRAMES
CHECK AIR COMPRESSOR MOUNTING DRAIN AIR TANKS AND WATCH FOR CHECK VALVE	SEAT BELT
LEAKAGE AND OIL/WATER CONTAMINATION OF SYSTEM	CHECK CONDITION AND OPERATION OF ENTRANCE DOOR
ARKS	

I CERTIFY THAT THIS VEHICLE HAS BEEN INSPECTED AND REPAIRED AS NEEDED IN COMPLIANCE WITH THE REQUIREMENTS OF 49 CFR PART 396.17 - 396.23.

APPLY LABEL TO A CLEAN, DRY SURFACE.

EMPLOYEE NO.

AN INDELIBLE INK MARKER IS RECOMMENDED FOR USE WHEN FILLING OUT THE LABEL. CAREFUL DISCRETION IS ADVISED REGARDING APPLICATION OF LABEL TO AN AREA NOT EXPOSED TO EXCESSIVE ULTRAVIOLET LIGHT AND/OR ELEMENTS AND IT IS RECOMMENDED THAT THE READABILITY OF THE LABEL BE CHECKED PERIODICALLY.