

March 22, 2021

Diana Lang HSE & Regulatory Manager Beta Offshore 111 W. Ocean Boulevard, Suite 1240 Long Beach, CA 90802

Subj: Approval of the Beta Offshore, Beta Unit Complex Oil Spill Prevention and Response Plan

Dear Ms. Lang:

The Pipeline and Hazardous Materials Safety Administration (PHMSA) has received and reviewed the Beta Offshore, Beta Unit Complex Oil Spill Prevention and Response Plan (Sequence Number: 1185) dated August 2020. We conclude that the plan complies with PHMSA's regulations concerning onshore oil pipelines found at 49 Code of Federal Regulations (CFR) Part 194. Your response plan is approved.

This approval is valid for five years from the date of this letter. If discrepancies are found during PHMSA inspections, or if new or different operating conditions or information would substantially affect the implementation of this plan, you will be required to resubmit a revised plan. See 49 CFR § 194.121(b).

Should you have any questions or concerns, please contact me at or by email at PHMSA.OPA90@dot.gov. Please include the sequence number and your PHMSA Operator Identification Number on any future correspondence.

Sincerely,

Rick Raksnis, Supervisor Oil Spill Preparedness Branch Preparedness, Emergency Support and Security Division Office of Pipeline Safety

cc: PHMSA Western Region