



VEHICLE FACTORS ATTACHMENT

Freightliner Build Sheet Document

Louisville, NY

HWY23FH005

(26 pages)

REQUESTED BY:
PAGE 1
EMAILED TO : ██████████@DAIMLERTRUCK.COM

IOPSCN-1

02/01/23 *** TSO REPORT *** DATE:
08:54:46 TIME:

CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319
ROUTE 10 GREEN HILLS
READING PA 19603 TSO
NUMBER.....552160

MODEL NUMBER..... M2106
INTERNAL MODEL....

MM106042S
SALES BUILD
LOCATION.....SANTIAGO TIA
OUTLET: P.O. BOX 563 PO
NO.....381047
READING PA 19603 ORDER
RECEIVED.....06/26/20

REQUESTED
COORDINATOR: JOHN STIFF

DELIVERY.....08/24/20

DB OPTION
WEIGHTS (*) STATUS FRONT
ITEM CODE SPECIFICATIONS
REAR

PRICE LEVEL INFORMATION

1 PRL-14M M2 PRL-14M (EFF:10/5/15)..... OPT

GENERAL APPLICATION INFORMATION

- 2 AA1-002 TRUCK CONFIGURATION
- 3 AA6-001 DOMICILED, USA 50 STATES (INCLUDING CALI FORNIA AND CARB OPT-IN STATES)
- 4 A85-002 PICKUP AND DELIVERY/SHORT HAUL SERVICE
- 5 AA3-001 DRY VAN BODY
- 6 AA5-002 TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
- 7 AB5-001 SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
- 8 AB1-008 MAXIMUM 8% EXPECTED GRADE
- 9 AA4-001 GENERAL FREIGHT COMMODITY
- 10 A84-1RB RENTAL BUSINESS SEGMENT

11	A66-99D	EXPECTED FRONT AXLE(S) LOAD	10000	LBS
12	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD	19000	LBS
13	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	26000	LBS
14	A70-99D	EXPECTED GROSS COMBINATION WEIGHT	0	LBS
15	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	204.13	IN
16	AL8-99D	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
17	A88-99D	EXPECTED TRUCK BODY LENGTH	26 FT	0 IN
18	AL4-99D	CALC'D FRAME LENGTH BACK OF CAB	321.26	IN
19	AL6-99D	CALC'D BODY AFT OF EOF (=DY OVERHANG)	-6.26	IN
20	AM1-99D	CALC'D OVERALL LENGTH AT BODY OR EOF	430.56	IN
21	AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	98.97	MPH
22	AK2-99D	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN

REQUESTED BY: IOPSCN-1
PAGE 2
EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23
08:54:46
CUSTOMER: PENSKE
NUMBER.....MS3270/MS3319

*** TSO REPORT ***

*** DATE:
TIME:

SERIAL

DB		OPTION	
WEIGHTS (*)			
ITEM CODE	SPECIFICATIONS	STATUS	FRONT
REAR			
23	AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	38.02 IN
24	AR1-99D	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	38.44 IN
25	AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.57 IN
26	AM0-99D	TOP OF FRM TO RR TIRE TOP-UNLD	-2.43 IN
27	ALG-99D	CALC'D CAB HEIGHT ABOVE FRAME	63.17 IN
28	ALJ-99D	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	100.3 IN
29	ALH-99D	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	101.87 IN

REQUESTED BY:

IOPSCN-1

PAGE 3

EMAILED TO : ██████████@DAIMLERTRUCK.COM

*** TSO REPORT

DATE:

02/01/23

TIME:

08:54:46

CUSTOMER: PENSKE

SERIAL

NUMBER.....MS3270/MS3319

MAXIMUM GVW & AXLE SYSTEM CAPACITIES

COMPONENT TAG	-----AXLES-----					
	----FRONT----			-----REAR-----		
	1ST	2ND	PUSHER	1ST	2ND	3RD
AXLE	10000			19000		
SUSPENSION	10000			21000		
TIRES	12350			23360		
WHEELS/RIMS	14800			29600		
HUBS/SPOKES	14700			26000		
BRAKES	12000			21000		
STEERING	13300					

MAX RATED CAPACITY 10000 19000

VEHICLE SUMMARY

MAX CAP FRONT AXLE: 10000
MAX CAP REAR/AXLE: 19000
MAX CAP PUSH/TAG AXLE:
MAX VEHICLE CAP (GVW): 26000
FRAME RATING: 26000
TRANSMISSION GVWR: 26000

REQUESTED BY: IOPSCN-1
PAGE 4
EMAILED TO : [REDACTED]@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
08:54:46 TIME:
CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319

Table with columns: DB, WEIGHTS (*), ITEM CODE, SPECIFICATIONS, STATUS, OPTION, FRONT. Rows include capacity calculations for front axle, drive axle, pusher/tag axle, and rated maximum vehicle capacity (GVWR).

BASE MODEL

34 001-172 M2 106 CONVENTIONAL CHASSIS..... OPT 5709
 3503
 35 004-221 2021 MODEL YEAR SPECIFIED..... OPT
 36 995-091 MEDIUM TRUCK WARRANTY..... STD
 37 002-004 SET BACK AXLE - TRUCK..... STD
 38 019-002 STRAIGHT TRUCK PROVISION..... STD
 39 003-001 LH PRIMARY STEERING LOCATION..... STD

ENGINE

40 101-21P CUM B6.7 220 HP @ 2400 RPM, 2600 GOV, 52 OPT
 0 LB-FT @ 1600 RPM.....
 41 99C-017 2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/C OPT
 ARB/FINAL GHG17 CONFIGURATION.....
 42 99X-019 OBD 2019 MISFIRE MONITORING..... OPT
 43 99Z-004 VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D OPT
 OES NOT HAVE REGULATORY VEHICLE SPEED LI
 MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN
 (AES).....
 44 99D-011 2008 CARB EMISSION CERTIFICATION - CLEAN OPT
 IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
 FORWARD CORNER OF DRIVER DOOR).....
 45 9EE-004 J1939 ELECTRICAL ARCHITECTURE..... OPT
 46 992-001 50 STATE EMISSIONS CERTIFICATION..... OPT
 47 28F-002 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC STD
 OVER THE ROAD REGENERATION AND DASH MOUN
 TED REGENERATION REQUEST SWITCH.....
 48 79A-070 70 MPH ROAD SPEED LIMIT..... OPT
 49 79B-000 CRUISE CONTROL SPEED LIMIT SAME AS ROAD OPT
 SPEED LIMIT.....
 50 79C-998 NO DRIVER FUEL ECONOMY INCENTIVE..... OPT
 51 79D-998 NO PROGRESSIVE SHIFTING..... OPT
 52 79E-998 NO LOW RANGE TORQUE PROTECT..... OPT
 53 79F-004 CUMMINS TRIP INFORMATION REPORTS ENABLED OPT
 ; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH ABOVE R
 OAD SPEED LIMIT.....

REQUESTED BY: IOPSCN-1
 PAGE 5
 EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
 08:54:46 TIME:

CUSTOMER: PENSKE SERIAL
 NUMBER.....MS3270/MS3319

DB OPTION
 WEIGHTS (*)
 ITEM CODE SPECIFICATIONS STATUS FRONT
 REAR

54	79G-104	5 MINUTE IDLE SHUTDOWN - TIMER RESET WITH CLUTCH AND SERVICE BRAKE.....	OPT
55	79J-998	NO PTO SHUTDOWN CONFIGURATION.....	OPT
56	79K-010	PTO MODE ENGINE RPM LIMIT - 1300 RPM....	OPT
57	79L-998	PTO MODE THROTTLE OVERRIDE DISABLED.....	OPT
58	79M-998	PTO MODE BRAKE OVERRIDE - DISABLED.....	OPT
59	79N-998	NO PTO MODE CLUTCH OVERRIDE.....	OPT
60	79P-011	PTO RPM WITH CRUISE SET SWITCH - 825 RPM	OPT
61	79Q-014	PTO RPM WITH CRUISE RESUME SWITCH - 825 RPM.....	OPT
62	79R-998	NO PTO MODE COOLING FAN.....	OPT
63	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH...	OPT
64	79T-998	NO PTO MODE RPM INCREMENT.....	OPT
65	79U-004	PTO GOVERNOR RAMP RATE - 100 RPM PER SECOND.....	OPT
66	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY.....	OPT
67	79W-998	NO PTO MODE ENGINE SPEED CONTROL.....	OPT
68	79X-998	NO PTO 1 SET SPEED.....	OPT
69	79Y-998	NO PTO 2 SET SPEED.....	OPT
70	79Z-998	NO PTO 3 SET SPEED.....	OPT
71	80A-998	NO ALTERNATE ROAD SPEED LIMIT.....	OPT
72	87W-998	NO PTO MODE ENG RPM LIMIT, PTO 2.....	OPT
73	87X-998	NO PTO MODE ENG RPM LIMIT, PTO 3.....	OPT
74	87Y-998	NO PTO MODE ENG RPM LIMIT, PTOEM.....	OPT
75	87Z-998	NO PTO MODE ENG RPM LIMIT, REMOTE.....	OPT
76	88X-998	NO PTO 1 REMOTE SET SPEED.....	OPT
77	88Y-998	NO PTO 2 REMOTE SET SPEED.....	OPT
78	88Z-998	NO PTO 3 REMOTE SET SPEED.....	OPT
79	80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED.....	OPT
80	80C-002	ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 3 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS.....	OPT
81	80D-998	NO SOFT CRUISE CONTROL.....	OPT
82	80E-998	NO ENGINE FAN WITH RETARDER.....	OPT
83	80F-998	NO MAINTENANCE MONITOR.....	OPT
84	80G-003	PTO MINIMUM RPM - 750.....	OPT
85	80S-998	NO TRANS PTO 1 ENGAGEMENT CONTROLS.....	OPT
86	80T-998	NO TRANS PTO 2 ENGAGEMENT CONTROLS.....	OPT
87	80U-998	NO PTO 3 CONTROLS.....	OPT
88	80V-998	NO ENGINE PTO MODE ACTIVATION CONTROLS..	OPT
89	85P-998	NO REAR PTO TRANSMISSION RANGE.....	OPT

REQUESTED BY:

IOPSCN-1

PAGE 6

EMAILED TO : ██████████@DAIMLERTRUCK.COM

*** TSO REPORT

DATE:

02/01/23

TIME:

08:54:46

CUSTOMER: PENSKE
 NUMBER.....MS3270/MS3319

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	ITEM CODE				
	REAR				
90	85K-998	NO PTO 1 J1939 CONTROL.....	OPT		
91	85L-998	NO PTO 2 J1939 CONTROL.....	OPT		
92	85M-998	NO PTO 3 J1939 CONTROL.....	OPT		
93	85N-998	NO ENGINE MOUNT PTO J1939 CONTROL.....	OPT		
94	80H-998	NO ACCELERATION MANAGEMENT.....	OPT		
95	80J-998	NO REGEN INHIBIT SPEED THRESHOLD.....	OPT		
96	80R-998	NO DRIVETRAIN TORQUE PROTECTION.....	OPT		
97	80Y-998	NO CRUISE CONT-UPPER/LOWER LIMITS.....	OPT		
98	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT		
99	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT		
100	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT		
101	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT		
102	84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT		
103	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT		
104	84L-998	NO TCU-LOAD BASED OPTIMIZATION.....	OPT		
105	84M-998	TCU-PUMP MODE OPTION NOT CONFIGURED.....	OPT		
106	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED.....	OPT		
ENGINE EQUIPMENT					
107	13E-001	STANDARD OIL PAN.....	OPT		
108	105-001	ENGINE MOUNTED OIL CHECK AND FILL.....	OPT		
109	104-010	OIL SAMPLE TEST FITTING ON COMPRESSOR OR GEAR CASE.....	OPT		
110	133-004	ONE PIECE VALVE COVER.....	OPT		
111	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER.....	STD		
112	124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRANT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE.....	OPT		10

REQUESTED BY:
 PAGE 7

IOPSCN-1

EMAILED TO : ██████████@DAIMLERTRUCK.COM

*** TSO REPORT

*** DATE:

02/01/23

TIME:

08:54:46

CUSTOMER: PENSKE

SERIAL

NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
113	292-1G8	(3) ODYSSEY PERFORMANCE ABSORBED GLASS M 30 AT 31-925S-H, GROUP 31, 12 VOLT 2775 CCA THREADED STUD BATTERY, WARRANTY EXCLUDE D BY DTNA LLC.....	OPT		75
114	290-017	BATTERY BOX FRAME MOUNTED.....	STD		
115	281-001	STANDARD BATTERY JUMPERS.....	OPT		
116	282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB.....	STD		
117	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WI TH ADDITIONAL FRAME GROUND RETURN.....	OPT		
118	289-001	NON-POLISHED BATTERY BOX COVER.....	STD		
119	293-998	NO BATTERY SHUTOFF SWITCH.....	OPT		
120	295-998	NO JUMPSTART POST.....	OPT		
121	180-998	NO CLUTCH.....	OPT		
122	181-998	NO CLUTCH RELEASE BEARING LUBE.....	OPT		
123	182-998	NO CLUTCH RELEASE.....	OPT		
124	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE SSOR WITH INTERNAL SAFETY VALVE.....	OPT		
125	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVER NOR.....	OPT		
126	131-013	AIR COMPRESSOR DISCHARGE LINE.....	OPT		
127	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT ECTION SYSTEM.....	STD		
128	128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIA BLE GEOMETRY TURBO ON/OFF.....	OPT		20
129	016-101	RH INBOARD FRAME MOUNTED HORIZONTAL AFTE -50 RTREATMENT SYSTEM ASSEMBLY WITH HORIZONT AL TAILPIPE.....	OPT		-50
130	239-001	STANDARD EXHAUST SYSTEM LENGTH.....	OPT		
131	233-998	NO EXHAUST BRIGHTWORK (PLAIN).....	OPT		
132	237-052	RH STANDARD HORIZONTAL TAILPIPE.....	OPT		
133	23U-001	6 GALLON DIESEL EXHAUST FLUID TANK.....	OPT		
134	43W-001	STANDARD DIESEL EXHAUST FLUID SYSTEM COO LANT PLUMBING.....	OPT		
135	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL...	STD		
136	23Z-998	NO DIESEL EXHAUST FLUID TANK COVER.....	OPT		
137	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST F	OPT		

138 23Y-001 LUID TANK LOCATION.....
 STANDARD DIESEL EXHAUST FLUID PUMP MOUNT OPT
 ING.....
 139 43Y-001 STANDARD DIESEL EXHAUST FLUID TANK CAP.. OPT
 140 242-998 NO MUFFLER/TAILOPIPE SHIELD..... OPT
 141 273-058 AIR POWERED ON/OFF ENGINE FAN CLUTCH.... OPT

REQUESTED BY: IOPSCN-1
 PAGE 8
 EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
 08:54:46 TIME:
 CUSTOMER: PENSKE SERIAL
 NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
142	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC H, NON ENGINE MOUNTED.....	STD		
143	110-085	CUMMINS SPIN ON FUEL FILTER WITH DUAL SA E J1502 DIAGNOSTIC PORTS.....	OPT		
144	118-001	FULL FLOW OIL FILTER.....	STD		
145	266-100	700 SQUARE INCH ALUMINUM RADIATOR.....	OPT		
146	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL ICATE FREE) EXTENDED LIFE COOLANT.....	STD		
147	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIV ALENT.....	OPT		
148	172-007	GATES POWERGRIP SHRINK BAND HOSE CLAMPS WHERE POSSIBLE.....	OPT		
149	270-018	COOLANT FILL/EVACUATION QUICK CONNECT...	OPT		1
150	168-002	LOWER RADIATOR GUARD.....	STD		
151	138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK H EATER.....	OPT		4
152	140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE M OUNTED UNDER LH DOOR.....	OPT		
153	134-001	ALUMINUM FLYWHEEL HOUSING.....	STD		
154	132-004	ELECTRIC GRID AIR INTAKE WARMER.....	OPT		
155	155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATE D MAGNETIC SWITCH.....	OPT		

TRANSMISSION & EQUIPMENT

156 342-1MM ALLISON 2200 RDS AUTOMATIC TRANSMISSION OPT
 WITH PARK PAWL WITH PTO PROVISION.....
 157 343-301 ALLISON VOCATIONAL PACKAGE 354 - AVAILAB OPT
 LE ON 1000/2000 PRODUCT FAMILIES WITH VO
 CATIONAL MODELS RDS, EVS, HS, MH, PTS AN

158 84B-012 D SPS.....
 ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES..... OPT
 159 84C-007 PRIMARY MODE GEARS, 6 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY. OPT
 160 84D-998 NO TCU-SECONDARY MODE: GEARS..... OPT
 161 341-018 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN..... STD
 162 345-074 DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITH PARK POSITION FOR INTERNAL PARK P AWL..... OPT

REQUESTED BY: IOPSCN-1
 PAGE 9
 EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
 08:54:46 TIME:
 CUSTOMER: PENSKE SERIAL
 NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	ITEM CODE	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR					
		163 97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY.....	OPT		
		164 348-998	NO TRANSMISSION ACCESSORIES.....	OPT		
		165 347-998	NO CLUTCH HOUSING MATERIAL.....	OPT		
		166 370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK.....	STD		
		167 346-016	TRANSMISSION OIL CHECK AND FILL AND TRANSMISSION MOUNTED SAMPLER.....	OPT		
		168 368-998	NO EXTERNAL TRANSMISSION OIL FILTER.....	OPT		-2
		169 84T-000	DISABLE - NEUTRAL RANGE ASSIST.....	OPT		
		170 84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES.....	OPT		
		171 34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED.....	OPT		
		172 362-998	NO MAIN TRANSMISSION MOUNTED PTO.....	OPT		
		173 363-998	NO PTO MOUNTING LOCATION SPECIFIED.....	OPT		
		174 35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT).....	OPT		

FRONT AXLE, SUSPENSION & EQUIPMENT

175 400-1A5 DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI /3.74 DROP SINGLE FRONT AXLE..... OPT

176	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES.....	STD	
177	403-002	NON-ASBESTOS FRONT BRAKE LINING.....	STD	
178	419-021	GUNITE CAST IRON FRONT BRAKE DRUMS.....	OPT	
179	427-001	FRONT BRAKE DUST SHIELDS.....	OPT	5
180	409-006	FRONT OIL SEALS.....	OPT	
181	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTE R AND SIDE PLUGS - OIL.....	STD	
182	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES.....	STD	
183	404-1B2	WABCO LONGSTROKE FRONT BRAKE CHAMBERS...	OPT	
184	405-007	BENDIX VERSAJUST AUTOMATIC FRONT SLACK A DJUSTERS.....	OPT	
185	536-050	TRW THP-60 POWER STEERING.....	STD	
186	537-005	STEEL STEERING SHAFT.....	OPT	
187	539-003	POWER STEERING PUMP.....	STD	
188	534-015	2 QUART SEE THROUGH POWER STEERING RESER VOIR.....	STD	
189	40T-004	GUARANTEED NAME BRAND "ROADRANGER SYNTHE TIC" FE 75W-90 FRONT AXLE LUBE.....	OPT	
190	620-062	10,000# TAPERLEAF FRONT SUSPENSION.....	OPT	

REQUESTED BY: IOPSCN-1
PAGE 10
EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23
08:54:46
CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
191	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION.....	OPT	
192	410-001	FRONT SHOCK ABSORBERS.....	STD	
		REAR AXLE, SUSPENSION & EQUIPMENT		
193	420-1C7	DETROIT DA-RS-19.0-4 19,000# R-SERIES SI -20	OPT	
		NGLE REAR AXLE.....		
194	421-522	5.22 REAR AXLE RATIO.....	OPT	
195	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXL E HOUSING.....	STD	
196	386-064	SPL100 SERVICE FREE DANA SPICER MAIN DRI 30	OPT	30
		VELINE WITH HALF ROUND YOKES.....		
197	452-998	NO TRACTION EQUALIZER.....	OPT	

198	878-998	NO AIR PP & CONT-DIFF LKOUT,CAB.....	OPT
199	423-032	MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REA	OPT
-10			
		R BRAKES, DOUBLE ANCHOR, FABRICATED SHOE	
		S.....	
200	433-002	NON-ASBESTOS REAR BRAKE LINING.....	STD
201	434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE	STD
		OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT	
		BRACKETS.....	
202	451-021	GUNITE CAST IRON REAR BRAKE DRUMS.....	OPT
-10			
203	425-002	REAR BRAKE DUST SHIELDS.....	OPT
5			
204	440-006	REAR OIL SEALS.....	OPT
205	426-1B2	BENDIX EVERSURE LONGSTROKE 1-DRIVE AXLE	OPT
		SPRING PARKING CHAMBERS.....	
206	428-007	BENDIX VERSAJUST AUTOMATIC REAR SLACK AD	OPT
		JUSTERS.....	
207	41T-003	GUARANTEED NAME BRAND "ROADRANGER SYNTHE	OPT
		TIC" FE 75W-90 REAR AXLE LUBE.....	
208	622-284	AIRLINER 21,000# REAR SUSPENSION W/O CHA	STD
		IN CLEARANCE.....	
209	621-007	AIRLINER HIGH POSITION RIDE HEIGHT.....	OPT
210	431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP.	STD
211	888-057	IGNITION CONTROLLED ELECTRIC DUMP SWITCH	OPT
		FOR AIR SUSPENSION WITH AIR AUTOFILL OV	
		ERRIDE VALVE AND AIR GAUGE.....	
212	87D-004	REAR AIR SUSPENSION DUMP SWITCH WITH AUT	OPT
		OFILL WHEN SPEED >5 MPH OR IGNITION OFF	
		WITH MANUAL IGNITION OVERRIDE VALVE.....	
213	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALV	OPT
		E.....	

REQUESTED BY: IOPSCN-1
PAGE 11
EMAILED TO : [REDACTED]@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
08:54:46 TIME:
CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
REAR	ITEM CODE				
214	623-002	TRANSVERSE CONTROL RODS.....	OPT		
215	439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RID	OPT		
		E SUSPENSION).....			
216	443-998	NO PUSHER OR TAG AXLE.....	OPT		

BRAKE SYSTEM

217	018-002	AIR BRAKE PACKAGE.....	STD
218	490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL, W IH ATC OFF-ROAD SWITCH.....	OPT
219	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES.....	OPT
220	46E-001	STANDARD AIR MANAGEMENT UNIT.....	OPT
221	904-001	FIBER BRAID PARKING BRAKE HOSE.....	STD
222	412-001	STANDARD BRAKE SYSTEM VALVES.....	OPT
223	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM.....	STD
224	413-002	STD U.S. FRONT BRAKE VALVE.....	OPT
225	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE.....	OPT
226	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER.....	OPT
227	479-015	AIR DRYER FRAME MOUNTED.....	STD
228	460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSID E RAIL.....	OPT
229	607-998	CHASSIS CONFIGURATION - NONE.....	STD
230	477-033	BW DV-2 AUTO DRAIN VALVE WITH HEATER ON WET TANK ONLY AND PETCOCKS ON ALL OTHER TANKS.....	OPT
231	485-998	NO EXTERNAL CHARGING GLADHAND.....	OPT
232	481-998	NO TRAILER AIR HOSE.....	STD
233	914-998	NO PLUMBING FOR AIR TO END OF FRAME.....	OPT
234	296-998	NO SPECIAL PRIMARY RECEPTACLE WIRING....	OPT
235	297-998	NO TRAILER CABLE RECEPTACLE.....	OPT
236	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT.....	STD
237	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT.....	STD

FRAME & WHEELBASE

238	545-686	6850MM (270 INCH) WHEELBASE.....	OPT	
239	546-093	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8. 110	OPT	410
		73MMX258.8/0.344X10.19 INCH) 80KSI.....		
240	547-998	NO INNER FRAME REINFORCEMENT.....	STD	

REQUESTED BY: IOPSCN-1
PAGE 12
EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23
08:54:46
CUSTOMER: PENSKE
NUMBER.....MS3270/MS3319

*** TSO REPORT ***

DATE:
TIME:
SERIAL

DB	WEIGHTS (*)		OPTION	
ITEM	CODE	SPECIFICATIONS	STATUS	FRONT
REAR				
241	552-078	2975MM (117 INCH) REAR FRAME OVERHANG...	OPT	-70
300				
242	AB8-99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.42	%
243	553-001	SQUARE END OF FRAME.....	OPT	
244	550-001	FRONT CLOSING CROSSMEMBER.....	STD	
245	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER.....	OPT	
246	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S).....	STD	
247	565-001	STANDARD SUSPENSION CROSSMEMBER.....	STD	
248	572-001	STANDARD REAR MOST CROSSMEMBER.....	STD	
249	AL5-99D	CALC'D BUMPER TO REAR TOWING C/M FACE	430.56	IN

CHASSIS EQUIPMENT

250	556-1CU	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS, SPACED 3 INCHES FORWARD.....	OPT	40
251	574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE.....	OPT	
252	585-998	NO MUDFLAP BRACKETS.....	STD	
253	590-998	NO REAR MUDFLAPS.....	STD	
254	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS.....	STD	
255	551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS	OPT	
256	489-998	NO TIRE PRESSURE CONTROL/SENSOR.....	OPT	
257	605-003	LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS IS LOADED TO FRONT AND REAR SUSPENSION RATINGS.....	OPT	

FIFTH WHEEL & EQUIPMENT

FUEL TANK(S) & EQUIPMENT

258	206-998	NO RH FUEL TANK.....	STD	
259	204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM	OPT	40
10				
		FUEL TANK - LH.....		
260	218-005	RECTANGULAR FUEL TANK(S).....	OPT	
261	215-021	PLAIN ALUMINUM/HYDRAULIC TANK(S) WITH PAINTED ZINC-PLATED STEEL BANDS.....	OPT	
262	212-007	FUEL TANK(S) FORWARD.....	STD	
263	232-515	15 GALLONS ADDITIONAL FUEL.....	OPT	
264	664-007	UNPOLISHED STAINLESS STEEL STEP FINISH..	OPT	
265	207-005	FUEL TANK FILLER NECK ANTI-SIPHON INSERT	OPT	
266	205-001	FUEL TANK CAP(S).....	STD	

REQUESTED BY:

IOPSCN-1

PAGE 13

EMAILED TO : ██████████@DAIMLERTRUCK.COM

*** TSO REPORT

*** DATE:

02/01/23

TIME:

08:54:46

CUSTOMER: PENSKE

SERIAL

NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	ITEM CODE				
	REAR				
	267 220-998	NO FUEL HEATER.....		STD	
	268 122-1J0	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 V OLT HEAT, ESOC AND WATER IN FUEL SENSOR.		OPT	5
	269 216-020	EQUIFLO INBOARD FUEL SYSTEM.....		STD	
	270 202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL L INE.....		STD	
		TIRES			
	271 093-1V4	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL F RONT TIRES.....		OPT	16
	272 094-2H0	CONTINENTAL HD3 HYBRID 11R22.5 14 PLY RA 68		OPT	
		DIAL REAR TIRES.....			
	273 527-002	TIRE QTY - FRONT AXLE: 2.....		OPT	
	274 528-004	TIRE QTY - REAR AXLE: 4.....		OPT	
	275 530-998	TIRE QTY - TAG AXLE: 0.....		OPT	
		HUBS			
	276 418-059	CONMET HIGH CAPACITY PRESET PLUS PREMIUM ALUMINUM FRONT HUBS.....		OPT	-10
	277 450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUB S.....		OPT	
		WHEELS			
	278 502-657	ACCURIDE 51408 ACCU-LITE 22.5X8.25 10-HU B PILOT 6.16 INSET 2-HAND STEEL DISC FRO NT WHEELS.....		OPT	
	279 505-657	ACCURIDE 51408 ACCU-LITE 22.5X8.25 10-HU B PILOT 2-HAND STEEL DISC REAR WHEELS...		OPT	
	280 524-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH FRONT WHEELS..		OPT	
	281 525-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH REAR WHEELS...		OPT	
	282 50W-998	NO RIM/WHEEL TIRE PRESSURE SENSOR.....		OPT	
	283 496-011	FRONT WHEEL MOUNTING NUTS.....		OPT	
	284 497-011	REAR WHEEL MOUNTING NUTS.....		OPT	
	285 498-059	ALLIGATOR V2B CAPS WITH NYLON WHEEL GUAR		OPT	

DS FRONT AND REAR AT ALL INTERFACES.....

REQUESTED BY:
PAGE 14
EMAILED TO : ██████████@DAIMLERTRUCK.COM

IOPSCN-1

02/01/23

*** TSO REPORT

DATE:

08:54:46

TIME:

CUSTOMER: PENSKE
NUMBER.....MS3270/MS3319

SERIAL

DB	WEIGHTS (*)	ITEM CODE	SPECIFICATIONS	OPTION	STATUS	FRONT
		REAR				

CAB EXTERIOR

286	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTI	ONAL CAB.....	STD		
287	682-998	NO SLEEPER BOX/SLEEPERCAB.....		STD		
288	784-998	NO AIR SHIELD OR BRACKETS.....		OPT		
289	650-009	RUBBER CAB MOUNTS.....		STD		
290	705-998	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS		STD		
291	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR	ILLE.....	OPT		
292	678-001	LH AND RH GRAB HANDLES.....		STD		
293	646-045	MOLD-IN COLOR GRILLE.....		OPT		
294	65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GR	ILLE.....	OPT		
295	644-004	FIBERGLASS HOOD.....		STD		
296	690-998	NO NOISE SHIELD-ENG COMPARTMENT.....		STD		
297	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UND	ER LH DECK.....	OPT		4
298	726-001	SINGLE ELECTRIC HORN.....		STD		
299	728-001	SINGLE HORN SHIELD.....		OPT		
300	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE	SAME.....	STD		
301	78G-004	KEY QUANTITY OF 4.....		OPT		
302	575-001	REAR LICENSE PLATE MOUNT END OF FRAME...		STD		
303	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY.....		STD		
304	302-047	LED AERODYNAMIC MARKER LIGHTS.....		OPT		
305	315-998	NO FOG LIGHTS.....		OPT		
306	311-001	DAYTIME RUNNING LIGHTS.....		OPT		
307	294-090	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE		OPT		

-5

WIRING FOR COMBINED STOP/TURN LIGHTS TO
FOUR FEET BEYOND END OF FRAME.....

308 300-015 STANDARD FRONT TURN SIGNAL LAMPS..... STD
 309 744-1BG DUAL WEST COAST MOLDED-IN COLOR HEATED M OPT
 IRRORS.....
 310 797-001 DOOR MOUNTED MIRRORS..... STD
 311 796-001 102 INCH EQUIPMENT WIDTH..... STD
 312 743-1AP LH AND RH 8 INCH MOLDED-IN COLOR CONVEX OPT
 MIRRORS MOUNTED UNDER PRIMARY MIRRORS...
 313 74A-998 NO AUXILIARY MIRROR..... STD
 314 74B-998 NO AUXILIARY MIRROR..... STD
 315 729-001 STANDARD SIDE/REAR REFLECTORS..... STD
 316 677-998 NO CAB MOUNTED STEPS..... STD
 317 275-998 NO EMERGENCY WARNING SIRENS..... STD

REQUESTED BY: IOPSCN-1
 PAGE 15
 EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23
 08:54:46
 CUSTOMER: PENSKE SERIAL
 NUMBER.....MS3270/MS3319

DB OPTION
 WEIGHTS (*)
 ITEM CODE SPECIFICATIONS STATUS FRONT
 REAR

318 764-998 NO EXTERIOR SUN VISOR..... OPT
 319 768-043 63X14 INCH TINTED REAR WINDOW..... STD
 320 661-003 TINTED DOOR GLASS LH AND RH WITH TINTED STD
 NON-OPERATING WING WINDOWS.....
 321 654-003 MANUAL DOOR WINDOW REGULATORS..... STD
 322 663-013 1-PIECE SOLAR GREEN GLASS WINDSHIELD.... STD
 323 659-019 2 GALLON WINDSHIELD WASHER RESERVOIR WIT STD
 HOUT FLUID LEVEL INDICATOR, FRAME MOUNTE
 D.....
 324 647-001 WHITE WINTERFRONT..... OPT 2

CAB INTERIOR

325 707-1AK OPAL GRAY VINYL INTERIOR..... OPT
 326 055-004 INTERIOR CONVENIENCE PACKAGE WITH CB PRO OPT
 VISION.....
 327 706-016 MOLDED DOOR PANEL WITH UPPER VINYL INSER OPT
 TS.....
 328 708-016 MOLDED DOOR PANEL WITH UPPER VINYL INSER OPT
 TS.....
 329 772-006 BLACK MATS WITH SINGLE INSULATION..... STD
 330 785-998 NO DASH MOUNTED ASH TRAYS AND LIGHTER... STD
 331 691-008 FORWARD ROOF MOUNTED CONSOLE WITH UPPER STD
 STORAGE COMPARTMENTS WITHOUT NETTING....

332	694-998	NO INTERIOR GLOVE BOX/CAB FLOOR STORAGE.	OPT	
333	696-998	NO REAR FLOOR STORAGE.....	STD	
334	693-998	NO INTERIOR DOOR STORAGE.....	STD	
335	826-998	NO LOWER BUNK.....	OPT	
336	666-998	NO BUNK RESTRAINT.....	STD	
337	738-998	NO CLOCK.....	STD	
338	742-007	(2) CUP HOLDERS LH AND RH DASH.....	STD	
339	680-006	GRAY/CHARCOAL FLAT DASH.....	STD	
340	860-004	SMART SWITCH EXPANSION MODULE.....	OPT	
341	720-003	5 LB. FIRE EXTINGUISHER.....	OPT	10
342	700-002	HEATER, DEFROSTER AND AIR CONDITIONER...	STD	
343	701-001	STANDARD HVAC DUCTING.....	STD	
344	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH.....	OPT	
345	170-015	STANDARD HEATER PLUMBING.....	STD	
346	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRES SOR.....	OPT	
347	702-002	BINARY CONTROL, R-134A.....	STD	
348	739-033	STANDARD INSULATION.....	STD	

REQUESTED BY: IOPSCN-1
PAGE 16
EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23
08:54:46
CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE	REAR		STATUS	
349	285-027	SOLID-STATE CIRCUIT PROTECTION AND FUSES WITH SPARE FUSE KIT.....	OPT	
350	96R-001	PENSKE ELECTRIC PROTECTIVE COATING, TRUC KLITE MULTI-PURPOSE SPRAY ON BATTERY TER MINALS AND RED ENAMEL PAINT IN ENGINE CO MPARTMENT AND ON CHASSIS CONNECTIONS....	OPT	
351	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM...	STD	
352	324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READ ING LIGHTS, FORWARD CAB ROOF.....	OPT	
353	655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS.	STD	
354	740-998	NO MATTRESS.....	STD	
355	284-045	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN DASH.....	OPT	
356	710-998	NO CAB PRIVACY CURTAIN.....	STD	
357	722-002	TRIANGULAR REFLECTORS WITHOUT FLARES....	OPT	10
358	756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH MECHANICAL LUMBAR AND INTEGRATED	OPT	30

CUSHION EXTENSION.....

359	760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT.....	STD	
360	762-998	NO REAR PASSENGER SEAT.....	OPT	
361	759-009	INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST.....	OPT	2
362	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS..	STD	
363	758-036	VINYL WITH VINYL INSERT DRIVER SEAT.....	STD	
364	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT..	STD	
365	755-998	NO REAR PASSENGER SEAT COVERS.....	STD	
366	763-101	BLACK SEAT BELTS.....	STD	
367	6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE.....	OPT	
368	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN.....	OPT	10
369	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL..	STD	
370	765-023	DRIVER/PASSENGER INTERIOR SUN VISORS WITH DEF LABEL ON LH VISOR.....	STD	

CONTROLS & INSTRUMENTS

371	870-001	BLACK GAUGE BEZELS.....	STD	
372	732-003	WOODGRAIN DRIVER INSTRUMENT PANEL.....	OPT	
373	734-003	WOODGRAIN CENTER INSTRUMENT PANEL.....	OPT	

REQUESTED BY: IOPSCN-1
PAGE 17
EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
08:54:46 TIME:
CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319

DB			OPTION	
WEIGHTS (*)		SPECIFICATIONS		FRONT
ITEM	CODE		STATUS	
		REAR		
374	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM.....	STD	
375	838-998	NO AIR APPLICATION GAUGE.....	STD	
376	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES.....	OPT	
377	198-034	INTAKE MOUNTED AIR RESTRICTION INDICATOR W/ COLOR LED WARNING LIGHT, 18 INCH AND 20 INCH LIMITS.....	OPT	
378	721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SE	OPT	

		LF-ADJUSTING BACKUP ALARM.....		
379	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL.....	STD	
380	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRA L START POSITION; 4 POSITION OFF/RUN/STA RT/ACCESSORY.....	STD	
381	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED....	STD	
382	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH.....	STD	
383	844-001	2 INCH ELECTRIC FUEL GAUGE.....	STD	
384	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC EN GINE.....	STD	
385	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GA UGE.....	STD	
386	864-005	TRANSMISSION OIL TEMPERATURE INDICATOR L IGHT.....	STD	
387	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WIT HIN DRIVER DISPLAY.....	OPT	
388	372-998	NO PTO CONTROLS.....	STD	
389	736-1AF	WABCO ONGUARD COLLISION WARNING, ADAPTIV E CRUISE CONTROL AND COLLISION MITIGATIO N.....	OPT	10
390	49B-004	ELECTRONIC STABILITY CONTROL.....	OPT	
391	73B-998	NO LANE DEPARTURE WARNING SYSTEM.....	STD	
392	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE.....	STD	
393	679-001	OVERHEAD INSTRUMENT PANEL.....	OPT	
394	35M-998	NO WRG-BDY MULTIPLEX EXPNSN UNIT.....	OPT	
395	786-113	GENERIC TELEMATICS PREWIRE (CONSTANT BAT TERY POWER/IGNITION/GROUND/J1939); RP122 6 TYPE CONNECTOR AT PASSENGER SIDE OF DA SH.....	OPT	
396	78A-998	NO POSITION/COMMUNICATION ACCESSORY.....	OPT	

REQUESTED BY: IOPSCN-1
PAGE 18
EMAILED TO : ██████████@DAIMLERTRUCK.COM

02/01/23 *** TSO REPORT *** DATE:
08:54:46 TIME:

CUSTOMER: PENSKE SERIAL
NUMBER.....MS3270/MS3319

DB			OPTION	
WEIGHTS (*)				
ITEM CODE		SPECIFICATIONS	STATUS	FRONT
REAR				

397	746-115	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOT H AND USB AND AUXILIARY INPUTS, J1939...	OPT	10
-----	---------	--	-----	----

398	747-001	DASH MOUNTED RADIO.....	OPT
399	750-002	(2) RADIO SPEAKERS IN CAB.....	OPT
400	753-998	NO AM/FM RADIO ANTENNA.....	STD
401	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD.....	OPT
402	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION.....	OPT
403	752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM.....	OPT
404	78C-998	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA.....	STD
405	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER.....	STD
406	817-001	STANDARD VEHICLE SPEED SENSOR.....	STD
407	812-001	ELECTRONIC 3000 RPM TACHOMETER.....	STD
408	835-003	J1939 500KBPS TO J1939 250KBPS GATEWAY FOR OR TELEMATICS, VIRTUAL TECHNICIAN AND BODY BUILDER INTERFACE.....	OPT
409	813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE....	OPT
410	80K-998	NO SHUTDOWN OVERRIDE.....	OPT
411	80L-998	NO REGEN SYSTEM TAILORING.....	STD
412	80M-998	NO ALTERNATE PTO SPEED.....	STD
413	80N-003	MAXIMUM ENGINE RPM "00 ON VSS FAILURE	OPT
414	80P-052	PENSKE SPEC FOR IDLE SHUTDOWN OVERRIDE..	OPT
415	80Q-998	NO VEHICLE SPEED LIMIT - GHG.....	OPT
416	162-011	IDLE LIMITER, ELECTRONIC ENGINE.....	STD
417	329-007	ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT WIRED TO JUNCTION BLOCK ON FRAME WITH MARKER LIGHT CIRCUIT, LABEL OPT.....	OPT
418	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH.....	OPT
419	44R-998	NO ON/OFF LATCHING SMARTPLEX SWITCH.....	STD
420	44S-998	NO ON/OFF MOMENTARY SMARTPLEX SWITCH....	STD
421	44T-998	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH..	STD
422	44U-998	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH.	STD
423	44V-998	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	STD
424	44W-998	NO UNDEFINED INDICATOR LAMPS.....	STD
425	482-998	NO TRACTOR PROTECTION VALVE.....	STD
426	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY.....	STD

REQUESTED BY:

IOPSCN-1

PAGE 19

EMAILED TO : [REDACTED]@DAIMLERTRUCK.COM

*** TSO REPORT

DATE:

02/01/23

TIME:

08:54:46

CUSTOMER: PENSKE

SERIAL

NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)		OPTION
ITEM	CODE	SPECIFICATIONS	STATUS
REAR			FRONT
427	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY.....	STD
428	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH.....	STD
429	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR.....	OPT
430	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	STD
431	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS.	STD
432	869-998	NO MISCELLANEOUS GAUGES.....	OPT
PAINT			
433	065-000	PAINT: ONE SOLID COLOR.....	OPT
434	980-5F7	CAB COLOR A: L0007EY WHITE ELITE EY.....	OPT
435	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT.....	STD
436	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW).....	STD
437	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW).....	STD
438	964-3A1	BUMPER PAINT: N0001EA BLACK ELITE SS.....	OPT
439	976-998	NO EXTERIOR SUNVISOR PAINT.....	STD
440	963-003	STANDARD E COAT/UNDERCOATING.....	STD
ADDITIONAL SPECIFICATIONS			
441	50V-001	PDI INSTALLED CUSTOMER FURNISHED NEXIQ ELECTRONIC LOGGING DEVICE MODULE.....	OPT
442	998-033	CORPORATE PDI CENTER IN-SERVICE AND OPTION INSTALLATION/MODIFICATION.....	OPT
443		QUOTE# 3437SB-042820 - F/I QUALCOMM XRS	
444		CABLE WITH RAM MOUNT & RECORD ELD SERIAL	
445		#.	
446	95M-001	CUSTOMER FURNISHED MATERIAL SPECIFIED... ELD	OPT
447			
448	99B-998	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS.....	STD
449	999-999	SPECIAL NARRATIVE INSTRUCTIONS.....	OPT
450		CMS RELATED DISCOUNTS PER STEVE MIGNARDI	
451		PER EMAIL DATED 11/7/19 AND CONFIRMED	

REQUESTED BY:

PAGE 20

EMAILED TO : [REDACTED]@DAIMLERTRUCK.COM

IOPSCN-1

*** TSO REPORT

*** DATE:

02/01/23

TIME:

08:54:46

CUSTOMER: PENSKE

SERIAL

NUMBER.....MS3270/MS3319

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	REAR				
	452	BY CHRIS ARNOLD 6/25/20			
	453	DISCOUNT FOR DATA CODE 736-1AF			
	454	DISCOUNT FOR DATA CODE 73B-007			
	455	SUPPLIER TO DELIVER UNIT UPON COMPLETION			
	456	.			
	457	UNIT 380897 TO 381096			
	458	DOMICILE DISTRICT 0816-,NEW VEHICLE FUL			
	459	FILLMENT			
	460	DOMICILE LOCATION READING,PA			
	461	996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES C	OPT		
		ABS AND GLIDER KITS.....			
	462	WBF-059 CLIMATE CONTROL LESS PARKSMART: MD STAND	OPT		
		ARD 3 YEARS/200,000 MILES/322,000 KM EXT			
		ENDED COVERAGE FEX APPLIES.....			
	463	WAC-048 STEERING: MD STANDARD 3 YEARS/200,000 MI	OPT		
		ES/322,000 KM EXTENDED COVERAGE FEX APPL			
		IES.....			
	464	WAQ-052 CAB AND HOOD: MD STANDARD 3 YEARS/200,00	OPT		
		0 MILES/322,000 KM EXTENDED COVERAGE FEX			
		APPLIES.....			
	465	MWF-006 DETROIT FRONT AXLE COVERAGE, SPECIAL, 5	OPT		
		YEAR/UNLIMITED MILES/KILOMETERS.....			
	466	MWD-006 DETROIT REAR AXLE COVERAGE, SPECIAL DEAL	OPT		
		S, 5 YEAR/UNLIMITED MILES/KILOMETERS....			
	467	RAF-21P FLEET MY21 INCREASE.....	OPT		
	468	RAG-20P TARIFF CHARGE - PENSKE.....	OPT		
	469	RCR-001 2018 CY BASE INCENTIVE.....	OPT		
	470	RDS-001 DISCOUNT.....	OPT		
	471	RCD-900 PRICE CONCESSION - DIRECT.....	OPT		
	472	PMU-017 2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR..	OPT		
	473	P73-2FT STANDARD DESTINATION CHARGE.....	OPT		
	474	RAH-020 PENSKE CUMMINS TARIFF CHARGE - \$205.....	OPT		

TOTAL

6,321

3,964

TOTAL WEIGHT

10,285

(*) WEIGHTS SHOWN ARE ESTIMATES ONLY. FOR GUARANTEED WEIGHTS PLUS OR MINUS 1 1/2%, CONTACT THE FACTORY.

EMAILED TO : ██████████@DAIMLERTRUCK.COM
***** END OF REPORT *****

