



**VEHICLE FACTORS GROUP CHAIRMAN'S FACTUAL REPORT
ATTACHMENT**

2017 Freightliner Chassis Build Sheet

Bryce Canyon City, Utah

HWY19MH012

(28 pages)

REQUESTED BY:
PAGE 1
EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

2503 ADA DR
ELKHART

IN 46514

TSO

NUMBER.....ELKDK9793

MODEL NUMBER..... M2106
INTERNAL MODEL....

MM106042S

SALES

BUILD

LOCATION.....SANTIAGO TIA

OUTLET: 2280 FORMOSA RD.

PO

NO.....

TROY

IL 62294

ORDER

RECEIVED.....06/30/16

REQUESTED

DELIVERY.....12/31/16

COORDINATOR:

SNYDER

DB
WEIGHTS (*)
ITEM CODE
REAR

SPECIFICATIONS

OPTION
STATUS FRONT

PRICE LEVEL INFORMATION

1 PRL-10M M2 PRL-10M (EFF:02/11/15)..... OPT

GENERAL APPLICATION INFORMATION

- 2 AA1-002 TRUCK CONFIGURATION
- 3 AA6-001 DOMICILED, USA 50 STATES (INCLUDING CALI FORNIA AND CARB OPT-IN STATES)
- 4 A85-036 CHURCH/PRISON/ACTIVITY BUS
- 5 AA3-045 CHARTER/SHUTTLE/TRANSIT BUS/MOTOR COACH
- 6 AA2-998 NO TRAILER SPECIFIED
- 7 AA5-002 TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
- 8 AB5-001 SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
- 9 AB1-008 MAXIMUM 8% EXPECTED GRADE

10	AA4-011	FIXED LOAD COMMODITY		
11	A84-1BU	BUS TRANSPORTATION BUSINESS SEGMENT		
12	A66-99D	EXPECTED FRONT AXLE(S) LOAD	10000	LBS
13	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD	16000	LBS
14	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	26000	LBS
15	A70-99D	EXPECTED GROSS COMBINATION WEIGHT	0	LBS
16	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	213.98	IN
17	AL8-99D	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
18	A88-99D	EXPECTED TRUCK BODY LENGTH	0 FT	0 IN
19	AL4-99D	CALC'D FRAME LENGTH BACK OF CAB	363.58	IN
20	AL6-99D	CALC'D BODY AFT OF EOF (+=DY OVERHANG)	-360.58	IN
21	AM1-99D	CALC'D OVERALL LENGTH AT BODY OR EOF	469.88	IN
22	AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	82.84	MPH

REQUESTED BY: IOPSCN-1
PAGE 2
EMAILED TO : XXXXXXXXXX

09/20/19
16:22:45
CUSTOMER: SVO GROUP SERIAL
NUMBER.....JD9594/JD9595

DB		OPTION		
WEIGHTS (*)				
ITEM CODE	SPECIFICATIONS	STATUS	FRONT	
REAR				
23	AF7-99D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN
24	AK2-99D	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
25	AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.44	IN
26	AR1-99D	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	38.35	IN
27	AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.09	IN
28	AM0-99D	TOP OF FRM TO RR TIRE TOP-UNLD	-1.11	IN
29	ALG-99D	CALC'D CAB HEIGHT ABOVE FRAME	62.8	IN
30	ALJ-99D	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	99.62	IN
31	ALH-99D	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	101.15	IN
32	AF3-500	4 GUYS		

REQUESTED BY:
PAGE 3
EMAILED TO :

IOPSCN-1

09/20/19

*** TSO REPORT

DATE:

16:22:45

TIME:

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

MAXIMUM GVW & AXLE SYSTEM CAPACITIES

COMPONENT TAG	-----AXLES-----					
	----FRONT----			-----REAR-----		
	1ST	2ND	PUSHER	1ST	2ND	3RD
AXLE	10000			17500		
SUSPENSION	10000			18000		
TIRES	12350			22700		
WHEELS/RIMS	14800			29600		
HUBS/SPOKES	14700			26000		
BRAKES	13200			17500		
STEERING	13300					

58	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED.....	OPT
59	79N-998	NO PTO MODE CLUTCH OVERRIDE.....	OPT
60	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM	OPT
61	79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM.....	OPT
62	79R-998	NO PTO MODE COOLING FAN.....	OPT
63	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH...	OPT
64	79T-998	NO PTO MODE RPM INCREMENT.....	OPT
65	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC OND.....	OPT
66	79V-998	NO PTO MODE DPF REGEN.....	OPT
67	79W-998	REMOTE PTO DISABLED.....	OPT
68	79X-998	NO PTO 1 SET SPEED.....	OPT
69	79Y-998	NO PTO 2 SET SPEED.....	OPT
70	79Z-998	NO PTO 3 SET SPEED.....	OPT
71	80A-998	NO ALTERNATE ROAD SPEED LIMIT.....	OPT
72	80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED.....	OPT
73	80C-998	NO ENGINE BRAKE WITH CRUISE CONTROL.....	OPT
74	80D-998	NO SOFT CRUISE CONTROL.....	OPT
75	80E-998	NO ENGINE FAN WITH RETARDER.....	OPT
76	80F-998	NO MAINTENANCE MONITOR.....	OPT
77	80G-002	PTO MINIMUM RPM - 700.....	OPT
78	80H-998	NO ACCELERATION MANAGEMENT.....	OPT
79	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH...	OPT
80	80R-998	NO DRIVETRAIN TORQUE PROTECTION.....	OPT
81	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT
82	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT
83	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT
84	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT
85	84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	OPT

REQUESTED BY:
PAGE 6
EMAILED TO :



IOPSCN-1

09/20/19
16:22:45

*** TSO REPORT

*** DATE:
TIME:

CUSTOMER: SVO GROUP
 NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
86	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT R ECOMMENDED BY DTNA AND ALLISON, THIS DEF INED BY ENGINE AND VOCATIONAL USAGE.....	OPT	
87	84L-010	DISABLE - DYNAMIC SHIFT SENSING, DISABLE - ACCELERATION RATE MANAGEMENT.....	OPT	
88	84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED.....	OPT	
89	85E-998	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED.....	OPT	
90	85F-998	TCU-MAX PTO ENGINE SPEED OPERATION NOT C ONFIGURED.....	OPT	
91	85G-998	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED.....	OPT	
92	85H-998	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N OT CONFIGURED.....	OPT	
ENGINE EQUIPMENT				
93	13E-001	STANDARD OIL PAN.....	OPT	
94	105-001	ENGINE MOUNTED OIL CHECK AND FILL.....	STD	
95	104-998	NO ENGINE OIL DRAIN/SAMPLE.....	OPT	
96	133-004	ONE PIECE VALVE COVER.....	STD	
97	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MO UNTED DONALDSON AIR CLEANER.....	STD	
98	124-1E7	DR 12V 275 AMP 40-SI BRUSHLESS PAD ALTER NATOR WITH REMOTE BATTERY VOLTAGE SENSE.	OPT	10
99	292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VO LT MAINTENANCE FREE 1900 CCA THREADED ST UD BATTERIES, NON FCCC ONLY**DO NOT USE* *.....	STD	
100	290-017	BATTERY BOX FRAME MOUNTED.....	STD	
101	281-004	BATTERY JUMPERS WITH MEGA FUSE JUNCTION BLOCK (MFJB).....	OPT	4
102	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB.....	OPT	
103	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WI TH ADDITIONAL FRAME GROUND RETURN.....	OPT	
104	289-001	NON-POLISHED BATTERY BOX COVER.....	STD	
105	33M-998	NO AUXILIARY POWER DISTRIBUTION MANAGEME NT.....	OPT	
106	293-998	NO BATTERY SHUTOFF SWITCH.....	OPT	
107	295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR T LOCATED ON FRAME NEXT TO STARTER.....	OPT	2

REQUESTED BY:
 PAGE 7

IOPSCN-1

EMAILED TO : [REDACTED]

*** TSO REPORT

*** DATE :

09/20/19

TIME :

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
108	180-998	NO CLUTCH.....	OPT	
109	183-998	NO CLUTCH BRAKE.....	OPT	
110	181-998	NO CLUTCH RELEASE BEARING LUBE.....	OPT	
111	182-998	NO CLUTCH RELEASE.....	OPT	
112	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE.....	OPT	
113	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR.....	OPT	
114	131-013	AIR COMPRESSOR DISCHARGE LINE.....	OPT	
115	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM.....	STD	
116	128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH.....	OPT	20
117	016-1F8-50	RH INBOARD FRAME MOUNTED HORIZONTAL DPF AND SCR WITH HORIZONTAL TAILPIPE.....	OPT	-30
118	239-001	STANDARD EXHAUST SYSTEM LENGTH.....	OPT	
119	23D-001	RH INBOARD FRAME MOUNTED HORIZONTAL SCR CATALYST.....	OPT	
120	233-998	NO EXHAUST BRIGHTWORK (PLAIN).....	OPT	
121	237-052	RH STANDARD HORIZONTAL TAILPIPE.....	OPT	
122	23U-002-10	13 GALLON DIESEL EXHAUST FLUID TANK.....	OPT	35
123	43W-001	STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT PLUMBING.....	OPT	
124	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL.....	OPT	
125	23Z-998	NO DIESEL EXHAUST FLUID TANK COVER.....	OPT	
126	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION.....	OPT	
127		MOUNT FILL NECK 7" BOC		
128	23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING.....	OPT	
129	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP..	OPT	
130	242-998	NO MUFFLER/TAILOPIPE SHIELD.....	OPT	
131	273-035	HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH.....	OPT	
132	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED.....	STD	

133 110-003 CUMMINS SPIN ON FUEL FILTER..... OPT
 134 118-001 FULL FLOW OIL FILTER..... STD
 135 120-998 NO COOLANT FILTER..... OPT
 136 266-078 950 SQUARE INCH ALUMINUM RADIATOR..... OPT
 137 103-036 ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT..... OPT

REQUESTED BY: IOPSCN-1
 PAGE 8
 EMAILED TO : [REDACTED]

09/20/19 *** TSO REPORT *** DATE:
 16:22:45 TIME:
 CUSTOMER: SVO GROUP SERIAL
 NUMBER.....JD9594/JD9595

DB	OPTION
WEIGHTS (*)	
ITEM CODE	SPECIFICATIONS
REAR	STATUS FRONT
138 171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIV ALENT..... OPT
139 172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES..... STD
140 270-016	RADIATOR DRAIN VALVE..... OPT
141 168-002	LOWER RADIATOR GUARD..... STD
142 360-998	NO FRONT ENGINE PTO..... OPT
143 361-998	NO REAR ENGINE PTO..... OPT
144 138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER..... OPT 4
145 141-998	NO COOLANT HEATER - GAS/DSL..... OPT
146 166-998	NO OIL PREHEATER..... OPT
147 140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR..... OPT
148 134-001	ALUMINUM FLYWHEEL HOUSING..... STD
149 132-004	ELECTRIC GRID AIR INTAKE WARMER..... OPT
150 155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH..... OPT

TRANSMISSION & EQUIPMENT

151 342-1MH	ALLISON 2200 PTS AUTOMATIC TRANSMISSION WITH PARK PAWL WITHOUT PTO PROVISION.... OPT
152 352-998	NO AUXILIARY TRANSMISSION..... OPT
153 343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS..... OPT
154 84B-017	ALLISON VOCATIONAL RATING FOR SCHOOL BUS APPLICATIONS ONLY AVAILABLE WITH ALL PR..... OPT

177 400-1A5 DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI OPT
 /3.74 DROP SINGLE FRONT AXLE.....
 178 398-998 NO FRONT AXLE RATIO..... OPT
 179 389-998 NO FRONT AXLE DRIVESHAFT..... OPT
 180 402-021 MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BR OPT
 AKES, DOUBLE ANCHOR, FABRICATED SHOES...
 181 403-002 NON-ASBESTOS FRONT BRAKE LINING..... STD
 182 419-023 CONMET CAST IRON FRONT BRAKE DRUMS..... STD
 183 427-998 NO FRONT BRAKE DUST SHIELDS..... OPT
 184 409-021 SKF SCOTSEAL PLUS XL FRONT OIL SEALS.... STD
 185 408-001 VENTED FRONT HUB CAPS WITH WINDOW, CENTE STD
 R AND SIDE PLUGS - OIL.....
 186 416-022 STANDARD SPINDLE NUTS FOR ALL AXLES..... STD
 187 404-1B2 WABCO LONGSTROKE FRONT BRAKE CHAMBERS... OPT
 188 405-002 MERITOR AUTOMATIC FRONT SLACK ADJUSTERS. OPT
 189 536-050 TRW THP-60 POWER STEERING..... STD
 190 537-005 STEEL STEERING SHAFT..... OPT
 191 539-003 POWER STEERING PUMP..... STD
 192 534-015 2 QUART SEE THROUGH POWER STEERING RESER STD
 VOIR.....

REQUESTED BY:
 PAGE 10
 EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
 NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
193	533-998	NO POWER STEERING OIL COOLER.....	OPT	
194	40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE.....	OPT	
195	620-062	10,000# TAPERLEAF FRONT SUSPENSION.....	OPT	
196	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION.....	STD	
197	62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIO NS.....	OPT	
198	629-007	HEAVY DUTY FRONT STABILIZER BAR.....	OPT	80
199	410-001	FRONT SHOCK ABSORBERS.....	STD	
		REAR AXLE, SUSPENSION & EQUIPMENT		
200	420-1C6 -170	DETROIT DA-RS-17.5-2 17,500# R-SERIES SI NGLE REAR AXLE.....	OPT	
201	421-513	5.13 REAR AXLE RATIO.....	OPT	

HOUT GAUGE.....

230	87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH.....	OPT
231	910-004	DUAL AIR REAR SUSPENSION LEVELING VALVES	OPT
232	623-002	TRANSVERSE CONTROL RODS.....	OPT
233	630-998	NO REAR SUSPENSION STABILIZER.....	OPT
234	439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RID E SUSPENSION).....	OPT
235	035-998	NO DEAD AXLE PACKAGE.....	OPT
236	443-998	NO PUSHER OR TAG AXLE.....	OPT
237	456-998	NO PUSHER/TAG BRAKES.....	OPT
238	457-998	NO BRAKE LINING-PUSHER/TAG(SCO).....	OPT
239	448-998	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TAG.....	OPT
240	429-998	NO PUSHER/TAG BRAKE DUST SHIELDS.....	OPT
241	442-998	NO PUSHER OR TAG OIL SEALS.....	OPT
242	444-998	NO PUSHER OR TAG HUB CAPS.....	OPT
243	445-998	NO PUSHER OR TAG BRAKE CHAMBERS.....	OPT
244	458-998	NO PUSHER/TAG SLACK ADJUSTERS.....	OPT
245	626-998	NO PUSHER OR TAG SUSPENSION.....	OPT
246	874-998	NO PUSHER/TAG AXLE LIFT.....	OPT
247	896-998	NO PLUMBING FOR LIFT AXLE.....	OPT
248	87F-998	NO LIFT AXLE WIRING/LOGIC.....	OPT

BRAKE SYSTEM

249	018-002	AIR BRAKE PACKAGE.....	STD
250	490-100	WABCO 4S/4M ABS.....	OPT
251	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES.....	STD
252	46E-001	STANDARD AIR MANAGEMENT UNIT.....	OPT
253	904-001	FIBER BRAID PARKING BRAKE HOSE.....	STD
254	412-001	STANDARD BRAKE SYSTEM VALVES.....	OPT
255	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM.....	STD
256	413-002	STD U.S. FRONT BRAKE VALVE.....	OPT

REQUESTED BY:
PAGE 12
EMAILED TO :

IOPSCN-1



*** TSO REPORT

*** DATE:

09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB
WEIGHTS (*)
ITEM CODE
REAR

SPECIFICATIONS

OPTION
STATUS FRONT

257	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE.....	STD	
258	480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	OPT	20
259	483-998	NO AIR SYSTEM OIL FILTER.....	OPT	
260	479-012	AIR DRYER MOUNTED UNDER HOOD.....	OPT	
261	460-001	STEEL AIR BRAKE RESERVOIRS.....	OPT	
262	46A-998	NO AUXILIARY AIR TANK.....	STD	
263	607-998	CHASSIS CONFIGURATION - NONE.....	STD	
264	477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S).....	OPT	
265	485-003	QUICK DISCONNECT FITTING WITH TIRE INFLA TION KIT.....	OPT	2
266		MOUNT QUICK DISCONNECT FITTING ON OR AT		
267		BATTERY BOX		
268	481-998	NO TRAILER AIR HOSE.....	STD	
269	476-998	NO AIR HOSE HANGER.....	OPT	
270	914-998	NO PLUMBING FOR AIR TO END OF FRAME.....	OPT	
271	919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM.....	OPT	
272	484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE.	OPT	
273	296-998	NO SPECIAL PRIMARY RECEPTACLE WIRING....	OPT	
274	297-998	NO TRAILER CABLE RECEPTACLE.....	OPT	
275	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT.....	STD	
276	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT.....	STD	
277	308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING....	OPT	
278	331-998	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE.....	OPT	
279	30K-998	NO HIGH CURRENT RECEPTACLE/WIRING.....	OPT	
280	30L-998	NO HIGH CURRENT TRAILER/BODY CABLE.....	OPT	
281	310-998	NO TRAILER ELECTRICAL CABLE.....	OPT	
FRAME & WHEELBASE				
282	545-710	7100MM (280 INCH) WHEELBASE.....	OPT	
283	546-092	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8 180	OPT	480
		.73MMX277.8/0.344X10.94 INCH) 80KSI.....		
284	547-998	NO INNER FRAME REINFORCEMENT.....	STD	
285	548-998	NO OUTER FRAME REINFORCEMENT.....	OPT	
286	549-998	NO FRONT FRAME EXTENSION.....	OPT	
287	552-153	3800MM (150 INCH) REAR FRAME OVERHANG... 490	OPT	-120
288	AB8-99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS		0.21 %
289	553-001	SQUARE END OF FRAME.....	STD	
290	554-998	NO BUMPER/UNDERRIDE GUARD.....	STD	

REQUESTED BY:
PAGE 13
EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

09/20/19

TIME :

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB			OPTION	
WEIGHTS (*)	ITEM CODE	SPECIFICATIONS	STATUS	FRONT
	REAR			
291	550-001	FRONT CLOSING CROSSMEMBER.....	STD	
292	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER.....	OPT	
293	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S).....	STD	
294	565-001	STANDARD SUSPENSION CROSSMEMBER.....	STD	
295	572-001	STANDARD REAR MOST CROSSMEMBER.....	STD	
296	AL5-99D	CALC'D BUMPER TO REAR TOWING C/M FACE	469.88	IN
297	587-998	NO REAR TOWING DEVICE.....	STD	
CHASSIS EQUIPMENT				
298	674-998	NO LH OR RH BACK OF CAB ACCESS.....	OPT	
299	592-998	NO DECK PLATE.....	STD	
300	556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS.....	OPT	30
301	558-001	FRONT TOW HOOKS - FRAME MOUNTED.....	OPT	15
302	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	STD	
303	642-998	NO BUMPER/FENDER MOUNTED SIGHT RODS.....	OPT	
304	585-998	NO MUDFLAP BRACKETS.....	STD	
305	590-998	NO REAR MUDFLAPS.....	STD	
306	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT M UDFLAPS.....	STD	
307	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTEN ERS.....	STD	
308	583-998	NO REAR QUARTER FENDERS.....	STD	
309	600-998	NO CAB GUARD.....	OPT	
310	604-998	NO TIRE CARRIER.....	OPT	
311	794-998	NO JACK OR WHEEL WRENCH PROVISION.....	STD	
312	795-998	NO TOOLS.....	STD	
313	605-998	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE...	STD	
314	601-998	NO BODY BUILDER DIAGRAMS.....	STD	
315	970-998	NO BODY TYPE.....	OPT	
FIFTH WHEEL & EQUIPMENT				
316	578-998	NO FIFTH WHEEL.....	OPT	
317	577-998	NO FIFTH WHEEL LOCATION.....	OPT	
318	580-998	NO ADDITIONAL FIFTH WHEEL DRILLINGS.....	OPT	
319	582-998	NO FIFTH WHEEL LEG HEIGHT.....	OPT	
320	570-998	NO FIFTH WHEEL MOUNTING.....	OPT	
321	890-998	NO FIFTH WHEEL PLUMBING.....	OPT	
322	579-998	NO FIFTH WHEEL RELEASE/INST.....	OPT	
323	591-998	NO FIFTH WHEEL ADD-ONS.....	OPT	

REQUESTED BY:
PAGE 14
EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)	ITEM CODE	SPECIFICATIONS	OPTION	STATUS	FRONT
----	-------------	-----------	----------------	--------	--------	-------

REAR

FUEL TANK(S) & EQUIPMENT

324	206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM	OPT	80
20		FUEL TANK - RH.....		
325	201-998	NO RH AUXILIARY FUEL TANK.....	OPT	
326	204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM	OPT	20
		FUEL TANK - LH.....		
327	200-998	NO LH AUXILIARY FUEL TANK.....	OPT	
328	230-998	NO BETWEEN RAIL FUEL TANK.....	STD	
329	203-998	NO HYDRAULIC OIL TANK.....	OPT	
330	218-005	RECTANGULAR FUEL TANK(S).....	OPT	
331	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU LIC TANK(S) WITH PAINTED BANDS.....	STD	
332	212-007	FUEL TANK(S) FORWARD.....	STD	
333	231-998	NO FUEL TANK MTG BETWEEN RAILS.....	STD	
334	232-525	25 GALLONS ADDITIONAL FUEL.....	OPT	
335	664-001	PLAIN STEP FINISH.....	OPT	
336	207-998	NO FUEL TANK SCREENS.....	OPT	
337	205-001	FUEL TANK CAP(S).....	STD	
338	220-998	NO FUEL HEATER.....	STD	
339	122-084	ALLIANCE FUEL FILTER/WATER SEPARATOR WIT H PRIMER PUMP.....	STD	
340	216-020	EQUIFLO INBOARD FUEL SYSTEM.....	STD	
341	20E-003	AUXILIARY FUEL SUPPLY AND RETURN PORTS L OCATED ON LH AND RH FUEL TANKS.....	OPT	
342	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL L INE.....	STD	
343	213-998	NO FUEL LINE INSULATION.....	STD	
344	221-998	NO FUEL COOLER.....	OPT	

TIRES

345	093-1G7	MICHELIN XZE2 275/80R22.5 14 PLY RADIAL FRONT TIRES.....	OPT	2
346	094-1G7	MICHELIN XZE2 275/80R22.5 14 PLY RADIAL	OPT	

REAR TIRES.....
 347 095-998 NO PUSHER/TAG TIRES..... OPT
 348 510-998 NO SPARE TIRE..... OPT

HUBS

349 418-056 CONMET PRESET PLUS IRON FRONT HUBS..... STD
 350 450-056 CONMET PRESET PLUS IRON REAR HUBS..... STD

REQUESTED BY: IOPSCN-1
 PAGE 15
 EMAILED TO : [REDACTED]

09/20/19 *** TSO REPORT *** DATE:
 16:22:45 TIME:
 CUSTOMER: SVO GROUP SERIAL
 NUMBER.....JD9594/JD9595

DB OPTION
 WEIGHTS (*)
 ITEM CODE SPECIFICATIONS STATUS FRONT
 REAR

351 449-998 NO PUSHER OR TAG HUBS..... OPT

WHEELS

352 502-1EF ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI OPT -50
 LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL
 S.....

353 505-1EF ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI OPT
 -100

LOT ALUMINUM DISC REAR WHEELS.....

354 509-998 NO PUSHER/TAG DISC WHEELS..... OPT

355 511-998 NO SPARE WHEEL..... OPT

356 51A-998 NO ADDITIONAL SPARE WHEEL..... OPT

357 524-001 POLISHED FRONT WHEELS; OUTSIDE ONLY..... OPT

358 525-001 POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY..... OPT

359 526-998 NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS..... OPT

360 496-011 FRONT WHEEL MOUNTING NUTS..... OPT

361 497-011 REAR WHEEL MOUNTING NUTS..... OPT

362 498-998 NO TIRE VALVE STEM/CAP/EXTENSIONS..... OPT

CAB EXTERIOR

363 829-071 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB..... STD

364 682-998 NO SLEEPER BOX/SLEEPERCAB..... STD

365	784-998	NO AIR SHIELD OR BRACKETS.....	OPT	
366	783-998	NO SIDE EXTENDERS.....	STD	
367	782-998	NO FRAME SIDE FAIRINGS.....	STD	
368	650-009	RUBBER CAB MOUNTS.....	STD	
369	705-998	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS	STD	
370	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR	OPT	
		ILLE.....		
371	754-998	NO FENDER EXTENSION.....	STD	
372	678-998	NO GRAB HANDLES.....	OPT	
373	646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE.....	OPT	
374	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE...	OPT	
375	644-004	FIBERGLASS HOOD.....	STD	
376	690-007	HOOD LINER INSULATION WITH SINGLE FIREWA	OPT	
		LL INSULATION.....		
377	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UND	OPT	4
		ER LH DECK.....		

REQUESTED BY: IOPSCN-1
PAGE 16
EMAILED TO : XXXXXXXXXX

09/20/19
16:22:45
CUSTOMER: SVO GROUP SERIAL
NUMBER.....JD9594/JD9595

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	FRONT
ITEM CODE			STATUS	
REAR				
378	726-002	DUAL ELECTRIC HORNS.....	OPT	
379	728-001	SINGLE HORN SHIELD.....	OPT	
380	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE	STD	
		SAME.....		
381	575-001	REAR LICENSE PLATE MOUNT END OF FRAME...	STD	
382	327-998	NO OTHER LIGHTS.....	STD	
383	312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH	OPT	
		CHROME BEZEL.....		
384	302-998	NO MARKER LIGHTS.....	OPT	
385	315-062	RECTANGULAR CLEAR FOG LIGHTS MOUNTED UND	OPT	6
		ER BUMPER.....		
386	311-001	DAYTIME RUNNING LIGHTS.....	OPT	
387	316-998	NO SPOTLIGHTS.....	STD	
388	294-046	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE	OPT	
		-5		
		WIRING WITH SEPARATE STOP/TURN WIRES TO		
		4 FEET BEYOND END OF FRAME.....		
389	300-015	STANDARD FRONT TURN SIGNAL LAMPS.....	STD	
390	318-998	NO UTILITY/ADVERTISING LIGHT.....	STD	
391	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIR	OPT	

		ER COMPARTMENT WITHOUT NETTING.....		
418	694-010	IN DASH STORAGE BIN.....	STD	
419	696-998	NO REAR FLOOR STORAGE.....	STD	
420	693-003	PLASTIC MANIFEST BOX - LH DOOR.....	OPT	
421	826-998	NO LOWER BUNK.....	OPT	
422	666-998	NO BUNK RESTRAINT.....	STD	
423	738-998	NO CLOCK.....	STD	
424	742-007	(2) CUP HOLDERS LH AND RH DASH.....	STD	
425	680-006	GRAY/CHARCOAL FLAT DASH.....	STD	
426	860-004	SMART SWITCH EXPANSION MODULE.....	OPT	
427	716-998	NO WINDSHIELD FAN.....	OPT	
428	720-998	NO FIRE EXTINGUISHER.....	STD	
429	71T-998	NO SMOKE/GAS DETECTOR.....	STD	
430	714-998	NO FIRST AID KIT.....	STD	
431	700-002	HEATER, DEFROSTER AND AIR CONDITIONER...	STD	
432	701-001	STANDARD HVAC DUCTING.....	STD	
433	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH.....	STD	
434	689-803	PREP KIT FOR CUSTOMER INSTALLED AUXILIAR Y HEATER, PLUMBING FROM ENGINE TO BACK O F CAB WITH SHUTOFF VALVES.....	OPT	25
435	170-015	STANDARD HEATER PLUMBING.....	STD	
436	724-001	AUXILIARY HEATER PLUMBING.....	OPT	
437	130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRES SOR.....	STD	
438	702-002	BINARY CONTROL, R-134A.....	STD	
439	739-034	PREMIUM INSULATION.....	OPT	
440	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES	STD	
441	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM...	STD	
442	324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READ ING LIGHTS, FORWARD CAB ROOF.....	OPT	

REQUESTED BY: IOPSCN-1
PAGE 18
EMAILED TO : XXXXXXXXXX

09/20/19 *** TSO REPORT *** DATE:
16:22:45 TIME:
CUSTOMER: SVO GROUP SERIAL
NUMBER.....JD9594/JD9595

	DB		OPTION	
WEIGHTS (*)				
ITEM CODE		SPECIFICATIONS	STATUS	FRONT
REAR				
443	655-005	LH AND RH ELECTRIC DOOR LOCKS.....	OPT	
444	740-998	NO MATTRESS.....	STD	
445	284-023	(1) 12 VOLT POWER SUPPLY IN DASH.....	OPT	
446	710-998	NO CAB PRIVACY CURTAIN.....	STD	
447	722-998	NO REFLECTOR/FLARE KIT.....	STD	

448	756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION.....	OPT	30
449	760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION.....	OPT	25
10				
450	762-998	NO REAR PASSENGER SEAT.....	OPT	
451	757-998	NO SEAT SKIRT(S).....	STD	
452	759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST.....	OPT	6
453	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS..	STD	
454	699-998	NO SEAT OPTIONS.....	STD	
455	758-025	GRAY MORDURA CLOTH DRIVER SEAT COVER....	OPT	
456	761-025	GRAY MORDURA CLOTH PASSENGER SEAT COVER..	OPT	
457	755-998	NO REAR PASSENGER SEAT COVERS.....	STD	
458	763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS.....	STD	
459	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN.....	OPT	10
460	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL..	STD	
461	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS	STD	

CONTROLS & INSTRUMENTS

462	870-001	BLACK GAUGE BEZELS.....	STD	
463	732-003	WOODGRAIN DRIVER INSTRUMENT PANEL.....	OPT	
464	734-003	WOODGRAIN CENTER INSTRUMENT PANEL.....	OPT	
465	68J-998	NO SWITCH BLANK - INSTRUMENT PANEL.....	STD	
466	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM.....	STD	
467	838-998	NO AIR APPLICATION GAUGE.....	STD	
468	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES.....	OPT	
469	198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS.....	OPT	
470	721-003	PRECO/ECCO 1040 87 DECIBELS TO 112 DECIBELS	OPT	
3		ELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM.....		

REQUESTED BY:
PAGE 19
EMAILED TO :

IOPSCN-1



*** TSO REPORT ***

*** DATE:

09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)		OPTION	
ITEM CODE		SPECIFICATIONS	STATUS	FRONT
REAR				
471	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL.....	STD	
472	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY.....	STD	
473	157-998	NO REMOTE START.....	OPT	
474	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED....	STD	
475	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH.....	OPT	
476	844-001	2 INCH ELECTRIC FUEL GAUGE.....	STD	
477	845-998	NO FUEL FLOW GAUGE.....	STD	
478	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE.....	STD	
479	163-998	NO ENGINE OPT/RPM CONTROLS WIRING.....	STD	
480	87L-998	NO REMOTE ENGINE CONTROL-ENABLE.....	STD	
481	33U-998	NO CUSTOMER DEFINED WIRING FUNCTION.....	STD	
482	866-998	NO AXLE TEMPERATURE GAUGE.....	STD	
483	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE.....	STD	
484	854-998	NO ENGINE OIL TEMPERATURE GAUGE.....	STD	
485	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE.....	OPT	
486	867-998	NO OUTSIDE AIR TEMPERATURE GAUGE.....	STD	
487	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY.....	OPT	
488	438-998	NO HUBODOMETER.....	STD	
489	33A-998	NO WARNING LIGHT SWITCHES.....	STD	
490	372-998	NO PTO CONTROLS.....	STD	
491	736-998	NO OBSTACLE DETECTION SYSTEM.....	OPT	
492	73H-998	NO CAMERA/VIDEO/IMAGING SYSTEM.....	OPT	
493	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL.....	OPT	
494	73B-998	NO LANE DEPARTURE WARNING SYSTEM.....	OPT	
495	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE.....	STD	
496	679-998	NO OVERHEAD INSTRUMENT PANEL.....	STD	
497	35M-998	NO WRG-BDY MULTIPLEX EXPNSN UNIT.....	OPT	
498	786-998	NO POSITIONING/LOCATING SYSTEM.....	STD	
499	746-019	CUSTOMER FURNISHED DIN RADIO PACKAGE....	OPT	5
500	747-001	DASH MOUNTED RADIO.....	OPT	
501	74D-998	NO RADIO/SPEAKER WIRING.....	OPT	
502	750-002	(2) RADIO SPEAKERS IN CAB.....	OPT	
503	753-008	AM/FM ANTENNA MOUNTED ON LH SIDE MIRROR.....	OPT	
504	748-998	NO CB RADIO/PROVISION.....	STD	

REQUESTED BY:
PAGE 20
EMAILED TO :

IOPSCN-1



09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
ITEM CODE	REAR				
505	749-998	NO CB RADIO MOUNTING PROVISION.....	STD		
506	752-998	NO CB ANTENNA, BRACKET OR LEAD.....	STD		
507	78C-998	NO DIGITAL SATELLITE AUDIO RECEIVER ANTE NNA.....	STD		
508	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDA R KPH SCALE, WITHOUT ODOMETER.....	STD		
509	817-001	STANDARD VEHICLE SPEED SENSOR.....	STD		
510	812-001	ELECTRONIC 3000 RPM TACHOMETER.....	STD		
511	813-998	NO VEHICLE PERFORMANCE MONITOR.....	OPT		-5
512	81X-998	NO TELEMATICS SERVICE CONTRACT.....	STD		
513	80K-998	NO SHUTDOWN OVERRIDE.....	OPT		
514	80L-998	NO REGEN SYSTEM TAILORING.....	STD		
515	80M-998	NO ALTERNATE PTO SPEED.....	STD		
516	80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE..	STD		
517	80P-998	NO FLEET SPEC FOR PARAMETERIZATION.....	STD		
518	80Q-998	NO VEHICLE SPEED LIMIT - GHG.....	OPT		
519	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP..	OPT		
520	885-998	NO CONTROLS-FIRE PUMP.....	STD		
521	329-007	ONE ON/OFF ROCKER SWITCH IN THE DASH WIT H INDICATOR LIGHT WIRED TO JUNCTION BLOC K ON FRAME WITH MARKER LIGHT CIRCUIT, LA BEL OPT.....	OPT		
522	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FL ASH, WITH SMART SWITCH.....	OPT		
523	44R-998	NO ON/OFF LATCHING SMARTPLEX SWITCH.....	STD		
524	44S-998	NO ON/OFF MOMENTARY SMARTPLEX SWITCH....	STD		
525	44T-998	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH..	STD		
526	44U-998	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH.	STD		
527	44V-998	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	STD		
528	44W-998	NO UNDEFINED INDICATOR LAMPS.....	STD		
529	264-998	NO CONTROLS-SIREN/AIR HORN.....	OPT		
530	482-998	NO TRACTOR PROTECTION VALVE.....	STD		
531	883-998	NO TRAILER HAND CONTROL BRAKE VALVE.....	STD		
532	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR IVER DISPLAY.....	STD		
533	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W ITH DELAY.....	STD		
534	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLI GHT SWITCH.....	STD		
535	27D-998	NO ALTERNATING FLASHING HEADLAMP SYSTEM.	STD		
536	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARN ING INDICATOR.....	OPT		

REQUESTED BY:
PAGE 21
EMAILED TO :

IOPSCN-1

*** TSO REPORT

*** DATE:

09/20/19

TIME:

16:22:45

CUSTOMER: SVO GROUP
NUMBER.....JD9594/JD9595

SERIAL

DB	WEIGHTS (*)	SPECIFICATIONS	OPTION	STATUS	FRONT
	ITEM CODE				
	REAR				
	537 299-013	SELF CANCELING TURN SIGNAL SWITCH WITH D	STD		
		IMMER, WASHER/WIPER AND HAZARD IN HANDLE			
	538 298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER	STD		
		WITH HAZARD LAMPS OVERRIDING STOP LAMPS.			
	539 869-998	NO MISCELLANEOUS GAUGES.....	OPT		
		PAINT			
	540 065-000	PAINT: ONE SOLID COLOR.....	STD		
	541 980-5F6	CAB COLOR A: L0006EB	OPT		
		WHITE ELITE BC.....			
	542 986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS	STD		
		PAINT.....			
	543 98K-998	NO FUEL TANK CABINET PAINT.....	OPT		
	544 962-998	PAINT-FRT WHEEL COLOR: NONE.....	OPT		
	545 966-998	PAINT-RR WHEEL COLOR: NONE.....	OPT		
	546 96E-998	NO PUSHER/TAG WHEEL PAINT.....	STD		
	547 96F-998	NO SPARE WHEEL PAINT.....	OPT		
	548 964-998	NO BUMPER PAINT.....	OPT		
	549 976-998	NO EXTERIOR SUNVISOR PAINT.....	OPT		
	550 963-003	STANDARD E COAT/UNDERCOATING.....	OPT		
		ADDITIONAL SPECIFICATIONS			
	551 998-998	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER	OPT		
		VICE PDI INSPECTION.....			
	552 958-998	NO INSPECTION-LABOR ONLY.....	OPT		
	553 99B-998	NO MODIFICATION CENTER SHIPPING INSTRUCT	STD		
		IONS.....			
	554 82N-998	NO SHIPPING PROTECTION.....	STD		
	555 999-998	NONE.....	OPT		
	556 FGB-999	CUSTOMER REQUESTED COPY TSO FROM SERIAL			
		NUMBER.....			
	557	JD9591			
	558 996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES C	OPT		

559 RCN-100 ABS AND GLIDER KITS..... OPT
 560 WAG-053 PRICE CONCESSION SYSTEM..... OPT
 561 MWF-004 TOWING EXTENDED/ROADSIDE SERVICE WARRANT OPT
 Y, 2 YEAR/UNLIMITED MILES/KM, \$550 CAP..
 562 MWD-004 DETROIT FRONT AXLE COVERAGE, GENERAL SER OPT
 VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS.
 DETROIT REAR AXLE COVERAGE, GENERAL SERV OPT
 ICE, 2 YEAR/UNLIMITED MILES/KILOMETERS..

REQUESTED BY: IOPSCN-1
 PAGE 22
 EMAILED TO : XXXXXXXXXX

09/20/19 *** TSO REPORT *** DATE:
 16:22:45 TIME:
 CUSTOMER: SVO GROUP SERIAL
 NUMBER.....JD9594/JD9595

DB	OPTION
WEIGHTS (*)	
ITEM CODE	SPECIFICATIONS
REAR	STATUS FRONT
563 RDS-001	DISCOUNT..... OPT
564 RSC-999	PRICE ESCALATOR PER CONCESSION @ . %.. OPT
565 PMU-016	2016 OBD/2010 EPA/CARB/GHG14 ESCALATOR OPT
	DO NOT USE.....
566 P73-2FT	STANDARD DESTINATION CHARGE..... OPT
567 RNT-001	NOTES..... OPT
568	*****
569	IF BLD DATE >□/01/16
570	+ MODEL YEAR 17
571	ESCALATE BY \$ 750

3,910 TOTAL 6,486

10,396 TOTAL WEIGHT

(*) WEIGHTS SHOWN ARE ESTIMATES ONLY. FOR GUARANTEED
 WEIGHTS PLUS OR MINUS 1 1/2%, CONTACT THE FACTORY.

EMAILED TO :  * * *

