

ASK-SIL-T

06/28/2022 14:25

Aircraft Record General Information Manufacturer ORNIER 6m 5 H Serial SW 37 Date of Manufacture 1940		Model Bul33 Registration Number 1940 H PREV. HB-MKI 090
Engine(s) currently installed: Manufacturer Manufacturer	Model	Ondel
Propeller(s) currently installed:		Model
Manufacturer	Serial	Serial
Blade Model	Serial	Serial Serial
Blade Model	Serial	Serial Serial

YEAR 20	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
N1940H		-20-201		T 1468.8
nstalle	d wings Rie	ged flvi	ng and lar	nding wires per instructions. Glued leather wing attach covers with
Stalle		ramant	connecte	ad aileron controls with nardware supplied by previous
lugha	ad contact	ement	COMMICCEC	
		1	or for pror	ner movements and for proper rigging. Cleaned ruch server
		1	or for pror	ner movements and for proper rigging. Cleaned ruch server
hecked	d all contro	I surface	es for prop s Inspecte	ed aircraft using checklist provided and scope and detail of AC 43
hecked	d all contro	I surface	es for prop s Inspecte	ner movements and for proper rigging. Cleaned ruch server
hecked	d all contro	I surface	es for prop s Inspecte	ed aircraft using checklist provided and scope and detail of AC 43
hecked ubricat opendi	d all contro ted all movi ix "d" and v	I surface	es for prop s Inspecte	ed aircraft using checklist provided and scope and detail of AC 43
hecked ubricat opend	d all contro	I surface	es for prop s Inspecte	ed aircraft using checklist provided and scope and detail of AC 43
hecked ubricat opendi	d all contro ted all movi ix "d" and v	I surface	es for prop s Inspecte	ed aircraft using checklist provided and scope and detail of AC 43
hecked ubricat ppendi	d all contro ted all movi ix "d" and v	I surface	es for prop s Inspecte	ed aircraft using checklist provided and scope and detail of AC 43

ACTT 1473.8 11-12-2020 2 N1940H Lubricated airframe. Checked controls free and clear. Cleaned fuel screens. Tightened banjo - fitting on fuel selector. Filled tank with 100LL for leak check no leaks noted. Adjusted brakes. Cleaned aircraft. Drained fuel system. I certify I have inspected this aircraft in accordance with the scope and detail of AC 43 appendix "d" and was determined to be in a safe condition for operation. **David Woosley**

06/28/2022 14:32

YEAR	MECOMOTIVE	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
leaned ail. I ce opendia	ed airfram	en. Ched	cked con cked all f ected this etermined	ntrols free and clear. Cleaned fuel screens. Cleaned aircraft. flying and landing wires for corrosion and security wings and aircraft in accordance with the scope and detail of AC 43 and to be in a safe condition for operation.