

Locomotive Inspection and Repair Record

U.S. Department of Transportation Federal Railroad Administration

See reverse for Paperwork Reduction Act Statement

OMB No.2130-0004

	fear: 1. Operated by NORFOLK SOU			: THERN RAILWAY COMPA			Code: NS	2. Owned	ı by: K SOUTHE	RR Code:		
3. Model No.)-44CV		4. Loc	o No.	891		renumbered, Pre		5. Year I			Check if new loco.
. Propelled b	y:	7. Horse		8. T	ype of Ser	vice: """ Yard	"Passenger Other	9. Steam G			b. Working Pressure N/A	10. Max. Piston Travel 8 in.
ype of Air Brake: Air Dryer		er	11. Out of		of use Cr	edit:	12. Last I	N/A 12. Last Periodic Inspection Date & cert:		a. Date	b. Place	
CCB AFM CAL.							34 Date & Cert:			08-27-2023 vate & cert:	CHATTANOOGA T Date & cert:	
29.29(b)	interva			-22-20		02-28-2024 A		02-20-2024 JK FRA			ate & cert.	Bute & cert.
ERIODIC I					Check o			per 229.23(a)				r 229.23(b)(1) <u>only</u>
3. Date: Mo/Day/Yr 14. Place		15	15. Items*		16. Pe	16. Person Conducting		15 . Items*		Person Conducting	17. Certified by	
02-28-2024 ENOLA PA			12347					5				
			_									
15. Item Coo	le: 1.B	rakes 2. Ru	inning Ge	ear 3.	Cab Equi	p 4. Med	ch Equip 5. Ele	ct Equip 6. S	Steam Gen	7. 5	Safety Appl	
		rakes 2. Ru . H&H Test F	ressure	ear 3.	Cab Equi		Vaiver Part 229		Steam Gen		0. Waiver - Other	A-2014-0085
ESTS			Pressure NA	ear 3.	Cab Equi	19. V	Vaiver Part 229	005-21613		20	0. Waiver - Other	A-2014-0085 24. Previous Test Dat
Ype	18		Pressure NA Inte	erval t more	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place	Date &	20	0. Waiver - Other FR	24. Previous Test Dat & Place
ESTS Type vent Recorde	18 er	. H&H Test F	Pressure NA Inte	erval t more	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place		20	0. Waiver - Other FR	24. Previous Test Dat
rype vent Recorde 29.25(d) or 2	18 er 29.27(c)	. H&H Test I	Pressure NA Inte Not No.	erval t more . of day 368	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T
rype vent Recorde 29.25(d) or 2	18 er 29.27(c)	. H&H Test I	Pressure NA Inte Not No.	erval t more	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023
ype vent Recorde 29.25(d) or 2 unnual Tests	er 29.27(c) 229.27	. H&H Test F	Pressure NA Inte Not No.	erval t more of day 368 3 days	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T
ype vent Recorde 29.25(d) or 2 unnual Tests	er 29.27(c) 229.27	. H&H Test F	Pressure NA Inte Not No.	erval t more . of day 368	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023
ESTS Eype Eyent Recorde 29.25(d) or 2 Eyent Recorde Annual Tests Figure 1.	er 29.27(e) 229.27 232.109	. H&H Test F	Pressure NA Inte Not No. 368	erval t more . of day 368 3 days	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T
ESTS Eype Eyent Recorde 29.25(d) or 2 Eyent Recorde Annual Tests Figure 1.	er 29.27(e) 229.27 232.109	. H&H Test F	Pressure NA Inte Not No. 368	erval t more of day 368 3 days	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T
ESTS Event Records 29.25(d) or 2 Ennual Tests Find Brake Lir Brakes: 1	29.27(c) 229.27 232.10	. H&H Test F	Pressure NA Inte Not No. 368	erval t more of day 368 3 days 3 days	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T
ESTS Event Records 29.25(d) or 2 Ennual Tests Find Brake Lir Brakes: 1	29.27(c) 229.27 232.10	. H&H Test F	Pressure NA Inte Not No. 368	erval t more . of day 368 3 days	than:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T
ESTS Type Event Recorded 29.25(d) or 2 Ennnual Tests Ennual Brake Lir Brakes: 1	229.27 229.27 232.10: Level 1 2	. H&H Test F 5(c) 229.29(c)(1)	Pressure	erval t more t more 368 days days	than: ys:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018
ESTS Type Event Recorded 29.25(d) or 2 Ennnual Tests Ennual Brake Lir Brakes: 1	229.27 229.27 232.10: Level 1 2	. H&H Test F	Pressure	erval t more of day 368 3 days 3 days	than: ys:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA
ype vent Recorde 29.25(d) or 2 nnual Tests and Brake ir Brakes: 1	29.27(c) 229.27 232.103 24 Level 1 2	. H&H Test F) 5(c) 229.29(c)(1) 229.29(c)(2)	Pressure	t more to day 368 days days days	than: ys:	19. V	Vaiver Part 229 FRA-20	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA
ype vent Recorde 29.25(d) or 2 nnual Tests and Brake ir Brakes: 1	29.27(c) 229.27 232.103 24 Level 1 2	. H&H Test F) 5(c) 229.29(c)(1) 229.29(c)(2)	Pressure	t more to days 368 days days days 3312 of day	than: ys:	19. V	Vaiver Part 229 FRA-20 rson Conducting	005-21613 g 22. Test I Place 02-2: ENO	Date & 8-2024 LA PA 8-2024	20	0. Waiver - Other FR	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA
ype ESTS EVENT Records 29.25(d) or 2 Example 1 and Brake In Brakes: I I ammer and I I accordance w	29.27(c) 229.27 232.103 Level 1 2 Level 3 2 Hydro	. H&H Test F) 229.29(c)(1) 229.29(c)(3) 229.31 .ocomotive In	Pressure	erval t more of day 368 8 days 8 days 3312 of day 3312 6 days	than: ys:	19. V 21. Pe	Vaiver Part 229 FRA-20 rson Conducting DRILLED 7 and the regular	005-21613 22. Test I Place 02-2: ENO 02-2: ENO	Date & 8-2024 LA PA 8-2024 LA PA	20	0. Waiver - Other FR 23. Certified by	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA
ESTS EVENT Sevent Records 29.25(d) or 2 EVENT SEVENT SEV	29.27(c) 229.27 232.10 Level 1 2 Level 3 2 Hydro ith the I inspected	1. H&H Test F 1. H&H Test F 1.	Pressure NA Inte Not No. 368 368 No. No. 736	erval t more of day 368 days days days days days days days days	than: ys: ss: ys: ys: ys: ys: ys: ys	19. V 21. Pe	Vaiver Part 229 FRA-20 rson Conducting DRILLED 7 and the regular e been properly to	005-21613 g 22. Test I Place 02-2: ENO 02-2: ENO	Date & 8-2024 LA PA 8-2024 LA PA LA PA	20 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	O. Waiver - Other FR 23. Certified by Act, the parts and a	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA 08-10-2018 ENOLA PA
ESTS EVENT STATES EVEN STATES EVENT STATE	29.27(c) 229.27 232.10 Level 1 2 Level 3 2 Hydro ith the I inspected	1. H&H Test F 1. H&H Test F 1.	Pressure NA Inte Not No. 368 368 No. No. 736 Inte Not Inte Inte Inte Inte Inte Inte Inte Int	erval t more of day 368 days days days days days days days days	than: ys: ys: ys: ys: ys: ys: ys: ys	19. V 21. Pe	Vaiver Part 229 FRA-20 rson Conducting DRILLED 7 and the regular been properly by of the inspect	ions issued purepaired.	Date & 8-2024 LA PA 8-2024 LA PA ursuant to the	20 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	O. Waiver - Other FR 23. Certified by Act, the parts and a	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA 08-10-2018 ENOLA PA
ESTS EVENT STATES EVEN STATES EVENT STATE	29.27(c) 229.27 232.10 Level 1 2 Level 3 2 Hydro ith the I inspected	1. H&H Test F 1. H&H Test F 1.	Pressure NA Inte Not No. 368 368 No. No. 736 Inte Not Inte Inte Inte Inte Inte Inte Inte Int	erval t more of day 368 days days days days days days days days	than: ys: ys: ys: ys: ys: ys: ys: ys	19. V 21. Pe	Vaiver Part 229 FRA-20 rson Conducting DRILLED 7 and the regular e been properly to	ions issued purepaired.	Date & 8-2024 LA PA 8-2024 LA PA ursuant to the	20 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	O. Waiver - Other FR 23. Certified by Act, the parts and a	24. Previous Test Dat & Place 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-27-2023 CHATTANOOGA T 08-10-2018 ENOLA PA 08-10-2018 ENOLA PA

INSTRUCTIONS: This Locomotive Inspection and Repair Record (Record or F6180-49A) covers a calendar year, except as noted. The Record for the preceding calendar year shall be retained in the locomotive until the first periodic inspection of the new year or, until the Record is replaced on April 2 or July 3 (if 184 day eligible) as required by 49 CFR 229.23(f) or, until the locomotive changes ownership (see 2 below.) Enter the requested information in each block. Special instructions are given below.

- 1. <u>OPERATED BY:</u> Enter the name and code of the primary railroad operating the locomotive at the time this Record is placed in it. Operator changes, including dates, shall be noted in "Remarks." The "RR Code" is as assigned by FRA to the railroad.
- 2. OWNER: Enter the name and RR Code of the owner. Changes in ownership shall be submitted as final reports.
- 3. LOCOMOTIVE NO.: Enter digits only. Include letters if they differ from the "RR Code." If renumbered, enter the previous number.
- 4. YEAR BUILT: Enter the year the locomotive was built and check if new. If remanufactured per 49 CFR 229.5, enter "RM" and the year.
- 5. PROPELLED BY: Enter Diesel-Electric (D-E), Electric (E), Electric Multiple Unit (MU), Diesel Multiple Unit (DMU), MU Control Cab (MUC), Non-MU Control Cab (NMUC), Turbine (T), Torque Converter (TC), or Other (O).
- 6. MAXIMUM PISTON TRAVEL: Enter only "nominal" travel. Do not include the manufacturer's tolerance.
- 7. OUT-OF-USE CREDIT: Enter the number of creditable calendar days the locomotive was out-of use since the last periodic inspection on the previous F6180-49A. Less than 30 consecutive calendar days for any out-of-use period may not be counted per 49 CFR 229.33. For current periods out-of-use, an entry "Out-of-use from _______to_____" shall be made on a Periodic Inspection line and certified when a locomotive which would otherwise be due for inspection is out-of-use. If the locomotive is out of use at the end of the annual reporting period, complete the "To" entry with the last day of the period. An entry shall then be made on the new Record showing the first day of the new reporting period as the "From" date.
- 8. <u>LAST PERIODIC INSPECTION:</u> When a new Record is placed in the locomotive transfer the last periodic inspection information into block 12 a & b and the last test information into column 24 of the new Record. Tests that are not applicable should be noted "NA".
- 9. AFM CAL.: Enter the date of the last Air Flow Method Indicator (AFM) calibration from the previous year. Enter and certify subsequent calibrations as they are done.
- 10. PERIODIC INSPECTIONS: Check 184 days *only* if the locomotive qualifies per 49 CFR 229.23(b)(1) and the railroad chooses to abide by the requirement for 33 day QMI Daily inspections, otherwise check 92 days. Persons making the required inspections shall sign and list the item codes inspected. The employee's supervisor shall certify that the inspections were completed.
- 11. H&H: Enter the test pressure for the hydrostatic air reservoir test. If the reservoirs are drilled, enter "NA" here and "Drilled" in the Hammer and Hydro line below.
- 12. WAIVERS: Any waiver applicable to this locomotive shall be entered by waiver number in block 19 if a waiver from Part 229, or block 20, if a waiver from any other regulation. Enter explanatory information regarding the scope and content of each waiver under "Remarks".
- 13. <u>TESTS:</u> The maximum number of days for Event Recorder, Level 2 and Level 3 air brake tests shall be entered per the referenced sections of 49 CFR 229. Where the railroad has chosen to fragment air brake clean, repair and test requirements as permitted under 49 CFR 229.29, a separate air record shall be maintained an the cab of the locomotive and the word "Fragmented" shall be entered in the Level 2 and Level 3 lines.

NOISE: Enter any noise tests or related information in accordance with 49 CFR 210.31. Date and Place: 02-26-2004 ERIE, PA Method: LOAD CELL Max dB @ Idle: 65.8 Max dB @ N8: 86.9 EEMARKS: Additional explanatory or clarifying information. Event Recorder Equipment: CRM F3000. Waiver(s): FRA AIR BRAKE WAIVER 2005-21613, FRA CAB SIGNAL WAIVER 2014-0085.
Date and Place: 02-26-2004 ERIE, PA Method: LOAD CELL Max dB @ Idle: 65.8 Max dB @ N8: 86.9 EMARKS: Additional explanatory or clarifying information. Event Recorder Equipment: CRM F3000.
EEMARKS: Additional explanatory or clarifying information. Event Recorder Equipment: CRM F3000.
Event Recorder Equipment: CRM F3000.
Event Recorder Equipment: CRM F3000.
Event Recorder Equipment: CRM F3000.
Event Recorder Equipment: CRM F3000. Waiver(s): FRA AIR BRAKE WAIVER 2005-21613, FRA CAB SIGNAL WAIVER 2014-0085.
Walver(8): FRA AIR BRARE WAIVER 2003-21013, FRA CAB SIGNAL WAIVER 2014-0003.

Out Of Use Credit

FROM TO DAYS 04-24-2023 05-29-2023 34

Public reporting burden for this collection of information is estimated to average 15 minutes per response including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. A federal agency may not conduct or sponsor, and a person is not required to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless that collection of information displays a current OMB Number. The OMB control number for this information is 2130-0004. Anyone with comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, may send them to: Information Clearance Officer, Federal Railroad Administration, 1200 New Jersey Ave. SE, MS-25, Washington, DC 20590