



Inspection Report - Relay Tests & Inspections

Division: CALT	Asset ID: PII [REDACTED]
Subdivision: SAN JOSE	Test Date: 05/11/2015
Milepost (with Prefix): CT 10.24 - 10.24	State: CA
Location / Highway Name: CP SCOTT MAIN HOUSE WITH GCP REMOTE START UNITS	
County: NO DATA	
Employee's Name: Patrick Murphy (pmurphy)	Job Number: PII [REDACTED]

Conditions Master Key

- C = Test completed, condition left in compliance.
- R = Replacements made (identified in associated comments), test completed, and condition left in compliance.
- V = Visual inspection completed, condition left in compliance.
- NT = The equipment was not tested in this inspection.
- N = No inspection required. The given relay does not require inspection at this time.

Relay Tests (FRA 234.263, 236.106)				
Shelf Name 1E	Relay Name 2SSTOP	Serial Number 10099561	Condition Left C	
Relay Type (Drawing and/or Catalog Number) ST (400023 / 400023)		Resistance (Ohms) 500	Contacts 6FB HD	Date Tested 05/11/2015
Neutral Dropaway 0.0057 A DC		Neutral Pickup 0.0140 A DC		Neutral Working 0.0165 A DC
Shelf Name 1E	Relay Name 4SSTOP	Serial Number 1009560	Condition Left C	
Relay Type (Drawing and/or Catalog Number) ST (400023 / 400023)		Resistance (Ohms) 500	Contacts 6FB HD	Date Tested 05/14/2015
Neutral Dropaway 0.0074 A DC		Neutral Pickup 0.0136 A DC		Neutral Working 0.0165 A DC
Shelf Name 1E	Relay Name DED2ALKR	Serial Number 735823	Condition Left C	
Relay Type (Drawing and/or Catalog Number) B1 (56001-762 GR.2 / A62-262)		Resistance (Ohms) 500	Contacts 6FB	Date Tested 05/11/2015
Neutral Dropaway 0.0058 A DC		Neutral Pickup 0.0112 A DC		Neutral Working 0.0115 A DC
Shelf Name 1E	Relay Name DEDHEATHR	Serial Number 735975	Condition Left C	
Relay Type (Drawing and/or Catalog Number) B1 (56001-762 GR.2 / A62-262)		Resistance (Ohms) 500	Contacts 6FB	Date Tested 05/11/2015
Neutral Dropaway 0.0057 A DC		Neutral Pickup 0.0106 A DC		Neutral Working 0.0115 A DC
Shelf Name 1E	Relay Name DED1ALKR	Serial Number 735970	Condition Left C	
Relay Type (Drawing and/or Catalog Number) B1 (56001-762 GR.2 / A62-262)		Resistance (Ohms) 500	Contacts 6FB	Date Tested 05/11/2015
Neutral Dropaway 0.0056 A DC		Neutral Pickup 0.0112 A DC		Neutral Working 0.0115 A DC
Shelf Name 1F	Relay Name 1NWR	Serial Number 1010082	Condition Left C	
Relay Type (Drawing and/or Catalog Number) ST (400520 / 400520)		Resistance (Ohms) 500	Contacts 2F-2B EHD	Date Tested 05/11/2015
Neutral Dropaway 0.0073 A DC		Neutral Pickup 0.0176 A DC		Neutral Working 0.0190 A DC
Shelf Name 1F	Relay Name 1RWR	Serial Number 1010080	Condition Left C	
Relay Type (Drawing and/or Catalog Number) ST (400520 / 400520)		Resistance (Ohms) 500	Contacts 2F-2B EHD	Date Tested 05/11/2015
Neutral Dropaway 0.0076 A DC		Neutral Pickup 0.0184 A DC		Neutral Working 0.0190 A DC
Shelf Name 1F	Relay Name 1ANWR	Serial Number 1010079	Condition Left C	
Relay Type (Drawing and/or Catalog Number) ST (400520 / 400520)		Resistance (Ohms) 500	Contacts 2F-2B EHD	Date Tested 05/11/2015
Neutral Dropaway 0.0078 A DC		Neutral Pickup 0.0172 A DC		Neutral Working 0.0190 A DC
Shelf Name 1F	Relay Name 1ARWR	Serial Number 1010081	Condition Left C	
Relay Type (Drawing and/or Catalog Number) ST (400520 / 400520)		Resistance (Ohms) 500	Contacts 2F-2B EHD	Date Tested 05/11/2015
Neutral Dropaway 0.0082 A DC		Neutral Pickup 0.0178 A DC		Neutral Working 0.0190 A DC

Relay Tests (FRA 234.263, 236.106)

Shelf Name 3B	Relay Name 1TR	Serial Number 1010193	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400510 / 400510)		Resistance (Ohms) 2	Contacts 4FB-2F-1B
Neutral Dropaway 0.0690 A DC		Neutral Pickup 0.1130 A DC	Neutral Working 0.1580 A DC
Shelf Name 3B	Relay Name 1T1R	Serial Number 1010201	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400510 / 400510)		Resistance (Ohms) 2	Contacts 4FB-2F-1B
Neutral Dropaway 0.0600 A DC		Neutral Pickup 0.1090 A DC	Neutral Working 0.1580 A DC
Shelf Name 3B	Relay Name 1T2R	Serial Number 1010208	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400510 / 400510)		Resistance (Ohms) 2	Contacts 4FB-2F-1B
Neutral Dropaway 0.0620 A DC		Neutral Pickup 0.1210 A DC	Neutral Working 0.1580 A DC
Shelf Name 3B	Relay Name 2TR	Serial Number 1012025	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400510 / 400510)		Resistance (Ohms) 2	Contacts 4FB-2F-1B
Neutral Dropaway 0.0840 A DC		Neutral Pickup 0.1300 A DC	Neutral Working 0.1580 A DC
Shelf Name 3B	Relay Name 3T1PR	Serial Number 1005254	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0054 A DC		Neutral Pickup 0.0111 A DC	Neutral Working 0.0121 A DC
Shelf Name 3B	Relay Name 3T2PR	Serial Number 1008917	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0061 A DC		Neutral Pickup 0.0118 A DC	Neutral Working 0.0121 A DC
Shelf Name 3C	Relay Name 1-3T1T2TPR	Serial Number 1008914	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0062 A DC		Neutral Pickup 0.0110 A DC	Neutral Working 0.0121 A DC
Shelf Name 3C	Relay Name 1-3T2T2PR	Serial Number 1008915	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0061 A DC		Neutral Pickup 0.0115 A DC	Neutral Working 0.0121 A DC
Shelf Name 3C	Relay Name 1-3T1T2T3PR	Serial Number 1008916	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0063 A DC		Neutral Pickup 0.0118 A DC	Neutral Working 0.0121 A DC
Shelf Name 3C	Relay Name 102SPR	Serial Number 1008922	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0059 A DC		Neutral Pickup 0.0111 A DC	Neutral Working 0.0121 A DC
Shelf Name 3C	Relay Name 102SR	Serial Number 1008923	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0064 A DC		Neutral Pickup 0.0119 A DC	Neutral Working 0.0121 A DC
Shelf Name 3C	Relay Name 106SR	Serial Number 1008924	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0060 A DC		Neutral Pickup 0.0117 A DC	Neutral Working 0.0121 A DC

Relay Tests (FRA 234.263, 236.106)

Shelf Name 4B	Relay Name 106-2NUAXR	Serial Number 1005265	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0058 A DC		Neutral Working 0.0110 A DC	
Shelf Name 4B	Relay Name 106-1NUAXR	Serial Number 1008925	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0067 A DC		Neutral Working 0.0121 A DC	
Shelf Name 4C	Relay Name 102-1SUAXR	Serial Number 1008909	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0065 A DC		Neutral Working 0.0118 A DC	
Shelf Name 4C	Relay Name 102-2SUAXR	Serial Number 1008908	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0058 A DC		Neutral Working 0.0121 A DC	
Shelf Name 4C	Relay Name 102-1STCR	Serial Number 1008907	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0065 A DC		Neutral Working 0.0117 A DC	
Shelf Name 4C	Relay Name 102-2STCR	Serial Number 1008906	Condition Left C
Relay Type (Drawing and/or Catalog Number) ST (400000 / 400000)		Resistance (Ohms) 500	Contacts 6FB
Neutral Dropaway 0.0066 A DC		Neutral Working 0.0121 A DC	



Inspection Report

Relay Tests & Inspections

Division: CALT

Asset ID: PII [REDACTED]

Subdivision: SAN JOSE

Test Date: 05/05/2019

Milepost: CT 10.24 - 10.24

State: CA

Location: CP SCOTT MAIN HOUSE WITH GCP REMOTE START UNITS

County:

Employee's Name: Yahir Beniyah

Job Number: PII [REDACTED]

Conditions Key

C = Test completed, condition left in compliance.

R = Replacements made (identified in associated comments), test completed, and condition left in compliance.

V = Visual inspection completed, condition left in compliance.

NT = The equipment was not tested in this inspection

N = No inspection required. The given relay does not require inspection at this time.

Relay Tests (FRA 234.263, 236.106)

Shelf Name 1E	Relay Name 2SSTOP	Tested 05/05/2019	Condition C		Contacts 6FB HD
			Comments:		
Relay ST (400023 / 400023)	Serial No. 10099561	Type (Drawing/Catalog No.) ST (400023 / 400023)	Resistance 500		
Neutral Dropaway 0.0080 A DC		Neutral Pickup 0.0134 A DC		Neutral Working 0.0134	
Shelf Name 1E	Relay Name 4SSTOP	Tested 05/05/2019	Condition C		Contacts 6FB HD
			Comments:		
Relay ST (400023 / 400023)	Serial No. 1009560	Type (Drawing/Catalog No.) ST (400023 / 400023)	Resistance 500		
Neutral Dropaway 0.0084 A DC		Neutral Pickup 0.0135 A DC		Neutral Working 0.0135	
Shelf Name 1E	Relay Name DED2ALKR	Tested 05/05/2019	Condition C		Contacts 6FB
			Comments:		
Relay B1 (56001-762 GR.2 / A62-262)	Serial No. 735823	Type (Drawing/Catalog No.) B1 (56001-762 GR.2 / A62-262)	Resistance 500		
Neutral Dropaway 0.0063 A DC		Neutral Pickup 0.0111 A DC		Neutral Working 0.0111	
Shelf Name 1E	Relay Name DEDHEATHR	Tested 05/05/2019	Condition C		Contacts 6FB
			Comments:		
Relay B1 (56001-762 GR.2 / A62-262)	Serial No. 735975	Type (Drawing/Catalog No.) B1 (56001-762 GR.2 / A62-262)	Resistance 500		
Neutral Dropaway 0.0063 A DC		Neutral Pickup 0.0109 A DC		Neutral Working 0.0109	

Shelf Name 1E	Relay Name DED1ALKR	Tested 05/05/2019	Condition C	Comments:	
Relay B1 (56001-762 GR.2 / A62-262)	Serial No. 735970	Type (Drawing/Catalog No.) B1 (56001-762 GR.2 / A62-262)	Resistance 500	Contacts 6FB	
	Neutral Dropaway 0.0063 A DC		Neutral Pickup 0.0110 A DC	Neutral Working 0.0110	
Shelf Name 1F	Relay Name 1ARWR	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400520 / 400520)	Serial No. 1010081	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500	Contacts 2F-2B EHD	
	Neutral Dropaway 0.0085 A DC		Neutral Pickup 0.0179 A DC	Neutral Working 0.0179	
Shelf Name 1F	Relay Name 1RWR	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400520 / 400520)	Serial No. 1010080	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500	Contacts 2F-2B EHD	
	Neutral Dropaway 0.0080 A DC		Neutral Pickup 0.0188 A DC	Neutral Working 0.0188	
Shelf Name 1F	Relay Name 1ANWR	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400520 / 400520)	Serial No. 1010079	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500	Contacts 2F-2B EHD	
	Neutral Dropaway 0.0084 A DC		Neutral Pickup 0.0175 A DC	Neutral Working 0.0175	
Shelf Name 1F	Relay Name 1NWR	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400520 / 400520)	Serial No. 1010082	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500	Contacts 2F-2B EHD	
	Neutral Dropaway 0.0081 A DC		Neutral Pickup 0.0183 A DC	Neutral Working 0.0183	
Shelf Name 3B	Relay Name 1TR	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400510 / 400510)	Serial No. 1010193	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2	Contacts 4FB-2F-1B	
	Neutral Dropaway 0.0764 A DC		Neutral Pickup 0.1453 A DC	Neutral Working 0.1453	
Shelf Name 3B	Relay Name 1T1R	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400510 / 400510)	Serial No. 1010201	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2	Contacts 4FB-2F-1B	
	Neutral Dropaway 0.0727 A DC		Neutral Pickup 0.1388 A DC	Neutral Working 0.1388	
Shelf Name 3B	Relay Name 1T2R	Tested 05/05/2019	Condition C	Comments:	
Relay ST (400510 / 400510)	Serial No. 1010208	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2	Contacts 4FB-2F-1B	
	Neutral Dropaway 0.0779 A DC		Neutral Pickup 0.1397 A DC	Neutral Working 0.1397	

Shelf Name 3B	Relay Name 2TR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400510 / 400510)	Serial No. 1012025	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2	Contacts 4FB-2F-1B		
	Neutral Dropaway 0.0845 A DC		Neutral Pickup 0.1484 A DC	Neutral Working 0.1484		
Shelf Name 3B	Relay Name 3T1PR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1005254	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0063 A DC		Neutral Pickup 0.0117 A DC	Neutral Working 0.0117		
Shelf Name 3B	Relay Name 3T2PR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1008917	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0064 A DC		Neutral Pickup 0.0123 A DC	Neutral Working 0.0123		
Shelf Name 3C	Relay Name 1-3T1T2TPR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1008914	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0065 A DC		Neutral Pickup 0.0117 A DC	Neutral Working 0.0117		
Shelf Name 3C	Relay Name 1-3T2T2PR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1008915	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0063 A DC		Neutral Pickup 0.0121 A DC	Neutral Working 0.0121		
Shelf Name 3C	Relay Name 1-3T1T2T3PR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1008916	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0069 A DC		Neutral Pickup 0.0119 A DC	Neutral Working 0.0119		
Shelf Name 3C	Relay Name 102SPR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1008922	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0060 A DC		Neutral Pickup 0.0117 A DC	Neutral Working 0.0117		
Shelf Name 3C	Relay Name 102SR	Tested 05/05/2019	Condition C	Comments:		
Relay ST (400000 / 400000)	Serial No. 1008923	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500	Contacts 6FB		
	Neutral Dropaway 0.0065 A DC		Neutral Pickup 0.0119 A DC	Neutral Working 0.0119		

Shelf Name 3C	Relay Name 106SR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1008924	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0062 A DC		Neutral Pickup 0.0123 A DC	Neutral Working 0.0123	
Shelf Name 4B	Relay Name 106-1NUAXR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1008925	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0074 A DC		Neutral Pickup 0.0123 A DC	Neutral Working 0.0123	
Shelf Name 4B	Relay Name 106-2NUAXR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1005265	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0061 A DC		Neutral Pickup 0.0106 A DC	Neutral Working 0.0106	
Shelf Name 4C	Relay Name 102-1SUAXR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1008909	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0068 A DC		Neutral Pickup 0.0112 A DC	Neutral Working 0.0112	
Shelf Name 4C	Relay Name 102-2SUAXR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1008908	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0060 A DC		Neutral Pickup 0.0120 A DC	Neutral Working 0.0120	
Shelf Name 4C	Relay Name 102-1STCR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1008907	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0070 A DC		Neutral Pickup 0.0123 A DC	Neutral Working 0.0123	
Shelf Name 4C	Relay Name 102-2STCR	Tested 05/05/2019	Condition C		Contacts 6FB
Comments:					
Relay ST (400000 / 400000)	Serial No. 1008906	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		Contacts 6FB
	Neutral Dropaway 0.0069 A DC		Neutral Pickup 0.0112 A DC	Neutral Working 0.0112	



Inspection Report

Relay Tests & Inspections

Division: CALT

Asset ID: PII [REDACTED]

Subdivision: SAN JOSE

Test Date: 06/18/2021

Milepost: CT 10.24 - 10.24

State: CA

Location: CP SCOTT MAIN HOUSE WITH GCP REMOTE START UNITS

County:

Employee's Name: Yahir Beniyah

Job Number: PII [REDACTED]

Conditions Key

C = Test completed, condition left in compliance.

R = Replacements made (identified in associated comments), test completed, and condition left in compliance.

V = Visual inspection completed, condition left in compliance.

NT = The equipment was not tested in this inspection

N = No inspection required. The given relay does not require inspection at this time.

Relay Tests (FRA 234.263, 236.106)

Shelf Name	Relay Name	Tested	Condition		
1E	2SSTOP	Not Tested	NT		
Relay ST (400023 / 400023)	Serial No. 10099561	Type (Drawing/Catalog No.) ST (400023 / 400023)		Resistance 500	Contacts 6FB HD
1E	4SSTOP	Not Tested	NT		
Relay ST (400023 / 400023)	Serial No. 1009560	Type (Drawing/Catalog No.) ST (400023 / 400023)		Resistance 500	Contacts 6FB HD
1E	DED2ALKR	Not Tested	NT		
Relay B1 (56001-762 GR.2 / A62-262)	Serial No. 735823	Type (Drawing/Catalog No.) B1 (56001-762 GR.2 / A62-262)		Resistance 500	Contacts 6FB
1E	DEDHEATHR	Not Tested	NT		
Relay B1 (56001-762 GR.2 / A62-262)	Serial No. 735975	Type (Drawing/Catalog No.) B1 (56001-762 GR.2 / A62-262)		Resistance 500	Contacts 6FB
1E	DED1ALKR	Not Tested	NT		
Relay B1 (56001-762 GR.2 / A62-262)	Serial No. 735970	Type (Drawing/Catalog No.) B1 (56001-762 GR.2 / A62-262)		Resistance 500	Contacts 6FB
1F	1ARWR	06/18/2021	C	Comments:	
Relay ST (400520 / 400520)	Serial No. 1010081	Type (Drawing/Catalog No.) ST (400520 / 400520)		Resistance 500	Contacts 2F-2B EHD
Neutral Dropaway 0.0084 A DC		Neutral Pickup 0.0168 A DC		Neutral Working 0.0168	

Shelf Name 1F	Relay Name 1RWR	Tested 06/18/2021	Condition C		Comments: _____
Relay ST (400520 / 400520)	Serial No. 1010080	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500		
	Neutral Dropaway 0.0082 A DC		Neutral Pickup 0.0181 A DC		Neutral Working 0.0181
Shelf Name 1F	Relay Name 1ANWR	Tested 06/18/2021	Condition C		Comments: _____
Relay ST (400520 / 400520)	Serial No. 1010079	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500		
	Neutral Dropaway 0.0084 A DC		Neutral Pickup 0.0173 A DC		Neutral Working 0.0173
Shelf Name 1F	Relay Name 1NWR	Tested 06/18/2021	Condition C		Comments: _____
Relay ST (400520 / 400520)	Serial No. 1010082	Type (Drawing/Catalog No.) ST (400520 / 400520)	Resistance 500		
	Neutral Dropaway 0.0081 A DC		Neutral Pickup 0.0169 A DC		Neutral Working 0.0169
Shelf Name 3B	Relay Name 1TR	Tested Not Tested	Condition NT		Contacts 4FB-2F-1B
Relay ST (400510 / 400510)	Serial No. 1010193	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2		
Shelf Name 3B	Relay Name 1T1R	Tested Not Tested	Condition NT		Contacts 4FB-2F-1B
Relay ST (400510 / 400510)	Serial No. 1010201	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2		
Shelf Name 3B	Relay Name 1T2R	Tested Not Tested	Condition NT		Contacts 4FB-2F-1B
Relay ST (400510 / 400510)	Serial No. 1010208	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2		
Shelf Name 3B	Relay Name 2TR	Tested Not Tested	Condition NT		Contacts 4FB-2F-1B
Relay ST (400510 / 400510)	Serial No. 1012025	Type (Drawing/Catalog No.) ST (400510 / 400510)	Resistance 2		
Shelf Name 3B	Relay Name 3T1PR	Tested Not Tested	Condition NT		Contacts 6FB
Relay ST (400000 / 400000)	Serial No. 1005254	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		
Shelf Name 3B	Relay Name 3T2PR	Tested Not Tested	Condition NT		Contacts 6FB
Relay ST (400000 / 400000)	Serial No. 1008917	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		
Shelf Name 3C	Relay Name 1-3T1T2TPR	Tested Not Tested	Condition NT		Contacts 6FB
Relay ST (400000 / 400000)	Serial No. 1008914	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		
Shelf Name 3C	Relay Name 1-3T2T2PR	Tested Not Tested	Condition NT		Contacts 6FB
Relay ST (400000 / 400000)	Serial No. 1008915	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		
Shelf Name 3C	Relay Name 1-3T1T2T3PR	Tested Not Tested	Condition NT		Contacts 6FB
Relay ST (400000 / 400000)	Serial No. 1008916	Type (Drawing/Catalog No.) ST (400000 / 400000)	Resistance 500		

Shelf Name 3C	Relay Name 102SPR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008922	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 3C	Relay Name 102SR	Tested Not Tested	Condition NT	Contacts 6FB
Relay ST (400000 / 400000)	Serial No. 1008923	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 3C	Relay Name 106SR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008924	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 4B	Relay Name 106-1NUAXR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008925	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 4B	Relay Name 106-2NUAXR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1005265	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 4C	Relay Name 102-1SUAXR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008909	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 4C	Relay Name 102-2SUAXR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008908	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 4C	Relay Name 102-1STCR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008907	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500
Shelf Name 4C	Relay Name 102-2STCR	Tested Not Tested	Condition NT	
Relay ST (400000 / 400000)	Serial No. 1008906	Type (Drawing/Catalog No.) ST (400000 / 400000)		Resistance 500