



TODAYS DATE	6-5-2022	LOGPAGE
REGISTRATION	N388RA	
AIRCRAFT SERIAL	88-0097	LP 0001
APU S/N	SP-609044	PILOT IN COMMAND
ENGINE 1 S/N	1066A01486	
ENGINE 2 S/N	0966A01377	SECOND IN COMMAND
MAKE MODEL	CH-47D	

PREVIOUS:	HOBBS	AIRCRAFT TT	ENGINE #1	ENGINE #2	APU STARTS	APU TT	ELC	LANDINGS
	0.0	7666.4	1818.6	1792.6	2100	1099.347	0	0
TODAY								
TOTAL								

I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH CH-47D RFM AND IS IN SAFE CONDITION FOR OPERATION

SIGNATURE / PRINTED NAME _____ CERTIFICATE NUMBER _____

I CERTIFY THAT A PREVENTIVE MAINTENANCE DAILY INSPECTION WAS PERFORMED IN ACCORDANCE WITH THE APPROVED INSPECTION PROGRAM. THIS AIRCRAFT IS DETERMINED TO BE IN AN AIRWORTHY CONDITION

MODULE	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]
--------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

SIGNATURE / PRINTED NAME _____ CERTIFICATE NUMBER _____

ALL MAINTENANCE ENTRIES MUST HAVE: NUMBER, DATE, AIRCRAFT TOTAL TIME, SIGNATURE, CERTIFICATE NUMBER, AND REFERENCE

DISCREPANCY AND CORRECTIVE ACTION

HOBBS	0.0	DATE	06/05/2022
A/C TT	7666.4	N#	N388RA

5014 CAPTAIN HILL CT ANCHORAGE, AK 99502 (907) 302-4113

This aircraft and its equipment conforms to its type certificate (Columbia CH-47D), TCDS Number R00051SE "restricted category" and conforms to the requirements of 14 CFR Part 91, 133, & 137 including registration, current airworthiness certification, identification, and current airworthy condition for operation on the following certificates:

- 6R0J144Q - PART 91
- 7RTL2070 - PART 133
- 7RTG2070 - PART 137

flight and maintenance log books have been transferred to ROTAK company logbooks starting on logbook page 001 dated 06/05/2022 at:

Aircraft total time 7666.4
 Engine #1 total time of 1818.6
 Engine #2 total time of 1792.6.

Ely Wood

POWER / TREND CHECK				OIL SERVICING BY LOCATION		SERVICING IAW CH-47D CIVILIAN IETM	
BASELINE	OAT	PRESS ALT	ECU VALUE	LOCATION SYSTEM COLOR	XMSN	FWD / AFT HEAD	ENG
ENG 1							
ENG 2							



5014 CAPTAIN HILL CT ANCHORAGE, AK 99502 (907) 302-4113

HOBBS	0.0	DATE	06/05/2022
A/C TT	7666.4	N#	N388RA

TQ check on FWD/AFT rotorhead retention nut required after first flight ACTT: 7666.4 HRS. Transcribed from CHI-M-726 Entry #00-331473 and 00331474. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.

TQ check on FWD/AFT upper and lower P/C link mount hardware required within 10 flight hours. Due at ACTT: 7676.4 HRS. Transcribed from CHI-M-726 Entry #00-331455 and 00-331475. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.

Retorque of the AFT XMSN mount bolts required within 25 flight hours +/-10% Due ACTT: 7687.0-7692.0 HRS. Transcribed from CHI-M-726 Entry #00-369269. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.


Retorque of the AFT VERTICAL SHAFT mount bolts required within 25 flight hours +/-10% Due ACTT: 7687.0-7692.0 HRS. Transcribed from CHI-M-726 Entry #00-369270. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.

Retorque of the FWD XMSN mount bolts required within 25 flight hours +/-10% Due ACTT: 7687.0-7692.0 HRS. Transcribed from CHI-M-726 Entry #00-369271. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.

Retorque of the COMBINING XMSN mount bolts required within 25 flight hours +/-10% Due ACTT: 7687.0-7692.0 HRS. Transcribed from CHI-M-726 Entry #00-369272. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.

I certify that the above stated maintenance was entered into appropriate ROTAK documents.

Jeremiah Peryam A/ [Redacted Signature]



5014 CAPTAIN HILL CT ANCHORAGE, AK 99502 (907) 302-4113

HOBBS	0.0	DATE	06/05/2022
A/C TT	7666.4	N#	N388RA

TQ check on APU mounting bolts required after 50 flight hours. Due at ACTT: 7716.4 HRS. Transcribed from CHI-M-726 Entry #00-369275. TQ check requirement entered into ROTAK N388RA status sheet for tracking purposes.

TQ check on #2 ENG driveshaft and adapters self locking nuts required after first flight not to exceed 10 flight hours ACTT: 7676.4 due for replacement of #2 ENG XMSN.

PMD ALL and Mod #4 PMS1 daily inspection and eng ground run required due to 14 days of inactivity. Transcribed from CHI-M-726 Entry #00-331459. Requirement entered into ROTAK N388RA status sheet for tracking purposes.

30 minute ground run and filter button inspection before first flight required due to 30 days of inactivity. Transcribed from CHI-M-726 Entry #00-331460. Requirement entered into ROTAK N388RA status sheet for tracking purposes.

I certify that the above stated maintenance was entered into appropriate ROTAK documents.

Jeremiah Peryam A/ [Redacted Signature]



TODAYS DATE **6-5-2022**
 REGISTRATION **N388RA**
 AIRCRAFT SERIAL **88-0097**
 APU S/N **SP-E080444**
 ENGINE 1 S/N **1066A1436**
 ENGINE 2 S/N **0706A01377**
 MAKE MODEL **CH-47D**

LOGPAGE

LP **0002**

PILOT IN COMMAND

SECOND IN COMMAND

	HOBBS	AIRCRAFT TT	ENGINE #1	ENGINE #2	APU STARTS	APU TT	ELC	LANDINGS
PREVIOUS	0.0	7666.4	1818.6	1792.6	2100	1099.267	0	0
TODAY	1	1	1	1	1	1	1	1
TOTAL	1	1	1	1	1	1	1	1

I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH CH-47D RFM AND IS IN SAFE CONDITION FOR OPERATION

SIGNATURE / PRINTED NAME

CERTIFICATE NUMBER

I CERTIFY THAT A PREVENTIVE MAINTENANCE DAILY INSPECTION WAS PERFORMED IN ACCORDANCE WITH THE APPROVED INSPECTION PROGRAM. THIS AIRCRAFT IS DETERMINED TO BE IN AN AIRWORTHY CONDITION

MODULE

[1]

[2]

[3]

[4]

[5]

[6]

[7]

[8]

[9]

[10]

SIGNATURE / PRINTED NAME

CERTIFICATE NUMBER

ALL MAINTENANCE ENTRIES MUST HAVE: NUMBER, DATE, AIRCRAFT TOTAL TIME, SIGNATURE, CERTIFICATE NUMBER, AND REFERENCE

DISCREPANCY AND CORRECTIVE ACTION

#	DISCREPANCY AND CORRECTIVE ACTION
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	

POWER / TREND CHECK

OIL SERVICING BY LOCATION

SERVICING IAW CH-47D CIVILIAN IETM

BASELINE

OAT

PRESS ALT

FUEL VALUE

XMSN

FWD / AFT HEAD

ENG



TODAYS DATE	7-13-2022	LOG PAGE	
REGISTRATION	N388RA	LP	124
AIRCRAFT SERIAL	88-0097	PILOT IN COMMAND	MATT LONG
APU S/N	SP-ED90444	SECOND IN COMMAND	CHAD HALSTEAD
ENGINE 1 S/N	1066A01436		
ENGINE 2 S/N	0966A01377		
MAKE MODEL	CH-47D		

	HOBBS	AIRCRAFT TT	ENGINE #1	ENGINE #2	APU STARTS	APU TT	E.C	LANDINGS
PREVIOUS	47.1	7713.5	1877.1	1851.1	2260	389	113	29
TODAY	1.7	1.7	1.7	1.7	2	1	0	1
TOTAL	48.8	7715.2	1878.8	1852.8	2262	390	113	80

I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH CH-47D RFM AND IS IN SAFE CONDITION FOR OPERATION

SIGNATURE / PRINTED NAME: [REDACTED] / MATT LONG CERTIFICATE NUMBER: [REDACTED]

I CERTIFY THAT A PREVENTIVE MAINTENANCE DAILY INSPECTION WAS PERFORMED IN ACCORDANCE WITH THE APPROVED INSPECTION PROGRAM. THIS AIRCRAFT IS DETERMINED TO BE IN AN AIRWORTHY CONDITION

MODULE	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]
--------	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

SIGNATURE / PRINTED NAME: [REDACTED] / Jeremiah Perry CERTIFICATE NUMBER: A/P [REDACTED]

ALL MAINTENANCE ENTRIES MUST HAVE: NUMBER, DATE, AIRCRAFT TOTAL TIME, SIGNATURE, CERTIFICATE NUMBER, AND REFERENCE

DISCREPANCY AND CORRECTIVE ACTION

- | # | DESCRIPTION | HOBBS | DATE | A/C TT | N# |
|---|---|-------|------------|--------|--------|
| 1 | Performed 50 HR SOAP samples from the #1 & #2 Engines Reference TB 43-0211, Dated April 30, 2010. | 48.8 | 07/13/2022 | 7715.2 | N388RA |
| 2 | Complied with 50 Hour Rotary Wing Blade Detailed Inspection (DET) Requirements (6Each). No Defects Noted Reference SE-7D-62-0003 R.O. Section 4-B | | | | |
| 3 | PERFORMED 50 HOUR FWD & AFT SWASHPLATE BEARING LUBRICATION AND GREASE INSPECTIONS. NO DEFECTS NOTED. REFERENCE CH47D MAINTENANCE MANUAL 47D-2-62-31-017 | | | | |
| 4 | UTILITY HYD PRESSURE 400 HR FILTER CHANGE DUE. REMOVED AND REPLACED UTILITY HYD PRESSURE FILTER. REF CH-47D CIVILIAN IETM WP 157 00 M | 48.8 | 07/14/2022 | 7715.2 | N388RA |
| 5 | UTILITY HYD RETURN 400 HR FILTER CHANGE DUE. REMOVED AND REPLACED UTILITY HYD RETURN CONTROL MODULE FILTER. REF CH-47D CIVILIAN IETM WP 1360 00 M | | | | |
| 6 | #1 FLT HYD PRESSURE AND RETURN 400 HR FILTER CHANGE DUE. REMOVED AND REPLACED #1 FLIGHT CONTROL HYD POWER CONTROL MODULE PRESSURE AND RETURN FILTERS. REF CH-47D CIVILIAN IETM WP 1366 00 M | | | | |
| 7 | #2 FLT HYD PRESSURE AND RETURN 400 HR FILTER CHANGE DUE. REMOVED AND REPLACED #2 FLIGHT CONTROL HYD POWER CONTROL MODULE PRESSURE AND RETURN FILTERS. REF CH-47D CIVILIAN IETM WP 1366 00 M | | | | |
| 8 | Performed 30 Hour vibration test on the C-30X & AFT XMSN cooling fans. No defects Noted Reference CH-47D MSPI CBM | 48.8 | 07/14/2022 | 7715.2 | N388RA |

POWER / TREND CHECK		OIL SE	
BUSLINE	OAT	PRESS. ALT	WING E. L. LANG



TODAYS DATE	07-20-22	LOGPAGE
REGISTRATION	N388RA	LP 0030
AIRCRAFT SERIAL	88-0097	
APU S/N	SP-E090444	PILOT IN COMMAND
ENGINE 1 S/N	10GGA01436	T. HAMES
ENGINE 2 S/N	09GGA01377	SECOND IN COMMAND
MAKE MODEL	CH-47D	J. BIRD

	HOBBS	AIRCRAFT TT	ENGINE #1	ENGINE #2	APU STARTS	APU TT	ELC	LANDINGS
PREVIOUS	60.0	7732.4	1896.0	1870.6	2293	392	113	92
TODAY	09.5	8.5	8.5	8.5	8	1	16	2
TOTAL	69.5	7735.9	1904.5	1878.8	2301	393	129	94

I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH CH-47D RFM AND IS IN SAFE CONDITION FOR OPERATION

SIGNATURE / PRINTED NAME: [REDACTED] CERTIFICATE NUMBER: [REDACTED]

I CERTIFY THAT A PREVENTIVE MAINTENANCE DAILY INSPECTION WAS PERFORMED IN ACCORDANCE WITH THE APPROVED INSPECTION PROGRAM. THIS AIRCRAFT IS DETERMINED TO BE IN AN AIRWORTHY CONDITION

MODULE	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]
SIGNATURE / PRINTED NAME	[REDACTED]	[REDACTED]	J. SHEPARD	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

ALL MAINTENANCE ENTRIES MUST HAVE: NUMBER, DATE, AIRCRAFT TOTAL TIME, SIGNATURE, CERTIFICATE NUMBER, AND REFERENCE

DISCREPANCY AND CORRECTIVE ACTION

	HOBBS	69.5	DATE	07/20/2022
5014 CAPTAIN HILL CT ANCHORAGE, AK 99502 (907) 302-4113	A/C TT	7735.9	N#	N388RA

#1) Performed 50 Hour ECU Download for the #1 & #2 Engines I/A/W CH-47D Civilian Engine IETM, WP 0024 00 EM. Next due @ A/C 7785.9

#2) R/H attitude indicator hard over/inop. Removed R/H attitude indicator PN 107500 SN 7533, installed overhauled attitude indicator PN 107500 SN 1051F, REF CH-47D Civilian Engine IETM, WP1794 00 M. OPS checked good.

Signature: [REDACTED] J. Shepard [REDACTED]

	HOBBS	69.5	DATE	07/20/2022
5014 CAPTAIN HILL CT ANCHORAGE, AK 99502 (907) 302-4113	A/C TT	7735.9	N#	N388RA

#1) Engine Total times updated per DECU download: No. 1 SN 10GGA01436 from 1896.0 to 1904.5
No. 2 SN 09GGA01377 from 1870.0 to 1878.8

Signature: [REDACTED] J. Martin A& [REDACTED]

POWER / TREND CHECK				OIL SERVICING BY LOCATION		SERVICING IAW CH-47D CIVILIAN IETM	
BASELINE	OAT	PRESS ALT	ECU VALUE	XMSN	FWD / AFT HEAD	ENG	
ENG 1				LOCATION SYSTEM COLOR			
ENG 2				QTY USED NOTES			

