

06:30:27.911D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE		
06:30:36.240D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:32:07.991D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE		
06:32:50.085D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		
06:32:58.523D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:34:08.477D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:34:53.055D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE		
06:34:54.665D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
06:35:04.462D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:35:43.072D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:36:41.916D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE		
06:36:59.916D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:37:19.963D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE		
06:39:17.043D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE		
06:39:18.590D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
06:39:25.981D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:40:00.481D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:40:05.137D 04/23/18 BOWIE	DETECTOR TRACK 2 INDICATION	OCCUPIED =
CURRENT STATE		
06:40:05.137D 04/23/18 BOWIE	SIGNAL 2N CALL-ON CONTROL	COMMANDED
OFF BY SYSTEM AT wilaimsvr-a		
06:40:08.028D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
06:40:08.028D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	COMMANDED
CHANGE = NOT_CLEAR		
06:40:21.481D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE		
06:40:33.060D 04/23/18 BOWIE	DETECTOR TRACK 2 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:41:01.091D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
06:41:12.295D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:41:14.998D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
06:41:15.310D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	

NOT_LOCKED = CURRENT STATE
06:41:15.310D 04/23/18 BOWIE L12-21 SWITCH LOCKED PSEUDO NOT_LOCKED =
CURRENT STATE
06:41:15.623D 04/23/18 BOWIE 21 SWITCH NORMAL CONTROL COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a
06:41:15.623D 04/23/18 BOWIE 21 SWITCH REVERSE CONTROL COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a
06:41:24.748D 04/23/18 BOWIE 21 SWITCH POSITION PSEUDO COMMANDED
CHANGE = NORMAL
06:41:24.810D 04/23/18 BOWIE SIGNAL 1N CLEAR CONTROL COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a
06:41:24.810D 04/23/18 BOWIE SIGNAL 1N CANCEL CONTROL COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a
06:41:27.717D 04/23/18 BOWIE 14 SWITCH LOCKING RELAY INDICATION LOCKED =
CURRENT STATE
06:41:27.935D 04/23/18 BOWIE L12-21 SWITCH LOCKING RELAY INDICATION LOCKED =
CURRENT STATE
06:41:27.935D 04/23/18 BOWIE L12-21 SWITCH LOCKED PSEUDO LOCKED =
CURRENT STATE
06:41:27.935D 04/23/18 BOWIE 41 SWITCH LOCKING RELAY INDICATION LOCKED =
CURRENT STATE
06:41:30.139D 04/23/18 BOWIE SIGNAL 1N CALL-ON CONTROL COMMANDED ON
BY SYSTEM AT wilaimsvr-a
06:41:32.092D 04/23/18 BOWIE SIGNAL 1N CLEAR INDICATION CLEAR =
CURRENT STATE
06:41:32.092D 04/23/18 BOWIE SIGNAL 1N CLEAR INDICATION COMMANDED
CHANGE = CLEAR
06:41:44.373D 04/23/18 BOWIE SIGNAL 3S CLEAR INDICATION CLEAR = CURRENT
STATE
06:42:30.577D 04/23/18 BOWIE DETECTOR TRACK 1N2 INDICATION OCCUPIED =
CURRENT STATE
06:42:38.061D 04/23/18 BOWIE DETECTOR TRACK 1N1 INDICATION
NOT_OCCUPIED = CURRENT STATE
06:43:48.515D 04/23/18 BOWIE DETECTOR TRACK 1N2 INDICATION
NOT_OCCUPIED = CURRENT STATE
06:49:33.535D 04/23/18 BOWIE DETECTOR TRACK 3N2 INDICATION OCCUPIED =
CURRENT STATE
06:50:53.786D 04/23/18 BOWIE DETECTOR TRACK 3N1 INDICATION OCCUPIED =
CURRENT STATE
06:51:01.474D 04/23/18 BOWIE DETECTOR TRACK 3N2 INDICATION
NOT_OCCUPIED = CURRENT STATE
06:52:11.569D 04/23/18 BOWIE DETECTOR TRACK 3 INDICATION OCCUPIED =
CURRENT STATE
06:52:12.912D 04/23/18 BOWIE SIGNAL 3S CLEAR INDICATION NOT_CLEAR =
CURRENT STATE
06:52:19.194D 04/23/18 BOWIE DETECTOR TRACK 3N1 INDICATION
NOT_OCCUPIED = CURRENT STATE
06:52:32.444D 04/23/18 BOWIE DETECTOR TRACK 1 INDICATION OCCUPIED =
CURRENT STATE
06:52:32.444D 04/23/18 BOWIE SIGNAL 1N CALL-ON CONTROL COMMANDED
OFF BY SYSTEM AT wilaimsvr-a
06:52:35.272D 04/23/18 BOWIE SIGNAL 1N CLEAR INDICATION NOT_CLEAR =
CURRENT STATE
06:52:35.272D 04/23/18 BOWIE SIGNAL 1N CLEAR INDICATION COMMANDED

CHANGE = NOT_CLEAR		
06:52:37.131D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE		
06:52:42.491D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:52:44.569D 04/23/18 BOWIE	14 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
06:52:44.710D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:52:57.163D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
06:53:02.929D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
06:53:05.757D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
06:53:05.757D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
06:53:05.757D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE		
06:53:06.101D 04/23/18 BOWIE	21 SWITCH REVERSE CONTROL	COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a		
06:53:06.101D 04/23/18 BOWIE	21 SWITCH NORMAL CONTROL	COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a		
06:53:14.569D 04/23/18 BOWIE	21 SWITCH POSITION PSEUDO	COMMANDED
CHANGE = REVERSE		
06:53:14.882D 04/23/18 BOWIE	SIGNAL 2N CLEAR CONTROL	COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a		
06:53:14.882D 04/23/18 BOWIE	SIGNAL 2N CANCEL CONTROL	COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a		
06:53:17.991D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE		
06:53:17.991D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE		
06:53:17.991D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE		
06:53:20.210D 04/23/18 BOWIE	SIGNAL 2N CALL-ON CONTROL	COMMANDED ON
BY SYSTEM AT wilaimsvr-a		
06:53:22.304D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	CLEAR =
CURRENT STATE		
06:53:22.304D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	COMMANDED
CHANGE = CLEAR		
06:54:03.910D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE		
06:54:05.488D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		
06:54:13.832D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
06:55:27.067D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
07:01:59.134D 04/23/18 BOWIE	DETECTOR TRACK 2 INDICATION	OCCUPIED =
CURRENT STATE		
07:01:59.134D 04/23/18 BOWIE	SIGNAL 2N CALL-ON CONTROL	COMMANDED
OFF BY SYSTEM AT wilaimsvr-a		
07:02:01.994D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	NOT_CLEAR =

CURRENT STATE			
07:02:01.994D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION		COMMANDED
CHANGE = NOT_CLEAR			
07:02:15.260D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION		OCCUPIED =
CURRENT STATE			
07:02:25.775D 04/23/18 BOWIE	DETECTOR TRACK 2 INDICATION		NOT_OCCUPIED
= CURRENT STATE			
07:02:53.432D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION		OCCUPIED =
CURRENT STATE			
07:03:03.854D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION		NOT_OCCUPIED
= CURRENT STATE			
07:03:06.698D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION		
NOT_LOCKED = CURRENT STATE			
07:03:06.870D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION		
NOT_LOCKED = CURRENT STATE			
07:03:06.870D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO		NOT_LOCKED =
CURRENT STATE			
07:03:07.245D 04/23/18 BOWIE	21 SWITCH NORMAL CONTROL		COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a			
07:03:07.245D 04/23/18 BOWIE	21 SWITCH REVERSE CONTROL		COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a			
07:03:16.370D 04/23/18 BOWIE	21 SWITCH POSITION PSEUDO		COMMANDED
CHANGE = NORMAL			
07:03:16.682D 04/23/18 BOWIE	SIGNAL 1N CLEAR CONTROL		COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a			
07:03:16.682D 04/23/18 BOWIE	SIGNAL 1N CANCEL CONTROL		COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a			
07:03:19.823D 04/23/18 BOWIE	14 SWITCH LOCKING RELAY INDICATION		LOCKED =
CURRENT STATE			
07:03:19.995D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION		LOCKED =
CURRENT STATE			
07:03:19.995D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO		LOCKED =
CURRENT STATE			
07:03:19.995D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION		LOCKED =
CURRENT STATE			
07:03:22.323D 04/23/18 BOWIE	SIGNAL 1N CALL-ON CONTROL		COMMANDED ON
BY SYSTEM AT wilaimsvr-a			
07:03:25.901D 04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION		CLEAR =
CURRENT STATE			
07:03:25.901D 04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION		COMMANDED
CHANGE = CLEAR			
07:04:23.871D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION		OCCUPIED =
CURRENT STATE			
07:04:31.418D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION		
NOT_OCCUPIED = CURRENT STATE			
07:05:13.606D 04/23/18 BOWIE	SIGNAL 1N FLEET INDICATION		FLEET_OFF =
CURRENT STATE			
07:05:13.606D 04/23/18 BOWIE	SIGNAL 1N FLEET CONTROL		COMMANDED ON
BY Christophe AT wilwks0			
07:05:13.606D 04/23/18 BOWIE	SIGNAL 1N FLEET CANCEL CONTROL		COMMANDED
NOT_OFF BY Christophe AT wilwks0			
07:05:16.121D 04/23/18 BOWIE	SIGNAL 1N FLEET INDICATION		FLEET_ON =
CURRENT STATE			
07:05:16.121D 04/23/18 BOWIE	OFFICE FLEET PSEUDO		FLEET_ON = CURRENT

STATE

07:05:41.653D 04/23/18 BOWIE DETECTOR TRACK 1N2 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:06:44.076D 04/23/18 BOWIE DETECTOR TRACK 3N2 INDICATION OCCUPIED =
CURRENT STATE

07:08:03.889D 04/23/18 BOWIE DETECTOR TRACK 3N1 INDICATION OCCUPIED =
CURRENT STATE

07:08:12.124D 04/23/18 BOWIE DETECTOR TRACK 3N2 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:12:54.955D 04/23/18 BOWIE DETECTOR TRACK 3 INDICATION OCCUPIED =
CURRENT STATE

07:12:55.596D 04/23/18 BOWIE SIGNAL 3S CLEAR INDICATION NOT_CLEAR =
CURRENT STATE

07:13:05.971D 04/23/18 BOWIE DETECTOR TRACK 3N1 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:13:46.143D 04/23/18 BOWIE DETECTOR TRACK 3 INDICATION NOT_OCCUPIED
= CURRENT STATE

07:15:26.317D 04/23/18 BOWIE SIGNAL 3S CLEAR INDICATION CLEAR = CURRENT
STATE

07:19:00.085D 04/23/18 BOWIE DETECTOR TRACK 1 INDICATION OCCUPIED =
CURRENT STATE

07:19:00.132D 04/23/18 BOWIE SIGNAL 1N CALL-ON CONTROL COMMANDED
OFF BY SYSTEM AT wilaimsvr-a

07:19:04.835D 04/23/18 BOWIE DETECTOR TRACK 1A INDICATION OCCUPIED =
CURRENT STATE

07:19:10.632D 04/23/18 BOWIE DETECTOR TRACK 1 INDICATION NOT_OCCUPIED
= CURRENT STATE

07:19:23.210D 04/23/18 BOWIE DETECTOR TRACK 1N1 INDICATION OCCUPIED =
CURRENT STATE

07:19:29.726D 04/23/18 BOWIE DETECTOR TRACK 1A INDICATION NOT_OCCUPIED
= CURRENT STATE

07:19:31.164D 04/23/18 BOWIE DETECTOR TRACK 3N2 INDICATION OCCUPIED =
CURRENT STATE

07:20:00.320D 04/23/18 BOWIE SIGNAL 1N CLEAR INDICATION CONTROL
FAILURE = NOT_CLEAR TIMEOUT

07:20:26.024D 04/23/18 BOWIE DETECTOR TRACK 1N2 INDICATION OCCUPIED =
CURRENT STATE

07:20:34.617D 04/23/18 BOWIE DETECTOR TRACK 1N1 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:20:49.493D 04/23/18 BOWIE DETECTOR TRACK 3N1 INDICATION OCCUPIED =
CURRENT STATE

07:20:49.805D 04/23/18 BOWIE SIGNAL 1N CLEAR INDICATION ALARM FINAL
ACK. BY Christopher.Sakowski AT wilwks

07:20:57.243D 04/23/18 BOWIE DETECTOR TRACK 3N2 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:21:44.462D 04/23/18 BOWIE DETECTOR TRACK 1N2 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:25:00.605D 04/23/18 BOWIE DETECTOR TRACK 3 INDICATION OCCUPIED =
CURRENT STATE

07:25:02.683D 04/23/18 BOWIE SIGNAL 3S CLEAR INDICATION NOT_CLEAR =
CURRENT STATE

07:25:11.137D 04/23/18 BOWIE DETECTOR TRACK 3N1 INDICATION
NOT_OCCUPIED = CURRENT STATE

07:25:43.309D 04/23/18 BOWIE DETECTOR TRACK 3 INDICATION NOT_OCCUPIED

= CURRENT STATE			
07:27:06.185D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE			
07:35:32.145D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE			
07:36:21.192D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
07:36:26.520D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
07:36:32.317D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
07:36:48.771D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE			
07:36:52.958D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE			
07:36:53.755D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE			
07:37:00.427D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
07:38:01.068D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE			
07:38:09.459D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
07:39:36.741D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
07:41:24.352D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE			
07:41:25.962D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
07:41:35.930D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
07:42:13.618D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
07:43:50.354D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE			
07:47:20.482D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
07:47:27.701D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
07:47:31.404D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
07:47:53.857D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE			
07:47:59.576D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE			
07:50:22.156D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE			
07:51:17.375D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE			
07:51:23.329D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE			
07:51:24.969D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
07:51:30.719D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	

NOT_OCCUPIED = CURRENT STATE		
07:52:20.204D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE		
07:52:21.579D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
07:52:26.970D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
07:52:45.330D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
07:52:46.283D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
07:53:44.909D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE		
07:55:37.140D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE		
07:56:36.688D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE		
07:56:43.891D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
07:57:34.954D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE		
07:57:36.642D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
07:57:41.533D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
07:58:00.283D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
07:58:59.002D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE		
08:03:48.022D 04/23/18 BOWIE	OFFICE FLEET PSEUDO	FLEET_OFF = CURRENT
STATE		
08:03:48.022D 04/23/18 BOWIE	SIGNAL 3S FLEET CANCEL CONTROL	COMMANDED
OFF BY Christophe AT wilwks0		
08:03:48.022D 04/23/18 BOWIE	SIGNAL 3S FLEET CONTROL	COMMANDED
NOT_ON BY Christophe AT wilwks0		
08:03:48.022D 04/23/18 BOWIE	OFFICE FLEET PSEUDO	FLEET_ON = CURRENT
STATE		
08:03:51.131D 04/23/18 BOWIE	SIGNAL 3S FLEET INDICATION	FLEET_OFF =
CURRENT STATE		
08:03:51.131D 04/23/18 BOWIE	OFFICE FLEET PSEUDO	FLEET_OFF = CURRENT
STATE		
08:04:55.194D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE		
08:05:00.491D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE		
08:05:06.070D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:05:20.367D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
08:05:25.523D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:06:30.852D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		
08:06:39.133D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	

NOT_OCCUPIED = CURRENT STATE		
08:07:48.900D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:10:52.871D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE		
08:10:58.152D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE		
08:11:02.402D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:11:17.074D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
08:11:22.121D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:12:20.200D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		
08:12:27.919D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:13:38.185D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:15:32.124D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE		
08:16:32.156D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE		
08:16:38.656D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:20:55.254D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE		
08:20:56.988D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
08:21:05.191D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:21:25.613D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE		
08:21:31.285D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE		
08:21:36.020D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:21:37.770D 04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:21:37.770D 04/23/18 BOWIE	23-32 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
08:21:37.770D 04/23/18 BOWIE	23-32 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE		
08:21:53.661D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
08:22:00.036D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:23:14.396D 04/23/18 BOWIE	SIGNAL 3S CLEAR CONTROL	COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a		
08:23:14.396D 04/23/18 BOWIE	SIGNAL 3S CANCEL CONTROL	COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a		
08:23:14.646D 04/23/18 BOWIE	SIGNAL 3S CALL-ON CONTROL	COMMANDED ON
BY SYSTEM AT wilaimsvr-a		
08:23:16.755D 04/23/18 BOWIE	23-32 SWITCH LOCKING RELAY INDICATION	LOCKED =

CURRENT STATE			
08:23:16.755D 04/23/18	BOWIE	23-32 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE			
08:23:19.443D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE			
08:23:19.443D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	COMMANDED
CHANGE = CLEAR			
08:23:50.646D 04/23/18	BOWIE	SIGNAL 3S FLEET INDICATION	FLEET_OFF =
CURRENT STATE			
08:23:50.646D 04/23/18	BOWIE	SIGNAL 3S FLEET CONTROL	COMMANDED ON
BY Christophe AT wilwks0			
08:23:50.646D 04/23/18	BOWIE	SIGNAL 3S FLEET CANCEL CONTROL	COMMANDED
NOT_OFF BY Christophe AT wilwks0			
08:23:52.521D 04/23/18	BOWIE	SIGNAL 3S FLEET INDICATION	FLEET_ON =
CURRENT STATE			
08:23:52.521D 04/23/18	BOWIE	OFFICE FLEET PSEUDO	FLEET_ON = CURRENT
STATE			
08:24:31.303D 04/23/18	BOWIE	OFFICE FLEET PSEUDO	FLEET_OFF = CURRENT
STATE			
08:24:31.303D 04/23/18	BOWIE	SIGNAL 1N FLEET CANCEL CONTROL	COMMANDED
OFF BY Christophe AT wilwks0			
08:24:31.303D 04/23/18	BOWIE	SIGNAL 1N FLEET CONTROL	COMMANDED
NOT_ON BY Christophe AT wilwks0			
08:24:31.303D 04/23/18	BOWIE	OFFICE FLEET PSEUDO	FLEET_ON = CURRENT
STATE			
08:24:33.616D 04/23/18	BOWIE	SIGNAL 1N FLEET INDICATION	FLEET_OFF =
CURRENT STATE			
08:24:33.616D 04/23/18	BOWIE	OFFICE FLEET PSEUDO	FLEET_OFF = CURRENT
STATE			
08:25:43.445D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE			
08:25:54.054D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:27:25.712D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:32:50.263D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
08:32:53.591D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
08:32:54.997D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
08:33:02.310D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:33:04.341D 04/23/18	BOWIE	14 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:33:14.435D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE			
08:33:21.372D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:33:24.076D 04/23/18	BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:33:24.388D 04/23/18	BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:33:24.388D 04/23/18	BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =

CURRENT STATE			
08:33:54.592D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE			
08:34:20.529D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE			
08:34:29.905D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:34:54.436D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE			
08:35:01.796D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:35:43.531D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:35:54.203D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE			
08:35:54.203D 04/23/18	BOWIE	SIGNAL 3S CALL-ON CONTROL	COMMANDED OFF
BY AT madfepdnp-ba			
08:35:55.921D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
08:35:55.921D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	COMMANDED
CHANGE = NOT_CLEAR			
08:36:01.062D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:36:20.609D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:36:32.250D 04/23/18	BOWIE	SIGNAL 1N CLEAR CONTROL	COMMANDED
REQUEST BY Christophe AT wilwks0			
08:36:32.250D 04/23/18	BOWIE	SIGNAL 1N CANCEL CONTROL	COMMANDED
NO_REQUEST BY Christophe AT wilwks0			
08:36:35.078D 04/23/18	BOWIE	14 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
08:36:35.375D 04/23/18	BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
08:36:35.375D 04/23/18	BOWIE	L12-21 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE			
08:36:35.375D 04/23/18	BOWIE	41 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
08:36:35.375D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	CLEAR =
CURRENT STATE			
08:36:35.375D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	COMMANDED
CHANGE = CLEAR			
08:37:18.844D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE			
08:41:55.645D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
08:41:57.567D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
08:42:00.410D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
08:42:04.895D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:42:07.082D 04/23/18	BOWIE	14 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:42:22.239D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =

CURRENT STATE		
08:42:26.567D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:42:29.426D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
08:42:30.067D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
08:42:30.067D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE		
08:43:50.990D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE		
08:44:46.225D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE		
08:44:52.959D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:45:40.523D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE		
08:45:43.132D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
08:45:45.913D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:45:48.116D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		
08:45:56.257D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:46:04.585D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
08:47:01.930D 04/23/18 BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE		
08:47:17.649D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:50:56.027D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE		
08:52:12.246D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =
CURRENT STATE		
08:52:19.606D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
08:53:25.435D 04/23/18 BOWIE	SIGNAL 1N CLEAR CONTROL	COMMANDED
REQUEST BY Christophe AT wilwks0		
08:53:25.435D 04/23/18 BOWIE	SIGNAL 1N CANCEL CONTROL	COMMANDED
NO_REQUEST BY Christophe AT wilwks0		
08:53:27.997D 04/23/18 BOWIE	14 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE		
08:53:28.497D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE		
08:53:28.497D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE		
08:53:28.497D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE		
08:53:28.669D 04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION	CLEAR =
CURRENT STATE		
08:53:28.669D 04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION	COMMANDED
CHANGE = CLEAR		
08:56:28.762D 04/23/18 BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =

CURRENT STATE			
08:56:30.559D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
08:56:40.496D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:57:08.793D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
08:57:11.325D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
08:57:13.387D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
08:57:17.200D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:57:19.059D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:57:21.122D 04/23/18	BOWIE	14 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:57:32.356D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE			
08:57:38.044D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE			
08:57:40.903D 04/23/18	BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:57:40.903D 04/23/18	BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
08:57:40.903D 04/23/18	BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE			
08:57:41.294D 04/23/18	BOWIE	21 SWITCH REVERSE CONTROL	COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a			
08:57:41.294D 04/23/18	BOWIE	21 SWITCH NORMAL CONTROL	COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a			
08:57:51.388D 04/23/18	BOWIE	21 SWITCH POSITION PSEUDO	COMMANDED
CHANGE = REVERSE			
08:57:51.716D 04/23/18	BOWIE	SIGNAL 2N CLEAR CONTROL	COMMANDED
REQUEST BY SYSTEM AT wilaimsvr-a			
08:57:51.716D 04/23/18	BOWIE	SIGNAL 2N CANCEL CONTROL	COMMANDED
NO_REQUEST BY SYSTEM AT wilaimsvr-a			
08:57:54.591D 04/23/18	BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
08:57:54.591D 04/23/18	BOWIE	L12-21 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE			
08:57:54.763D 04/23/18	BOWIE	41 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
08:57:57.372D 04/23/18	BOWIE	SIGNAL 2N CALL-ON CONTROL	COMMANDED ON
BY SYSTEM AT wilaimsvr-a			
08:57:59.232D 04/23/18	BOWIE	SIGNAL 2N CLEAR INDICATION	CLEAR =
CURRENT STATE			
08:57:59.232D 04/23/18	BOWIE	SIGNAL 2N CLEAR INDICATION	COMMANDED
CHANGE = CLEAR			
08:58:38.185D 04/23/18	BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE			
08:58:47.029D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
08:58:53.670D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT

STATE

09:00:00.108D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
09:01:16.843D 04/23/18 BOWIE	DETECTOR TRACK 2 INDICATION	OCCUPIED =
CURRENT STATE		
09:01:16.843D 04/23/18 BOWIE	SIGNAL 2N CALL-ON CONTROL	COMMANDED
OFF BY AT madfepdnp-aa		
09:01:19.890D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE		
09:01:19.890D 04/23/18 BOWIE	SIGNAL 2N CLEAR INDICATION	COMMANDED
CHANGE = NOT_CLEAR		
09:01:32.828D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE		
09:01:43.250D 04/23/18 BOWIE	DETECTOR TRACK 2 INDICATION	NOT_OCCUPIED
= CURRENT STATE		
09:02:11.094D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
09:02:22.094D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
09:02:24.641D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
09:02:24.641D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
09:02:24.641D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE		
09:02:43.766D 04/23/18 BOWIE	21 SWITCH NORMAL CONTROL	COMMANDED
REQUEST BY Christophe AT wilwks0		
09:02:43.766D 04/23/18 BOWIE	21 SWITCH REVERSE CONTROL	COMMANDED
NO_REQUEST BY Christophe AT wilwks0		
09:02:53.188D 04/23/18 BOWIE	21 SWITCH POSITION PSEUDO	COMMANDED
CHANGE = NORMAL		
09:03:36.470D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		
09:03:45.002D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
09:04:53.596D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
09:06:07.269D 04/23/18 BOWIE	BLOCK EXIT TRACK AT SIGNAL 1S CONTROL	
COMMANDED BLOCK BY Christophe AT wilwks0		
09:06:07.269D 04/23/18 BOWIE	UNBLOCK EXIT TRACK AT SIGNAL 1S CONTROL	
COMMANDED NOT_UNBLOCK BY Christophe AT wilwks0		
09:06:09.191D 04/23/18 BOWIE	EXIT BLOCK AT SIGNAL 1S	BLOCK = CURRENT
STATE		
09:06:09.191D 04/23/18 BOWIE	EXIT BLOCK AT SIGNAL 1S	COMMANDED
CHANGE = BLOCK		
09:10:40.319D 04/23/18 BOWIE	TRAFFIC - TRACK D1 NORTH	TRAFFIC =
CURRENT STATE		
09:11:15.539D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
09:11:18.523D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE		
09:12:26.758D 04/23/18 BOWIE	DETECTOR TRACK 3N2 INDICATION	OCCUPIED =
CURRENT STATE		
09:13:27.040D 04/23/18 BOWIE	DETECTOR TRACK 3N1 INDICATION	OCCUPIED =

CURRENT STATE

09:13:35.275D 04/23/18	BOWIE	DETECTOR TRACK 3N2 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
09:14:25.150D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	OCCUPIED =
CURRENT STATE			
09:14:26.932D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
09:14:33.432D 04/23/18	BOWIE	DETECTOR TRACK 3N1 INDICATION	
NOT_OCCUPIED = CURRENT STATE			
09:14:51.666D 04/23/18	BOWIE	DETECTOR TRACK 3 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
09:15:50.652D 04/23/18	BOWIE	SIGNAL 3S CLEAR INDICATION	CLEAR = CURRENT
STATE			
09:16:23.168D 04/23/18	BOWIE	UNBLOCK EXIT TRACK AT SIGNAL 1S CONTROL	
COMMANDED NOT_BLOCKED BY SYSTEM AT wilaimsvr-a			
09:16:23.168D 04/23/18	BOWIE	BLOCK EXIT TRACK AT SIGNAL 1S CONTROL	
COMMANDED NOT_BLOCKED BY SYSTEM AT wilaimsvr-a			
09:16:25.214D 04/23/18	BOWIE	EXIT BLOCK AT SIGNAL 1S	NOT_BLOCKED =
CURRENT STATE			
09:16:25.214D 04/23/18	BOWIE	EXIT BLOCK AT SIGNAL 1S	COMMANDED
CHANGE = NOT_BLOCKED			
09:16:39.980D 04/23/18	BOWIE	SIGNAL 1N CLEAR CONTROL	COMMANDED
REQUEST BY Christophe AT wilwks0			
09:16:39.980D 04/23/18	BOWIE	SIGNAL 1N CANCEL CONTROL	COMMANDED
NO_REQUEST BY Christophe AT wilwks0			
09:16:42.887D 04/23/18	BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
09:16:42.887D 04/23/18	BOWIE	L12-21 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE			
09:16:42.887D 04/23/18	BOWIE	14 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
09:16:43.058D 04/23/18	BOWIE	41 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
09:16:43.058D 04/23/18	BOWIE	TRAFFIC - TRACK D1 NORTH	NO_TRAFFIC =
CURRENT STATE			
09:16:46.199D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	CLEAR =
CURRENT STATE			
09:16:46.199D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	COMMANDED
CHANGE = CLEAR			
09:21:00.249D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
09:21:02.671D 04/23/18	BOWIE	SIGNAL 1N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
09:21:05.671D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
09:21:11.374D 04/23/18	BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
09:21:13.406D 04/23/18	BOWIE	14 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE			
09:21:28.062D 04/23/18	BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE			
09:21:33.625D 04/23/18	BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE			
09:21:34.218D 04/23/18	BOWIE	SIGNAL 1N CLEAR CONTROL	COMMANDED

REQUEST	BY SYSTEM AT wilaimsvr-a		
09:21:34.218D	04/23/18 BOWIE	SIGNAL 1N CANCEL CONTROL	COMMANDED
NO_REQUEST	BY SYSTEM AT wilaimsvr-a		
09:21:36.453D	04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED =	CURRENT STATE		
09:21:36.625D	04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED =	CURRENT STATE		
09:21:36.625D	04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE			
09:21:37.297D	04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
09:21:37.297D	04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	LOCKED =
CURRENT STATE			
09:21:37.297D	04/23/18 BOWIE	14 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
09:21:37.297D	04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	LOCKED =
CURRENT STATE			
09:21:39.140D	04/23/18 BOWIE	SIGNAL 1N CALL-ON CONTROL	COMMANDED ON
BY SYSTEM AT wilaimsvr-a			
09:21:41.359D	04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION	CLEAR =
CURRENT STATE			
09:21:41.359D	04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION	COMMANDED
CHANGE = CLEAR			
09:25:36.784D	04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE			
09:25:45.644D	04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	
NOT_OCCUPIED =	CURRENT STATE		
09:26:03.316D	04/23/18 BOWIE	OFFICE FLEET PSEUDO	FLEET_OFF = CURRENT
STATE			
09:26:03.316D	04/23/18 BOWIE	SIGNAL 3S FLEET CANCEL CONTROL	COMMANDED
OFF	BY Christophe AT wilwks0		
09:26:03.316D	04/23/18 BOWIE	SIGNAL 3S FLEET CONTROL	COMMANDED
NOT_ON	BY Christophe AT wilwks0		
09:26:03.316D	04/23/18 BOWIE	OFFICE FLEET PSEUDO	FLEET_ON = CURRENT
STATE			
09:26:05.378D	04/23/18 BOWIE	SIGNAL 3S FLEET INDICATION	FLEET_OFF =
CURRENT STATE			
09:26:05.378D	04/23/18 BOWIE	OFFICE FLEET PSEUDO	FLEET_OFF = CURRENT
STATE			
09:27:18.192D	04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	
NOT_OCCUPIED =	CURRENT STATE		
09:28:19.770D	04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	OCCUPIED =
CURRENT STATE			
09:28:19.770D	04/23/18 BOWIE	SIGNAL 1N CALL-ON CONTROL	COMMANDED
OFF	BY AT cobwks01a		
09:28:22.614D	04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION	NOT_CLEAR =
CURRENT STATE			
09:28:22.614D	04/23/18 BOWIE	SIGNAL 1N CLEAR INDICATION	COMMANDED
CHANGE = NOT_CLEAR			
09:28:24.661D	04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	OCCUPIED =
CURRENT STATE			
09:28:30.286D	04/23/18 BOWIE	DETECTOR TRACK 1 INDICATION	NOT_OCCUPIED
= CURRENT STATE			
09:28:32.864D	04/23/18 BOWIE	14 SWITCH LOCKING RELAY INDICATION	

NOT_LOCKED = CURRENT STATE		
09:28:44.130D 04/23/18 BOWIE	DETECTOR TRACK 1N1 INDICATION	OCCUPIED =
CURRENT STATE		
09:28:50.271D 04/23/18 BOWIE	DETECTOR TRACK 1A INDICATION	NOT_OCCUPIED
= CURRENT STATE		
09:28:53.083D 04/23/18 BOWIE	41 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
09:28:53.255D 04/23/18 BOWIE	L12-21 SWITCH LOCKING RELAY INDICATION	
NOT_LOCKED = CURRENT STATE		
09:28:53.255D 04/23/18 BOWIE	L12-21 SWITCH LOCKED PSEUDO	NOT_LOCKED =
CURRENT STATE		
09:29:53.787D 04/23/18 BOWIE	DETECTOR TRACK 1N2 INDICATION	OCCUPIED =
CURRENT STATE		