**REISSUED** 



# **DOCUMENT OF COMPLIANCE WITH** SPECIAL REQUIREMENTS FOR SHIPS CARRYING DANGEROUS GOODS

## REPUBLIC OF THE MARSHALL ISLANDS

Issued in pursuance of the requirement of regulation II2/19.4 of the International Convention for the Safety of Life at Sea, 1974, as amended, under the authority of the Government of

## REPUBLIC OF THE MARSHALL ISLANDS by the Korean Register of Shipping.

Name of Ship	Distinctive Number or Letters	Port of Registry	Ship Type	IMO Number
GOLDEN RAY	7762	MAJURO	RORO Ship	9775816

#### THIS IS TO CERTIFY:

Varified	
vermeu	

Surveyor (Han Kang-sub)

- .1 that the construction and equipment of the above-mentioned ship have been found to comply with the provisions of Regulation II-2/19 of the International Convention for the Safety of Life at Sea, 1974, as amended: and
- .2 that the ship is suitable for the carriage of those classes of dangerous goods as specified in the appendix hereto, subject to any provisions in the International Maritime Dangerous Goods (IMDG) Code and the International Maritime Solid Bulk Cargoes (IMSBC) Code for individual substances also being complied with.

This docume	ent is valid until —	4th	day of		December	r 2022	_			
Completion of	date of the survey o	n which tl	his certific	ate is bas	sed :	05 December	er 2017			
Issued at	Ulsan		on the	19th	day of	December	2017			
The undersig	ned declares that h	ne is duly	authorized	d by the s	aid Governm	nent to issue this	s Certificate.			
							KOREAN	REGISTER	OF	SHIPPING

Note: There are no special requirements in the above-mentioned regulation II-2/19 for the carriage of dangerous goods of classes 6.2 and 7, and for the carriage of dangerous goods in limited quantities, as required in chapter 3.4 of the IMDG Code, and excepted quantities, as required in chapter 3.5 of the IMDG Code.

## **APPENDIX 1**

### SPACES TO BE INDICATED IN THE PLANS WITH NUMBERS CORRESPONDING WITH THE TABLE BELOW

ON DECK SPACES

**UNDER-DECK SPACES** 

#### ON DECK HOLD/CAR DECK SPACE **CLASS** D1 D2 2 3 4 5 9 10 11 13 1 6 7 8 12 Χ X Χ 1.1 ~ 1.6 -Χ X X X X X X X Χ X 1.4S Ρ Ρ Р Ρ Ρ Ρ Ρ Ρ Ρ Р Ρ Ρ Ρ Indicates \_ \_ **PACKAGED** 2.1 X X X X X X X X X X X X X \_ \_ GOODS Р 2.2 Ρ Ρ Р Р Ρ Ρ Ρ Ρ Р Р Р Ρ --**PERMITTED** 2.3 flammable Χ Χ Χ Χ Χ Χ X X X X X X X \_ \_ 2.3 non-flammable Χ X X X X X Χ X X X X Χ X --3 FP<23 °C X X X X X X X X X X X X X \_ 3 FP≥23°C to ≤60°C Р Р P Ρ P P P Ρ Ρ Ρ P P P --Indicates Р Р 4.1 Ρ Ρ P Ρ P Ρ Ρ Ρ P Ρ P \_ \_ **BULK GOODS ALLOWED** 4.2 Р Р Р Ρ Ρ P Ρ Р Ρ Ρ P Ρ Р -\_ (For allowable Ρ Р Ρ Ρ Ρ Ρ Р Ρ Ρ Ρ 4.3 liquids Ρ Р Ρ goods in bulk 4.3 solid Ρ Ρ P Ρ Ρ --Р P P Р Р P P Р see Appendix 2) Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ 5.1 P Ρ P Χ 5.2 X X X X X X X X X X X X Indicates 6.1 liquids FP<23 C X X X X X X X X X X X -X **PACKAGED** 6.1 liquids FP≥23°C to ≤60°C Χ Ρ Ρ Р Ρ Ρ Р Ρ Ρ Ρ AND Χ X X \_ **BULK GOODS** 6.1 liquids \_ -X X X X Ρ Ρ Ρ Ρ Ρ P Ρ Ρ Ρ **ALLOWED** 6.1 solid -Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ -(For allowable 8 liquids FP<23°C X X X --X X X X X X X X X X goods in bulk 8 liquids 。 FP≥23 °C to ≤60 °C see Appendix 2)

Remarks related to the information in the table above as applicable.

Ρ

Ρ

Ρ

Ρ

Ρ

P

Р

Р

Ρ

P

Ρ

Ρ

Р

P

P

Ρ

Ρ

Ρ

Ρ

Ρ

At least 3 m distance to machinery space bulkhead.

\_

-

At least 3 m distance to machinery space casing.

-

Except goods having a flashpoint less than 23 C listed in the IMDG code.

At least 3 m distance to machinery space bulkhead if stowage "protected form sourves of heat" is stipulated by the IMDG.

Ρ

P

Р

Ρ

Ρ

Ρ

Р

Ρ

Ρ

Ρ

Р

Ρ

Ρ

P

Р

Р

Ρ

Ρ

Р

Р

Ρ

Ρ

Ρ

Ρ

Ρ

P

Ρ

Ρ

Ρ

Ρ

Р

Р

X

NOT **ALLOWED** 

At least 3 m distance to machinery space casings if stowage "protected form sourves of heat" is stipulated by the IMDG.

Except goods having a subsideiary risk class 6.1.

NOTE: Cargoes in bulk may be listed individually by name and class.

8 liquids

8 solid

9

# **APPENDIX 2**

# LIST OF INDIVIDUAL CARGOES IN BULK

1/1

Cargo Name	UN No.	IMO Class No.	Stowable Spaces
- NIL -			