


NATIONAL TRANSPORTATION SAFETY BOARD Investigative Hearing

Norfolk Southern Railway general merchandise freight train 32N derailment with subsequent hazardous material release and fires, in East Palestine, Ohio, on February 3, 2023



Agency / Organization

Sasol Chemicals

Title

DPRX258671 Unloading Report and Waybill, January 23, 2023

RAILCAR LOADING UNLCADING REPORT

Unit: 2AB	Location: / CC	-					
CAR DATA					N/A	XES	ÍNO
Car Number: DPRX258671				Car correct for product (ex. Steam needed)		XES	
Product Loaded Unloaded Benzene							
Car Capacity: 2557D aal				If readable - Dome Hatch Cover seal number on arrival:			
Tank Test Due Date: 2025 Relief Valve Test Due Date: 2027				If readable - Multiple Housing Cover seal number on arrival:			
Car within the appropriate test dates for the tank			7	0490009			{
and the relief valve test dates?			NO	If readable - Bottom Outlet seal number on ar	nvai.		1
		Ç		Is there evidence of leaks on the outside		F	
If a pressure car, is the product name	MA	YES	NO	of the car upon arrival?		YES	NO
stenciled on car (4" letters): Tank Qualification Test Date: 2013	£	<u> </u>	1	Evidence of car body damage:		YÈS	HO
					1		110
PRE-LOADING/ONLOADING INSPECTION							
Is there any evidence of defects for the f	ollow			(1) 「日本のでは、「日本のでは、「日本のでは、「日本のである」」、「日本のである」、「日本のでる」、「日本のでる」、「日本のである」、「日本のである」、「日本のである」、「日本のでる」、「日本のである」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のである」、「日本のでる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のでる」、「日本のいる」、日本のいる」、日本のいる」、日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、日本のいる」、日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、日本のいる」、日本のいる」、日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、日本のい。」、日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、日本のい。」、日本のい。」、日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、日本のい。」、日本のい。」、日本のいる」、「日本のいる」、「日本のいる」、「日本のいる」、日本のい。」、日本のい。」、日本のい。」、日本のいる」、日本のいい。」、日本のい。」、日本のい。」、日本のい。」、日本のい。」、日本のい。」、日本のい。」、日本のい。」、日本のいい。」、日本のいい。」、日本のいい。」、日本のいい。」、日本のいい。」、日本のいい。」、日本のいい。」、日本のい。」、日本のい。」、日本のい。」、日本のい。」、日本のい			
Couplers:		YES		If placarded shipment, is bottom outlet	N/A	YES	NO
Wheels:		YES	HO	protected:			
Truck Springs:		YES		Inside dome hatch - all connections tight	MA	YES	NO
Axle Bearings:		YES	NO	and all bolts present: Pressure relieved on car:	AHA	YES	NO
Center Plate and Side Bearings:		YES	NO		MA	XES	NO
Tank Attachments:		YES	NO	Chocks set:		XES	NO NO
Safety Appliances (hand rails, running boards,		YES	NO	Brakes set:		XES	NO
platform, ladders):		YES	NO	Blue flag set: Is ground cable connected?:	N/A	XES	NO
Placard Holders (4):		YES	NO	Product heel in car:	AHA	YES	NO
Car Stenciling and Paint:		YES	NO		NA	YES	NO
Hand Brake:		YES	NO	Debris in car: Bottom outlet valve closed:	NA	YES	NO
Brake Shoes:		YES		Bottom outlet cap off.	MA.	YES	NO
Any Defect Card Holder defects noted:		YES	HO	Internal steam coil cap off:	NA	YES	NO
Coupler Window (Draft Sill): Inside multiple housing cover -				All valves operable:	N/A	YES	NO
connections tight and all bolts present:	N/A	YES	NO	Loading hatch cover operable:	NA	YES	NO
Pre-loading inspection performed by: (Sign		W	I	Loading Onloading ine secure:		YES	NO
Pre-loading inside viola bendane work. (Signature)				Loading onloading fine Secure.			110
		,					「日本で
			ed d afe	cts or aroduct leakage before the car is loaded	or unic	aded.	
Notify Supervisor and resolve any actu	aí or s	uspecte	ed d ofe // INI	cts or product leakage before the car is loaded OADING INSPECTION	or unic	aded.	
Notify Supervisor and resolve any actu POST	ial or s Γ LO A	uspecte DIN¢	JUNL	OADINGINSPECTION			NO
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks:	ral or s	uspecto DINC YES	MO_	OADING INSPECTION Product sample to laboratory	or unic	yes	NO
Notify Supervisor and resolve any actu POS Bottom outlet valve checked for leaks: Bottom outlet valve leaking:	LOI	USPECTO DINC YES	NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number:	AVA		AVA
Notify Supervisor and resolve any actu POS Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed:	LO/	USPECTO DINC YES YES	NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: 172			
Notify Supervisor and resolve any actu POST Bottom cutlet valve checked for leaks: Bottom cutlet valve leaking: Bottom cutlet cap new gasket installed: Bottom cutlet valve secured and sealed:	LOI ATA	USPECTO DINC YES YES YES YES	NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number:	AVA		N/A N/A
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed:	LOI ATA	VES YES YES YES YES YES	NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number:	AVA		N/A N/A N/A
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed:	LOI ATA	USPECTO VES VES VES VES VES VES VES	NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Image: State of the seal number of the seal number:	AVA		N/A N/A
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal):	LO	uspecte ADIN YES YES YES YES YES YES YES	NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature:	AVA		N/A N/A N/A N/A
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed:	LOI XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	USPECTO VES VES VES VES VES VES VES	NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading:	AVA		X/A N/A X/A X/A X/A X/A
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained:	LO LO LO LO LO LO LO LO LO LO LO LO LO L	USPECTO VES VES VES VES VES VES VES VES	NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used:	AVA		N/A N/A N/A A A A A A A A A A A A A A A
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed:	LOI TINE TINE TINE TINE TINE TINE TINE TIN	USPECTU VES VES VES VES VES VES VES	NO NO NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used:	AVA	YES	X NA X X X X X X X X X X X X X X X X X X
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4):	I O S LO XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	USPECTU VES VES VES VES VES VES VES VES	NO NO NO NO NO NO NO NO NO NO NO	OADINC INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: On Z 3 22 Time Loaded/Unloaded Any leaks found during soap test:	AVA	YES	N/A N/A N/A A A A A A A A A A A A A A A
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4):	I O S LO XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	USPECTU VES VES VES VES VES VES VES VES VES VES	NO NO NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: O1 23 22 Time Loaded/Unloaded	403	YES	X NA X X X X X X X X X X X X X X X X X X
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed:	A O S S S S S S S S S S S S S S S S S S	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	NO NO NO NO NO NO NO NO NO NO NO NO	OADINC INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: On Z 3 22 Time Loaded/Unloaded Any leaks found during soap test:	403	YES AM YES	KA K
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Placards installed (4): Marine pollutant mark (4): Product ID tag installed:	A O S S S S S S S S S S S S S S S S S S	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	NO NO NO NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unioaded: Any leaks found during soap test: Blue flag removed *:	NVA	YES AM YES XES	XA XA XA XA XA XA XA XA XA XA XA XA XA X
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed:	LO/ LO/ ALAKK ALAKK ALAKK N/A N/A N/A N/A natur	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	NO NO NO NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded: On 12.3 Time Loaded/Unloaded: Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate."	NVA	YES AM YES XES	XA XA XA XA XA XA XA XA XA XA XA XA XA X
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed:	LO/ LO/ ALAKK ALAKK ALAKK N/A N/A N/A N/A natur	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	NO NO NO NO NO NO NO NO NO NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: ON 23 22 Time Loaded/Unloaded Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the	NVA	YES AM YES YES	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Sig	LO/ LO/ AFA AFA AFA AFA AFA AFA N/A N/A N/A N/A N/A N/A N/A SL	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded: On 12.3 Time Loaded/Unloaded: Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate."	N/A N/A	AM YES YES YES ret show YES	N/A N/A N/A A A A A A A A A A A A A A A
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Signal States	LO/ LO/ AFA AFA AFA AFA AFA AFA N/A N/A N/A N/A N/A N/A N/A SL	USPECTO VES YES YES YES YES YES YES YES Y	UNL NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival:	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Signature) Placards correct: All visible product openings closed: Evidence of any leaks:	LO/ LO/ AFA AFA AFA AFA AFA AFA N/A N/A N/A N/A N/A N/A N/A SL	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	UNL NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actu POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Signature) Placards correct: All visible product openings closed: Evidence of any leaks: Evidence of product on outside of car:	LO/ LO/ AFA AFA AFA AFA AFA AFA N/A N/A N/A N/A N/A N/A N/A SL	USPECTO VES YES YES YES YES YES YES YES Y		OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival:	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Sig	LO/ LO/ AFA AFA AFA AFA AFA AFA N/A N/A N/A N/A N/A N/A N/A SL	USPECTO VES YES YES YES YES YES YES YES Y	NO NO NO NO NO NO NO NO NO NO NO NO NO N	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test; Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival: Comments on any maintenance performed or	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet valve secured and sealed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing cover secured and sealed: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Sig	LO/ LO/ AFA AFA AFA AFA AFA AFA N/A N/A N/A N/A N/A N/A N/A SL	USPECTO VES YES YES YES YES YES YES PER YES YES YES YES YES YES YES YES	NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test; Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival: Comments on any maintenance performed or	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing valves plugged/chained: Placards installed (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Sig Placards correct: All visible product openings closed: Evidence of any leaks: Evidence of any leaks: Evidence of product on outside of car. Visual evidence of any car defects: Blue flag removed *: Car ready for shipment:	LO/ ATA ATA ATA ATA ATA ATA ATA ATA N/A N/A N/A N/A N/A N/A N/A	USPECTO DINC YES YES YES YES YES YES YES YES YES YES	NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test; Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival: Comments on any maintenance performed or	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing valves plugged/chained: Placards installed (4): Marine pollutant mark (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Sig Placards correct: All visible product openings closed: Evidence of any leaks: Evidence of product on outside of car. Visual evidence of any car defects: Blue flag removed *: Car ready for shipment: If NO, notifications for defects been made:	LO LO LA LA LA LA LA LA LA LA LA LA LA LA LA	USPECTO VES YES YES YES YES YES YES PER YES YES YES YES YES YES YES YES	NO NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded On Z 3 22 Time Loaded/Unloaded Any leaks found during soap test: Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival: Comments on any maintenance performed or correct defects:	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N
Notify Supervisor and resolve any actures POST Bottom outlet valve checked for leaks: Bottom outlet valve leaking: Bottom outlet cap new gasket installed: Bottom outlet cap new gasket installed: Dome hatch cover new gasket installed: Dome hatch cover secured and sealed: Steam coils plugged (internal): All multiple housing valves plugged/chained: Multiple housing valves plugged/chained: Placards installed (4): Product ID tag installed: Ground cable removed: Post Loading Inspection performed by: (Sig Placards correct: All visible product openings closed: Evidence of any leaks: Evidence of product on outside of car. Visual evidence of any car defects: Blue flag removed *: Car ready for shipment:	LO/ ATA ATA ATA ATA ATA ATA ATA ATA N/A N/A N/A N/A N/A N/A N/A	USPECTO VES YES YES YES YES YES YES YES Y	NO NO	OADING INSPECTION Product sample to laboratory Dome hatch cover seal number: Multiple housing cover seal number: Bottom outlet seal number: Loaded from tank number: Meter reading: Product temperature: Loaded car outage: Placard number used: Date Loaded/Unloaded Any leaks found during soap test; Blue flag removed *: Car ready for shipment: "I have verified that the product tags match the on the GOSI for the railcar as appropriate." INSPECTION Non-Conformances generated for car unsecure on arrival: Comments on any maintenance performed or	N/A	YES AM YES YES YES	NA NA NA NA NA NA NA NA NA NA NA NA NA N

V18-156-X2 Revision 1 (9/07)

Printed: 2023-01-25 WAYBILL PRINTOUT PAGE 01 14.09 NON-REVENUE EMPTY SHIPMENT

Origin Carrier: KCS Customer Pattern: Origin City/St: WEST LAKE,LA ACTIVE - Waybill: 979797

Bill of Bill of Lading Date Lading Number 2023-01-25 979797

Equipment ID: DPRX 258671 Net: Iso Type: Length: 059 Feet Total Net Weight All Cars =000000000

Shipper: SASOL CHEMICALS (USA) LLC and Address: 3601 OLD SPANISH TRAIL MOSSVILLE , LA 70669

Consignee: PBF HOLDING 2000 WRANGLE HILL ROAD DELAWARE CITY , DE 19706

In care of party: LBC BATON ROUGE LLC 1725 HWY 75 ST GABRIEL , LA 70776

Destination City/St: ST GABRIEL LA

SHIPPER ROUTING NON-REVENUE ROUTE: KCS WLAKE UP BATON CN NO WEIGHT CODE FOUND

**** Begin Hazardous Material ****

Number & Type of Packages HM Description of Articles TK RESIDUE: LAST CONTAINED UN1114 BENZENE 3 PG II RQ (BENZENE) TRADE NAME: (BENZENE)

EMERGENCYCONTACTCONTRACT:632742EMERGENCYCONTACTPHONE8004249300

AVERS Certification Specification in 49CFR172.204(a)
"This is to certify that above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation."

HAZMAT STCC*4908110

**** End Hazardous Material ****

Pk Qual STCC Commodity Description 1 CLD 49-081-10 BENZENE,BENZOL RESIDUE: LAST CONTAINED UN1114 BENZENE 3 PG II

REŁ

LAST EVENT:

(INDUSTRY RELEASE

)

Quantity/

Measure

**** END WAYBILL PRINT ****

Thank you for using KCS for your billing needs.