
 U N I O N P A C I F I C R A I L R O A D C O M P A N Y
 T R A I N L I S T I S S U E N O . 1

TRAIN/JOB: ISIEP 29 NAME: C/F 08/29 1200
 CNDR: M NAVARRO ENGR: T MURPHY

SECONDARY TRAIN ID: TRAIN DIRECTION OUT OF SI020 : EAST
 58-LOADS 5-MTYS 7480-GTONS CAR LENGTH: 3961-FT TRAIN LENGTH: 3961-FT

HAZARDOUS MATERIAL IN TRAIN YES TRAIN WGT: 7480-TN
 RAIL SECURITY SENSITIVE MATERIAL SHIPMENTS NONE
 FORM 8620 PLACEMENT ERRORS NO
 SSI ITEM 5 PLACEMENT ERRORS/WARNINGS NO
 TRAIN LENGTH EXCEPTION NO
 TRAIN HAS HIGH / WIDE SHIPMENTS NO
 LEAD LOCOMOTIVE IS PTC EQUIPPED NO
 LEAD LOCOMOTIVE IS EMS EQUIPPED NO

 SSI MAXIMUM SPEED (UNLESS OTHERWISE RESTRICTED) IS AS FOLLOWS:
 MAXIMUM SPEED * 60 * MPH BETWEEN SI020 AND TP854 LOWEST CAR SPEED
 BE FURTHER GOVERNED BY MAXIMUM SPEEDS: TONS PER OPERATIVE BRAKE (TPOB)
 ITEM #2F OR SUBDIVISION TIMETABLE SI-12

TRAIN IS TO BE OPERATED ACCORDING TO * TABLE B * TRAIN REQUIREMENTS SSI ITEM 2F

 END TRAIN UNITS STATUS
 NONE REPORTED

 TRAIN LIMITS BETWEEN SI020 AND TP854
 TPA LIMIT IS 500, TPA LIMIT DUE TO LOCOMOTIVE FAILURE IS 575
 COUPLER LIMIT IS 21000
 TERRITORY CODE OTHER THAN H OR L
 TPA LIMIT FOR TRACK 1 IS 500
 7480 TPA TONNAGE INCLUDES ISOLATED LOCOMOTIVES, IF ANY
 0 TONS PER EQUIVALENT POWERED AXLE - 0.0 EPA
 0 TONS PER EQUIVALENT DYNAMIC BRAKE AXLE - 0.0 EDPA
 28 MAXIMUM EPA REAR HELPER
 63 TOTAL NUMBER OF CARS/PLATFORMS
 62.00 TOTAL OPERATIVE-BRAKES
 119 AVERAGE G-TONS PER CAR OR PLATFORM
 121 TONS PER OPERATIVE BRAKE
 248 TOTAL AXLES, INCLUDING LOCOMOTIVES
 143 HEAVIEST CAR, AEX 023582, SEQ 041
 7480 TOTAL GROSS TONS, CARS AND LOCOMOTIVES

 SUMMARY OF CAR TYPES
 5 BOX CAR - 2 CUSHIONED DRAWBAR CARS
 43 COVERED HOPPER
 3 FLAT CAR - 3 CUSHIONED DRAWBAR CARS
 3 DOUBLE STACK
 7 TANK CAR
 2 OTHER CARS - 2 CUSHIONED DRAWBAR CARS
 7 TOTAL CUSHIONED DRAWBAR CARS

INSPECTION LOCATIONS:
SANTERRAM NM SI020 O - CLASS 1

AIR BRAKE INSPECTIONS:

NAME	LOCATION	ROAD	DATE	TIME:	# CARS:
J. PEREZ	SANTERRAM NM		08/29/22	17:25	062

EOT INSPECTION:

NAME	LOCATION	ROAD	DATE	TIME:	EOT #
A. HACK	SANTERRAM NM		08/29/22	17:35	UPRQ068722

BAD ORDER CAR FORM

CAR INITIAL & NUMBER:

INSPECTING RAILROAD:

NAME & JOB TITLE OF INSPECTOR:

NATURE OF DEFECT:

MOVEMENT RESTRICTIONS:

TO BE REPAIRED AT:

SIGNATURE OF INSPECTOR:

EVENT	CITY/ST	STA/YD	MO-DA-YR-TIME	TIM DIF	LOADS	MTYS	CAR-TONS	TRN-LGTH
CT	SANTERRAM NM	SI020	08-29-22-1200					
TD	SANTERRAM NM	SI020 +	08-29-22-1749		58	5	7480	4109
TA	SANTERESA NM	SP018	08-29-22-1805	29A	58	5	7480	4109
TD	SANTERESA NM	SP018	08-29-22-1937	27A	58	5	7480	4109
TA	ELPASDALS TX	TP861	08-29-22-2006	31A	58	5	7480	4109
PA	ROSA TX	TP859	08-29-22-2131	1'10A				
TA	ALFALFA TX	TP854	08-29-22-2142	1'07A	58	5	7480	4109

SCH STATS 0LDS 0MTYS 0TONS 0FT
SS ALFALFA TX TP854 58 5 7480 3961

CARS LISTED FROM REAR OF TRAIN

TRAIN/JOB-- ISIEP 29 WITH FOLLOWING CARS TA ALFALFA TX TIME-- 08/29 2142

TIMETABLE SI-11 AND SI-12 RESTRICTED CARS

NO CARS ON TRAIN ARE ROUTE RESTRICTED FOR THIS SUBDIVISION.

SEQ EQUIPMNT ID KND COMDTY DESTN ZTS/CARR NXBLK CITY/STATE CONSIGNEE
BLOCK-- ALFA TP854 011

1 TILX 649372 LC6T LQBYPD TP860 FXE FXE GOMPALACIDG SIN DIC UN
63 FROM HEAD 60-MPH 119-TONS 70-FT 1-P 1.00-BRK 119-ATONS 70-AFT
2 TILX 649355 LC6T LQBYPD TP860 FXE FXE GOMPALACIDG SIN DIC UN
62 FROM HEAD 60-MPH 119-TONS 70-FT 1-P 1.00-BRK 238-ATONS 140-AFT
3 CTCX 732134 LT28 FLMLIQ TP854 WRCP ALFALFA TX WESTER REF
61 FROM HEAD 60-MPH 134-TONS 60-FT 1-P 1.00-BRK 372-ATONS 200-AFT

UN1987
* DANGEROUS * ALCOHOLS, N.O.S.

3
EMERGENCY CONTACT: PG II
8004249300 SHIPPER CONTACT
CCN233697
HAZMAT STCC = 4909152

4 TAEX 1142 LT28 FLMLIQ TP854 WRCP ALFALFA TX WESTER REF
60 FROM HEAD 60-MPH 134-TONS 60-FT 1-P 1.00-BRK 506-ATONS 260-AFT

UN1987
* DANGEROUS * ALCOHOLS, N.O.S.

3
EMERGENCY CONTACT: PG II
8004249300 SHIPPER CONTACT
CCN233697
HAZMAT STCC = 4909152

5 TILX 198657 LT28 FLMLIQ TP854 WRCP ALFALFA TX WESTER REF
59 FROM HEAD 60-MPH 133-TONS 60-FT 1-P 1.00-BRK 639-ATONS 320-AFT

UN1987
* DANGEROUS * ALCOHOLS, N.O.S.

3
EMERGENCY CONTACT: PG II
8004249300 SHIPPER CONTACT
CCN233697
HAZMAT STCC = 4909152

6 TILX 191102 LT28 FLMLIQ TP854 WRCP ALFALFA TX WESTER REF
58 FROM HEAD 60-MPH 134-TONS 60-FT 1-P 1.00-BRK 773-ATONS 380-AFT

UN1987
* DANGEROUS * ALCOHOLS, N.O.S.

3
EMERGENCY CONTACT: PG II
8004249300 SHIPPER CONTACT
CCN233697
HAZMAT STCC = 4909152

7 TILX 192916 LT28 FLMLIQ TP858 06-776-55 IND1 ELPASO TX HOLLY ENE
57 FROM HEAD 60-MPH 131-TONS 61-FT 1-P 1.00-BRK 904-ATONS 441-AFT

UN1987
* DANGEROUS * ALCOHOLS, N.O.S.

3
EMERGENCY CONTACT: PG II
8004249300 SHIPPER CONTACT
CCN233697
HAZMAT STCC = 4909152

8 UCRY 600014 LFLG LUMBER TP854 05-750-55 STGS ELPASO TX STAGEC CAR
56 FROM HEAD 60-MPH 116-TONS 81-FT 1-P 1.00-BRK 1020-ATONS 522-AFT

CC CAR IS MORE THAN 80 FT
UNLOAD AS PLACARDED

9	WC	38229	LFLG LUMBER TP858	06-798-55	IND1	ELPASO	TX STAGEC	CAR	
55	FROM HEAD	60-MPH	110-TONS	81-FT	1-P	1.00-BRK	1130-ATONS	603-AFT	
									CC CAR IS MORE THAN 80 FT
10	COER	173770	ED6C A	TP860	FXE	FXE	ELPASO	TX C FERROC M	
54	FROM HEAD	60-MPH	40-TONS	68-FT	1-P	1.00-BRK	1170-ATONS	671-AFT	
11	NDYX	891631	EC3P	TP860	FXE	FXE	CIUJUAREZCI	CTS CEM MF	
53	FROM HEAD	60-MPH	28-TONS	46-FT	1-P	1.00-BRK	1198-ATONS	717-AFT	
12	RBOX	33168	EB5K B	TP860	FXE	DELY	FXE	ELPASO	TX C FERROC M
52	FROM HEAD	60-MPH	31-TONS	56-FT	1-P	1.00-BRK	1229-ATONS	773-AFT	
13	TILX	650261	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
51	FROM HEAD	60-MPH	133-TONS	70-FT	1-P	1.00-BRK	1362-ATONS	843-AFT	
14	ADMX	63451	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
50	FROM HEAD	60-MPH	133-TONS	70-FT	1-P	1.00-BRK	1495-ATONS	913-AFT	
15	TILX	650328	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
49	FROM HEAD	60-MPH	134-TONS	70-FT	1-P	1.00-BRK	1629-ATONS	983-AFT	
16	CEFX	201193	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
48	FROM HEAD	60-MPH	134-TONS	70-FT	1-P	1.00-BRK	1763-ATONS	1053-AFT	
17	ADMX	63870	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
47	FROM HEAD	60-MPH	134-TONS	70-FT	1-P	1.00-BRK	1897-ATONS	1123-AFT	
18	ADMX	63180	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
46	FROM HEAD	60-MPH	134-TONS	70-FT	1-P	1.00-BRK	2031-ATONS	1193-AFT	
19	ADMX	63313	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
45	FROM HEAD	60-MPH	131-TONS	70-FT	1-P	1.00-BRK	2162-ATONS	1263-AFT	
20	TILX	642139	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
44	FROM HEAD	60-MPH	130-TONS	70-FT	1-P	1.00-BRK	2292-ATONS	1333-AFT	
21	CITX	700714	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
43	FROM HEAD	60-MPH	131-TONS	70-FT	1-P	1.00-BRK	2423-ATONS	1403-AFT	
22	TILX	650034	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
42	FROM HEAD	60-MPH	133-TONS	70-FT	1-P	1.00-BRK	2556-ATONS	1473-AFT	
23	TILX	650288	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
41	FROM HEAD	60-MPH	137-TONS	70-FT	1-P	1.00-BRK	2693-ATONS	1543-AFT	
24	ADMX	636064	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
40	FROM HEAD	60-MPH	131-TONS	70-FT	1-P	1.00-BRK	2824-ATONS	1613-AFT	
25	TILX	650003	LC6T LQBYPD	TP860	FXE	FXE	SANJUADELJA	PRO TEI AN	
39	FROM HEAD	60-MPH	134-TONS	70-FT	1-P	1.00-BRK	2958-ATONS	1683-AFT	
26	SHQX	15337	LC5P FLOUR	TP854		63CP	ALFALFA	TX TRK RAI HA	
38	FROM HEAD	60-MPH	128-TONS	65-FT	1-P	1.00-BRK	3086-ATONS	1748-AFT	
27	RBOX	32824	EB5K B	TP860	FXE	DELY	FXE	ELPASO	TX C FERROC M
37	FROM HEAD	60-MPH	31-TONS	56-FT	1-P	1.00-BRK	3117-ATONS	1804-AFT	
28	RBOX	34382	EB5K B	TP860	FXE	DELY	FXE	ELPASO	TX C FERROC M
36	FROM HEAD	60-MPH	31-TONS	56-FT	1-P	1.00-BRK	3148-ATONS	1860-AFT	
29	NOKL	570177	LD5C ALUMPD	TP860	FXE	FXE	CHIHUAHUACI	SUPERI IND	
35	FROM HEAD	60-MPH	142-TONS	59-FT	1-P	1.00-BRK	3290-ATONS	1919-AFT	
									IN CARRIER BOND
30	NS	164818	LG40 STEEL	TP854	05-750-55	STGE	ELPASO	TX STAGEC	CAR
34	FROM HEAD	60-MPH	74-TONS	53-FT	1-P	1.00-BRK	3364-ATONS	1972-AFT	
31	NS	168521	LG4P STEEL	TP854	05-750-55	STGE	ELPASO	TX STAGEC	CAR
33	FROM HEAD	60-MPH	77-TONS	58-FT	1-P	1.00-BRK	3441-ATONS	2030-AFT	
32	RCPE	481831	LC4T BNTNTE	TP860	FXE	FXE	GOMPALACIDG	VOL CLA DE	
32	FROM HEAD	60-MPH	127-TONS	60-FT	1-P	1.00-BRK	3568-ATONS	2090-AFT	
33	RCPE	480869	LC4T BNTNTE	TP860	FXE	FXE	GOMPALACIDG	VOL CLA DE	
31	FROM HEAD	60-MPH	128-TONS	60-FT	1-P	1.00-BRK	3696-ATONS	2150-AFT	
34	NOKL	732098	LFLG LUMBER	SW941	04-761-55	MUND	PLANEPOR	TTX MUNDEL TER	
30	FROM HEAD	60-MPH	123-TONS	81-FT	1-P	1.00-BRK	3819-ATONS	2231-AFT	
									CC CAR IS MORE THAN 80 FT
									UNLOAD AS PLACARDED
35	TILX	261470	LT22 POLGLY	SP019	08-702-00	FXIS	SANTERESANM	FXI	
29	FROM HEAD	60-MPH	130-TONS	56-FT	1-P	1.00-BRK	3949-ATONS	2287-AFT	
36	GATX	88830	LT22 POLGLY	SP019	08-702-00	FXIS	SANTERESANM	FXI	
28	FROM HEAD	60-MPH	126-TONS	56-FT	1-P	1.00-BRK	4075-ATONS	2343-AFT	
37	KBSR	470044	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF	
27	FROM HEAD	60-MPH	132-TONS	60-FT	1-P	1.00-BRK	4207-ATONS	2403-AFT	

38	KBSR	463024	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		26	FROM HEAD	60-MPH	132-TONS	58-FT	1-P	1.00-BRK 4339-ATONS 2461-AFT
39	KBSR	349862	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		25	FROM HEAD	60-MPH	134-TONS	60-FT	1-P	1.00-BRK 4473-ATONS 2521-AFT
40	KBSR	35112	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		24	FROM HEAD	60-MPH	134-TONS	60-FT	1-P	1.00-BRK 4607-ATONS 2581-AFT
41	AEX	23582	LC5T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		23	FROM HEAD	60-MPH	143-TONS	58-FT	1-P	1.00-BRK 4750-ATONS 2639-AFT
42	KBSR	35127	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		22	FROM HEAD	60-MPH	134-TONS	60-FT	1-P	1.00-BRK 4884-ATONS 2699-AFT
43	KBSR	76587	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		21	FROM HEAD	60-MPH	132-TONS	61-FT	1-P	1.00-BRK 5016-ATONS 2760-AFT
44	CMO	113265	LC5T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		20	FROM HEAD	60-MPH	143-TONS	56-FT	1-P	1.00-BRK 5159-ATONS 2816-AFT
45	CMO	101124	LC5T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		19	FROM HEAD	60-MPH	143-TONS	56-FT	1-P	1.00-BRK 5302-ATONS 2872-AFT
46	UP	89853	LC5T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		18	FROM HEAD	60-MPH	142-TONS	61-FT	1-P	1.00-BRK 5444-ATONS 2933-AFT
47	UP	111034	LC5T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		17	FROM HEAD	60-MPH	142-TONS	56-FT	1-P	1.00-BRK 5586-ATONS 2989-AFT
48	CHTT	720263	LC5T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		16	FROM HEAD	60-MPH	142-TONS	61-FT	1-P	1.00-BRK 5728-ATONS 3050-AFT
49	CHTT	720797	LC5T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		15	FROM HEAD	60-MPH	142-TONS	59-FT	1-P	1.00-BRK 5870-ATONS 3109-AFT
50	UP	76506	LC4T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		14	FROM HEAD	60-MPH	131-TONS	60-FT	1-P	1.00-BRK 6001-ATONS 3169-AFT
51	MP	724206	LC4T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		13	FROM HEAD	60-MPH	131-TONS	58-FT	1-P	1.00-BRK 6132-ATONS 3227-AFT
52	CMO	113360	LC5T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		12	FROM HEAD	60-MPH	142-TONS	56-FT	1-P	1.00-BRK 6274-ATONS 3283-AFT
53	UP	78399	LC4T WHEAT	JQ286	01-755-55	WCTL	CALWA	CA MILLER MLG
		11	FROM HEAD	60-MPH	131-TONS	60-FT	1-P	1.00-BRK 6405-ATONS 3343-AFT
54	MP	718023	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		10	FROM HEAD	60-MPH	131-TONS	59-FT	1-P	1.00-BRK 6536-ATONS 3402-AFT
55	SSW	70334	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		9	FROM HEAD	60-MPH	131-TONS	54-FT	1-P	1.00-BRK 6667-ATONS 3456-AFT
56	UP	78284	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		8	FROM HEAD	60-MPH	131-TONS	60-FT	1-P	1.00-BRK 6798-ATONS 3516-AFT
57	UP	76283	LC4T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		7	FROM HEAD	60-MPH	131-TONS	60-FT	1-P	1.00-BRK 6929-ATONS 3576-AFT
58	CHTT	721788	LC5T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		6	FROM HEAD	60-MPH	142-TONS	61-FT	1-P	1.00-BRK 7071-ATONS 3637-AFT
59	UP	99906	LC5T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		5	FROM HEAD	60-MPH	142-TONS	59-FT	1-P	1.00-BRK 7213-ATONS 3696-AFT
60	CHTT	720468	LC5T WHEAT	JP007	42-820-55	WCTL	NADEAU	CA GRAIN CRAF
		4	FROM HEAD	60-MPH	142-TONS	61-FT	1-P	1.00-BRK 7355-ATONS 3757-AFT
BLOCK TOTALS		55	LOADS	5	MTYS	7355	G-TONS	3757 FEET

BLOCK-- CUDS TP854

011

BNSF 255869 P3A ARTICULATED MULTI-WELL CAR
CONSISTS OF THE FOLLOWING 3 CARS

61	BNSB	255869	LP1A COFC	TP860	FXE	CUDS	CHIHUAHUACI FERROC MEX
		3	FROM HEAD	70-MPH	31-TONS	68-FT	1-P 2.00-BRK 7386-ATONS 3825-AFT
							EMHU 643932 LK7W AUTOPT TP860 FXE CHIHUAHUACI LOUPL GIS T
62	BNSC	255869	LP1A COFC	TP860	FXE	CUDS	CHIHUAHUACI FERROC MEX
		2	FROM HEAD	70-MPH	41-TONS	68-FT	1-P 0.00-BRK 7427-ATONS 3893-AFT
							DOUBLE STACKED
							UMXU 237422 LK7W USDART TP860 FXE CHIHUAHUACI APLLOG TMS
							UMXU 247657 LK7W AUTOPT TP860 FXE CHIHUAHUACI LOUPL GIS T
63	BNSA	255869	LP1A COFC	TP860	FXE	CUDS	CHIHUAHUACI FERROC MEX
		1	FROM HEAD	70-MPH	53-TONS	68-FT	1-P 0.00-BRK 7480-ATONS 3961-AFT
							DOUBLE STACKED
							UMXU 634937 LK7W USDART TP860 FXE CHIHUAHUACI APLLOG TMS
							UMXU 935212 LK7S USDART TP860 FXE CHIHUAHUACI APLLOG TMS
BLOCK TOTALS		3	LOADS	0	MTYS	125	G-TONS 204 FEET

CAR-TOTALS 58 LOADS 5 MTYS 7480 G-TONS 3961 FEET 5436 N-TONS

H A Z A R D O U S M A T E R I A L R E S P O N S E I N F O R M A T I O N

TRAIN-- ISIEP 29

003 FROM CAB/EOT CTCX732134 L 061 FROM HEAD

004 FROM CAB/EOT TAEX001142 L 060 FROM HEAD

005 FROM CAB/EOT TILX198657 L 059 FROM HEAD

006 FROM CAB/EOT TILX191102 L 058 FROM HEAD

007 FROM CAB/EOT TILX192916 L 057 FROM HEAD

COMMODITY NUMBER IS 4909152

H I G H V A L U E L O A D S

TRAIN-- ISIEP 29

3380-THERE ARE NO CARS ON THIS TRAIN WITH HIGH VALUE LOADS

3392-END OF TRAIN LIST

ENGINEER'S COPY
TRAIN LIST ISSUE NO. 1

TRAIN/JOB: ISIEP 29 NAME:
CNDR: M NAVARRO ENGR: T MURPHY C/F 08/29 1200

SECONDARY TRAIN ID: TRAIN DIRECTION OUT OF SI020 : EAST
58-LOADS 5-MTYS 7480-GTONS CAR LENGTH: 3961-FT TRAIN LENGTH: 3961-FT

HAZARDOUS MATERIAL IN TRAIN YES TRAIN WGT: 7480-TN
RAIL SECURITY SENSITIVE MATERIAL SHIPMENTS NONE
FORM 8620 PLACEMENT ERRORS NO
SSI ITEM 5 PLACEMENT ERRORS/WARNINGS NO
TRAIN LENGTH EXCEPTION NO
TRAIN HAS HIGH / WIDE SHIPMENTS NO
LEAD LOCOMOTIVE IS PTC EQUIPPED NO
LEAD LOCOMOTIVE IS EMS EQUIPPED NO

SSI MAXIMUM SPEED (UNLESS OTHERWISE RESTRICTED) IS AS FOLLOWS:
MAXIMUM SPEED * 60 * MPH BETWEEN SI020 AND TP854 LOWEST CAR SPEED
BE FURTHER GOVERNED BY MAXIMUM SPEEDS: TONS PER OPERATIVE BRAKE (TPOB)
ITEM #2F OR SUBDIVISION TIMETABLE SI-12

TRAIN IS TO BE OPERATED ACCORDING TO * TABLE B * TRAIN REQUIREMENTS SSI ITEM 2F

END TRAIN UNITS STATUS
NONE REPORTED

TRAIN LIMITS BETWEEN SI020 AND TP854
TPA LIMIT IS 500, TPA LIMIT DUE TO LOCOMOTIVE FAILURE IS 575
COUPLER LIMIT IS 21000
TERRITORY CODE OTHER THAN H OR L
TPA LIMIT FOR TRACK 1 IS 500
7480 TPA TONNAGE INCLUDES ISOLATED LOCOMOTIVES, IF ANY
0 TONS PER EQUIVALENT POWERED AXLE - 0.0 EPA
0 TONS PER EQUIVALENT DYNAMIC BRAKE AXLE - 0.0 EDDB
28 MAXIMUM EPA REAR HELPER

63 TOTAL NUMBER OF CARS/PLATFORMS
62.00 TOTAL OPERATIVE-BRAKES
119 AVERAGE G-TONS PER CAR OR PLATFORM
121 TONS PER OPERATIVE BRAKE
248 TOTAL AXLES, INCLUDING LOCOMOTIVES
143 HEAVIEST CAR, AEX 023582, SEQ 041
7480 TOTAL GROSS TONS, CARS AND LOCOMOTIVES

SUMMARY OF CAR TYPES
5 BOX CAR - 2 CUSHIONED DRAWBAR CARS
43 COVERED HOPPER
3 FLAT CAR - 3 CUSHIONED DRAWBAR CARS
3 DOUBLE STACK
7 TANK CAR
2 OTHER CARS - 2 CUSHIONED DRAWBAR CARS
7 TOTAL CUSHIONED DRAWBAR CARS

INSPECTION LOCATIONS:
 SANTERRAM NM SI020 O - CLASS 1

AIR BRAKE INSPECTIONS:

NAME	LOCATION	ROAD	DATE	TIME:	# CARS:
J. PEREZ	SANTERRAM NM		08/29/22	17:25	062

EOT INSPECTION:

NAME	LOCATION	ROAD	DATE	TIME:	EOT #
A. HACK	SANTERRAM NM		08/29/22	17:35	UPRQ068722

EVENT	CITY/ST	STA/YD	MO-DA-YR-TIME	TIM DIF	LOADS	MTYS	CAR-TONS	TRN-LGTH
CT	SANTERRAM NM	SI020	08-29-22-1200					
TD	SANTERRAM NM	SI020 +	08-29-22-1749		58	5	7480	4109
TA	SANTERESA NM	SP018	08-29-22-1805	29A	58	5	7480	4109
TD	SANTERESA NM	SP018	08-29-22-1937	27A	58	5	7480	4109
TA	ELPASDALS TX	TP861	08-29-22-2006	31A	58	5	7480	4109
PA	ROSA TX	TP859	08-29-22-2131	1'10A				
TA	ALFALFA TX	TP854	08-29-22-2142	1'07A	58	5	7480	4109

SCH	STATS	OLDS	OMTYS	OTONS	OFT	LOADS	MTYS	CAR-TONS	TRN-LGTH
SS	ALFALFA	TX	TP854			58	5	7480	3961

S/O	ZGH	HLS	ACUM	ACUM	ACUM	ACUM	TONS	SEQ	20	30	40	50	60	70	80	90	100	110	120	130	140	150
			3576	24	1	6929	57		XX													
			3637	20	1	7071	58		XX													
			3696	16	1	7213	59		XX													
			3757	12	1	7355	60		XX													
	6		3825	8	1	7386	61		XXXXXX													
	6#		3893	5	1	7427	62		XXXXXXXXXX													
	6#		3961	3	1	7480	63		XXXXXXXXXXXX													

EXPLANATION OF TRAIN PROFILE CODES

- HZ COLUMN: '*' INDICATES A CAR THAT IS HAZARDOUS.
- LG COLUMN: 'S' INDICATES A CAR THAT IS 45 FT OR SHORTER.
- '6' INDICATES A CAR THAT IS 65 TO 72 FT LONG.
- '7' INDICATES A CAR THAT IS 73 TO 79 FT LONG.
- 'L' INDICATES A CAR THAT IS 80 FT OR LONGER.
- SH COLUMN: '#' INDICATES A CAR THAT HAS A SPECIAL HANDLING CODE APPLIED; REFER TO THE CONSIST FOR DETAILS.
- #P COLUMN: INDICATES THE NUMBER OF PLATFORMS/WELLS ON AN ARTICULATED INTERMODAL CAR, AND THE NUMBER OF UNITS ON OTHER ARTICULATED CARS.
- TONS COLUMN: 'C' INDICATES A CAR THAT IS EQUIPPED WITH END OF CUSHIONING DEVICE