UNITED STATES OF AMERICA		
NATIONAL TRANSPORTATION SAFETY BOARD		
* * * * * * * * * * * * Investigation of: *		
* ALEUTIAN FALCON FIRE * IN TACOMA, WASHINGTON, * Accident No.: DCA21FM016 ON FEBRUARY 18, 2021 * * * * * * * * * * * * * *		
Interview of: JOSEPH TRETTEVIK, Marine Chemist Sound Testing, Inc.		
Via Microsoft Teams		
Thursday, October 21, 2021		
FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947		

APPEARANCES:

MICHAEL KUCHARSKI, Marine Accident Investigator National Transportation Safety Board

DEREK JOHNSTON, Human Performance Investigator National Transportation Safety Board

CWO Investigator US Coast Guard

GREG MILLER, Attorney (On behalf of Sound Testing and Mr. Trettevik)

> FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

ITEM		<u>INDEX</u>	PAGE
Interview of J	oseph Trettevi	k:	
Ву М	r. Kucharski		6
	Court Rep D.C.	ATE REPORTING, INC. Porting Transcription Area 301-261-1902 Annap. 410-974-0947	

	4
1	
1	<u>INTERVIEW</u>
2	(3:14 p.m. EDT)
3	MR. KUCHARSKI: Today is the 21st of October and it's 2021,
4	and the time is, Eastern Daylight Time, about 1514, so that's
5	about 3:14. And we're about 3 hours ahead of you, so it's about
6	12:14 Pacific Daylight Time, is that correct, there? Yeah.
7	CWO That's correct.
8	MR. KUCHARSKI: Yep. And this interview is being conducted
9	for the fire aboard the Aleutian Falcon, and we're here today to
10	interview it's Joseph Trettevik; is that correct?
11	MR. TRETTEVIK: Yeah. That's correct.
12	MR. KUCHARSKI: That's correct. Okay. And Mr. Trettevik,
13	first off, I explained to you earlier that what the NTSB and the
14	Coast Guard does as far as investigations or our cooperation
15	together here to jointly investigate, and I mentioned to you that
16	I like to record. Do you have any problem with us recording?
17	MR. TRETTEVIK: No. That's fine.
18	MR. KUCHARSKI: Okay. And you are at the offices of the
19	Coast Guard there at Sector Puget Sound, is that correct, right
20	now?
21	MR. TRETTEVIK: Yes.
22	MR. KUCHARSKI: Okay. Great.
23	So I'd like to start by identifying everyone who is first
24	yourself, and would you spell your name, full spelling of your
25	name, please?
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1 MR. TRETTEVIK: Yeah. My name is Joseph Trettevik. First 2 name is spelled J-o-s-e-p-h, and my last name is spelled 3 T-r-e-t-t-e-v as in Victor-i-k. 4 MR. KUCHARSKI: Great. Thank you. 5 And, Mr. would you also please spell for us for the 6 court reporter? 7 This is Chief Warrant Officer CWO Yeah. 8 and my -- it's spelled ; last name is , as in 9 10 MR. KUCHARSKI: Okay. Thank you. 11 And counsel -- counselor, please? 12 MR. MILLER: Yes. My name is Greg Miller, G-r-e-g, 13 M-i-l-l-e-r. 14 MR. KUCHARSKI: And could you explain your role again for the 15 court reporter, Mr. Miller? 16 MR. MILLER: I am just counsel for Sound Testing and for 17 Mr. Trettevik. 18 MR. KUCHARSKI: Okay. Great. Thank you. 19 And on the other -- on the Teams call from the NTSB? Derek, 20 could you identify yourself? 21 MR. JOHNSTON: Yes. Derek Johnston, human performance 22 investigator, NTSB. D-e-r-e-k, last name J-o-h-n-s-t-o-n. 23 Okay. Great. MR. KUCHARSKI: 24 And again, this is Mike -- full name Michael Kucharski, 25 K-u-c-h-a-r-s-k-i. FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	6	
1	INTERVIEW OF JOSEPH TRETTEVIK	
2	BY MR. KUCHARSKI:	
3	Q. Okay. So Mr. Trettevik, tell us a little bit about yourself,	
4	you know, your schooling in general and any classes you've taken	
5	or education related to the maritime industry that relate to your	
6	present position.	
7	A. Yeah. So I graduated from Brigham Young University with a	
8	degree in geography. And after college, I did some odd jobs. I	
9	ended up working as a shipyard competent person at Vigor Shipyard,	
10	and later took some chemistry courses that were required as part	
11	of the training to become a marine chemist. And I did my on-the-	
12	job chemist training with Sound Testing and was later certified to	
13	be a marine chemist in 2014 by the sorry by the NFPA. NFPA	
14	does our certification program.	
15	Q. And I think I know what NFPA is, but would you	
16	A. Yeah, National Fire Protection Agency.	
17	Q. Okay. Great. Yeah, I may ask you for some of these because	
18	the court reporter it's very difficult when they hear	
19	abbreviations, and you'll save me a lot of leg work going back and	
20	forth.	
21	Okay. And do you hold any Coast Guard license?	
22	A. No. Yeah, our certification is through NFPA, so it's not	
23	exactly a Coast Guard certification.	
24	Q. Okay. And is the certification by the NFPA, is that is it	
25	as a marine chemist?	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

	7	
1	A. Yes. Yeah, the license is yeah, I'm certified as a I	
2	think the actual title on the cert says NFPA certified marine	
3	chemist.	
4	Q. Okay. So would it be fair to say that the standards that you	
5	abide by when you perform a survey are by the NFPA standards?	
6	A. Yes.	
7	Q. Okay. And are there other, any other regulations that you	
8	follow when you perform a survey, like a particular fire	
9	department or county or any other regulations that you would	
10	A. We also depending on the type of job that we're doing,	
11	sometimes the OSHA 1915 regulation comes into play as we work in	
12	maritime industry.	
13	Q. OSHA, the Occupational Safety and Health Administration,	
14	OSHA? Yes?	
15	A. Yes. Yeah, the 29 CFR 1915.	
16	Q. You're going to save me a lot of work here because that's one	
17	of my questions further down, and I actually have 1915 that we may	
18	look at, but and it's sort of neat, too, because I do have a	
19	question about SCPs and interface.	
20	A. Okay.	
21	Q. So you, as a shipyard competent person, you have that	
22	background, which is great. It'll make it a lot easier for me.	
23	How about organizations? Do you belong to any organizations	
24	relative to your work?	
25	A. Yes. I'm a member of the Marine Chemist Association.	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

1 Okay. And your employer -- is your employer actually Sound Ο. 2 Testing or are you an independent contractor? How does that work? 3 Yeah. No, my employer -- I'm a salaried employee of Sound Α. 4 Testing, Incorporated. 5 Okay. Great. And at your current position -- so I Ο. Okay. 6 think you said you were certified in 2013 by the NFPA. When did 7 you actually, as a marine chemist on your own, when did you 8 actually start working as a marine chemist? It was 2014. So July of 2014. 9 Α. 10 Okay. And in general description, could you tell us what Ο. 11 your day-to-day job entails? 12 So like a big picture of what I do as a marine chemist Α. Yeah. 13 is I help ship repairers or shipyards conduct, you know, any kind 14 of repair or alteration to vessels in a safe way. So the way that 15 looks in a day-to-day process or, you know, in a day in the life 16 of a chemist, I guess you could say, we're called out to jobsites 17 or shipyards. I show up and I meet with a representative from the 18 shipyard. You know, it could be a steel man or, you know, the 19 steel lead or the project lead. But they'll take me around and 20 show me the hot work they want to conduct, and explain the types 21 of hot work or tools that they're going to use to complete that 22 work, and they will show me the spaces that are going to be involved in the work. 23 24 And after I've done like a visual inspection and I test the 25 atmosphere in those spaces, I essentially make a judgment of

> FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	9	
1	whether or not what they show me and the process they're going to	
2	conduct is safe. And sometimes the answer to that is no and I	
3	have to tell them no, or I have to work with them to come up with	
4	an alternative plan that will still get the work done but in a	
5	safe way. So it's basically a collaboration to help them do it	
6	safely.	
7	Q. Okay. Are all your surveys associated with hot work or do	
8	you also do just safe-for-entry type surveys?	
9	A. Yes. We also I also do safe for entry as well.	
10	Q. Okay. Sorry. My other background before I went on container	
11	RORO ships, I was on tankers for years. So, you know, I used	
12	to	
13	A. Okay. Yeah.	
14	Q interface with marine chemists quite a bit. So I know	
15	but we'll look at the certificate from that you issued from	
16	back for the Falcon, for the Aleutian Falcon. But I just	
17	wanted to, you know, understand are there different types of	
18	certificates that you issue?	
19	A. Yes. So the obviously the certificate that we use, it's	
20	the same format, but the types of designations that we give to	
21	spaces can vary depending on the condition of the space and what	
22	the planned work is. So like in your example, sometimes the	
23	planned work is just to enter the space. So if a space is safe	
24	for entry with no restrictions, then I can certify it as	
25	atmosphere safe for workers, for example. But the designation of	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

a space is dependent on the condition of the space and the work.
 Q. And when you go through these inspections, besides -- you
 test with a multigas meter, do you?
 A. Yes.

Q. Okay. And do you also -- what else do you look at besides, you know, testing the space for gases or for flammable gases, oxygen, things like that? What else do you look when you do a survey for hot work, let's say?

9 Α. Right. So mainly we're -- we're mainly looking for, you 10 know, flammable -- like I said, combustible gases and there are 11 flammable gases, but also combustible and flammable liquid, soft 12 and greasy coatings, any sign or byproduct of oil of any kind 13 we're looking for typically. So -- and then we're also looking 14 for -- you know, depending on the work, we want to make sure that 15 the work can done safely. So even if we get fresh air, we want to 16 visually inspect the space to make sure the work they're doing can 17 be done safely.

Q. Okay. So you would visually inspect that space, both above,
below, all around it? Would that be a fair statement?
A. Yeah.

Q. Okay. And who -- you mentioned shipyards and ship repairers. Is that the only things or entities that contact you? How about vessel owners? Will vessel owners contact you also? A. Yes. Yeah, vessel owners can contact us. Yeah, it kind of varies. I think I think about repairers because that's most often

> FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1	who calls us, is the repairer. But yes, we have been called by a
	vessel owner and sometimes we're called by the ship agent. So it
3	can vary.

4 Okay. Okay. And I know this is a loaded question because it 0. depends on, I'm sure, the size of the vessel and I guess the scope 5 6 of the work, but is there an average time that it takes to 7 complete a survey or can you bracket it or give us an idea of 8 different types of surveys, say how long it would take? 9 Α. Yeah, that's really hard because it does vary a lot actually. 10 Yeah, I mean it really depends on how many spaces are involved and

11 what kind of work they would want to do. Yeah, it can -- I mean 12 the longest things we do -- yeah, it -- I don't know. Yeah, it's 13 really hard to say, honestly.

- 14 Q. Okay.
- 15 A. Yeah.

16 Q. So it depends on the number of spaces where hot work will 17 performed and the type of work that they're doing?

18 A. Right. Yeah.

19 Q. Okay. A marine chemist certificate or let's say specifically 20 the one from the 4th of February, how long is that certificate 21 good for?

A. It's good for 24 hours. So basically it's good for 24 hours unless the ship checks it daily. So technically it's good as long as the ship owner continues to -- or whoever requested the certificate, as long as they maintain it daily or more often, if

> FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	12	
1	necessary. It's good as long as those conditions don't change	
2	that were the conditions that I saw when I was there. If the	
3	conditions change in any way, then the certificate is no longer	
4	valid.	
5	Q. Okay. Okay. So if the conditions don't change, then the	
6	requester, I think you mentioned it so if in this case, if it	
7	was the Falcon, if Trident maintains those conditions that you	
8	required, the certificate would still be current?	
9	A. Yes.	
10	Q. Okay. Okay. And maybe does that do you know if that	
11	requires, when you say maintain it, does a shipyard competent	
12	person, an SCP, have to visit the vessel on a daily basis or more	
13	often, as you said? And I think I know why you said more often.	
14	If, you know, ventilation changes or the scope changes or	
15	something like that, then that would change things, correct?	
16	A. Correct. Yeah, so when I say maintain that means a shipyard	
17	competent person has to do an inspection and visually verify the	
18	space is all in the same condition and verify that the atmosphere	
19	is in the same condition as it was when I was there.	
20	Q. Okay. Great. That's great thanks for clarifying that.	
21	So just out of curiosity, suppose an SCP is not involved, say	
22	it's on a ship at anchor or a tanker out in Puget Sound there in	
23	Elliott Bay, let's say, then what happens if there's is it	
24	not no SCP involved?	
25	A. Yeah. If no SCP is involved, then my certificate is good for	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

	13
1	24 hours, or less if the conditions change.
2	Q. Okay. Okay. And in general questions, have you surveyed any
3	vessels for Trident before this incident?
4	A. Yes.
5	Q. Okay. And I hate to say where and when because I think I
6	know the answer and you'll probably say a lot of times, but is
7	it would you say, would it be fair to say it's over 10 times?
8	A. Oh, definitely.
9	Q. Okay.
10	A. Yeah, I it would be hard to guess, but I mean over 6
11	years, 6, 7 years I mean, I have probably been to Trident at
12	least, you know, at least once a month for 6 or 7 years. So
13	definitely over 10.
14	Q. Okay. And when you say Trident, is it just the Tacoma
15	facility that you visited?
16	A. And also I've also visited the facility at the location in
17	Ballard area, in Seattle.
18	Q. Okay. And besides Trident, are processors and fishing
19	vessels a regular staple I hate to say staple a regular
20	are those the normal jobs that you do, surveying processors and
21	fishing vessels?
22	A. Yes. That's I would say that's probably the majority of
23	the work in Seattle that I have done has been on fishing vessels
24	of some type. We do lots of work, but I would say that a big
25	chunk of it is most of my experience has been on fishing
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1 vessels. I think that's fair to say.

2	Q. Okay. Okay. Great. And my last question of these general		
3	ones, so you are familiar with the term shipyard competent person		
4	or SCP under OSHA 29 CFR 1915?		
5	A. Yes. I am familiar.		
6	Q. Okay. I told you it was there, so you made my job easy.		
7	MR. KUCHARSKI: I'm going to stop there for a minute. And		
8	anytime you want to stop, take a break or anything like that, and		
9	for Mr. Miller, too, if there's a question that's ambiguous, you		
10	don't understand, we can always go off the record and clarify it,		
11	if need be. Again, the idea is not to trick or fool or anything		
12	like that, we just would like to get it right.		
13	So, Mr. do you have any follow-up questions?		
14	CWO No, sir.		
15	MR. KUCHARSKI: Okay. All right. Then		
16	MR. MILLER: While we're on break, maybe I'll just ask, can		
17	we get some waters?		
18	CWO I don't have any bottled water.		
19	MR. MILLER: Oh, no bottled water?		
20	CWO Yeah.		
21	MR. MILLER: Okay.		
22	CWO I don't. I didn't think to bring any. Yeah,		
23	sorry.		
24	MR. MILLER: Well, if we get dry mouth, that's why.		
25	MR. KUCHARSKI: I wish that I'll try to refrain from		
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947		

	15	
1	having my drink here because I know Mr. Trettevik has seen me take	
2	a drink after a while, because I guess that's I'm doing most of	
3	the talking anyway, so but okay, let's move along and	
4	BY MR. KUCHARSKI:	
5	Q. So specifically about the Aleutian Falcon, had you ever been	
6	aboard the Aleutian Falcon prior to the day you surveyed, on	
7	February 4th?	
8	A. I believe so, yes. I can't say for sure. I want to say yes.	
9	Q. Okay. And after the 4th of February, up until the fire, I	
10	think I forget the exact date; I don't know if it's the 13th	
11	or I think 17th rings out in my mind did you go aboard after	
12	the 4th for any reason?	
13	A. No.	
14	Q. And a burning question, who is Craig Trettevik?	
15	A. I'm sorry. Who?	
16	Q. Craig.	
17	A. Craig?	
18	Q. Yeah.	
19	A. That's my father. My father.	
20	Q. Okay. Okay. Because he there was another I think you	
21	can see my screen there. There was another marine chemist	
22	certificate that we saw for that with can you see it on the	
23	screen there? I'll make it bigger.	
24	A. Yeah.	
25	Q. Yeah. It says Craig Trettevik. So we're	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

1	Α.	Yep.
---	----	------

2 Q. -- sort of scratching my head saying, who is Craig? Okay.
3 Okay. So --

4 A. Yeah, (indiscernible) last name.

Q. Okay. Okay. And so we saw a certificate issued by Craig also. Do you know if there's any other -- was any other -- by Sound, say, any other marine chemist certificate issued after you went aboard?

9 A. Not that I know of, no.

Q. Okay. You know, I started thinking about this and saying, okay, well, there was one prior to, and that's the one I've shown you, which was noted as Craig Trettevik, and the date is 22 January of '21. And then, you know, we saw the one for the 4th, which has your name on it, and I'll bring that up here momentarily and get it around in a -- there you go. Okay.

16 So right now you're looking at marine chemist certificate 17 serial number A, as in Alpha, 031558, and it says marine chemist 18 name Joseph Trettevik. Do you see that?

19 A. Yes.

Q. Okay. Okay. And this, I think if I scroll down far enough, has your signature at the bottom. So does this look familiar to you? You've seen this before?

23 A. Yes.

Q. Okay. Great. And so for that particular survey on the 4thof February, who actually contacted you?

FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	17
1	A. I don't know for sure because our office takes the calls and
2	then dispatches us to the yard. I would have to assume that it
3	was someone from Trident who called us to schedule the work, but I
4	can't say for sure.
5	Q. Okay. Well, then when you came to the vessel, were there
6	Trident personnel with you when you performed your survey?
7	A. Yes.
8	Q. Okay. And who were those Trident people?
9	A. I don't remember exactly. Been a lot of surveys since then.
10	I mean, I can see his face.
11	Q. Okay. How about the port engineer, Jones? Does that ring a
12	bell, Dustin Jones?
13	A. It sounds familiar. It could have been him, yes, but I don't
14	remember exactly.
15	Q. Okay. Do you know if a shipyard competent person was with
16	you?
17	A. I remember there being a second person from Trident with us,
18	but I don't remember if it was their competent person or not.
19	Q. Okay. And so no one identified themselves as an SCP during
20	the time during your walkabout, your survey on board the
21	vessel?
22	A. I mean, he could have. I just I don't remember,
23	unfortunately.
24	Q. Right. Okay. But so but no one identified themselves
25	that you remember as an SCP?
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	18	
1	A. Yeah, not that I remember.	
2	Q. Okay. And did you review any plans of the vessel at all?	
3	A. No.	
4	Q. Okay. So okay. How about any firefighting gear? Do you	
5	look at any firefighting gear?	
6	A. When I was there, no. I no.	
7	Q. How about a fire watch? Do you I didn't see anything on	
8	here talking about oh, there it says, post a fire watch with	
9	charged water hose. Okay.	
10	Do you check any of the credentials of the fire watch at all?	
11	A. Typically no. I mean, I no, I don't check the credentials	
12	when I'm there. That's typically an employer program, so I leave	
13	it to the employer.	
14	Q. I'm sorry? Typically in a what program?	
15	A. It's a program that's the responsibility of the employer.	
16	Q. Employer program. Okay. Okay.	
17	A. I leave it for them.	
18	Q. Do you ever look at the employer's program?	
19	A. No.	
20	Q. Okay. And on the day you went on the Falcon, did you talk to	
21	any of the fire watches at all?	
22	A. No.	
23	Q. Okay. Is that typically something that you wouldn't you	
24	wouldn't talk to the fire watches, would that be fair to say?	
25	A. Yeah, I that's not a typical part of my inspection, no.	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

1 Q. Okay. Okay. And what were you told about the hot work to be 2 performed?

3	A. So I was told that they wanted to remove a section of steel
4	above the walk-in freezer and the dry stores. There was a piece
5	of wasted steel that was about maybe a foot high and 6 feet long,
6	and it made up essentially it was a section of steel that was
7	holding up a house that was about 2 feet off the deck on the
8	weather deck above the dry stores and the walk-in freezer. So
9	they wanted to crop it out and insert a new piece.
10	Q. Okay. Okay. And so, as we look at the certificate, okay,
11	and it says walk-in refrigerator and I'm not trying to catch
12	you on anything. I just want to make sure
13	A. Okay.
14	Q we're talking about the same space. So when let me
15	pull up and that's why I asked you about even the if you
16	looked at any plans. So this is a Fire Control and Safety Plan
17	FP Fishing Process, or FP Aleutian Falcon. Do you see that?
18	A. Yes. It's very small, but yes.
19	Q. Okay. Let me let's see what I can do about that. I think
20	there's something I can do about that somewhere in here. Let me
21	pull this out of the way. Actually, let me bring it up in a
22	different format and then I am going to blow it up for you.
23	A. Yeah.
24	Q. Sorry for the no, didn't bring it up. Ah, here it is.
25	Yes, it is. Okay. Is that a little bit better?
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1	Α.	Yes.

2	Q. Okay. So here we have a shelter deck and then the deck
3	below, the I'm sorry, the this is actually called the bridge
4	deck, the circled area in red here. And then below it, we see
5	shelter deck down in here, and we see freezer, chill room, and
6	then dry stores here. Is this I don't see anything that's
7	called refrigerator, okay, and your certificate says walk-in
8	refrigerator. I just want to make sure again, I'm not trying
9	to pull you short on it, but is this the same area we're so
10	when we're talking about that, are we talking about that area that
11	on this diagram shows or this plan that shows chill room,
12	freezer? Is that
13	A. Yes. So the area that I inspected, I guess on this map would
14	be called the freezer.
15	Q. Okay.
16	A. Yes.
17	Q. And I actually have so what I will do is pull up another.
18	This is part of the DOJ the ATF's report of investigation,
19	their ROI. And at the bottom here, see you know, they this
20	is the plan they used for an interview, and it's the same I
21	don't know if you can see it. It's the same basic one I showed
22	you that you just looked at marked up with dry stores and freezer.
23	But further down in here it and actually, by the ATF's report,
24	they said that the chill room he said they had been I'm
25	sorry. The freezer there it is. The chill room and freezer
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

had been combined into one room, so -- but I just want to make 1 2 sure that we're talking about the same one. And here they don't have it marked; see. You know, this is -- this sort of drives me 3 4 crazy. It doesn't say REFR room or anything like that. They 5 changed the space --6 Right. Α. 7 -- but it's that same general area we're talking about, and I Ο. 8 just want to make sure that that earlier diagram that I showed 9 you, which says shelter deck on it and chill room and freezer, 10 that forward end there, is the area we're talking about. Is 11 that --12 That's correct. Α. Yes. 13 Okay. Because that'll make the questions that -- the Ο. Okay. 14 further questions that I ask a little bit easier to know that 15 we're talking about the same place that you looked at and then 16 where the fire actually occurred. Okay. So -- or what is 17 believed to have occurred, where it occurred. So the work here -- we're back now to the marine 18 Okav. 19 chemist certificate from February 4th, okay, that you drafted. 20 So -- and again, this main -- this walk-in refrigerator forward, 21 that's the same space we're talking about that I just showed you 22 that borders on a storeroom; is that correct? 23 Yes. Α. 24 So did it make any difference -- and, you know what, Okay. Ο. 25 you may like to see this. This was from a survey that was made I FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	22
1	think in 2017 it may have been '14. Does that look somewhat
2	familiar to you?
3	A. Yes.
4	Q. Okay. Because that's what they had, and this is ATF also
5	had these photos from the survey. And I can pull up some of
6	these, too. And there was a Nicolson survey, too, that was made
7	of this. So I just want to make sure that we're talking about the
8	same vicinity. So that you're looking at photo 1641 image, and
9	that looks familiar as the REFR space that you looked at?
10	A. Yes.
11	Q. Okay. Again, it's not if you want to I've got 7,000
12	photos. You know, it's you know, we can
13	A. (Indiscernible)
14	Q. Yeah, yeah. Some are after, too. But again, they're very,
15	very helpful photos for us.
16	So back to the certificate, and this is to my mind the
17	really critical thing is you say, may grind, weld, and cut with
18	cutoff wheel to the weather deck above the walk-in refrigerator
19	forward; then, without penetrating it. Does that look familiar?
20	A. Yes.
21	Q. Okay. Okay. So did you when you made your inspection,
22	okay, did you you looked at the storeroom and you were inside.
23	And I do have pictures, older pictures of the storeroom. But
24	the you looked at the construction of these spaces, the
25	bulkheads, and what was on the bulkheads, did you?
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1	Α.	Yes.

2	Q. Okay. And were you aware that the forward bulkhead to the
3	combined chill box and freezer, the forward one which adjoined
4	and let me pull up this plan again. This bulkhead I'm when you
5	see I'm moving an arrow up and down, and do you want me to make
6	that bigger for you? I can do that.
7	A. I little bit bigger. That'll help.
8	Q. How's that? Is that let me see if I can get
9	A. That's better.
10	Q. Let me see if I can get it centered a little bit bigger.
11	Whoop, go too far. So we're looking back at that fire the fire
12	control plan.
13	A. Uh-huh.
14	Q. And I'm running my arrow up and down a black line here and
15	then dropping down below here, okay, onto the shelter deck area
16	where it shows the freezer and chill room and then dry stores
17	forward.
18	A. Yep.
19	Q. Okay? There's like a actually a gray line, becomes a gray
20	line there on the shelter deck, that bulkhead. So that bulkhead
21	there, did you know what the construction of it was?
22	A. You mean as far as like what the bulkhead's made out of?
23	Q. Yeah. Yeah.
24	A. No. I guess I I mean, I saw steel, so I assumed it was
25	steel.
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1 Q. Okay. And how about on the storeroom side, the -- where it 2 backed up to it? Did you know if there was any 2x4 and plywood construction? 3 4 I didn't see any 2x4 or plywood construction on the dry store Α. 5 side. 6 Q. Okay. So you didn't see any 2x4 or plywood construction 7 anywhere while you were down there? 8 In the dry stores -- I'm trying to think. I -- it's hard Α. 9 to -- like I don't remember exactly. I mean -- sorry, it's a long 10 time ago. 11 Ο. No, that's okay. That's okay. 12 Yeah. I don't remember seeing plywood construction in the Α. 13 dry stores. 14 Okay. Okay. And did you take any pictures while you 0. 15 performed your survey? 16 No. Α. 17 Okay. Okay. So did the REFR area, the refrigerator Ο. No. area that you looked at, did it have a ceiling on it? 18 19 So the ceiling was -- I mean, yes. Like the ceiling looked Α. 20 the same as the picture that you showed me. 21 Oh, it did? Okay. So there wasn't bare steel that you were Ο. 22 looking at? 23 Α. No. 24 And was that both in the refrigerated area and also in Okay. Ο. 25 the storeroom area, the dry stores area? FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

2.4

1 The dry store, the overhead of the dry store area was Α. No. 2 bare steel and the overhead of the freezer that I listed as 3 walk-in refrigerator forward, that space had foam in the overhead, 4 insulation. 5 0. Okay. Okay. And so let's go back to your certificate for a 6 moment. So I see in item number 2 under limitations, item number 7 2, may grind, weld, and cut with cutoff wheel to the weather deck 8 above the walk-in refrigerator forward -- that's in parenthesis, 9 FWD -- without penetrating it. So it was your understanding 10 that -- are you specifically telling them they cannot penetrate 11 that deck going into the REFR box and the storeroom? 12 Yes. Α. 13 Okay. So did they discuss with you -- they're going Ο. Okay. 14 to insert this deck, so, you know -- I mean, so as you --15 Oh, that was not what they (indiscernible) --Α. 16 I'm sorry? Q. 17 Α. Oh, sorry. Sorry. I said that was definitely not what they told me. 18 19 Oh, they didn't tell you they were going to insert it? Q. 20 Α. No. 21 Okay. Okay. Yeah, that's -- I mean, I -- you know, I hate Ο. 22 to be the judge and jury here, but I mean I look at it and it's --23 the marine chemist certificate seems pretty clear except for that 24 maybe terminology, the walk-in refrigerator forward, but -- so 25 your expectation or your limitation was they could grind on that FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1 deck above the REFR and above that storeroom but they couldn't
2 penetrate the deck?

3 A. Correct.

4 Okay. Okay. And I see -- so the -- let's look at the Q. 5 picture, if you will, of the vessel. Okay. And I do have a 6 picture somewhere. There we go. So now you're looking at a cover 7 page or a page of a document that says Vincent Marine Services, 8 Marine Survey and Consulting, Aleutian Falcon, and the report issued on 29 September 2017. Do you see that? 9 10 Α. Yep. 11 Okay. Great. So I'm guessing now, from looking at this, Ο. 12 the -- well, we know the shelter deck's down in here and this --13 so this is the after area you were talking about, the after part 14 of this, that they were actually -- let me see if I can get 15 another picture -- which you said was part of the house or the

16 cabin; is that the -- let me see --

- 17 A. Well, I --
- 18 Q. Tell me.

Yeah, I -- again, it's been a while, so I don't remember. 19 Α. My 20 memory is that there was -- it was not part of the actual like 21 house that's connected to the bridge. I seem to remember there 22 being a smaller structure that was on that same deck, but again, 23 that's just my memory. I -- it's a little fuzzy at this point. 24 Let me come back to -- I did see it. I may have to blow it Ο. 25 up, but they're pretty good -- the clarity on the pictures is

> FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	27
1	pretty good. Let me, let me come back and whoops. Sorry about
2	that. I just saw it and I want to blow that up a little bit.
3	I'm scrolling through some pictures now and I think we're
4	going to there. Okay. Let me just blow that up a bit.
5	Luckily they must have used high resolution megs, you know, to
6	look at this. So all right, let's see if I can pull it over
7	and then you can look at it. And that may refresh your memory a
8	little bit. There we go.
9	So this appears to be a photo from the afterdeck of the
10	Aleutian Falcon looking forward. Okay. And the pilothouse is up
11	in here and then here is the
12	A. Right.
13	Q. Does that look familiar now?
14	A. Yeah, it looks a little bit different than I remember it,
15	but yeah, it very likely could be that structure. My memory is
16	mostly of the of looking I have a distinct memory of looking
17	at the piece of steel that they had, you know, laid out like
18	they had drawn out what they wanted to remove. I remember seeing
19	that. My memory of everything around that is a little bit
20	fuzzier.
21	Q. Okay. Okay. Understood. And it probably there may not
22	have been all this gear on board there. I'm just but this is
23	an open deck we're looking at, okay, and
24	A. Yes. It looks very similar to what I remember seeing, yes.
25	Q. Do you remember if this looks like some kind of an exhaust
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	28
1	coming out of the deck there? Does that look was that there?
2	Yeah, not, not good there. Was that in place when you
3	A. I don't remember seeing an exhaust, no.
4	Q. Okay. Okay. Fair enough. Fair enough.
5	But so it was open deck and there was a bulkhead that they
б	had wasted steel that then bent around, for lack of a better word,
7	to the deck so it was sort of formed an L-shape. Would that be
8	a fair assessment?
9	A. Yes. The steel that they wanted to remove was perpendicular
10	to the deck and it was on the weather deck out in the open.
11	Q. Okay. Okay. To the weather deck. Okay. Okay. That's very
12	helpful, very helpful.
13	So you were not aware of any insert to the deck being part of
14	the scope of work that you surveyed for?
15	A. No.
16	Q. Okay. Now we're going to hopefully it'll populate. I
17	think it will. And I'm going to pull these in, and let's see what
18	I can get to open up in a reasonable amount of time. Oh, wow.
19	That was fast. That was a lot faster than I thought.
20	You're actually looking at some of the post-accident photos.
21	But I don't know from the direction that you're looking at,
22	whether you're I'm scrolling through them rather quickly. I
23	actually wanted to get to one spot let me go back the other
24	way which actually had the ah, there we go. Have to go that
25	way with it. I'll slow down here in a minute.
	FREE STATE REPORTING, INC. Court Reporting Transcription

Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	29
1	Okay. I think these did you go on board the vessel at all
2	after the accident?
3	A. No.
4	Q. Okay. So I'm sure it's going to be hard for you to tell what
5	we're looking at here because you saw a finished structure. But
6	you see daylight coming in at the top and the up above where
7	it's light, you see the framing here and it looks like charred
8	material.
9	A. Yep.
10	Q. Okay. But so you wouldn't really be able to look at any of
11	these and see an area that let me go back to the deck photos,
12	if you will, from the deck area that you would actually be able to
13	recognize.
14	A. Correct.
15	Q. No. Okay.
16	MR. KUCHARSKI: I'm going to hold there.
17	Mr. do you have any questions to ask?
18	CWO No. You cleared up the one question that I had
19	about the where the metal that was being cropped out at. So
20	I'm good on that.
21	MR. KUCHARSKI: Okay. Okay.
22	BY MR. KUCHARSKI:
23	Q. And actually you're looking at now we believe this is the
24	horizontal deck area and this is the vertical area, a portion of
25	the vertical area that you likely looked at. But you only as
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	30
1	far as you knew, they were just taking out the vertical area or
2	the bulkhead area at the weather deck area; is that correct?
3	A. Correct.
4	Q. Okay. All right. You know what I think I'm going to do
5	well, I'll I'd like to maybe take a 5-minute break and then I'm
6	going to pull up some other photos of the storeroom area and maybe
7	that deck area where we believe the fire originated, but prior
8	pre-fire photos. Let me put it that way. So actually, maybe
9	even
10	A. Okay.
11	Q even I do have photos of the they call it the bridge
12	deck, though, you know the top. The shelter deck is below where
13	the fire took place or in that vicinity.
14	MR. KUCHARSKI: Okay. So can we take maybe a 5-minute break,
15	and then you can grab
16	MR. TRETTEVIK: Okay.
17	MR. KUCHARSKI: a drink of water or is 5 minutes
18	enough?
19	MR. MILLER: Sure. That's fine for me.
20	MR. TRETTEVIK: Yeah.
21	MR. MILLER: Do you have an ETA, Mike?
22	MR. KUCHARSKI: E-T ETA?
23	MR. MILLER: ETD? ETF, estimated time of finish?
24	MR. KUCHARSKI: I'm guessing maybe about 3 more hours. No,
25	I'm only kidding. I'm only kidding. About we're pretty close
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	31
1	to the end. I'm going to say from when we finish definitely
2	within a half hour. Okay?
3	MR. MILLER: Okay. I just need to send a message back to my
4	office because I told them 1:30 and that's not going to work like
5	that. I just wanted to be able to give them an ETA.
6	MR. KUCHARSKI: Sure. Sure, sure, sure. Yeah, I'll
7	unless there are follow-up questions. I just would like to pull
8	up a couple more photos and just have you take a look at them.
9	Maybe not the
10	MR. MILLER: Yeah.
11	MR. KUCHARSKI: fire photos. Okay? So let's take
12	MR. MILLER: Yeah, yeah, we're trying to rush. It's just
13	I just wanted to give them a heads up.
14	MR. KUCHARSKI: Sure. Sure. Okay. The time is now, Eastern
15	Daylight Time 1610, and we'll take a break. Thank you.
16	(Off the record at 4:10 p.m. EDT)
17	(On the record at 4:21 p.m. EDT)
18	MR. KUCHARSKI: Okay. Good afternoon again. It is 1621
19	Eastern Daylight Time, and we're resuming the interview of
20	Mr. Trettevik.
21	BY MR. KUCHARSKI:
22	Q. And so, I had asked you questions earlier about the actual
23	area where they said the hot work was going to be performed. And
24	what you're looking at now, this is photo 5821 from the ATF's
25	photo journal. And actually, you probably can't tell down here,
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	32
1	but if you look at the wording
2	A. We're just seeing the policy review right now.
3	Q. Oh. Sorry, guys. Okay. Let me
4	MR. MILLER: We finally got to see the full sun.
5	BY MR. KUCHARSKI:
б	Q. Here we go. Okay. You're seeing photo 5821 now? Yes?
7	A. Yes.
8	Q. Okay. Okay. And it's a sunlit picture, and actually down in
9	here, if I I can blow it up and you can actually see that's
10	someone from the ATF down there, ATF in gold letters, jacket. So
11	this is looks like a deck photo or the deck here and part of a
12	vertical surface. Do you
13	A. Yes.
14	Q. Is that fair enough to say?
15	A. Yes.
16	Q. Okay. And I'm going to, sorry, maybe scroll through a couple
17	other pictures here of the vessel itself, and I'm guessing this
18	is 5819 looks like maybe the starboard side of the house. I'm
19	going a close-up view of some of the fire damage, the bow. And
20	let me see whoop, there we go. So now we're looking again,
21	looks like let me back up just a second. Okay. We're at photo
22	5926, and it looks appears like we're looking down. There's
23	that cracked frame that we saw in other photos.
24	A. Yes.
25	Q. And we're looking down, we see a white helmet and it looks
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

1 like a person with an X retro-reflective tape, white and green. 2 Do you see that? 3 Α. Yes. 4 Okay. Okay. And just scrolling ahead a little bit to two Q. 5 ahead. Let me see. Get one more just -- oh, too far. Okay. But 6 what we're looking at now, it looks like from inside, where it's a 7 little bit darker, looking out into a lighter area, and we see 8 that -- looks like deck again being cut. Here there's something 9 missing. It looks like maybe the bulkhead was cut here. Do you 10 see that photo? 11 Yes. Α. 12 Ο. Okay. 13 Yes, I see it. Α. 14 So then when I go back to -- sorry. I'm going to jump Ο. Okav. 15 out of this one and pull up again what was crew quarters. 16 MR. KUCHARSKI: See, you know, I never really paid 17 attention to crew quarters, but golly day --BY MR. KUCHARSKI: 18 19 It looks like a person in the photo here and it looks like Q. 20 either a watertight door or some kind of opening to the outside 21 from inside of an area. And you see the deck, and now you can see 22 where the bulkheading is missing. Yes? 23 Α. Yes. 24 0. Okay. 25 Α. Yes. FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	34
1	Q. Okay. And the person that's answering yes, that's you,
2	Mr. Trettevik, correct?
3	A. Correct.
4	Q. Yeah. Okay. Okay. And now you see another photo where you
5	can see clearly you're inside a structure looking outward because
6	you see the lighted area. It looks like a deck area and it looks
7	like maybe a ventilation hose off a Coppus blower or a ventilation
8	fan. We see that?
9	A. Yes.
10	Q. Okay. And this looks like an area that was cut away. I'm
11	running my arrow across this photo for it looks like an area
12	that's missing from the bulkhead that we're looking outward to.
13	Correct?
14	A. Correct.
15	Q. Okay. Now does this opening I know we're looking from the
16	inside does that look familiar in any way?
17	A. It doesn't, no.
18	Q. Okay. Okay. I don't think I have anything of the outside.
19	I'm trying to these are all internal pictures. I wish I had
20	one just of the complete house area. But did you look well,
21	tell me, tell me. This will sort of answer something. Did you
22	look on the other side of the bulkhead that they were that they
23	said that they were going to cut out a portion of?
24	A. I don't remember. I may have. Yeah, I don't remember
25	looking on side of that bulkhead.
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	35
1	Q. Because then how would you know it was safe to cut on it if
2	you didn't see the other side? I mean, suppose there had been
3	suppose there was gasoline inside of there or you know, I'm
4	playing the devil's advocate here.
5	A. Right. Right. Yeah, so I my memory is that part of that
6	bulkhead was already removed and I don't remember seeing
7	anything I don't remember seeing any hazard, but it's, yeah,
8	it's been a while. I mean, this happened like 8 months ago and
9	I've written maybe like 200-plus certificates since then, so it's
10	hard to give you definitive answers on some of these things.
11	Q. Oh, yeah. Understood. Understood. But you don't remember
12	what was you say part of it was already removed?
13	A. Yes.
14	Q. Part of the so they had cut part of that bulkhead out,
15	that part of the bulkhead had been cut already?
16	A. That's my memory, yes.
17	Q. Okay. Okay. And again, so, you know, the reason I'm asking,
18	it shows that, in all our diagrams and everything that we're
19	seeing, there were crew quarters on the other side of that cut.
20	But you don't recollect if there were crew quarters on the other
21	side of that bulkhead?
22	A. No.
23	Q. I'm sorry?
24	A. No.
25	Q. Okay. Did you keep any notes of what you looked at, per
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	36
1	chance?
2	A. No. The only notes I took were on the were the
3	certificate.
4	Q. Okay. Okay. All right. And I don't know if we have the
5	certificate there. We'll pull that up one last time. There we
6	go. Okay. Now we're back to well, let me flip that around
7	looking to the certificate that you issued on there, on that date,
8	on 2/4/21. Do you see it?
9	A. Yes.
10	Q. Okay. All right. Good. So I'm looking on any other you
11	mention on item number 3 well, let's go back to 2 of the
12	requirements: Keep hot work off and isolated from adjacent spaces
13	not certified safe for hot work. Do you see that?
14	A. Yes.
15	Q. Okay. Okay. So what adjacent spaces did you mean?
16	A. So I meant any spaces that were connected overall any
17	spaces adjacent to the dry stores. So it's anything above, below,
18	in the fore and aft, port, starboard, you know, the corners of the
19	space.
20	Q. Okay. Oh, so these so I'm understanding it, above
21	requirements it says, dry stores, with a bracket, and then
22	atmosphere is safe for workers, safe for hot work.
23	A. Yes.
24	Q. Okay. Is it safe for was it safe, atmosphere safe for
25	workers, safe for hot work, the dry stores area?
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

		37
1	А.	Sorry. The dry stores or
2	Q.	Well, I'm looking at this here. Yeah, the oh, it says
3	is i	t do you see anywhere in here, and I'm not seeing you
4	know	, there's a fold in here. I see atmosphere safe for workers,
5	but	then below it
6	A.	Well, in the yeah, in the fold it says, safe for limited
7	how	work.
8	Q.	I'm sorry?
9	Α.	The so I have a better copy than that one.
10	Q.	Oh, you do?
11	A.	Yeah.
12	Q.	Oh, great. Could would you
13	A.	So in the fold
14		CWO Just for the record, Mike, they have a copy of the
15	mari	ne certificate here
16		MR. KUCHARSKI: Yes.
17		CWO that they're referring to.
18		MR. KUCHARSKI: Uh-huh. Uh-huh. Okay. Great. Great.
19		BY MR. KUCHARSKI:
20	Q.	And in the fold it says what?
21	Α.	Safe for limited hot work.
22	Q.	Safe for limited hot work?
23	Α.	Limited hot work. Yes.
24	Q.	I'm sorry?
25	Α.	Safe for limited hot work.
		FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	38
1	Q. Okay. And then below it, it says safe for hot work?
2	A. So the safe for limited hot work applies to the walk-in
3	refrigerator and forward on the certificate, and safe for hot work
4	applies to the dry stores.
5	Q. Okay. And is okay. So in the fold then see the
6	wording dry stores? Is there wording above do you see where my
7	arrow is? Is there wording above there, too?
8	A. So if you scroll the tool bar here is covering it, so if
9	you can scroll down a little bit on your screen, then I can see
10	what you're pointing at.
11	Q. Is that better?
12	A. Oh, that fold?
13	Q. Yeah, this
14	A. Yeah.
15	Q. Does it say REFR above here somewhere?
16	A. No. So in that there's nothing written in that fold just
17	above where it says dry stores.
18	Q. Okay. And so then how would I know that you say it is
19	safe for on the fold above the wording, safe for hot work, and
20	below, atmosphere safe for workers, you say in that fold
21	A. Oh, no. The fold above, that goes through a section that
22	says walk-in freezer or sorry walk-in refrigerator forward.
23	If you scroll back up
24	Q. Yeah, yeah. Oh, okay.
25	A. That fold right there. So between atmosphere safe for worker
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

			39
1	and t	the atmospheric readings	
2	Q.	Yeah.	
3	А.	that fold in there, it says, safe for limited hot work.	
4	Q.	Okay.	
5	A.	Yeah, we can leave you a better copy of the certificate.	
6	Q.	Great. Great.	
7		MR. MILLER: We'll give it to Mr.	
8		BY MR. KUCHARSKI:	
9	Q.	And what would that be then, walk-in refrigerator safe for	
10	limit	ted hot work?	
11	A.	Sorry. What do you mean by that?	
12	Q.	What would safe	
13	A.	Sorry, I don't understand.	
14	Q.	What would safe for limited how work mean?	
15	A.	It means that they can do the work that's listed under	
16	limit	tations just below that section.	
17	Q.	Okay. So limitations (indiscernible)	
18	A.	Can you see what I	
19	Q.	I see. So	
20	A.	Yeah. So sorry. Go ahead.	
21	Q.	They could grind or weld in the walk-in refrigerator forwar	ď
22	as lo	ong as they don't penetrate the deck? That's what I'm tryin	g
23	to ur	nderstand, how you read that then in conjunction.	
24	A.	All right. So yeah, so what it says is they may grind,	
25	weld	and cut with cut-off wheel to the weather deck above the	
		FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947	

	40
1	walk-in refrigerator forward without penetrating it. So that
2	means that they can do that type of hot work on the weather deck
3	above that refrigerator space without penetrating the deck going
4	down into the refrigerator space.
5	Q. Okay. Okay. Great. Great.
6	And then, so dropping back down to the dry stores, I see safe
7	for hot work.
8	A. Yes.
9	Q. So how I see safe for hot work here. Then further down in
10	requirements, number 2, says: Keep hot work off and isolated from
11	adjacent spaces not certified safe for hot work. So if I read
12	this, would you be able to weld or do hot work in the dry stores
13	area?
14	A. Well, you so my certificate gives them permission to do
15	what they showed me. If new work came up that they wanted to do
16	under my certificate, they would need to call me and let me know,
17	and, you know they didn't call me after I left, so what I
18	saw what they showed me when I was there was the only thing
19	that they presented as the scheduled hot work.
20	Q. Which so they didn't show you any hot work being performed
21	inside the storeroom itself?
22	A. No, they did not.
23	Q. Okay. Okay. And I guess it's sort of clear that on the
24	limitations above for the walk-in refrigerator forward. I'm just
25	a little bit hazy on when I look at the dry stores, how would I
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	41
1	know that you couldn't weld inside the dry storeroom by looking at
2	that?
3	A. Yeah. Yeah, I yeah, I'm not sure.
4	Q. There's no wording
5	A. Yeah, I may have
6	Q. I'm sorry. Go ahead.
7	A. Right. Yeah, it's yeah, it may you know, I
8	typically well, yeah, I could've been more clear, I suppose.
9	But with our certificates we you know, we're certifying work
10	that they show us, you know.
11	Q. Right. Right, right.
12	A. And we need to be but we need to be notified if that's
13	going to change.
14	Q. Okay. That's fair enough. Fair enough. I don't want to
15	drag you though this. I didn't realize there was more information
16	in the folds there. So I'm looking at this and I'm saying how do
17	I read this? I've looked at a lot of hot work certificates in my
18	time, so I'm looking at it and seeing and, yeah, I mean
19	okay. Okay. So let me wrap up with a few other just fairly
20	straightforward questions.
21	Did anyone from Trident contact you about the fire on the
22	Falcon after the accident?
23	A. No.
24	Q. Okay. Did you did anyone else contact you besides Trident
25	regarding the fire on the Falcon?
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	42
1	A. No.
2	Q. Okay. Some general questions: Is there a definition that
3	you go by for hot work?
4	A. Yes. I go by the definitions in the NFPA 306, that's the
5	Fire Protection Agency 306 regulation.
6	Q. Okay. National Fire Protection Agency, NFPA?
7	A. Correct.
8	Q. And it's regulation 306. Okay. Great.
9	And well, then my next question was who defines it. Okay.
10	So is can you tell me what a if cutting with a disc is
11	considered hot work; do you know?
12	A. It depends. Typically no, unless it's being done in an
13	atmosphere that is above 10 percent of the LEL for whatever, you
14	know, flammable or combustible substance is in the air.
15	Q. Oh, okay. So back to your stipulation or your limitation,
16	may grind, weld, and cut with cut-off wheel. What is a cut-off
17	wheel?
18	A. A cut-off wheel is a type of disc used with a grinder. So
19	it's a form of grinding. It's a thin disc that's designed to cut
20	through steel.
21	Q. Ah. Okay. So they could use that to cut through steel like
22	the bulkhead, but they couldn't use it to go through the deck; is
23	that
24	A. Correct.
25	Q. Okay. Okay. Has a SCP, a shipyard competent person, for
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	43
1	Trident ever contacted you regarding hot work or changes to hot
2	work?
3	A. On past jobs?
4	Q. Yes.
5	A. Possibly. I can't think of a specific example. It's more
6	common for them to call us back out if there's a change.
7	Q. Okay. Well, would the SCP, would you would they be the
8	one actually contacting you or would it be someone for the company
9	contacting? I'm just I'm trying to get my arms around the SCP.
10	What other role do they have besides checking there on the site
11	itself? Do they actually talk to you? Do you talk to SCPs at all
12	in other companies?
13	A. Yes. Yeah. It's not uncommon for SCPs to call us to ask
14	questions or to get advice on like the most common call that we
15	get is, you know, does this work require a marine chemist? And we
16	can advise them about whether or not we need to come out inspect
17	it or the SCP can inspect the work themselves.
18	Q. Oh, I see. I see. So there's a question yeah. I've got
19	you. I've got you. So would so back to Trident. You don't
20	recollect, but possibly, an SCP could have contacted you before,
21	but not for the definitely not for the hot work on the Aleutian
22	Falcon; is that correct?
23	A. That's correct.
24	Q. Okay. So do you often have to revisit a vessel that you
25	surveyed for hot work? So let's say you survey and you provide a
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

marine chemist certificate. Do you often have to go back to look 1 2 at things? It's not super common, but it's not uncommon either. 3 Α. 4 Certainly if conditions change, we have to go back and recheck. 5 One example would be if they filled a fuel tank with fuel and then 6 later decided there was more work on it and they had to dump --7 you know, remove the fuel and reclean the tank. They would have 8 to call us back out. That has certainly happened. 9 Ο. Okay. Okay. And if the scope of work changes, do you 10 automatically have to come back out? 11 Typically yes. I mean it depends on how the work is Α. 12 changing. 13 Okay. And can you give us an idea, an example of where it Ο. 14 had changed but you wouldn't have to come out? 15 Yeah. Like -- so, for example, let's say they wanted to Α. 16 enter a fuel tank that was dirty and they needed a respirator to 17 enter the tank. So I would have to go and certify the tank as an "enter with restriction" space and specify the type of respirator 18 19 that they needed to use to enter the space. And let's say that 20 after I left they clean the space and so now it's no longer a 21 hazard and, you know, and they call me back and say, hey, it's 22 clean, like we want to go in there without a respirator. At that 23 point their SCP can verify that it's below the EEL for that hazard 24 and the SCP can give the permission and I would not need to come 25 back out to lift that restriction.

> FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	45
1	Q. Okay. So, but maybe the scope of work hadn't changed, but
2	the conditions in the space had changed. Would that be more
3	because what I'm looking at is
4	A. Oh, yeah, I guess that's sure.
5	Q. You know, like a scope of work, I'm trying to think.
6	Because, you know, you mentioned earlier on a number of times that
7	this is you were told that they were working on the bulkhead
8	and not the deck
9	A. Correct.
10	Q not inserting the deck.
11	A. Correct.
12	Q. And so I'm trying to see so that would be considered a
13	change of scope that you would have to come out for?
14	A. Right.
15	Q. If they were inserting a deck?
16	A. Yes.
17	Q. Okay. And so let's say they showed you a part of the
18	bulkhead let's take the A <i>leutian Falcon</i> and it was only
19	maybe 18 inches. And if they said we'd like to go 24 inches,
20	would that be a scope that maybe would not require you to come
21	back out again?
22	A. I mean, it's hard to speculate, but I mean they would
23	certainly need to call me and let me know, and we could talk about
24	it to make sure that there were no issues with that sort of a
25	change.
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	46
1	Q. Okay. Okay. So there's a possibility. So if they said it's
2	the same space, nothing's changed inside as far as the
3	atmosphere's been checked, then that's a possibility where you
4	wouldn't have to come out then?
5	A. Yeah. Sorry. Can you ask that question again?
6	Q. No, I'm just trying to get my arms around a scope of work
7	where it changed where it wouldn't require you. So the scope, in
8	your estimation, in what you just said, that the scope of work to
9	insert the deck, that would have been a requirement that you
10	should have come out to reinspect or to resurvey. Okay.
11	A. Yes.
12	Q. Give me an example I'm trying to get my arms around a
13	scope of work change, any scope of work change that would not
14	require you to come back out.
15	A. Correct. Okay. Yeah, I mean
16	MR. MILLER: I will you know, you're obviously free to
17	MR. KUCHARSKI: Who's talking now? Who's talking?
18	MR. MILLER: Yeah. This is Mr. Miller. You know, he's
19	obviously free to talk about that, but he can't really speculate.
20	BY MR. KUCHARSKI:
21	Q. Okay. This is Mike Kucharski. I'm not asking for
22	speculation. Do you have any example of one where you've talked
23	to an SCP that they said, okay, this is going to change but you
24	didn't go out?
25	A. Yeah, I'm trying to think of a specific example. Yeah, I'm
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	47
1	trying to think. Yeah, I can't think of a specific example.
2	Q. That's fair enough, you know, if you can't think of any off
3	the top of your head. I'm just but you are saying that the
4	scope of work had changed, that would be your estimation, and
5	would have required a marine chemist to come back and look if they
6	were going to insert the deck. That's correct?
7	A. Yes.
8	Q. Okay.
9	A. Yes.
10	MR. KUCHARSKI: All right. I will hold there and see if
11	there are any questions.
12	Mr.
13	CWO I do not have any, sir.
14	MR. KUCHARSKI: Okay. Is there Mr. Trettevik, is there
15	anything else you would like to add?
16	MR. TRETTEVIK: No.
17	MR. KUCHARSKI: Okay. Well, you have Mr. contact
18	information. If anything should come up, if you think of anything
19	that you think would be helpful, please contact him. I understand
20	you're going to leave a clearer copy of this certificate
21	MR. TRETTEVIK: Yes.
22	MR. KUCHARSKI: from 2/4, the marine chemist great.
23	Great. Okay.
24	Well, thank you very much for your time.
25	MR. TRETTEVIK: Yeah. Thank you.
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

	48
1	MR. KUCHARSKI: And maybe you could give me a call
2	just to chat a bit?
3	CWO Yeah. I will escort these gentlemen outside, and
4	as soon as I get back up to my office, I'll give you a shout.
5	MR. KUCHARSKI: Perfect. Okay.
6	It's 1653 on the Eastern Daylight Time, and the interview
7	has ended. Thank you. Thank you, all.
8	(Whereupon, at 4:53 p.m. EDT, the interview was concluded.)
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
	FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947

CERTIFICATE

This is to certify that the attached proceeding before the

NATIONAL TRANSPORTATION SAFETY BOARD

IN THE MATTER OF:

ALEUTIAN FALCON FIRE IN TACOMA, WASHINGTON ON FEBRUARY 18, 2021 Interview of Joseph Trettevik

ACCIDENT NO.: DCA21FM016

PLACE: Via Microsoft Teams

DATE: October 21, 2021

was held according to the record, and that this is the original, complete, true and accurate transcript which has been transcribed to the best of my skill and ability.

Kay Maurer

Transcriber

FREE STATE REPORTING, INC. Court Reporting Transcription D.C. Area 301-261-1902 Balt. & Annap. 410-974-0947